



Full wwPDB EM Validation Report ⓘ

Apr 9, 2025 – 06:43 PM EDT

PDB ID : 9BBK / pdb_00009bbk
EMDB ID : EMD-44420
Title : SARS-CoV-2 full-length spike protein with His1271Lys substitution in the coatomer binding motif, 2RBD-up conformation (SPIKE-KxK)
Authors : Singh, S.; Hasan, S.S.
Deposited on : 2024-04-06
Resolution : 2.95 Å(reported)
Based on initial model : 7KRR

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev117
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4.02b-467
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.42


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY










The reported resolution of this entry is 2.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1312	
1	B	1312	
1	C	1312	
2	D	2	
2	L	2	
2	M	2	
2	N	2	
2	V	2	
2	Y	2	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	Z	2	100%
2	f	2	100%
2	g	2	100%
3	E	3	33% 67%
3	F	3	33% 67%
3	G	3	33% 67%
3	I	3	33% 67%
3	J	3	33% 67%
3	K	3	33% 67%
3	T	3	33% 67%
3	U	3	33% 67%
3	W	3	33% 67%
3	X	3	33% 67%
3	e	3	33% 67%
4	H	3	33% 67%
4	c	3	33% 67%
5	P	4	25% 75%
5	Q	4	100%
6	R	4	25% 100%
7	S	4	25% 75%
7	a	4	100%
7	b	4	25% 75%
8	d	5	20% 80%

2 Entry composition

There are 9 unique types of molecules in this entry. The entry contains 49671 atoms, of which 23756 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Spike glycoprotein.

Mol	Chain	Residues	Atoms						AltConf	Trace
1	A	1028	Total	C	H	N	O	S	0	0
			15750	5106	7751	1334	1523	36		
1	B	1064	Total	C	H	N	O	S	0	0
			16335	5302	8027	1386	1583	37		
1	C	1052	Total	C	H	N	O	S	0	0
			16143	5239	7944	1365	1559	36		

There are 138 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-20	SER	-	insertion	UNP P0DTC2
A	-19	ALA	-	insertion	UNP P0DTC2
A	-18	TRP	-	insertion	UNP P0DTC2
A	-17	SER	-	insertion	UNP P0DTC2
A	-16	HIS	-	insertion	UNP P0DTC2
A	-15	PRO	-	insertion	UNP P0DTC2
A	-14	GLN	-	insertion	UNP P0DTC2
A	-13	PHE	-	insertion	UNP P0DTC2
A	-12	GLU	-	insertion	UNP P0DTC2
A	-11	LYS	-	insertion	UNP P0DTC2
A	-10	GLY	-	insertion	UNP P0DTC2
A	-9	GLY	-	insertion	UNP P0DTC2
A	-8	GLY	-	insertion	UNP P0DTC2
A	-7	SER	-	insertion	UNP P0DTC2
A	-6	GLY	-	insertion	UNP P0DTC2
A	-5	GLY	-	insertion	UNP P0DTC2
A	-4	GLY	-	insertion	UNP P0DTC2
A	-3	SER	-	insertion	UNP P0DTC2
A	-2	GLY	-	insertion	UNP P0DTC2
A	-1	GLY	-	insertion	UNP P0DTC2
A	0	SER	-	insertion	UNP P0DTC2
A	1	SER	-	insertion	UNP P0DTC2
A	2	ALA	-	insertion	UNP P0DTC2
A	3	TRP	-	insertion	UNP P0DTC2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	4	SER	-	insertion	UNP P0DTC2
A	5	HIS	-	insertion	UNP P0DTC2
A	6	PRO	-	insertion	UNP P0DTC2
A	7	GLN	-	insertion	UNP P0DTC2
A	8	PHE	-	insertion	UNP P0DTC2
A	9	GLU	-	insertion	UNP P0DTC2
A	10	LYS	-	insertion	UNP P0DTC2
A	11	SER	-	insertion	UNP P0DTC2
A	12	ALA	-	insertion	UNP P0DTC2
A	13	LEU	-	insertion	UNP P0DTC2
A	14	VAL	-	insertion	UNP P0DTC2
A	15	PRO	-	insertion	UNP P0DTC2
A	16	ARG	-	insertion	UNP P0DTC2
A	17	GLY	-	insertion	UNP P0DTC2
A	18	SER	-	insertion	UNP P0DTC2
A	614	GLY	ASP	variant	UNP P0DTC2
A	682	GLY	ARG	engineered mutation	UNP P0DTC2
A	683	SER	ARG	engineered mutation	UNP P0DTC2
A	685	SER	ARG	engineered mutation	UNP P0DTC2
A	986	PRO	LYS	engineered mutation	UNP P0DTC2
A	987	PRO	VAL	engineered mutation	UNP P0DTC2
A	1271	LYS	HIS	engineered mutation	UNP P0DTC2
B	-20	SER	-	insertion	UNP P0DTC2
B	-19	ALA	-	insertion	UNP P0DTC2
B	-18	TRP	-	insertion	UNP P0DTC2
B	-17	SER	-	insertion	UNP P0DTC2
B	-16	HIS	-	insertion	UNP P0DTC2
B	-15	PRO	-	insertion	UNP P0DTC2
B	-14	GLN	-	insertion	UNP P0DTC2
B	-13	PHE	-	insertion	UNP P0DTC2
B	-12	GLU	-	insertion	UNP P0DTC2
B	-11	LYS	-	insertion	UNP P0DTC2
B	-10	GLY	-	insertion	UNP P0DTC2
B	-9	GLY	-	insertion	UNP P0DTC2
B	-8	GLY	-	insertion	UNP P0DTC2
B	-7	SER	-	insertion	UNP P0DTC2
B	-6	GLY	-	insertion	UNP P0DTC2
B	-5	GLY	-	insertion	UNP P0DTC2
B	-4	GLY	-	insertion	UNP P0DTC2
B	-3	SER	-	insertion	UNP P0DTC2
B	-2	GLY	-	insertion	UNP P0DTC2
B	-1	GLY	-	insertion	UNP P0DTC2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	0	SER	-	insertion	UNP P0DTC2
B	1	SER	-	insertion	UNP P0DTC2
B	2	ALA	-	insertion	UNP P0DTC2
B	3	TRP	-	insertion	UNP P0DTC2
B	4	SER	-	insertion	UNP P0DTC2
B	5	HIS	-	insertion	UNP P0DTC2
B	6	PRO	-	insertion	UNP P0DTC2
B	7	GLN	-	insertion	UNP P0DTC2
B	8	PHE	-	insertion	UNP P0DTC2
B	9	GLU	-	insertion	UNP P0DTC2
B	10	LYS	-	insertion	UNP P0DTC2
B	11	SER	-	insertion	UNP P0DTC2
B	12	ALA	-	insertion	UNP P0DTC2
B	13	LEU	-	insertion	UNP P0DTC2
B	14	VAL	-	insertion	UNP P0DTC2
B	15	PRO	-	insertion	UNP P0DTC2
B	16	ARG	-	insertion	UNP P0DTC2
B	17	GLY	-	insertion	UNP P0DTC2
B	18	SER	-	insertion	UNP P0DTC2
B	614	GLY	ASP	variant	UNP P0DTC2
B	682	GLY	ARG	engineered mutation	UNP P0DTC2
B	683	SER	ARG	engineered mutation	UNP P0DTC2
B	685	SER	ARG	engineered mutation	UNP P0DTC2
B	986	PRO	LYS	engineered mutation	UNP P0DTC2
B	987	PRO	VAL	engineered mutation	UNP P0DTC2
B	1271	LYS	HIS	engineered mutation	UNP P0DTC2
C	-20	SER	-	insertion	UNP P0DTC2
C	-19	ALA	-	insertion	UNP P0DTC2
C	-18	TRP	-	insertion	UNP P0DTC2
C	-17	SER	-	insertion	UNP P0DTC2
C	-16	HIS	-	insertion	UNP P0DTC2
C	-15	PRO	-	insertion	UNP P0DTC2
C	-14	GLN	-	insertion	UNP P0DTC2
C	-13	PHE	-	insertion	UNP P0DTC2
C	-12	GLU	-	insertion	UNP P0DTC2
C	-11	LYS	-	insertion	UNP P0DTC2
C	-10	GLY	-	insertion	UNP P0DTC2
C	-9	GLY	-	insertion	UNP P0DTC2
C	-8	GLY	-	insertion	UNP P0DTC2
C	-7	SER	-	insertion	UNP P0DTC2
C	-6	GLY	-	insertion	UNP P0DTC2
C	-5	GLY	-	insertion	UNP P0DTC2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	-4	GLY	-	insertion	UNP P0DTC2
C	-3	SER	-	insertion	UNP P0DTC2
C	-2	GLY	-	insertion	UNP P0DTC2
C	-1	GLY	-	insertion	UNP P0DTC2
C	0	SER	-	insertion	UNP P0DTC2
C	1	SER	-	insertion	UNP P0DTC2
C	2	ALA	-	insertion	UNP P0DTC2
C	3	TRP	-	insertion	UNP P0DTC2
C	4	SER	-	insertion	UNP P0DTC2
C	5	HIS	-	insertion	UNP P0DTC2
C	6	PRO	-	insertion	UNP P0DTC2
C	7	GLN	-	insertion	UNP P0DTC2
C	8	PHE	-	insertion	UNP P0DTC2
C	9	GLU	-	insertion	UNP P0DTC2
C	10	LYS	-	insertion	UNP P0DTC2
C	11	SER	-	insertion	UNP P0DTC2
C	12	ALA	-	insertion	UNP P0DTC2
C	13	LEU	-	insertion	UNP P0DTC2
C	14	VAL	-	insertion	UNP P0DTC2
C	15	PRO	-	insertion	UNP P0DTC2
C	16	ARG	-	insertion	UNP P0DTC2
C	17	GLY	-	insertion	UNP P0DTC2
C	18	SER	-	insertion	UNP P0DTC2
C	614	GLY	ASP	variant	UNP P0DTC2
C	682	GLY	ARG	engineered mutation	UNP P0DTC2
C	683	SER	ARG	engineered mutation	UNP P0DTC2
C	685	SER	ARG	engineered mutation	UNP P0DTC2
C	986	PRO	LYS	engineered mutation	UNP P0DTC2
C	987	PRO	VAL	engineered mutation	UNP P0DTC2
C	1271	LYS	HIS	engineered mutation	UNP P0DTC2

- Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
2	D	2	Total	C	N	O	0	0
			28	16	2	10		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf	Trace
2	L	2	Total	C	N	O	0	0
			28	16	2	10		
2	M	2	Total	C	N	O	0	0
			28	16	2	10		
2	N	2	Total	C	N	O	0	0
			28	16	2	10		
2	V	2	Total	C	N	O	0	0
			28	16	2	10		
2	Y	2	Total	C	N	O	0	0
			28	16	2	10		
2	Z	2	Total	C	N	O	0	0
			28	16	2	10		
2	f	2	Total	C	N	O	0	0
			28	16	2	10		
2	g	2	Total	C	N	O	0	0
			28	16	2	10		

- Molecule 3 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
3	E	3	Total 39	C 22	N 2	O 15	0	0
3	F	3	Total 39	C 22	N 2	O 15	0	0
3	G	3	Total 39	C 22	N 2	O 15	0	0
3	I	3	Total 39	C 22	N 2	O 15	0	0
3	J	3	Total 39	C 22	N 2	O 15	0	0
3	K	3	Total 39	C 22	N 2	O 15	0	0
3	T	3	Total 39	C 22	N 2	O 15	0	0
3	U	3	Total 39	C 22	N 2	O 15	0	0
3	W	3	Total 72	C 21	H 34	N 2 O 15	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf	Trace
3	X	3	Total	C	N	O	0	0
			39	22	2	15		
3	e	3	Total	C	N	O	0	0
			39	22	2	15		

- Molecule 4 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
4	H	3	Total	C	N	O	0	0
			38	22	2	14		
4	c	3	Total	C	N	O	0	0
			38	22	2	14		

- Molecule 5 is an oligosaccharide called alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
5	P	4	Total	C	N	O	0	0
			50	28	2	20		
5	Q	4	Total	C	N	O	0	0
			50	28	2	20		

- Molecule 6 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
6	R	4	Total	C	N	O	0	0
			49	28	2	19		

- Molecule 7 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
7	S	4	Total	C	N	O	0	0
			50	28	2	20		
7	a	4	Total	C	N	O	0	0
			50	28	2	20		
7	b	4	Total	C	N	O	0	0
			50	28	2	20		

- Molecule 8 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
8	d	5	Total	C	N	O	0	0
			60	34	2	24		

- Molecule 9 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms				AltConf
9	A	1	Total	C	N	O	0
			14	8	1	5	
9	A	1	Total	C	N	O	0
			14	8	1	5	
9	A	1	Total	C	N	O	0
			14	8	1	5	
9	A	1	Total	C	N	O	0
			14	8	1	5	
9	A	1	Total	C	N	O	0
			14	8	1	5	
9	A	1	Total	C	N	O	0
			14	8	1	5	
9	A	1	Total	C	N	O	0
			14	8	1	5	
9	B	1	Total	C	N	O	0
			14	8	1	5	
9	B	1	Total	C	N	O	0
			14	8	1	5	
9	B	1	Total	C	N	O	0
			14	8	1	5	
9	B	1	Total	C	N	O	0
			14	8	1	5	
9	B	1	Total	C	N	O	0
			14	8	1	5	

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf
9	B	1	Total	C	N	O	0
			14	8	1	5	
9	B	1	Total	C	N	O	0
			14	8	1	5	
9	C	1	Total	C	N	O	0
			14	8	1	5	
9	C	1	Total	C	N	O	0
			14	8	1	5	
9	C	1	Total	C	N	O	0
			14	8	1	5	
9	C	1	Total	C	N	O	0
			14	8	1	5	



3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Spike glycoprotein




• Molecule 1: Spike glycoprotein





- Molecule 1: Spike glycoprotein



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain M:  100%

MAG1
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain N:  100%

MAG1
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain V:  100%

MAG1
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Y:  100%

MAG1
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Z:  100%

MAG1
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain f:  100%

MAG1
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain g:  100%

MAG1
MAG2

- Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E:  33% 67%

MAG1
MAG2
BWA3

- Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F:  33% 67%

MAG1
MAG2
BWA3

- Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G:  33% 67%

MAG1
MAG2
BWA3

- Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I:  33% 67%

MAG1
MAG2
BWA3

- Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J:  33% 67%

MAG1
MAG2
BWA3

- Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain K:  33% 67%

MAG1
MAG2
BWA3

- Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain T:  33% 67%

MAG1
MAG2
BMA3

- Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain U:  33% 67%

MAG1
MAG2
BMA3

- Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain W:  33% 67%

MAG1
MAG2
BMA3

- Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain X:  33% 67%

MAG1
MAG2
BMA3

- Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain e:  33% 67%

MAG1
MAG2
BMA3

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain H:  33% 67%

MAG1
MAG2
FUC3

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain c:  33% 67%



- Molecule 5: alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain P: 



- Molecule 5: alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Q: 



- Molecule 6: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain R: 



- Molecule 7: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain S: 



- Molecule 7: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain a: 



- Molecule 7: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain b: 



- Molecule 8: α -D-mannopyranose-(1-3)- β -D-mannopyranose-(1-4)-2-acetamido-2-deoxy- β -D-glucopyranose-(1-4)-[α -L-fucopyranose-(1-6)]2-acetamido-2-deoxy- β -D-glucopyranose

Chain d:  20% 80%

MAG1
MAG2
EMA3
MAM4
FUC5

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	87816	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	60	Depositor
Minimum defocus (nm)	800	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	165000	Depositor
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	0.482	Depositor
Minimum map value	-0.189	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.014	Depositor
Recommended contour level	0.048	Depositor
Map size (Å)	304.8, 304.8, 304.8	wwPDB
Map dimensions	320, 320, 320	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.9525, 0.9525, 0.9525	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, FUC, MAN, BMA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.27	0/8175	0.48	0/11118
1	B	0.27	0/8502	0.49	0/11569
1	C	0.27	0/8387	0.48	1/11410 (0.0%)
All	All	0.27	0/25064	0.48	1/34097 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	165	ASN	C-N-CA	7.24	139.80	121.70

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	234	ASN	Peptide

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1010/1312 (77%)	967 (96%)	43 (4%)	0	100	100
1	B	1052/1312 (80%)	977 (93%)	73 (7%)	2 (0%)	44	67
1	C	1038/1312 (79%)	959 (92%)	78 (8%)	1 (0%)	48	72
All	All	3100/3936 (79%)	2903 (94%)	194 (6%)	3 (0%)	50	72

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	332	ILE
1	C	166	CYS
1	B	34	ARG

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	890/1137 (78%)	885 (99%)	5 (1%)	84	91
1	B	923/1137 (81%)	916 (99%)	7 (1%)	79	88
1	C	909/1137 (80%)	903 (99%)	6 (1%)	81	90
All	All	2722/3411 (80%)	2704 (99%)	18 (1%)	80	90

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	113	LYS
1	A	153	MET
1	A	301	CYS
1	A	466	ARG
1	A	1148	PHE
1	B	32	PHE
1	B	204	TYR
1	B	234	ASN
1	B	328	ARG
1	B	473	TYR
1	B	515	PHE
1	B	616	ASN
1	C	44	ARG
1	C	79	PHE
1	C	546	LEU
1	C	578	ASP
1	C	760	CYS
1	C	873	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	52	GLN
1	A	218	GLN
1	B	188	ASN
1	B	493	GLN
1	B	1002	GLN
1	C	146	HIS
1	C	1002	GLN
1	C	1142	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

86 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	NAG	D	1	2,1	14,14,15	2.08	4 (28%)	17,19,21	1.18	3 (17%)
2	NAG	D	2	2	14,14,15	2.06	4 (28%)	17,19,21	1.27	3 (17%)
3	NAG	E	1	3,1	14,14,15	1.99	4 (28%)	17,19,21	1.44	4 (23%)
3	NAG	E	2	3	14,14,15	1.96	5 (35%)	17,19,21	1.52	3 (17%)
3	BMA	E	3	3	11,11,12	0.56	0	15,15,17	0.72	0
3	NAG	F	1	3,1	14,14,15	1.88	3 (21%)	17,19,21	1.49	4 (23%)
3	NAG	F	2	3	14,14,15	1.97	4 (28%)	17,19,21	1.30	1 (5%)
3	BMA	F	3	3	11,11,12	0.87	0	15,15,17	0.87	0
3	NAG	G	1	3,1	14,14,15	1.73	3 (21%)	17,19,21	2.54	5 (29%)
3	NAG	G	2	3	14,14,15	1.99	3 (21%)	17,19,21	0.92	1 (5%)
3	BMA	G	3	3	11,11,12	0.55	0	15,15,17	0.67	0
4	NAG	H	1	4,1	14,14,15	2.13	4 (28%)	17,19,21	2.21	4 (23%)
4	NAG	H	2	4	14,14,15	2.09	4 (28%)	17,19,21	1.16	2 (11%)
4	FUC	H	3	4	10,10,11	0.64	0	14,14,16	0.67	0
3	NAG	I	1	3,1	14,14,15	1.96	4 (28%)	17,19,21	1.28	2 (11%)
3	NAG	I	2	3	14,14,15	1.97	3 (21%)	17,19,21	1.28	3 (17%)
3	BMA	I	3	3	11,11,12	0.67	0	15,15,17	0.70	0
3	NAG	J	1	3,1	14,14,15	1.99	4 (28%)	17,19,21	1.09	1 (5%)
3	NAG	J	2	3	14,14,15	2.01	4 (28%)	17,19,21	1.21	2 (11%)
3	BMA	J	3	3	11,11,12	0.56	0	15,15,17	0.70	0
3	NAG	K	1	3,1	14,14,15	2.03	5 (35%)	17,19,21	1.54	3 (17%)
3	NAG	K	2	3	14,14,15	2.06	3 (21%)	17,19,21	1.40	3 (17%)
3	BMA	K	3	3	11,11,12	0.65	0	15,15,17	0.79	0
2	NAG	L	1	2,1	14,14,15	1.95	4 (28%)	17,19,21	1.22	2 (11%)
2	NAG	L	2	2	14,14,15	1.98	4 (28%)	17,19,21	1.03	1 (5%)
2	NAG	M	1	2,1	14,14,15	1.99	4 (28%)	17,19,21	1.10	1 (5%)
2	NAG	M	2	2	14,14,15	2.08	4 (28%)	17,19,21	1.54	4 (23%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	N	1	2,1	14,14,15	2.02	4 (28%)	17,19,21	1.36	2 (11%)
2	NAG	N	2	2	14,14,15	1.99	4 (28%)	17,19,21	1.13	3 (17%)
5	NAG	P	1	5,1	14,14,15	1.83	3 (21%)	17,19,21	1.48	4 (23%)
5	NAG	P	2	5	14,14,15	1.98	3 (21%)	17,19,21	1.26	3 (17%)
5	BMA	P	3	5	11,11,12	0.65	0	15,15,17	0.68	0
5	MAN	P	4	5	11,11,12	0.63	0	15,15,17	0.96	2 (13%)
5	NAG	Q	1	5,1	14,14,15	1.94	4 (28%)	17,19,21	1.64	5 (29%)
5	NAG	Q	2	5	14,14,15	2.09	5 (35%)	17,19,21	1.59	4 (23%)
5	BMA	Q	3	5	11,11,12	0.83	0	15,15,17	1.23	1 (6%)
5	MAN	Q	4	5	11,11,12	0.63	0	15,15,17	0.96	2 (13%)
6	NAG	R	1	6,1	14,14,15	2.16	4 (28%)	17,19,21	2.31	6 (35%)
6	NAG	R	2	6	14,14,15	2.10	4 (28%)	17,19,21	1.25	2 (11%)
6	BMA	R	3	6	11,11,12	0.82	0	15,15,17	1.15	1 (6%)
6	FUC	R	4	6	10,10,11	1.06	1 (10%)	14,14,16	1.13	1 (7%)
7	NAG	S	1	7,1	14,14,15	1.99	4 (28%)	17,19,21	1.52	3 (17%)
7	NAG	S	2	7	14,14,15	2.01	4 (28%)	17,19,21	1.11	2 (11%)
7	BMA	S	3	7	11,11,12	0.51	0	15,15,17	0.78	0
7	MAN	S	4	7	11,11,12	1.09	1 (9%)	15,15,17	1.49	3 (20%)
3	NAG	T	1	3,1	14,14,15	1.96	4 (28%)	17,19,21	1.12	2 (11%)
3	NAG	T	2	3	14,14,15	2.00	4 (28%)	17,19,21	1.18	1 (5%)
3	BMA	T	3	3	11,11,12	0.54	0	15,15,17	0.71	0
3	NAG	U	1	3,1	14,14,15	1.97	4 (28%)	17,19,21	1.12	2 (11%)
3	NAG	U	2	3	14,14,15	2.02	4 (28%)	17,19,21	1.18	1 (5%)
3	BMA	U	3	3	11,11,12	0.51	0	15,15,17	0.73	0
2	NAG	V	1	2,1	14,14,15	1.97	4 (28%)	17,19,21	1.15	2 (11%)
2	NAG	V	2	2	14,14,15	1.98	4 (28%)	17,19,21	1.12	2 (11%)
3	NAG	W	1	3	12,12,15	1.99	2 (16%)	15,15,21	1.17	1 (6%)
3	NAG	W	2	3	14,14,15	2.03	4 (28%)	17,19,21	0.89	1 (5%)
3	BMA	W	3	3	11,11,12	0.82	0	15,15,17	0.80	0
3	NAG	X	1	3,1	14,14,15	2.01	4 (28%)	17,19,21	1.05	2 (11%)
3	NAG	X	2	3	14,14,15	2.00	4 (28%)	17,19,21	1.08	2 (11%)
3	BMA	X	3	3	11,11,12	0.55	0	15,15,17	0.70	0
2	NAG	Y	1	2,1	14,14,15	1.95	4 (28%)	17,19,21	2.33	4 (23%)
2	NAG	Y	2	2	14,14,15	2.06	4 (28%)	17,19,21	1.13	2 (11%)
2	NAG	Z	1	2,1	14,14,15	1.95	4 (28%)	17,19,21	1.28	2 (11%)
2	NAG	Z	2	2	14,14,15	2.01	4 (28%)	17,19,21	1.25	1 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	NAG	a	1	7,1	14,14,15	1.99	5 (35%)	17,19,21	1.19	1 (5%)
7	NAG	a	2	7	14,14,15	2.04	3 (21%)	17,19,21	1.52	3 (17%)
7	BMA	a	3	7	11,11,12	0.87	1 (9%)	15,15,17	0.90	0
7	MAN	a	4	7	11,11,12	0.61	0	15,15,17	1.05	2 (13%)
7	NAG	b	1	7,1	14,14,15	2.03	5 (35%)	17,19,21	1.72	4 (23%)
7	NAG	b	2	7	14,14,15	1.99	4 (28%)	17,19,21	1.31	2 (11%)
7	BMA	b	3	7	11,11,12	0.64	0	15,15,17	0.71	0
7	MAN	b	4	7	11,11,12	0.77	0	15,15,17	1.11	2 (13%)
4	NAG	c	1	4,1	14,14,15	1.98	3 (21%)	17,19,21	1.84	4 (23%)
4	NAG	c	2	4	14,14,15	2.02	4 (28%)	17,19,21	1.15	1 (5%)
4	FUC	c	3	4	10,10,11	0.53	0	14,14,16	0.79	0
8	NAG	d	1	8,1	14,14,15	2.00	4 (28%)	17,19,21	1.49	3 (17%)
8	NAG	d	2	8	14,14,15	1.96	4 (28%)	17,19,21	1.49	3 (17%)
8	BMA	d	3	8	11,11,12	0.75	0	15,15,17	1.03	1 (6%)
8	MAN	d	4	8	11,11,12	0.68	0	15,15,17	0.85	1 (6%)
8	FUC	d	5	8	10,10,11	0.72	0	14,14,16	0.63	0
3	NAG	e	1	3,1	14,14,15	1.98	5 (35%)	17,19,21	1.21	1 (5%)
3	NAG	e	2	3	14,14,15	1.97	3 (21%)	17,19,21	1.37	3 (17%)
3	BMA	e	3	3	11,11,12	0.58	0	15,15,17	0.68	0
2	NAG	f	1	2,1	14,14,15	2.07	4 (28%)	17,19,21	1.38	3 (17%)
2	NAG	f	2	2	14,14,15	2.11	4 (28%)	17,19,21	0.93	1 (5%)
2	NAG	g	1	2,1	14,14,15	2.00	4 (28%)	17,19,21	1.13	2 (11%)
2	NAG	g	2	2	14,14,15	2.02	4 (28%)	17,19,21	1.12	2 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	D	1	2,1	-	2/6/23/26	0/1/1/1
2	NAG	D	2	2	-	2/6/23/26	0/1/1/1
3	NAG	E	1	3,1	-	3/6/23/26	0/1/1/1
3	NAG	E	2	3	-	2/6/23/26	0/1/1/1
3	BMA	E	3	3	-	0/2/19/22	0/1/1/1
3	NAG	F	1	3,1	-	4/6/23/26	0/1/1/1
3	NAG	F	2	3	-	6/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	BMA	F	3	3	-	1/2/19/22	0/1/1/1
3	NAG	G	1	3,1	-	4/6/23/26	0/1/1/1
3	NAG	G	2	3	-	3/6/23/26	0/1/1/1
3	BMA	G	3	3	-	1/2/19/22	0/1/1/1
4	NAG	H	1	4,1	-	4/6/23/26	0/1/1/1
4	NAG	H	2	4	-	6/6/23/26	0/1/1/1
4	FUC	H	3	4	-	-	0/1/1/1
3	NAG	I	1	3,1	-	1/6/23/26	0/1/1/1
3	NAG	I	2	3	-	0/6/23/26	0/1/1/1
3	BMA	I	3	3	-	0/2/19/22	0/1/1/1
3	NAG	J	1	3,1	-	0/6/23/26	0/1/1/1
3	NAG	J	2	3	-	2/6/23/26	0/1/1/1
3	BMA	J	3	3	-	0/2/19/22	0/1/1/1
3	NAG	K	1	3,1	-	2/6/23/26	0/1/1/1
3	NAG	K	2	3	-	2/6/23/26	0/1/1/1
3	BMA	K	3	3	-	0/2/19/22	0/1/1/1
2	NAG	L	1	2,1	-	5/6/23/26	0/1/1/1
2	NAG	L	2	2	-	2/6/23/26	0/1/1/1
2	NAG	M	1	2,1	-	3/6/23/26	0/1/1/1
2	NAG	M	2	2	-	3/6/23/26	0/1/1/1
2	NAG	N	1	2,1	-	6/6/23/26	0/1/1/1
2	NAG	N	2	2	-	1/6/23/26	0/1/1/1
5	NAG	P	1	5,1	-	4/6/23/26	0/1/1/1
5	NAG	P	2	5	-	4/6/23/26	0/1/1/1
5	BMA	P	3	5	-	0/2/19/22	0/1/1/1
5	MAN	P	4	5	-	0/2/19/22	0/1/1/1
5	NAG	Q	1	5,1	-	1/6/23/26	0/1/1/1
5	NAG	Q	2	5	-	2/6/23/26	0/1/1/1
5	BMA	Q	3	5	-	0/2/19/22	0/1/1/1
5	MAN	Q	4	5	-	0/2/19/22	0/1/1/1
6	NAG	R	1	6,1	-	2/6/23/26	0/1/1/1
6	NAG	R	2	6	-	2/6/23/26	0/1/1/1
6	BMA	R	3	6	-	0/2/19/22	0/1/1/1
6	FUC	R	4	6	-	-	0/1/1/1
7	NAG	S	1	7,1	-	2/6/23/26	0/1/1/1
7	NAG	S	2	7	-	4/6/23/26	0/1/1/1
7	BMA	S	3	7	-	0/2/19/22	0/1/1/1
7	MAN	S	4	7	-	0/2/19/22	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	T	1	3,1	-	2/6/23/26	0/1/1/1
3	NAG	T	2	3	-	5/6/23/26	0/1/1/1
3	BMA	T	3	3	-	1/2/19/22	0/1/1/1
3	NAG	U	1	3,1	-	0/6/23/26	0/1/1/1
3	NAG	U	2	3	-	6/6/23/26	0/1/1/1
3	BMA	U	3	3	-	0/2/19/22	0/1/1/1
2	NAG	V	1	2,1	-	1/6/23/26	0/1/1/1
2	NAG	V	2	2	-	0/6/23/26	0/1/1/1
3	NAG	W	1	3	-	2/15/15/26	-
3	NAG	W	2	3	-	1/6/23/26	0/1/1/1
3	BMA	W	3	3	-	0/2/19/22	0/1/1/1
3	NAG	X	1	3,1	-	2/6/23/26	0/1/1/1
3	NAG	X	2	3	-	4/6/23/26	0/1/1/1
3	BMA	X	3	3	-	1/2/19/22	0/1/1/1
2	NAG	Y	1	2,1	-	4/6/23/26	0/1/1/1
2	NAG	Y	2	2	-	2/6/23/26	0/1/1/1
2	NAG	Z	1	2,1	-	4/6/23/26	0/1/1/1
2	NAG	Z	2	2	-	6/6/23/26	0/1/1/1
7	NAG	a	1	7,1	-	6/6/23/26	0/1/1/1
7	NAG	a	2	7	-	2/6/23/26	0/1/1/1
7	BMA	a	3	7	-	1/2/19/22	0/1/1/1
7	MAN	a	4	7	-	0/2/19/22	1/1/1/1
7	NAG	b	1	7,1	-	2/6/23/26	0/1/1/1
7	NAG	b	2	7	-	2/6/23/26	0/1/1/1
7	BMA	b	3	7	-	0/2/19/22	0/1/1/1
7	MAN	b	4	7	-	0/2/19/22	0/1/1/1
4	NAG	c	1	4,1	-	5/6/23/26	0/1/1/1
4	NAG	c	2	4	-	6/6/23/26	0/1/1/1
4	FUC	c	3	4	-	-	0/1/1/1
8	NAG	d	1	8,1	-	2/6/23/26	0/1/1/1
8	NAG	d	2	8	-	4/6/23/26	0/1/1/1
8	BMA	d	3	8	-	1/2/19/22	0/1/1/1
8	MAN	d	4	8	-	1/2/19/22	0/1/1/1
8	FUC	d	5	8	-	-	0/1/1/1
3	NAG	e	1	3,1	-	2/6/23/26	0/1/1/1
3	NAG	e	2	3	-	2/6/23/26	0/1/1/1
3	BMA	e	3	3	-	1/2/19/22	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	f	1	2,1	-	3/6/23/26	0/1/1/1
2	NAG	f	2	2	-	3/6/23/26	0/1/1/1
2	NAG	g	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	g	2	2	-	2/6/23/26	0/1/1/1

All (229) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	H	1	NAG	O5-C1	4.97	1.52	1.43
2	f	2	NAG	O5-C1	4.86	1.51	1.43
2	D	1	NAG	O5-C1	4.80	1.51	1.43
6	R	1	NAG	O5-C1	4.80	1.51	1.43
3	W	1	NAG	C7-N2	4.73	1.46	1.34
2	D	2	NAG	O5-C1	4.70	1.51	1.43
2	Y	2	NAG	O5-C1	4.70	1.51	1.43
2	f	1	NAG	O5-C1	4.65	1.51	1.43
7	a	2	NAG	O5-C1	4.59	1.51	1.43
3	K	2	NAG	O5-C1	4.58	1.51	1.43
6	R	2	NAG	O5-C1	4.57	1.51	1.43
3	J	1	NAG	O5-C1	4.50	1.51	1.43
4	H	2	NAG	O5-C1	4.49	1.51	1.43
7	S	2	NAG	O5-C1	4.48	1.51	1.43
5	Q	2	NAG	O5-C1	4.45	1.51	1.43
2	N	2	NAG	O5-C1	4.44	1.51	1.43
2	g	2	NAG	O5-C1	4.40	1.51	1.43
7	b	1	NAG	O5-C1	4.37	1.51	1.43
3	I	2	NAG	O5-C1	4.36	1.51	1.43
3	J	2	NAG	O5-C1	4.36	1.51	1.43
4	c	2	NAG	O5-C1	4.35	1.51	1.43
8	d	1	NAG	O5-C1	4.35	1.51	1.43
3	X	2	NAG	O5-C1	4.34	1.51	1.43
2	g	1	NAG	O5-C1	4.34	1.51	1.43
5	P	2	NAG	O5-C1	4.33	1.51	1.43
3	W	2	NAG	O5-C1	4.33	1.51	1.43
2	N	1	NAG	O5-C1	4.32	1.51	1.43
4	c	1	NAG	O5-C1	4.31	1.50	1.43
2	M	1	NAG	O5-C1	4.31	1.50	1.43
3	K	1	NAG	O5-C1	4.30	1.50	1.43
3	X	1	NAG	O5-C1	4.29	1.50	1.43
3	U	2	NAG	O5-C1	4.28	1.50	1.43
2	L	2	NAG	O5-C1	4.28	1.50	1.43
7	b	2	NAG	O5-C1	4.26	1.50	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	e	1	NAG	O5-C1	4.26	1.50	1.43
2	V	2	NAG	O5-C1	4.25	1.50	1.43
2	Z	2	NAG	O5-C1	4.24	1.50	1.43
3	e	2	NAG	O5-C1	4.24	1.50	1.43
2	M	2	NAG	O5-C1	4.24	1.50	1.43
8	d	2	NAG	O5-C1	4.23	1.50	1.43
2	V	1	NAG	O5-C1	4.22	1.50	1.43
3	U	1	NAG	O5-C1	4.20	1.50	1.43
3	T	1	NAG	O5-C1	4.20	1.50	1.43
3	I	1	NAG	O5-C1	4.19	1.50	1.43
3	T	2	NAG	O5-C1	4.18	1.50	1.43
2	L	1	NAG	O5-C1	4.16	1.50	1.43
7	a	1	NAG	O5-C1	4.16	1.50	1.43
7	S	1	NAG	O5-C1	4.16	1.50	1.43
3	E	2	NAG	O5-C1	4.15	1.50	1.43
3	E	1	NAG	O5-C1	4.12	1.50	1.43
2	M	2	NAG	C7-N2	4.12	1.47	1.34
3	G	2	NAG	O5-C1	4.11	1.50	1.43
2	Z	1	NAG	O5-C1	4.08	1.50	1.43
5	Q	1	NAG	O5-C1	4.03	1.50	1.43
6	R	1	NAG	C7-N2	4.00	1.47	1.34
3	G	2	NAG	C7-N2	3.99	1.47	1.34
4	H	2	NAG	C7-N2	3.98	1.47	1.34
2	N	1	NAG	C7-N2	3.97	1.47	1.34
3	U	2	NAG	C7-N2	3.97	1.47	1.34
3	F	2	NAG	O5-C1	3.96	1.50	1.43
2	Y	1	NAG	C7-N2	3.96	1.47	1.34
4	c	2	NAG	C7-N2	3.96	1.47	1.34
6	R	2	NAG	C7-N2	3.95	1.47	1.34
2	Z	2	NAG	C7-N2	3.94	1.47	1.34
5	P	1	NAG	O5-C1	3.94	1.50	1.43
3	T	2	NAG	C7-N2	3.93	1.47	1.34
2	f	2	NAG	C7-N2	3.92	1.47	1.34
3	F	2	NAG	C7-N2	3.92	1.47	1.34
3	E	1	NAG	C7-N2	3.92	1.47	1.34
3	W	2	NAG	C7-N2	3.92	1.47	1.34
2	Y	1	NAG	O5-C1	3.91	1.50	1.43
3	J	2	NAG	C7-N2	3.91	1.47	1.34
8	d	2	NAG	C7-N2	3.90	1.46	1.34
5	Q	2	NAG	C7-N2	3.90	1.46	1.34
4	c	1	NAG	C7-N2	3.90	1.46	1.34
2	g	2	NAG	C7-N2	3.90	1.46	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	K	2	NAG	C7-N2	3.90	1.46	1.34
3	e	2	NAG	C7-N2	3.89	1.46	1.34
3	F	1	NAG	O5-C1	3.88	1.50	1.43
2	f	1	NAG	C7-N2	3.88	1.46	1.34
2	M	1	NAG	C7-N2	3.88	1.46	1.34
3	X	2	NAG	C7-N2	3.87	1.46	1.34
4	H	1	NAG	C7-N2	3.87	1.46	1.34
2	Z	1	NAG	C7-N2	3.87	1.46	1.34
3	U	1	NAG	C7-N2	3.87	1.46	1.34
2	L	2	NAG	C7-N2	3.86	1.46	1.34
7	S	2	NAG	C7-N2	3.86	1.46	1.34
2	V	2	NAG	C7-N2	3.85	1.46	1.34
2	D	2	NAG	C7-N2	3.85	1.46	1.34
2	Y	2	NAG	C7-N2	3.85	1.46	1.34
3	G	1	NAG	C7-N2	3.85	1.46	1.34
7	a	2	NAG	C7-N2	3.84	1.46	1.34
2	N	2	NAG	C7-N2	3.84	1.46	1.34
7	b	2	NAG	C7-N2	3.84	1.46	1.34
5	P	2	NAG	C7-N2	3.84	1.46	1.34
7	a	1	NAG	C7-N2	3.84	1.46	1.34
3	X	1	NAG	C7-N2	3.82	1.46	1.34
5	P	1	NAG	C7-N2	3.82	1.46	1.34
3	K	1	NAG	C7-N2	3.82	1.46	1.34
3	I	2	NAG	C7-N2	3.82	1.46	1.34
2	V	1	NAG	C7-N2	3.82	1.46	1.34
2	L	1	NAG	C7-N2	3.82	1.46	1.34
3	T	1	NAG	C7-N2	3.82	1.46	1.34
3	e	1	NAG	C7-N2	3.82	1.46	1.34
7	S	1	NAG	C7-N2	3.81	1.46	1.34
7	b	1	NAG	C7-N2	3.81	1.46	1.34
3	F	1	NAG	C7-N2	3.80	1.46	1.34
3	I	1	NAG	C7-N2	3.79	1.46	1.34
5	Q	1	NAG	C7-N2	3.79	1.46	1.34
2	g	1	NAG	C7-N2	3.79	1.46	1.34
8	d	1	NAG	C7-N2	3.79	1.46	1.34
2	D	1	NAG	C7-N2	3.78	1.46	1.34
3	E	2	NAG	C7-N2	3.75	1.46	1.34
3	J	1	NAG	C7-N2	3.74	1.46	1.34
3	G	1	NAG	O5-C1	3.30	1.49	1.43
6	R	1	NAG	O5-C5	3.30	1.49	1.43
7	S	4	MAN	C1-C2	3.10	1.59	1.52
2	M	2	NAG	C2-N2	2.97	1.51	1.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	W	1	NAG	C2-C3	-2.91	1.49	1.52
4	H	1	NAG	O5-C5	2.78	1.48	1.43
4	H	2	NAG	C2-N2	2.75	1.50	1.46
3	G	2	NAG	C2-N2	2.68	1.50	1.46
3	K	2	NAG	C2-N2	2.67	1.50	1.46
3	F	2	NAG	C2-N2	2.66	1.50	1.46
3	E	1	NAG	C2-N2	2.66	1.50	1.46
6	R	2	NAG	C2-N2	2.64	1.50	1.46
3	U	2	NAG	C2-N2	2.63	1.50	1.46
5	Q	2	NAG	O5-C5	2.63	1.48	1.43
4	c	2	NAG	C2-N2	2.62	1.50	1.46
6	R	4	FUC	C1-C2	2.60	1.58	1.52
3	W	2	NAG	C2-N2	2.59	1.50	1.46
2	N	1	NAG	C2-N2	2.58	1.50	1.46
3	T	2	NAG	C2-N2	2.58	1.50	1.46
2	Z	2	NAG	C2-N2	2.58	1.50	1.46
5	Q	2	NAG	C2-N2	2.58	1.50	1.46
3	e	2	NAG	C2-N2	2.56	1.50	1.46
2	f	2	NAG	C2-N2	2.55	1.50	1.46
7	S	1	NAG	O5-C5	2.55	1.48	1.43
4	c	1	NAG	C2-N2	2.54	1.50	1.46
7	a	1	NAG	C2-N2	2.54	1.50	1.46
2	g	2	NAG	C2-N2	2.54	1.50	1.46
3	J	2	NAG	C2-N2	2.53	1.50	1.46
2	f	1	NAG	C2-N2	2.53	1.50	1.46
2	D	2	NAG	C2-N2	2.52	1.50	1.46
7	a	2	NAG	C2-N2	2.48	1.50	1.46
2	L	2	NAG	C2-N2	2.48	1.50	1.46
2	M	1	NAG	C2-N2	2.48	1.50	1.46
3	E	2	NAG	O5-C5	2.48	1.48	1.43
2	Y	2	NAG	C2-N2	2.47	1.50	1.46
6	R	1	NAG	C2-N2	2.46	1.50	1.46
5	P	2	NAG	C2-N2	2.46	1.50	1.46
3	X	2	NAG	C2-N2	2.45	1.50	1.46
4	H	2	NAG	O5-C5	2.45	1.48	1.43
8	d	2	NAG	C2-N2	2.44	1.50	1.46
7	b	1	NAG	O5-C5	2.44	1.48	1.43
2	V	2	NAG	C2-N2	2.42	1.50	1.46
3	U	1	NAG	C2-N2	2.42	1.50	1.46
7	b	2	NAG	C2-N2	2.42	1.50	1.46
8	d	1	NAG	O5-C5	2.41	1.48	1.43
3	I	2	NAG	C2-N2	2.41	1.50	1.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	X	1	NAG	C2-N2	2.41	1.50	1.46
3	K	1	NAG	O5-C5	2.40	1.48	1.43
2	N	2	NAG	C2-N2	2.40	1.50	1.46
2	Z	1	NAG	C2-N2	2.39	1.50	1.46
2	V	1	NAG	C2-N2	2.37	1.50	1.46
3	e	1	NAG	C2-N2	2.37	1.50	1.46
3	X	1	NAG	O5-C5	2.37	1.48	1.43
2	Y	1	NAG	O5-C5	2.36	1.48	1.43
2	L	1	NAG	C2-N2	2.36	1.50	1.46
2	D	2	NAG	O5-C5	2.35	1.48	1.43
3	K	1	NAG	C2-N2	2.35	1.50	1.46
2	D	1	NAG	C2-N2	2.34	1.50	1.46
7	S	1	NAG	C2-N2	2.32	1.50	1.46
7	b	2	NAG	O5-C5	2.32	1.48	1.43
7	S	2	NAG	C2-N2	2.32	1.50	1.46
2	Y	1	NAG	C2-N2	2.32	1.50	1.46
2	g	1	NAG	O5-C5	2.30	1.47	1.43
3	T	1	NAG	C2-N2	2.30	1.50	1.46
8	d	1	NAG	C2-N2	2.30	1.50	1.46
3	I	1	NAG	C2-N2	2.30	1.50	1.46
7	b	1	NAG	C2-N2	2.29	1.50	1.46
3	I	1	NAG	O5-C5	2.28	1.47	1.43
3	F	1	NAG	C2-N2	2.27	1.50	1.46
2	g	1	NAG	C2-N2	2.26	1.50	1.46
5	P	1	NAG	C2-N2	2.24	1.50	1.46
5	Q	1	NAG	C2-N2	2.24	1.50	1.46
2	M	2	NAG	O5-C5	2.24	1.47	1.43
3	T	2	NAG	O5-C5	2.23	1.47	1.43
3	W	2	NAG	O5-C5	2.23	1.47	1.43
7	a	1	NAG	O5-C5	2.23	1.47	1.43
2	Y	2	NAG	O5-C5	2.23	1.47	1.43
6	R	2	NAG	O5-C5	2.22	1.47	1.43
2	V	2	NAG	O5-C5	2.22	1.47	1.43
2	N	1	NAG	O5-C5	2.22	1.47	1.43
3	J	1	NAG	O5-C5	2.20	1.47	1.43
3	X	2	NAG	O5-C5	2.19	1.47	1.43
2	Z	2	NAG	O5-C5	2.19	1.47	1.43
7	S	2	NAG	O5-C5	2.19	1.47	1.43
3	U	1	NAG	O5-C5	2.18	1.47	1.43
2	L	1	NAG	O5-C5	2.16	1.47	1.43
2	f	2	NAG	O5-C5	2.15	1.47	1.43
3	E	1	NAG	O5-C5	2.15	1.47	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	U	2	NAG	O5-C5	2.15	1.47	1.43
2	Z	1	NAG	O5-C5	2.14	1.47	1.43
4	c	2	NAG	O5-C5	2.14	1.47	1.43
3	F	2	NAG	O5-C5	2.13	1.47	1.43
3	T	1	NAG	O5-C5	2.13	1.47	1.43
2	V	1	NAG	O5-C5	2.13	1.47	1.43
3	G	1	NAG	C2-N2	2.13	1.49	1.46
2	M	1	NAG	O5-C5	2.12	1.47	1.43
3	E	2	NAG	C2-N2	2.11	1.49	1.46
2	f	1	NAG	O5-C5	2.11	1.47	1.43
2	L	2	NAG	O5-C5	2.10	1.47	1.43
3	e	1	NAG	O5-C5	2.10	1.47	1.43
5	Q	1	NAG	O5-C5	2.10	1.47	1.43
3	K	1	NAG	C3-C2	-2.09	1.48	1.52
2	g	2	NAG	O5-C5	2.09	1.47	1.43
4	H	1	NAG	C2-N2	2.09	1.49	1.46
3	J	1	NAG	C2-N2	2.08	1.49	1.46
2	N	2	NAG	O5-C5	2.06	1.47	1.43
3	E	2	NAG	C3-C2	-2.05	1.48	1.52
2	D	1	NAG	O5-C5	2.05	1.47	1.43
8	d	2	NAG	O5-C5	2.05	1.47	1.43
7	a	3	BMA	C2-C3	2.04	1.55	1.52
7	a	1	NAG	C3-C2	-2.04	1.48	1.52
3	J	2	NAG	O5-C5	2.04	1.47	1.43
7	b	1	NAG	C3-C2	-2.03	1.48	1.52
3	e	1	NAG	C3-C2	-2.02	1.48	1.52
5	Q	2	NAG	C3-C2	-2.02	1.48	1.52

All (160) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	G	1	NAG	C1-O5-C5	-8.44	100.87	112.19
2	Y	1	NAG	C1-O5-C5	-7.60	102.00	112.19
4	H	1	NAG	C1-O5-C5	7.15	121.76	112.19
6	R	1	NAG	C2-N2-C7	5.42	130.17	122.90
4	c	1	NAG	C4-C3-C2	5.06	118.43	111.02
2	M	2	NAG	C8-C7-N2	4.26	123.18	116.12
7	S	4	MAN	C1-O5-C5	4.17	117.78	112.19
7	b	1	NAG	C1-O5-C5	4.11	117.70	112.19
6	R	1	NAG	C8-C7-N2	3.83	122.48	116.12
5	P	1	NAG	C4-C3-C2	3.69	116.42	111.02
3	G	1	NAG	C4-C3-C2	3.64	116.35	111.02

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	K	1	NAG	C2-N2-C7	-3.60	118.07	122.90
7	a	2	NAG	O5-C1-C2	3.58	116.83	111.29
5	Q	1	NAG	C2-N2-C7	-3.52	118.18	122.90
3	E	2	NAG	C2-N2-C7	-3.48	118.24	122.90
5	Q	3	BMA	C1-O5-C5	3.35	116.67	112.19
6	R	1	NAG	O5-C5-C6	3.26	114.01	107.66
8	d	2	NAG	C4-C3-C2	3.25	115.78	111.02
6	R	1	NAG	O5-C1-C2	-3.21	106.33	111.29
5	Q	2	NAG	C2-N2-C7	-3.15	118.68	122.90
2	N	1	NAG	C8-C7-N2	3.13	121.31	116.12
8	d	3	BMA	C1-O5-C5	3.10	116.34	112.19
6	R	3	BMA	C1-O5-C5	3.09	116.33	112.19
4	c	2	NAG	C8-C7-N2	3.09	121.25	116.12
7	b	1	NAG	C1-C2-N2	-3.09	105.56	110.43
3	U	2	NAG	C8-C7-N2	3.09	121.24	116.12
4	H	2	NAG	C8-C7-N2	3.06	121.20	116.12
3	F	2	NAG	C8-C7-N2	3.06	121.19	116.12
3	T	2	NAG	C8-C7-N2	3.06	121.19	116.12
2	Z	2	NAG	C8-C7-N2	3.03	121.15	116.12
3	e	2	NAG	C4-C3-C2	2.98	115.39	111.02
3	K	2	NAG	C4-C3-C2	2.98	115.39	111.02
8	d	1	NAG	C2-N2-C7	-2.98	118.91	122.90
2	D	1	NAG	C1-O5-C5	2.97	116.16	112.19
7	a	1	NAG	C8-C7-N2	2.96	121.03	116.12
7	a	4	MAN	C1-O5-C5	2.92	116.11	112.19
7	S	1	NAG	C2-N2-C7	-2.91	119.00	122.90
8	d	1	NAG	C8-C7-N2	2.85	120.85	116.12
2	Z	1	NAG	C1-O5-C5	-2.83	108.39	112.19
3	K	1	NAG	C8-C7-N2	2.83	120.82	116.12
5	Q	2	NAG	C3-C4-C5	2.81	115.33	110.23
2	D	2	NAG	C2-N2-C7	-2.72	119.25	122.90
5	Q	2	NAG	C8-C7-N2	2.72	120.63	116.12
2	g	1	NAG	C2-N2-C7	-2.72	119.26	122.90
7	b	4	MAN	C1-O5-C5	2.71	115.81	112.19
5	P	2	NAG	C2-N2-C7	-2.69	119.30	122.90
2	Y	1	NAG	C1-C2-N2	2.68	114.66	110.43
3	G	1	NAG	C8-C7-N2	2.64	120.50	116.12
5	Q	1	NAG	C1-O5-C5	2.60	115.67	112.19
6	R	2	NAG	C8-C7-N2	2.60	120.43	116.12
3	K	1	NAG	C4-C3-C2	-2.59	107.22	111.02
4	c	1	NAG	C2-N2-C7	-2.58	119.44	122.90
5	Q	1	NAG	C8-C7-N2	2.58	120.40	116.12

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	R	1	NAG	C4-C3-C2	2.57	114.79	111.02
7	S	2	NAG	C2-N2-C7	-2.55	119.48	122.90
3	F	1	NAG	C3-C4-C5	2.54	114.84	110.23
2	g	2	NAG	C2-N2-C7	-2.50	119.55	122.90
2	Z	1	NAG	C8-C7-N2	2.50	120.26	116.12
3	I	2	NAG	C4-C3-C2	2.49	114.67	111.02
2	M	2	NAG	C2-N2-C7	2.49	126.24	122.90
3	F	1	NAG	C2-N2-C7	-2.47	119.59	122.90
2	V	1	NAG	C2-N2-C7	-2.46	119.60	122.90
2	M	1	NAG	C8-C7-N2	2.46	120.19	116.12
3	T	1	NAG	C2-N2-C7	-2.45	119.61	122.90
3	J	2	NAG	C2-N2-C7	-2.45	119.61	122.90
6	R	4	FUC	C1-O5-C5	2.45	118.74	112.97
3	E	1	NAG	C4-C3-C2	2.45	114.61	111.02
7	a	2	NAG	C8-C7-N2	2.44	120.16	116.12
5	P	2	NAG	C8-C7-N2	2.43	120.16	116.12
4	c	1	NAG	C8-C7-N2	2.43	120.14	116.12
4	H	1	NAG	C2-N2-C7	-2.42	119.65	122.90
3	J	2	NAG	C8-C7-N2	2.42	120.13	116.12
2	f	1	NAG	C8-C7-N2	2.41	120.11	116.12
7	S	1	NAG	C8-C7-N2	2.41	120.11	116.12
3	e	2	NAG	C8-C7-N2	2.40	120.10	116.12
2	f	1	NAG	O5-C1-C2	2.40	115.00	111.29
3	I	1	NAG	C8-C7-N2	2.38	120.06	116.12
2	V	1	NAG	C8-C7-N2	2.38	120.06	116.12
2	g	2	NAG	C8-C7-N2	2.38	120.06	116.12
3	I	1	NAG	C2-N2-C7	-2.37	119.72	122.90
3	e	1	NAG	C8-C7-N2	2.37	120.04	116.12
7	b	1	NAG	C8-C7-N2	2.36	120.04	116.12
8	d	2	NAG	C8-C7-N2	2.36	120.03	116.12
3	K	2	NAG	C8-C7-N2	2.36	120.03	116.12
2	Y	1	NAG	C3-C4-C5	2.35	114.49	110.23
7	a	2	NAG	C2-N2-C7	-2.34	119.76	122.90
8	d	2	NAG	C2-N2-C7	-2.34	119.76	122.90
2	V	2	NAG	C2-N2-C7	-2.34	119.76	122.90
4	H	1	NAG	O5-C5-C4	2.34	116.51	110.83
2	L	1	NAG	C8-C7-N2	2.33	119.99	116.12
3	U	1	NAG	C8-C7-N2	2.33	119.99	116.12
7	S	4	MAN	C1-C2-C3	2.33	113.03	109.64
2	V	2	NAG	C8-C7-N2	2.32	119.97	116.12
3	X	2	NAG	C8-C7-N2	2.32	119.97	116.12
7	b	2	NAG	C8-C7-N2	2.32	119.97	116.12

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	1	NAG	C8-C7-N2	2.31	119.96	116.12
7	S	2	NAG	C8-C7-N2	2.31	119.96	116.12
5	Q	1	NAG	O3-C3-C2	-2.31	104.59	109.40
3	T	1	NAG	C8-C7-N2	2.31	119.95	116.12
2	g	1	NAG	C8-C7-N2	2.31	119.95	116.12
2	L	1	NAG	C2-N2-C7	-2.31	119.81	122.90
3	I	2	NAG	C8-C7-N2	2.30	119.94	116.12
2	Y	2	NAG	C2-N2-C7	-2.30	119.81	122.90
2	L	2	NAG	C8-C7-N2	2.30	119.94	116.12
3	G	1	NAG	C2-N2-C7	-2.30	119.82	122.90
2	Y	1	NAG	C8-C7-N2	2.29	119.91	116.12
3	F	1	NAG	C4-C3-C2	2.28	114.37	111.02
3	G	1	NAG	C3-C4-C5	2.27	114.36	110.23
2	f	1	NAG	O4-C4-C3	2.26	115.71	110.38
3	K	2	NAG	O5-C1-C2	2.26	114.79	111.29
3	I	2	NAG	C2-N2-C7	-2.26	119.88	122.90
2	Y	2	NAG	C8-C7-N2	2.25	119.85	116.12
2	N	1	NAG	C4-C3-C2	2.25	114.32	111.02
3	F	1	NAG	C8-C7-N2	2.25	119.85	116.12
2	D	2	NAG	C8-C7-N2	2.25	119.84	116.12
3	U	1	NAG	C2-N2-C7	-2.23	119.91	122.90
7	b	4	MAN	O2-C2-C3	-2.22	105.55	110.15
7	S	4	MAN	O2-C2-C3	-2.22	105.56	110.15
3	X	1	NAG	C8-C7-N2	2.21	119.79	116.12
3	G	2	NAG	C8-C7-N2	2.21	119.79	116.12
3	J	1	NAG	C6-C5-C4	-2.21	107.60	113.02
7	b	2	NAG	C2-N2-C7	-2.21	119.94	122.90
3	E	2	NAG	C3-C4-C5	2.20	114.23	110.23
4	H	1	NAG	C8-C7-N2	2.20	119.76	116.12
5	P	4	MAN	O2-C2-C3	-2.20	105.60	110.15
5	Q	4	MAN	O2-C2-C3	-2.19	105.62	110.15
3	W	1	NAG	C8-C7-N2	2.18	119.85	116.12
5	P	1	NAG	C8-C7-N2	2.18	119.74	116.12
5	P	4	MAN	C1-O5-C5	2.18	115.11	112.19
8	d	4	MAN	O2-C2-C3	-2.17	105.66	110.15
3	E	1	NAG	C3-C4-C5	2.17	114.16	110.23
5	Q	4	MAN	C1-O5-C5	2.16	115.08	112.19
5	Q	1	NAG	C6-C5-C4	-2.14	107.75	113.02
2	f	2	NAG	C8-C7-N2	2.14	119.67	116.12
6	R	2	NAG	C1-O5-C5	2.14	115.05	112.19
3	X	2	NAG	C2-N2-C7	-2.12	120.06	122.90
3	W	2	NAG	C8-C7-N2	2.10	119.61	116.12

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	c	1	NAG	C6-C5-C4	-2.10	107.87	113.02
3	E	1	NAG	C6-C5-C4	-2.10	107.87	113.02
4	H	2	NAG	C6-C5-C4	-2.10	107.87	113.02
3	E	2	NAG	C8-C7-N2	2.10	119.59	116.12
7	S	1	NAG	O5-C5-C4	2.10	115.92	110.83
2	N	2	NAG	C4-C3-C2	2.09	114.09	111.02
6	R	1	NAG	O7-C7-N2	-2.09	118.28	121.98
7	b	1	NAG	O5-C5-C4	2.09	115.90	110.83
3	X	1	NAG	C2-N2-C7	-2.08	120.11	122.90
7	a	4	MAN	O2-C2-C3	-2.07	105.86	110.15
2	N	2	NAG	C8-C7-N2	2.07	119.55	116.12
2	M	2	NAG	O7-C7-C8	-2.06	118.39	122.05
2	D	2	NAG	C4-C3-C2	2.06	114.03	111.02
5	P	1	NAG	C3-C4-C5	2.05	113.95	110.23
3	E	1	NAG	C8-C7-N2	2.05	119.51	116.12
2	N	2	NAG	C2-N2-C7	-2.05	120.16	122.90
3	e	2	NAG	C2-N2-C7	-2.02	120.19	122.90
5	P	1	NAG	C6-C5-C4	-2.01	108.09	113.02
5	P	2	NAG	O5-C1-C2	2.01	114.40	111.29
8	d	1	NAG	C4-C3-C2	2.01	113.96	111.02
2	M	2	NAG	O7-C7-N2	-2.01	118.44	121.98
5	Q	2	NAG	C1-O5-C5	2.00	114.87	112.19
2	D	1	NAG	C6-C5-C4	-2.00	108.10	113.02

There are no chirality outliers.

All (172) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	M	2	NAG	C1-C2-N2-C7
2	f	2	NAG	C1-C2-N2-C7
3	W	2	NAG	C1-C2-N2-C7
4	H	1	NAG	C1-C2-N2-C7
5	Q	2	NAG	C4-C5-C6-O6
3	F	2	NAG	C4-C5-C6-O6
7	S	2	NAG	O5-C5-C6-O6
7	a	1	NAG	O5-C5-C6-O6
3	F	2	NAG	O5-C5-C6-O6
4	c	2	NAG	O5-C5-C6-O6
2	Y	1	NAG	O5-C5-C6-O6
3	F	1	NAG	O5-C5-C6-O6
3	T	1	NAG	O5-C5-C6-O6
4	H	1	NAG	O5-C5-C6-O6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
7	S	2	NAG	C4-C5-C6-O6
7	a	1	NAG	C4-C5-C6-O6
2	D	2	NAG	O5-C5-C6-O6
7	b	2	NAG	O5-C5-C6-O6
3	X	2	NAG	O5-C5-C6-O6
5	Q	2	NAG	O5-C5-C6-O6
2	L	2	NAG	C4-C5-C6-O6
2	Z	1	NAG	O5-C5-C6-O6
7	a	2	NAG	O5-C5-C6-O6
3	T	1	NAG	C4-C5-C6-O6
5	P	2	NAG	C4-C5-C6-O6
7	S	1	NAG	C4-C5-C6-O6
3	F	1	NAG	C4-C5-C6-O6
4	c	1	NAG	C4-C5-C6-O6
3	K	1	NAG	C4-C5-C6-O6
4	c	2	NAG	C4-C5-C6-O6
2	L	1	NAG	O5-C5-C6-O6
2	L	1	NAG	C4-C5-C6-O6
2	Z	1	NAG	C4-C5-C6-O6
7	b	2	NAG	C4-C5-C6-O6
2	f	2	NAG	O5-C5-C6-O6
2	L	2	NAG	O5-C5-C6-O6
2	N	1	NAG	O5-C5-C6-O6
2	D	2	NAG	C4-C5-C6-O6
2	f	2	NAG	C4-C5-C6-O6
3	E	2	NAG	C4-C5-C6-O6
7	a	2	NAG	C4-C5-C6-O6
2	g	2	NAG	O5-C5-C6-O6
3	J	2	NAG	O5-C5-C6-O6
3	e	2	NAG	O5-C5-C6-O6
4	H	1	NAG	C4-C5-C6-O6
4	c	1	NAG	O5-C5-C6-O6
7	S	1	NAG	O5-C5-C6-O6
2	Y	2	NAG	O5-C5-C6-O6
3	e	2	NAG	C4-C5-C6-O6
2	L	1	NAG	C8-C7-N2-C2
2	L	1	NAG	O7-C7-N2-C2
2	M	1	NAG	C8-C7-N2-C2
2	M	1	NAG	O7-C7-N2-C2
2	M	2	NAG	C8-C7-N2-C2
2	M	2	NAG	O7-C7-N2-C2
2	N	1	NAG	C8-C7-N2-C2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	N	1	NAG	O7-C7-N2-C2
2	Y	1	NAG	C8-C7-N2-C2
2	Y	1	NAG	O7-C7-N2-C2
2	Z	1	NAG	C8-C7-N2-C2
2	Z	1	NAG	O7-C7-N2-C2
2	Z	2	NAG	C8-C7-N2-C2
2	Z	2	NAG	O7-C7-N2-C2
2	f	1	NAG	C8-C7-N2-C2
2	f	1	NAG	O7-C7-N2-C2
3	F	1	NAG	C8-C7-N2-C2
3	F	1	NAG	O7-C7-N2-C2
3	F	2	NAG	C8-C7-N2-C2
3	F	2	NAG	O7-C7-N2-C2
3	G	1	NAG	C8-C7-N2-C2
3	G	1	NAG	O7-C7-N2-C2
3	T	2	NAG	C8-C7-N2-C2
3	T	2	NAG	O7-C7-N2-C2
3	U	2	NAG	C8-C7-N2-C2
3	U	2	NAG	O7-C7-N2-C2
3	e	1	NAG	C8-C7-N2-C2
3	e	1	NAG	O7-C7-N2-C2
4	H	2	NAG	C8-C7-N2-C2
4	H	2	NAG	O7-C7-N2-C2
4	c	1	NAG	C8-C7-N2-C2
4	c	1	NAG	O7-C7-N2-C2
4	c	2	NAG	C8-C7-N2-C2
4	c	2	NAG	O7-C7-N2-C2
5	P	1	NAG	C8-C7-N2-C2
5	P	1	NAG	O7-C7-N2-C2
6	R	1	NAG	C8-C7-N2-C2
6	R	1	NAG	O7-C7-N2-C2
6	R	2	NAG	C8-C7-N2-C2
6	R	2	NAG	O7-C7-N2-C2
7	a	1	NAG	C8-C7-N2-C2
7	a	1	NAG	O7-C7-N2-C2
3	G	2	NAG	O5-C5-C6-O6
2	Z	2	NAG	O5-C5-C6-O6
3	U	2	NAG	O5-C5-C6-O6
3	J	2	NAG	C4-C5-C6-O6
4	H	2	NAG	O5-C5-C6-O6
2	g	2	NAG	C4-C5-C6-O6
3	G	2	NAG	C4-C5-C6-O6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
5	P	1	NAG	O5-C5-C6-O6
3	K	1	NAG	O5-C5-C6-O6
3	U	2	NAG	C4-C5-C6-O6
2	Y	1	NAG	C4-C5-C6-O6
5	P	2	NAG	O5-C5-C6-O6
7	b	1	NAG	O5-C5-C6-O6
3	E	2	NAG	O5-C5-C6-O6
2	D	1	NAG	O5-C5-C6-O6
8	d	2	NAG	C4-C5-C6-O6
3	K	2	NAG	C4-C5-C6-O6
3	e	3	BMA	O5-C5-C6-O6
3	T	2	NAG	O5-C5-C6-O6
2	N	2	NAG	O5-C5-C6-O6
8	d	4	MAN	O5-C5-C6-O6
3	G	3	BMA	O5-C5-C6-O6
3	T	3	BMA	O5-C5-C6-O6
8	d	3	BMA	O5-C5-C6-O6
3	G	1	NAG	C4-C5-C6-O6
3	X	2	NAG	C4-C5-C6-O6
3	K	2	NAG	O5-C5-C6-O6
2	f	1	NAG	O5-C5-C6-O6
3	X	3	BMA	O5-C5-C6-O6
7	a	3	BMA	O5-C5-C6-O6
3	E	1	NAG	C3-C2-N2-C7
3	G	2	NAG	C3-C2-N2-C7
2	D	1	NAG	C4-C5-C6-O6
2	M	1	NAG	O5-C5-C6-O6
3	F	3	BMA	O5-C5-C6-O6
5	Q	1	NAG	O5-C5-C6-O6
8	d	2	NAG	O5-C5-C6-O6
2	Y	2	NAG	C4-C5-C6-O6
8	d	1	NAG	O5-C5-C6-O6
2	N	1	NAG	C1-C2-N2-C7
2	Z	2	NAG	C1-C2-N2-C7
3	F	2	NAG	C1-C2-N2-C7
3	T	2	NAG	C1-C2-N2-C7
3	X	1	NAG	C1-C2-N2-C7
3	X	2	NAG	C1-C2-N2-C7
5	P	2	NAG	C1-C2-N2-C7
7	a	1	NAG	C1-C2-N2-C7
3	W	1	NAG	O5-C5-C6-O6
5	P	1	NAG	C4-C5-C6-O6

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	N	1	NAG	C4-C5-C6-O6
8	d	1	NAG	C4-C5-C6-O6
3	W	1	NAG	C4-C5-C6-O6
2	N	1	NAG	C3-C2-N2-C7
2	Z	2	NAG	C3-C2-N2-C7
3	T	2	NAG	C3-C2-N2-C7
3	U	2	NAG	C3-C2-N2-C7
3	X	1	NAG	C3-C2-N2-C7
3	X	2	NAG	C3-C2-N2-C7
4	H	2	NAG	C3-C2-N2-C7
4	c	2	NAG	C3-C2-N2-C7
5	P	2	NAG	C3-C2-N2-C7
7	S	2	NAG	C3-C2-N2-C7
7	a	1	NAG	C3-C2-N2-C7
8	d	2	NAG	C3-C2-N2-C7
3	I	1	NAG	C4-C5-C6-O6
7	b	1	NAG	C4-C5-C6-O6
4	H	2	NAG	C4-C5-C6-O6
3	E	1	NAG	O5-C5-C6-O6
2	V	1	NAG	O5-C5-C6-O6
3	G	1	NAG	O5-C5-C6-O6
2	L	1	NAG	C1-C2-N2-C7
3	U	2	NAG	C1-C2-N2-C7
4	H	2	NAG	C1-C2-N2-C7
4	c	2	NAG	C1-C2-N2-C7
7	S	2	NAG	C1-C2-N2-C7
8	d	2	NAG	C1-C2-N2-C7
2	Z	2	NAG	C4-C5-C6-O6
3	F	2	NAG	C3-C2-N2-C7
4	H	1	NAG	C3-C2-N2-C7
4	c	1	NAG	C3-C2-N2-C7
3	E	1	NAG	C4-C5-C6-O6


All (1) ring outliers are listed below:


Mol	Chain	Res	Type	Atoms
7	a	4	MAN	C1-C2-C3-C4-C5-O5


No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



































































5.6 Ligand geometry [i](#)

21 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
9	NAG	A	1303	1	14,14,15	2.02	4 (28%)	17,19,21	1.40	3 (17%)
9	NAG	B	1302	1	14,14,15	2.07	4 (28%)	17,19,21	1.23	1 (5%)
9	NAG	A	1301	1	14,14,15	2.01	4 (28%)	17,19,21	1.29	2 (11%)
9	NAG	B	1305	1	14,14,15	1.96	4 (28%)	17,19,21	1.27	3 (17%)
9	NAG	A	1307	1	14,14,15	1.98	4 (28%)	17,19,21	1.44	3 (17%)
9	NAG	B	1303	1	14,14,15	1.98	4 (28%)	17,19,21	1.09	1 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
9	NAG	A	1306	1	14,14,15	1.99	4 (28%)	17,19,21	1.21	2 (11%)
9	NAG	C	1305	1	14,14,15	2.02	4 (28%)	17,19,21	1.07	2 (11%)
9	NAG	C	1304	1	14,14,15	2.04	4 (28%)	17,19,21	1.24	2 (11%)
9	NAG	B	1306	1	14,14,15	1.80	2 (14%)	17,19,21	1.83	4 (23%)
9	NAG	A	1304	1	14,14,15	2.00	4 (28%)	17,19,21	1.06	2 (11%)
9	NAG	C	1301	1	14,14,15	2.08	3 (21%)	17,19,21	1.57	2 (11%)
9	NAG	C	1303	1	14,14,15	2.02	3 (21%)	17,19,21	1.76	4 (23%)
9	NAG	A	1308	1	14,14,15	2.03	4 (28%)	17,19,21	1.61	4 (23%)
9	NAG	B	1301	1	14,14,15	2.01	4 (28%)	17,19,21	1.11	2 (11%)
9	NAG	C	1302	1	14,14,15	2.01	4 (28%)	17,19,21	1.09	1 (5%)
9	NAG	A	1302	1	14,14,15	2.11	5 (35%)	17,19,21	2.77	4 (23%)
9	NAG	B	1307	1	14,14,15	2.03	4 (28%)	17,19,21	1.15	1 (5%)
9	NAG	B	1308	1	14,14,15	2.01	4 (28%)	17,19,21	2.00	3 (17%)
9	NAG	B	1304	1	14,14,15	2.22	6 (42%)	17,19,21	3.44	7 (41%)
9	NAG	A	1305	1	14,14,15	1.96	4 (28%)	17,19,21	1.47	3 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	NAG	A	1303	1	-	5/6/23/26	0/1/1/1
9	NAG	B	1302	1	-	6/6/23/26	0/1/1/1
9	NAG	A	1301	1	-	2/6/23/26	0/1/1/1
9	NAG	B	1305	1	-	0/6/23/26	0/1/1/1
9	NAG	A	1307	1	-	1/6/23/26	0/1/1/1
9	NAG	B	1303	1	-	2/6/23/26	0/1/1/1
9	NAG	A	1306	1	-	1/6/23/26	0/1/1/1
9	NAG	C	1305	1	-	0/6/23/26	0/1/1/1
9	NAG	C	1304	1	-	4/6/23/26	0/1/1/1
9	NAG	B	1306	1	-	2/6/23/26	0/1/1/1
9	NAG	A	1304	1	-	0/6/23/26	0/1/1/1
9	NAG	C	1301	1	-	2/6/23/26	0/1/1/1
9	NAG	C	1303	1	-	0/6/23/26	0/1/1/1
9	NAG	A	1308	1	-	3/6/23/26	0/1/1/1
9	NAG	B	1301	1	-	2/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	NAG	C	1302	1	-	2/6/23/26	0/1/1/1
9	NAG	A	1302	1	-	2/6/23/26	0/1/1/1
9	NAG	B	1307	1	-	5/6/23/26	0/1/1/1
9	NAG	B	1308	1	-	6/6/23/26	0/1/1/1
9	NAG	B	1304	1	-	2/6/23/26	0/1/1/1
9	NAG	A	1305	1	-	2/6/23/26	0/1/1/1

All (83) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	C	1301	NAG	O5-C1	4.70	1.51	1.43
9	A	1302	NAG	O5-C1	4.67	1.51	1.43
9	B	1302	NAG	O5-C1	4.50	1.51	1.43
9	C	1303	NAG	O5-C1	4.48	1.51	1.43
9	C	1304	NAG	O5-C1	4.47	1.51	1.43
9	A	1301	NAG	O5-C1	4.39	1.51	1.43
9	B	1301	NAG	O5-C1	4.37	1.51	1.43
9	C	1302	NAG	O5-C1	4.37	1.51	1.43
9	C	1305	NAG	O5-C1	4.35	1.51	1.43
9	B	1303	NAG	O5-C1	4.33	1.51	1.43
9	A	1304	NAG	O5-C1	4.31	1.50	1.43
9	B	1307	NAG	O5-C1	4.24	1.50	1.43
9	A	1306	NAG	O5-C1	4.23	1.50	1.43
9	A	1307	NAG	O5-C1	4.18	1.50	1.43
9	A	1303	NAG	O5-C1	4.16	1.50	1.43
9	A	1308	NAG	O5-C1	4.12	1.50	1.43
9	B	1308	NAG	O5-C1	4.08	1.50	1.43
9	A	1305	NAG	O5-C1	4.06	1.50	1.43
9	B	1304	NAG	C7-N2	4.03	1.47	1.34
9	B	1308	NAG	C7-N2	4.01	1.47	1.34
9	B	1302	NAG	C7-N2	3.99	1.47	1.34
9	B	1306	NAG	O5-C1	3.98	1.50	1.43
9	B	1305	NAG	C7-N2	3.96	1.47	1.34
9	B	1305	NAG	O5-C1	3.94	1.50	1.43
9	B	1304	NAG	O5-C1	3.93	1.50	1.43
9	B	1307	NAG	C7-N2	3.93	1.47	1.34
9	A	1302	NAG	C7-N2	3.91	1.47	1.34
9	C	1302	NAG	C7-N2	3.90	1.46	1.34
9	A	1307	NAG	C7-N2	3.89	1.46	1.34
9	A	1304	NAG	C7-N2	3.89	1.46	1.34
9	C	1305	NAG	C7-N2	3.88	1.46	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	C	1301	NAG	C7-N2	3.87	1.46	1.34
9	B	1301	NAG	C7-N2	3.87	1.46	1.34
9	A	1306	NAG	C7-N2	3.86	1.46	1.34
9	C	1303	NAG	C7-N2	3.86	1.46	1.34
9	A	1303	NAG	C7-N2	3.86	1.46	1.34
9	C	1304	NAG	C7-N2	3.85	1.46	1.34
9	A	1305	NAG	C7-N2	3.85	1.46	1.34
9	B	1303	NAG	C7-N2	3.85	1.46	1.34
9	A	1308	NAG	C7-N2	3.83	1.46	1.34
9	A	1301	NAG	C7-N2	3.79	1.46	1.34
9	B	1306	NAG	C7-N2	3.74	1.46	1.34
9	B	1304	NAG	C1-C2	3.13	1.56	1.52
9	B	1304	NAG	O5-C5	2.95	1.49	1.43
9	A	1308	NAG	C2-N2	2.71	1.50	1.46
9	B	1302	NAG	C2-N2	2.70	1.50	1.46
9	B	1307	NAG	C2-N2	2.68	1.50	1.46
9	A	1303	NAG	C2-N2	2.66	1.50	1.46
9	C	1301	NAG	C2-N2	2.59	1.50	1.46
9	C	1303	NAG	C2-N2	2.52	1.50	1.46
9	C	1302	NAG	C2-N2	2.50	1.50	1.46
9	A	1304	NAG	C2-N2	2.49	1.50	1.46
9	C	1305	NAG	C2-N2	2.49	1.50	1.46
9	A	1306	NAG	C2-N2	2.47	1.50	1.46
9	B	1308	NAG	C2-N2	2.46	1.50	1.46
9	B	1301	NAG	C2-N2	2.46	1.50	1.46
9	A	1303	NAG	O5-C5	2.45	1.48	1.43
9	A	1308	NAG	O5-C5	2.45	1.48	1.43
9	C	1304	NAG	O5-C5	2.45	1.48	1.43
9	B	1303	NAG	C2-N2	2.43	1.50	1.46
9	A	1307	NAG	C2-N2	2.42	1.50	1.46
9	A	1302	NAG	C1-C2	2.42	1.55	1.52
9	C	1304	NAG	C2-N2	2.42	1.50	1.46
9	B	1308	NAG	O5-C5	2.41	1.48	1.43
9	A	1301	NAG	C2-N2	2.40	1.50	1.46
9	B	1305	NAG	C2-N2	2.40	1.50	1.46
9	A	1305	NAG	C2-N2	2.38	1.50	1.46
9	B	1307	NAG	O5-C5	2.34	1.48	1.43
9	A	1305	NAG	O5-C5	2.28	1.47	1.43
9	C	1305	NAG	O5-C5	2.27	1.47	1.43
9	A	1307	NAG	O5-C5	2.25	1.47	1.43
9	A	1306	NAG	O5-C5	2.23	1.47	1.43
9	B	1304	NAG	C2-N2	2.21	1.49	1.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	A	1304	NAG	O5-C5	2.21	1.47	1.43
9	C	1302	NAG	O5-C5	2.19	1.47	1.43
9	A	1302	NAG	O5-C5	2.19	1.47	1.43
9	B	1301	NAG	O5-C5	2.18	1.47	1.43
9	A	1302	NAG	C2-N2	2.15	1.49	1.46
9	A	1301	NAG	O5-C5	2.14	1.47	1.43
9	B	1302	NAG	O5-C5	2.09	1.47	1.43
9	B	1303	NAG	O5-C5	2.04	1.47	1.43
9	B	1305	NAG	O5-C5	2.02	1.47	1.43
9	B	1304	NAG	C4-C3	-2.01	1.47	1.52

All (56) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	B	1304	NAG	C2-N2-C7	-10.67	108.61	122.90
9	A	1302	NAG	C1-O5-C5	-8.66	100.58	112.19
9	B	1308	NAG	C1-O5-C5	-6.13	103.97	112.19
9	A	1302	NAG	O5-C5-C6	4.97	117.34	107.66
9	C	1303	NAG	C4-C3-C2	4.45	117.53	111.02
9	B	1304	NAG	C1-C2-N2	4.42	117.40	110.43
9	A	1308	NAG	C1-O5-C5	-4.33	106.39	112.19
9	B	1306	NAG	C1-O5-C5	-4.22	106.53	112.19
9	B	1304	NAG	C8-C7-N2	4.18	123.04	116.12
9	C	1301	NAG	O5-C1-C2	3.93	117.36	111.29
9	A	1302	NAG	C4-C3-C2	3.86	116.68	111.02
9	B	1304	NAG	O5-C5-C6	3.78	115.01	107.66
9	B	1306	NAG	C3-C4-C5	3.71	116.95	110.23
9	B	1306	NAG	C2-N2-C7	-3.37	118.38	122.90
9	B	1304	NAG	C3-C4-C5	-3.32	104.22	110.23
9	B	1308	NAG	C8-C7-N2	3.26	121.52	116.12
9	B	1302	NAG	C8-C7-N2	3.05	121.18	116.12
9	B	1307	NAG	C8-C7-N2	3.01	121.11	116.12
9	C	1303	NAG	C1-O5-C5	-3.00	108.16	112.19
9	B	1304	NAG	O7-C7-N2	-3.00	116.69	121.98
9	A	1303	NAG	C8-C7-N2	2.96	121.02	116.12
9	A	1307	NAG	C2-N2-C7	-2.82	119.12	122.90
9	A	1305	NAG	C3-C4-C5	2.75	115.22	110.23
9	A	1308	NAG	C1-C2-N2	-2.75	106.10	110.43
9	A	1307	NAG	C1-O5-C5	-2.71	108.56	112.19
9	B	1305	NAG	C8-C7-N2	2.67	120.55	116.12
9	A	1305	NAG	C2-N2-C7	-2.66	119.34	122.90
9	A	1301	NAG	C2-N2-C7	-2.63	119.37	122.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	C	1303	NAG	C1-C2-N2	-2.60	106.34	110.43
9	B	1305	NAG	C2-N2-C7	-2.59	119.43	122.90
9	A	1307	NAG	C8-C7-N2	2.45	120.19	116.12
9	A	1305	NAG	C8-C7-N2	2.40	120.11	116.12
9	A	1306	NAG	C8-C7-N2	2.39	120.08	116.12
9	C	1305	NAG	C8-C7-N2	2.39	120.08	116.12
9	C	1304	NAG	C8-C7-N2	2.37	120.04	116.12
9	A	1304	NAG	C8-C7-N2	2.36	120.03	116.12
9	A	1303	NAG	C1-O5-C5	-2.35	109.03	112.19
9	B	1301	NAG	C8-C7-N2	2.32	119.97	116.12
9	A	1303	NAG	C3-C4-C5	2.32	114.43	110.23
9	A	1302	NAG	C3-C4-C5	2.28	114.36	110.23
9	C	1301	NAG	C8-C7-N2	2.28	119.90	116.12
9	A	1301	NAG	C8-C7-N2	2.27	119.89	116.12
9	C	1304	NAG	C2-N2-C7	-2.27	119.86	122.90
9	B	1308	NAG	C3-C4-C5	2.27	114.34	110.23
9	A	1306	NAG	C2-N2-C7	-2.26	119.87	122.90
9	B	1306	NAG	O5-C5-C6	2.26	112.05	107.66
9	B	1304	NAG	C6-C5-C4	-2.24	107.51	113.02
9	C	1305	NAG	C2-N2-C7	-2.24	119.89	122.90
9	B	1303	NAG	C8-C7-N2	2.23	119.82	116.12
9	C	1302	NAG	C8-C7-N2	2.23	119.81	116.12
9	B	1301	NAG	C2-N2-C7	-2.14	120.03	122.90
9	B	1305	NAG	C6-C5-C4	-2.09	107.89	113.02
9	C	1303	NAG	O5-C5-C6	2.06	111.67	107.66
9	A	1308	NAG	C4-C3-C2	-2.06	108.01	111.02
9	A	1308	NAG	C6-C5-C4	-2.06	107.97	113.02
9	A	1304	NAG	C2-N2-C7	-2.03	120.18	122.90

There are no chirality outliers.

All (49) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
9	A	1308	NAG	C3-C2-N2-C7
9	C	1301	NAG	C4-C5-C6-O6
9	A	1302	NAG	O5-C5-C6-O6
9	C	1301	NAG	O5-C5-C6-O6
9	A	1308	NAG	C4-C5-C6-O6
9	B	1301	NAG	C4-C5-C6-O6
9	A	1308	NAG	O5-C5-C6-O6
9	B	1304	NAG	O5-C5-C6-O6
9	A	1302	NAG	C4-C5-C6-O6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
9	B	1302	NAG	O5-C5-C6-O6
9	A	1305	NAG	O5-C5-C6-O6
9	B	1308	NAG	O5-C5-C6-O6
9	B	1301	NAG	O5-C5-C6-O6
9	B	1304	NAG	C4-C5-C6-O6
9	A	1305	NAG	C4-C5-C6-O6
9	A	1301	NAG	C8-C7-N2-C2
9	A	1301	NAG	O7-C7-N2-C2
9	A	1303	NAG	C8-C7-N2-C2
9	A	1303	NAG	O7-C7-N2-C2
9	B	1302	NAG	C8-C7-N2-C2
9	B	1302	NAG	O7-C7-N2-C2
9	B	1307	NAG	C8-C7-N2-C2
9	B	1307	NAG	O7-C7-N2-C2
9	B	1308	NAG	C8-C7-N2-C2
9	B	1308	NAG	O7-C7-N2-C2
9	C	1304	NAG	C8-C7-N2-C2
9	C	1304	NAG	O7-C7-N2-C2
9	B	1302	NAG	C4-C5-C6-O6
9	C	1304	NAG	O5-C5-C6-O6
9	B	1303	NAG	O5-C5-C6-O6
9	B	1303	NAG	C4-C5-C6-O6
9	A	1306	NAG	O5-C5-C6-O6
9	A	1303	NAG	O5-C5-C6-O6
9	C	1302	NAG	O5-C5-C6-O6
9	C	1302	NAG	C3-C2-N2-C7
9	A	1307	NAG	O5-C5-C6-O6
9	B	1308	NAG	C4-C5-C6-O6
9	A	1303	NAG	C1-C2-N2-C7
9	B	1307	NAG	C1-C2-N2-C7
9	B	1308	NAG	C1-C2-N2-C7
9	B	1306	NAG	C4-C5-C6-O6
9	B	1302	NAG	C3-C2-N2-C7
9	B	1308	NAG	C3-C2-N2-C7
9	B	1306	NAG	O5-C5-C6-O6
9	B	1307	NAG	C4-C5-C6-O6
9	B	1302	NAG	C1-C2-N2-C7
9	A	1303	NAG	C3-C2-N2-C7
9	B	1307	NAG	C3-C2-N2-C7
9	C	1304	NAG	C4-C5-C6-O6

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-44420. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 160




Y Index: 160




Z Index: 160


6.2.2 Raw map



X Index: 160



Y Index: 160




Z Index: 160


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 164




Y Index: 150




Z Index: 165


6.3.2 Raw map



X Index: 164



Y Index: 150



Z Index: 165


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



X




Y




Z

The images above show the 3D surface view of the map at the recommended contour level 0.048. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5.2 Raw map



X



Y



Z

These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 363 nm³; this corresponds to an approximate mass of 328 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.339 \AA^{-1}

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.339 \AA^{-1}

8.2 Resolution estimates


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.95	-	-
Author-provided FSC curve	2.95	3.38	3.00
Unmasked-calculated*	3.71	4.33	3.76

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.71 differs from the reported value 2.95 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-44420 and PDB model 9BBK. Per-residue inclusion information can be found in section [3](#) on page [13](#).

9.1 Map-model overlay [i](#)



The images above show the 3D surface view of the map at the recommended contour level 0.048 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.048).



































































9.4 Atom inclusion [i](#)



At the recommended contour level, 93% of all backbone atoms, 93% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.048) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9300	 0.4230
A	 0.8890	 0.4100
B	 0.9660	 0.4490
C	 0.9390	 0.4230
D	 0.9640	 0.3040
E	 0.8210	 0.2740
F	 0.8210	 0.3360
G	 0.9490	 0.3980
H	 0.6840	 0.3560
I	 0.9740	 0.3040
J	 0.8460	 0.2670
K	 0.5900	 0.2110
L	 0.8210	 0.3680
M	 0.7860	 0.1930
N	 0.7860	 0.1870
P	 0.8400	 0.3660
Q	 0.8000	 0.2780
R	 0.7350	 0.3910
S	 0.8800	 0.2940
T	 1.0000	 0.4720
U	 0.8970	 0.2600
V	 0.9290	 0.4710
W	 0.7890	 0.1690
X	 0.8970	 0.3750
Y	 0.8210	 0.3280
Z	 0.9640	 0.4040
a	 0.7600	 0.3290
b	 0.8000	 0.3300
c	 0.8680	 0.3580
d	 0.7830	 0.3180
e	 0.8970	 0.2600
f	 0.7500	 0.1070
g	 0.8930	 0.3280

