



## wwPDB EM Validation Summary Report ⓘ

Jun 23, 2026 – 04:49 PM JST

PDB ID : 9IOT / pdb\_00009iot  
EMDB ID : EMD-60747  
Title : Cryo-EM structure of Escherichia coli hibernating ribosome with RNase I mutant  
Authors : Tanzawa, T.; Minami, A.; Yoshida, H.; Kato, T.; Ogawa, T.  
Deposited on : 2024-07-09  
Resolution : 2.70 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:



EMDB validation analysis : 0.0.1.dev132  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
MolProbity : 4-5-2 with Phenix2.0  
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)  
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.49

# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:  
*ELECTRON MICROSCOPY*

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
RNA backbone	8273	3508	-
Q-score	-	25397	10327 ( 2.20 - 3.20 )

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	0	63	<div><div>17%</div><div>76%</div><div>19%</div><div>..</div></div>
2	1	59	<div><div>5%</div><div>95%</div><div>..</div></div>
3	3	57	<div><div>5%</div><div>79%</div><div>11%</div><div>7%</div><div>.</div></div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	4	55	
5	5	46	
6	6	65	
7	7	38	
8	B	120	
9	D	273	
10	E	209	
11	F	201	
12	G	179	
13	H	177	
14	I	41	
15	L	142	
16	M	123	
17	N	144	
18	O	136	
19	P	127	
20	Q	117	
21	R	115	
22	S	118	
23	T	103	
24	U	110	
25	V	100	
26	W	103	
27	X	94	
28	Y	85	

Continued on next page...

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
29	Z	78	
30	2	67	
31	A	2904	
32	a	1542	
33	b	241	
34	c	233	
35	d	206	
36	e	167	
37	f	102	
38	g	179	
39	h	130	
40	i	130	
41	j	103	
42	k	129	
43	l	124	
44	m	118	
45	n	101	
46	o	89	
47	p	82	
48	q	84	
49	r	75	
50	s	92	
51	t	87	
52	u	71	
53	v	95	

*Continued on next page...*

Continued from previous page...

Mol	Chain	Length	Quality of chain
54	y	55	<div><div></div><div>49%</div><div></div><div>89%</div><div></div><div>7%</div><div></div><div>..</div></div>
55	z	268	<div><div></div><div>51%</div><div></div><div>83%</div><div></div><div>9%</div><div></div><div>9%</div></div>
56	8	557	<div><div></div><div>15%</div><div></div><div>11%</div><div></div><div>..</div><div></div><div>84%</div></div>

## 2 Entry composition

There are 59 unique types of molecules in this entry. The entry contains 143360 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Large ribosomal subunit protein uL29.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	0	61	Total	C	N	O	S	0	0
			495	305	97	92	1		

- Molecule 2 is a protein called Large ribosomal subunit protein uL30.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	1	58	Total	C	N	O	S	0	0
			449	281	87	79	2		

- Molecule 3 is a protein called Large ribosomal subunit protein bL32.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	3	55	Total	C	N	O	S	0	0
			434	263	92	78	1		

- Molecule 4 is a protein called Large ribosomal subunit protein bL33.

Mol	Chain	Residues	Atoms				AltConf	Trace
4	4	51	Total	C	N	O	0	0
			410	263	75	72		

- Molecule 5 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	5	46	Total	C	N	O	S	0	0
			377	228	90	57	2		

- Molecule 6 is a protein called Large ribosomal subunit protein bL35.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	6	64	Total	C	N	O	S	0	0
			504	323	105	74	2		

- Molecule 7 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	7	38	Total	C	N	O	S	0	0
			302	185	65	48	4		

- Molecule 8 is a RNA chain called 5S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	B	120	Total	C	N	O	P	0	0
			2572	1145	470	837	120		

- Molecule 9 is a protein called Large ribosomal subunit protein uL2.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	D	271	Total	C	N	O	S	0	0
			2075	1286	423	359	7		

- Molecule 10 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	E	209	Total	C	N	O	S	0	0
			1556	975	288	290	3		

- Molecule 11 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	F	201	Total	C	N	O	S	0	0
			1536	966	280	285	5		

- Molecule 12 is a protein called Large ribosomal subunit protein uL5.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	G	177	Total	C	N	O	S	0	0
			1385	888	239	252	6		

- Molecule 13 is a protein called Large ribosomal subunit protein uL6.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	H	166	Total	C	N	O	S	0	0
			1226	774	224	226	2		

- Molecule 14 is a protein called Large ribosomal subunit protein bL9.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	I	41	Total	C	N	O	S	0	0
			303	194	54	54	1		

- Molecule 15 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	L	142	Total	C	N	O	S	0	0
			1119	710	208	197	4		

- Molecule 16 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	M	123	Total	C	N	O	S	0	0
			939	590	179	164	6		

- Molecule 17 is a protein called Large ribosomal subunit protein uL15.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	N	144	Total	C	N	O	S	0	0
			1045	650	207	186	2		

- Molecule 18 is a protein called Large ribosomal subunit protein uL16.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	O	136	Total	C	N	O	S	0	0
			1070	684	205	175	6		

- Molecule 19 is a protein called Large ribosomal subunit protein bL17.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	P	118	Total	C	N	O	S	0	0
			939	585	194	155	5		

- Molecule 20 is a protein called Large ribosomal subunit protein uL18.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	Q	116	Total	C	N	O		0	0
			873	538	175	160			

- Molecule 21 is a protein called Large ribosomal subunit protein bL19.



Mol	Chain	Residues	Atoms					AltConf	Trace
21	R	114	Total	C	N	O	S	0	0
			913	573	178	161	1		

- Molecule 22 is a protein called Large ribosomal subunit protein bL20.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	S	117	Total	C	N	O		0	0
			944	603	192	149			

- Molecule 23 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	T	103	Total	C	N	O	S	0	0
			812	514	153	143	2		

- Molecule 24 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	U	110	Total	C	N	O	S	0	0
			850	529	163	155	3		

- Molecule 25 is a protein called Large ribosomal subunit protein uL23.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	V	93	Total	C	N	O	S	0	0
			738	466	139	131	2		

- Molecule 26 is a protein called Large ribosomal subunit protein uL24.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	W	102	Total	C	N	O		0	0
			769	486	144	139			

- Molecule 27 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	X	94	Total	C	N	O	S	0	0
			746	474	136	134	2		

- Molecule 28 is a protein called Large ribosomal subunit protein bL27.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	Y	76	Total	C	N	O	S	0	0
			582	360	117	104	1		

- Molecule 29 is a protein called Large ribosomal subunit protein bL28.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	Z	77	Total	C	N	O	S	0	0
			625	388	129	106	2		

- Molecule 30 is a protein called Large ribosomal subunit protein bL31.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	2	67	Total	C	N	O	S	0	0
			504	313	95	90	6		

- Molecule 31 is a RNA chain called 23S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	A	2841	Total	C	N	O	P	0	0
			61011	27223	11229	19718	2841		

- Molecule 32 is a RNA chain called 16S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	a	1534	Total	C	N	O	P	0	0
			32925	14692	6038	10661	1534		

- Molecule 33 is a protein called Small ribosomal subunit protein uS2.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	b	224	Total	C	N	O	S	0	0
			1527	972	283	267	5		

- Molecule 34 is a protein called Small ribosomal subunit protein uS3.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	c	210	Total	C	N	O	S	0	0
			1636	1037	309	286	4		

- Molecule 35 is a protein called Small ribosomal subunit protein uS4.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	d	205	Total	C	N	O	S	0	0
			1619	1012	307	296	4		

- Molecule 36 is a protein called Small ribosomal subunit protein uS5.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	e	158	Total	C	N	O	S	0	0
			1129	702	216	205	6		

- Molecule 37 is a protein called Small ribosomal subunit protein bS6, fully modified isoform.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	f	102	Total	C	N	O	S	0	0
			770	491	138	137	4		

- Molecule 38 is a protein called Small ribosomal subunit protein uS7.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	g	155	Total	C	N	O	S	1	0
			1183	742	233	204	4		

- Molecule 39 is a protein called Small ribosomal subunit protein uS8.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	h	129	Total	C	N	O	S	0	0
			966	612	169	179	6		

- Molecule 40 is a protein called Small ribosomal subunit protein uS9.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	i	127	Total	C	N	O	S	0	0
			955	594	194	166	1		

- Molecule 41 is a protein called Small ribosomal subunit protein uS10.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	j	97	Total	C	N	O		0	0
			668	423	130	115			

- Molecule 42 is a protein called Small ribosomal subunit protein uS11.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	k	117	Total	C	N	O	S	0	0
			853	527	167	156	3		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
k	119	IAS	ASN	conflict	UNP P0A7R9

- Molecule 43 is a protein called Small ribosomal subunit protein uS12.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	l	122	Total	C	N	O	S	0	0
			933	576	189	163	5		

- Molecule 44 is a protein called Small ribosomal subunit protein uS13.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	m	116	Total	C	N	O	S	0	0
			845	527	171	145	2		

- Molecule 45 is a protein called Small ribosomal subunit protein uS14.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	n	100	Total	C	N	O	S	0	0
			794	493	163	135	3		

- Molecule 46 is a protein called Small ribosomal subunit protein uS15.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	o	88	Total	C	N	O	S	0	0
			696	430	140	125	1		

- Molecule 47 is a protein called Small ribosomal subunit protein bS16.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	p	80	Total	C	N	O	S	0	0
			617	388	124	104	1		

- Molecule 48 is a protein called Small ribosomal subunit protein uS17.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	q	79	Total	C	N	O	S	0	0
			630	400	116	111	3		

- Molecule 49 is a protein called Small ribosomal subunit protein bS18.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	r	62	Total	C	N	O	S	0	0
			481	304	90	87			

- Molecule 50 is a protein called Small ribosomal subunit protein uS19.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	s	82	Total	C	N	O	S	0	0
			639	410	123	105	1		

- Molecule 51 is a protein called Small ribosomal subunit protein bS20.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	t	85	Total	C	N	O	S	0	0
			652	403	135	111	3		

- Molecule 52 is a protein called 30S ribosomal protein S21.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	u	70	Total	C	N	O	S	0	0
			521	329	111	80	1		

- Molecule 53 is a protein called Ribosome hibernation promoting factor.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	v	95	Total	C	N	O	S	0	0
			722	458	129	134	1		

- Molecule 54 is a protein called Ribosome modulation factor.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	y	54	Total	C	N	O	S	0	0
			440	269	91	76	4		

- Molecule 55 is a protein called Ribonuclease I.

Mol	Chain	Residues	Atoms					AltConf	Trace
55	z	245	Total	C	N	O	S	6	0
			1852	1169	326	345	12		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
z	55	PHE	HIS	engineered mutation	UNP P21338
z	133	PHE	HIS	engineered mutation	UNP P21338

- Molecule 56 is a protein called Small ribosomal subunit protein bS1.

Mol	Chain	Residues	Atoms					AltConf	Trace
56	8	90	Total	C	N	O	S	0	0
			696	437	121	135	3		

- Molecule 57 is MAGNESIUM ION (CCD ID: MG) (formula: Mg) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		AltConf
57	3	1	Total	Mg	0
			1	1	
57	B	6	Total	Mg	0
			6	6	
57	D	2	Total	Mg	0
			2	2	
57	E	1	Total	Mg	0
			1	1	
57	O	1	Total	Mg	0
			1	1	
57	A	337	Total	Mg	0
			337	337	
57	a	127	Total	Mg	0
			127	127	

- Molecule 58 is CALCIUM ION (CCD ID: CA) (formula: Ca) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		AltConf
58	z	1	Total	Ca	0
			1	1	


- Molecule 59 is water.

Mol	Chain	Residues	Atoms		AltConf
59	N	1	Total 1	O 1	0
59	Y	1	Total 1	O 1	0
59	A	25	Total 25	O 25	0
59	a	5	Total 5	O 5	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Large ribosomal subunit protein uL29




- Molecule 2: Large ribosomal subunit protein uL30




- Molecule 3: Large ribosomal subunit protein bL32



- Molecule 4: Large ribosomal subunit protein bL33




- Molecule 5: 50S ribosomal protein L34







- Molecule 6: Large ribosomal subunit protein bL35

Chain 6:  88% 11%




- Molecule 7: 50S ribosomal protein L36

Chain 7:  5% 79% 21%




- Molecule 8: 5S rRNA

Chain B:  71% 26%




- Molecule 9: Large ribosomal subunit protein uL2

Chain D:  92% 7%




- Molecule 10: 50S ribosomal protein L3

Chain E:  91% 8%





- Molecule 11: 50S ribosomal protein L4

Chain F:  7% 93% 7%




- Molecule 12: Large ribosomal subunit protein uL5

Chain G:  26% 78% 17%




- Molecule 13: Large ribosomal subunit protein uL6

Chain H:




- Molecule 14: Large ribosomal subunit protein bL9

Chain I:



- Molecule 15: 50S ribosomal protein L13

Chain L:



- Molecule 16: 50S ribosomal protein L14

Chain M:




- Molecule 17: Large ribosomal subunit protein uL15


Chain N:




- Molecule 18: Large ribosomal subunit protein uL16




- Molecule 19: Large ribosomal subunit protein bL17




- Molecule 20: Large ribosomal subunit protein uL18





- Molecule 21: Large ribosomal subunit protein bL19



- Molecule 22: Large ribosomal subunit protein bL20




- Molecule 23: 50S ribosomal protein L21





- Molecule 24: 50S ribosomal protein L22

Chain U:  96%





- Molecule 25: Large ribosomal subunit protein uL23

Chain V:  10% 79% 13% 7%




- Molecule 26: Large ribosomal subunit protein uL24

Chain W:  11% 84% 13% ..





- Molecule 27: 50S ribosomal protein L25

Chain X:  12% 85% 13% .





- Molecule 28: Large ribosomal subunit protein bL27

Chain Y:  82% 6% 11%





- Molecule 29: Large ribosomal subunit protein bL28

Chain Z:  9% 86% 13% .





- Molecule 30: Large ribosomal subunit protein bL31


Chain 2:  61% 82% 18%




	A1321	A1322	A1328	G1338	G1339	U1340	C1345	G1366	C1367	A1365	A1378	U1379	A1383	U1396	U1397		G1410	U1411	U1412	A1413	A1414	U1415	G1416	G1417	G1418	A1419	A1420	G1421	G1422	G1423	G1424	G1425	G1426	A1427	A1428		A1439	G1448		G1451	G1452	A1453	A1454	G1455		U1458	G1459
--	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	--	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	--	-------	-------	--	-------	-------	-------	-------	-------	--	-------	-------











- Molecule 34: Small ribosomal subunit protein uS3





- Molecule 35: Small ribosomal subunit protein uS4



- Molecule 36: Small ribosomal subunit protein uS5




- Molecule 37: Small ribosomal subunit protein bS6, fully modified isoform







- Molecule 38: Small ribosomal subunit protein uS7




- Molecule 39: Small ribosomal subunit protein uS8




- Molecule 40: Small ribosomal subunit protein uS9




- Molecule 41: Small ribosomal subunit protein uS10




- Molecule 42: Small ribosomal subunit protein uS11





- Molecule 43: Small ribosomal subunit protein uS12









- Molecule 44: Small ribosomal subunit protein uS13




- Molecule 45: Small ribosomal subunit protein uS14




- Molecule 46: Small ribosomal subunit protein uS15




- Molecule 47: Small ribosomal subunit protein bS16




- Molecule 48: Small ribosomal subunit protein uS17




- Molecule 49: Small ribosomal subunit protein bS18




- Molecule 50: Small ribosomal subunit protein uS19




- Molecule 51: Small ribosomal subunit protein bS20




- Molecule 52: 30S ribosomal protein S21




- Molecule 53: Ribosome hibernation promoting factor




- Molecule 54: Ribosome modulation factor




- Molecule 55: Ribonuclease I





• Molecule 56: Small ribosomal subunit protein bS1



## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	50955	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	JEOL CRYO ARM 300	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	50	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	3.297	Depositor
Minimum map value	-1.544	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.120	Depositor
Recommended contour level	0.5	Depositor
Map size (Å)	487.2, 487.2, 487.2	wwPDB
Map dimensions	400, 400, 400	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.218, 1.218, 1.218	Depositor

## 5 Model quality ⓘ

### 5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: D2T, IAS, UR3, 4D4, 6MZ, OMC, H2U, 5MC, 3TD, CA, OMU, 5MU, G7M, PSU, MEQ, MA6, 1MG, 4OC, 2MG, OMG, MG, 2MA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	0	0.49	0/496	1.14	2/660 (0.3%)
2	1	0.53	0/453	0.93	0/605
3	3	0.56	0/440	1.01	1/588 (0.2%)
4	4	0.57	0/417	0.98	0/557
5	5	0.56	0/380	1.03	0/498
6	6	0.55	0/513	0.97	0/676
7	7	0.50	0/303	0.88	0/397
8	B	0.59	0/2876	0.90	5/4483 (0.1%)
9	D	0.57	0/2114	0.97	0/2842
10	E	0.55	1/1566 (0.1%)	0.93	0/2107
11	F	0.50	0/1555	0.95	0/2092
12	G	0.53	0/1409	1.01	1/1896 (0.1%)
13	H	0.56	0/1244	1.02	1/1685 (0.1%)
14	I	0.66	0/306	0.98	0/413
15	L	0.49	0/1142	0.94	0/1539
16	M	0.54	0/948	0.92	1/1270 (0.1%)
17	N	0.66	2/1054 (0.2%)	0.99	1/1403 (0.1%)
18	O	0.53	0/1076	0.92	0/1436
19	P	0.53	0/952	0.94	0/1272
20	Q	0.56	0/883	1.01	0/1188
21	R	0.53	0/925	0.89	1/1238 (0.1%)
22	S	0.59	1/957 (0.1%)	1.04	0/1274
23	T	0.53	0/825	0.88	0/1102
24	U	0.56	0/857	0.91	0/1149
25	V	0.53	0/744	1.01	0/994
26	W	0.55	0/777	0.99	0/1038
27	X	0.51	0/759	0.98	0/1018
28	Y	0.55	0/589	0.96	0/779
29	Z	0.54	0/635	0.93	0/848
30	2	0.59	0/514	0.98	0/690
31	A	0.60	2/67756 (0.0%)	0.90	99/105698 (0.1%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
32	a	0.59	2/36585 (0.0%)	0.90	45/57065 (0.1%)
33	b	0.56	0/1555	1.01	2/2123 (0.1%)
34	c	0.54	0/1663	0.98	2/2241 (0.1%)
35	d	0.51	0/1641	1.08	2/2200 (0.1%)
36	e	0.56	0/1142	0.99	0/1541
37	f	0.56	0/789	1.05	2/1077 (0.2%)
38	g	0.55	0/1202	0.99	0/1622
39	h	0.53	0/976	1.01	0/1309
40	i	0.56	0/967	1.00	0/1295
41	j	0.57	0/677	0.95	0/926
42	k	0.56	0/860	0.96	0/1162
43	l	0.53	0/936	0.91	0/1260
44	m	0.59	0/854	1.07	0/1149
45	n	0.53	0/806	1.03	0/1075
46	o	1.02	4/704 (0.6%)	1.07	1/944 (0.1%)
47	p	0.73	2/627 (0.3%)	1.02	1/846 (0.1%)
48	q	0.54	0/639	1.04	0/859
49	r	0.56	0/488	0.99	0/659
50	s	0.56	0/656	0.97	0/887
51	t	0.51	0/658	1.05	0/875
52	u	0.66	1/529 (0.2%)	1.07	0/712
53	v	0.49	0/732	0.94	0/990
54	y	0.58	0/447	0.99	0/594
55	z	0.60	0/1928	0.98	0/2611
56	8	0.67	0/707	1.04	0/960
All	All	0.59	15/154233 (0.0%)	0.92	167/230417 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
3	3	0	1
5	5	0	2
9	D	0	1
11	F	0	1
12	G	0	2
17	N	0	2
18	O	0	1
19	P	0	1
20	Q	0	4

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	#Chirality outliers	#Planarity outliers
22	S	0	1
24	U	0	1
28	Y	0	2
29	Z	0	2
33	b	0	1
35	d	0	3
36	e	0	1
37	f	0	1
41	j	0	1
42	k	0	2
43	l	0	1
45	n	0	1
52	u	0	1
53	v	0	1
54	y	0	1
All	All	0	35

The worst 5 of 15 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
46	o	89	ARG	CB-CG	15.38	1.98	1.52
46	o	89	ARG	CA-C	8.82	1.71	1.52
46	o	89	ARG	CA-CB	8.61	1.70	1.53
46	o	89	ARG	CZ-NH1	8.52	1.44	1.32
47	p	80	LYS	C-O	8.15	1.39	1.23

The worst 5 of 167 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
32	a	652	U	O3'-P-O5'	-8.92	90.63	104.00
32	a	1375	A	O3'-P-O5'	-8.82	90.77	104.00
32	a	1347	G	O3'-P-O5'	-8.81	90.79	104.00
31	A	1378	A	O3'-P-O5'	-8.64	91.04	104.00
31	A	2367	G	O3'-P-O5'	-8.60	91.10	104.00

There are no chirality outliers.

5 of 35 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
3	3	46	ASP	Peptide
5	5	14	ARG	Sidechain

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Group
5	5	41	ARG	Sidechain
9	D	203	ARG	Sidechain
11	F	170	ARG	Sidechain

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	0	495	0	526	3	0
2	1	449	0	488	1	0
3	3	434	0	445	5	0
4	4	410	0	431	1	0
5	5	377	0	418	1	0
6	6	504	0	572	2	0
7	7	302	0	343	5	0
8	B	2572	0	1301	9	0
9	D	2075	0	2144	7	0
10	E	1556	0	1605	4	0
11	F	1536	0	1594	3	0
12	G	1385	0	1402	19	0
13	H	1226	0	1258	9	0
14	I	303	0	327	3	0
15	L	1119	0	1144	5	0
16	M	939	0	1014	2	0
17	N	1045	0	1121	1	0
18	O	1070	0	1150	4	0
19	P	939	0	989	3	0
20	Q	873	0	877	6	0
21	R	913	0	958	2	0
22	S	944	0	1017	4	0
23	T	812	0	835	2	0
24	U	850	0	911	0	0
25	V	738	0	807	6	0
26	W	769	0	812	4	0
27	X	746	0	762	7	0
28	Y	582	0	599	1	0
29	Z	625	0	652	4	0
30	2	504	0	483	5	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
31	A	61011	0	30710	162	0
32	a	32925	0	16593	143	0
33	b	1527	0	1353	8	0
34	c	1636	0	1709	16	0
35	d	1619	0	1659	15	0
36	e	1129	0	1149	9	0
37	f	770	0	717	8	0
38	g	1183	0	1176	9	0
39	h	966	0	1012	11	0
40	i	955	0	938	16	0
41	j	668	0	612	4	0
42	k	853	0	838	11	0
43	l	933	0	968	6	0
44	m	845	0	867	8	0
45	n	794	0	827	1	0
46	o	696	0	706	6	0
47	p	617	0	619	5	0
48	q	630	0	657	5	0
49	r	481	0	486	2	0
50	s	639	0	645	12	0
51	t	652	0	688	1	0
52	u	521	0	512	0	0
53	v	722	0	704	3	0
54	y	440	0	434	2	0
55	z	1852	0	1738	9	0
56	8	696	0	677	13	0
57	3	1	0	0	0	0
57	A	337	0	0	0	0
57	B	6	0	0	0	0
57	D	2	0	0	0	0
57	E	1	0	0	0	0
57	O	1	0	0	0	0
57	a	127	0	0	0	0
58	z	1	0	0	0	0
59	A	25	0	0	0	0
59	N	1	0	0	0	0
59	Y	1	0	0	0	0
59	a	5	0	0	0	0
All	All	143360	0	95979	558	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

The worst 5 of 558 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
47:p:80:LYS:CG	47:p:80:LYS:CB	1.76	1.63
46:o:89:ARG:CG	46:o:89:ARG:CB	1.98	1.38
56:8:286:ASN:O	56:8:292:CYS:O	1.96	0.83
12:G:56:ASP:OD2	12:G:150:ARG:NH1	2.16	0.78
31:A:1857:G:O2'	31:A:1884:G:N2	2.18	0.76

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	0	59/63 (94%)	58 (98%)	1 (2%)	0	100	100
2	1	56/59 (95%)	55 (98%)	1 (2%)	0	100	100
3	3	53/57 (93%)	51 (96%)	2 (4%)	0	100	100
4	4	49/55 (89%)	45 (92%)	3 (6%)	1 (2%)	6	16
5	5	44/46 (96%)	42 (96%)	2 (4%)	0	100	100
6	6	62/65 (95%)	59 (95%)	3 (5%)	0	100	100
7	7	36/38 (95%)	35 (97%)	0	1 (3%)	4	9
9	D	269/273 (98%)	253 (94%)	12 (4%)	4 (2%)	8	22
10	E	206/209 (99%)	191 (93%)	14 (7%)	1 (0%)	24	48
11	F	199/201 (99%)	184 (92%)	12 (6%)	3 (2%)	8	22
12	G	175/179 (98%)	149 (85%)	20 (11%)	6 (3%)	3	7
13	H	162/177 (92%)	134 (83%)	22 (14%)	6 (4%)	2	6
14	I	39/41 (95%)	35 (90%)	3 (8%)	1 (3%)	4	11
15	L	140/142 (99%)	132 (94%)	5 (4%)	3 (2%)	5	15

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
16	M	121/123 (98%)	113 (93%)	6 (5%)	2 (2%)	7	19
17	N	142/144 (99%)	135 (95%)	6 (4%)	1 (1%)	18	41
18	O	133/136 (98%)	125 (94%)	8 (6%)	0	100	100
19	P	116/127 (91%)	109 (94%)	7 (6%)	0	100	100
20	Q	114/117 (97%)	102 (90%)	9 (8%)	3 (3%)	4	11
21	R	112/115 (97%)	104 (93%)	7 (6%)	1 (1%)	14	35
22	S	115/118 (98%)	112 (97%)	3 (3%)	0	100	100
23	T	101/103 (98%)	95 (94%)	5 (5%)	1 (1%)	12	32
24	U	108/110 (98%)	107 (99%)	1 (1%)	0	100	100
25	V	91/100 (91%)	80 (88%)	9 (10%)	2 (2%)	5	14
26	W	100/103 (97%)	88 (88%)	8 (8%)	4 (4%)	2	5
27	X	92/94 (98%)	83 (90%)	9 (10%)	0	100	100
28	Y	74/85 (87%)	71 (96%)	3 (4%)	0	100	100
29	Z	75/78 (96%)	71 (95%)	4 (5%)	0	100	100
30	2	65/67 (97%)	51 (78%)	11 (17%)	3 (5%)	2	4
33	b	222/241 (92%)	184 (83%)	32 (14%)	6 (3%)	4	10
34	c	208/233 (89%)	184 (88%)	21 (10%)	3 (1%)	9	23
35	d	203/206 (98%)	177 (87%)	24 (12%)	2 (1%)	12	32
36	e	156/167 (93%)	146 (94%)	9 (6%)	1 (1%)	21	44
37	f	100/102 (98%)	83 (83%)	13 (13%)	4 (4%)	2	5
38	g	153/179 (86%)	131 (86%)	21 (14%)	1 (1%)	18	41
39	h	127/130 (98%)	110 (87%)	14 (11%)	3 (2%)	4	12
40	i	125/130 (96%)	110 (88%)	12 (10%)	3 (2%)	4	12
41	j	95/103 (92%)	81 (85%)	10 (10%)	4 (4%)	2	4
42	k	113/129 (88%)	95 (84%)	16 (14%)	2 (2%)	6	18
43	l	119/124 (96%)	113 (95%)	4 (3%)	2 (2%)	7	19
44	m	114/118 (97%)	102 (90%)	8 (7%)	4 (4%)	3	6
45	n	98/101 (97%)	95 (97%)	3 (3%)	0	100	100
46	o	86/89 (97%)	74 (86%)	11 (13%)	1 (1%)	10	27
47	p	78/82 (95%)	69 (88%)	6 (8%)	3 (4%)	2	5
48	q	77/84 (92%)	64 (83%)	13 (17%)	0	100	100

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
49	r	60/75 (80%)	51 (85%)	9 (15%)	0	100	100
50	s	80/92 (87%)	64 (80%)	16 (20%)	0	100	100
51	t	83/87 (95%)	79 (95%)	4 (5%)	0	100	100
52	u	68/71 (96%)	61 (90%)	7 (10%)	0	100	100
53	v	93/95 (98%)	82 (88%)	9 (10%)	2 (2%)	5	14
54	y	52/55 (94%)	48 (92%)	2 (4%)	2 (4%)	2	5
55	z	249/268 (93%)	216 (87%)	30 (12%)	3 (1%)	10	27
56	8	88/557 (16%)	65 (74%)	17 (19%)	6 (7%)	1	1
All	All	5955/6743 (88%)	5353 (90%)	507 (8%)	95 (2%)	10	20

5 of 95 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
12	G	3	LYS
12	G	42	GLU
12	G	163	ASP
14	I	39	ALA
15	L	133	ALA

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	0	54/55 (98%)	46 (85%)	8 (15%)	3	8
2	1	48/49 (98%)	48 (100%)	0	100	100
3	3	46/48 (96%)	42 (91%)	4 (9%)	9	24
4	4	44/49 (90%)	43 (98%)	1 (2%)	44	73
5	5	38/38 (100%)	38 (100%)	0	100	100
6	6	51/52 (98%)	48 (94%)	3 (6%)	18	42
7	7	34/34 (100%)	33 (97%)	1 (3%)	37	67
9	D	212/218 (97%)	204 (96%)	8 (4%)	29	58

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
10	E	160/163 (98%)	149 (93%)	11 (7%)	14	34
11	F	161/165 (98%)	154 (96%)	7 (4%)	26	54
12	G	142/150 (95%)	132 (93%)	10 (7%)	14	34
13	H	124/138 (90%)	102 (82%)	22 (18%)	2	5
14	I	32/32 (100%)	30 (94%)	2 (6%)	16	39
15	L	113/116 (97%)	108 (96%)	5 (4%)	25	53
16	M	102/104 (98%)	98 (96%)	4 (4%)	28	57
17	N	101/103 (98%)	97 (96%)	4 (4%)	28	56
18	O	107/108 (99%)	102 (95%)	5 (5%)	23	51
19	P	95/103 (92%)	91 (96%)	4 (4%)	26	55
20	Q	81/87 (93%)	70 (86%)	11 (14%)	3	9
21	R	98/100 (98%)	96 (98%)	2 (2%)	48	76
22	S	88/90 (98%)	85 (97%)	3 (3%)	32	62
23	T	83/84 (99%)	77 (93%)	6 (7%)	13	32
24	U	92/93 (99%)	89 (97%)	3 (3%)	33	63
25	V	80/84 (95%)	76 (95%)	4 (5%)	22	48
26	W	80/84 (95%)	73 (91%)	7 (9%)	9	23
27	X	76/78 (97%)	69 (91%)	7 (9%)	8	22
28	Y	58/63 (92%)	55 (95%)	3 (5%)	21	47
29	Z	67/68 (98%)	64 (96%)	3 (4%)	24	52
30	2	53/60 (88%)	51 (96%)	2 (4%)	29	58
33	b	118/199 (59%)	111 (94%)	7 (6%)	18	42
34	c	168/190 (88%)	148 (88%)	20 (12%)	5	13
35	d	167/173 (96%)	145 (87%)	22 (13%)	4	10
36	e	111/126 (88%)	99 (89%)	12 (11%)	6	16
37	f	73/89 (82%)	63 (86%)	10 (14%)	3	9
38	g	112/147 (76%)	105 (94%)	7 (6%)	16	39
39	h	100/105 (95%)	90 (90%)	10 (10%)	7	19
40	i	87/107 (81%)	79 (91%)	8 (9%)	8	22
41	j	53/90 (59%)	48 (91%)	5 (9%)	8	21
42	k	82/98 (84%)	73 (89%)	9 (11%)	6	15

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
43	l	98/103 (95%)	92 (94%)	6 (6%)	17	40
44	m	79/96 (82%)	70 (89%)	9 (11%)	5	14
45	n	80/84 (95%)	75 (94%)	5 (6%)	16	39
46	o	72/77 (94%)	69 (96%)	3 (4%)	26	55
47	p	59/65 (91%)	52 (88%)	7 (12%)	5	13
48	q	70/78 (90%)	57 (81%)	13 (19%)	1	4
49	r	47/65 (72%)	44 (94%)	3 (6%)	16	38
50	s	66/79 (84%)	61 (92%)	5 (8%)	12	30
51	t	62/66 (94%)	58 (94%)	4 (6%)	15	37
52	u	43/61 (70%)	35 (81%)	8 (19%)	1	4
53	v	71/81 (88%)	66 (93%)	5 (7%)	14	34
54	y	42/44 (96%)	41 (98%)	1 (2%)	43	72
55	z	181/215 (84%)	176 (97%)	5 (3%)	38	68
56	8	75/461 (16%)	67 (89%)	8 (11%)	6	16
All	All	4636/5515 (84%)	4294 (93%)	342 (7%)	15	32

5 of 342 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
39	h	59	LEU
47	p	60	TRP
40	i	19	VAL
43	l	16	VAL
48	q	76	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 81 such sidechains are listed below:

Mol	Chain	Res	Type
40	i	5	GLN
47	p	9	HIS
41	j	99	GLN
44	m	8	ASN
50	s	83	HIS

### 5.3.3 RNA

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
31	A	2839/2904 (97%)	546 (19%)	71 (2%)
32	a	1532/1542 (99%)	305 (19%)	0
8	B	119/120 (99%)	21 (17%)	3 (2%)
All	All	4490/4566 (98%)	872 (19%)	74 (1%)

5 of 872 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
8	B	4	C
8	B	9	G
8	B	14	U
8	B	15	A
8	B	25	U

5 of 74 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
31	A	2163	A
31	A	2820	A
31	A	2275	C
31	A	2518	A
31	A	895	U

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

39 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
43	D2T	l	89	43	7,9,10	1.02	0	6,11,13	1.76	3 (50%)
32	MA6	a	1518	32	23,26,27	0.25	0	34,38,41	0.66	1 (2%)
31	H2U	A	2449	31	18,21,22	0.74	1 (5%)	21,30,33	0.81	1 (4%)
31	5MC	A	1962	31	18,22,23	0.36	0	26,32,35	0.48	0
31	5MU	A	1939	31	19,22,23	0.31	0	28,32,35	0.40	0
10	MEQ	E	150	10	8,9,10	0.45	0	5,10,12	1.48	1 (20%)



Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
31	2MG	A	2445	31	23,26,27	0.39	0	32,38,41	0.41	0
32	2MG	a	966	32	23,26,27	0.42	0	32,38,41	0.34	0
32	PSU	a	516	32	18,21,22	0.89	1 (5%)	22,30,33	0.64	0
31	5MU	A	747	31	19,22,23	0.31	0	28,32,35	0.33	0
31	PSU	A	2457	31	18,21,22	0.89	1 (5%)	22,30,33	0.69	0
31	PSU	A	1911	31	18,21,22	0.90	1 (5%)	22,30,33	0.74	1 (4%)
32	4OC	a	1402	32	20,23,24	0.41	0	26,32,35	0.56	0
31	PSU	A	1917	31	18,21,22	0.93	1 (5%)	22,30,33	0.63	0
31	3TD	A	1915	31	18,22,23	1.05	1 (5%)	22,32,35	0.77	0
42	IAS	k	119	42	6,7,8	0.86	0	6,8,10	0.96	0
32	G7M	a	527	32	23,26,27	0.79	1 (4%)	35,39,42	0.68	1 (2%)
31	PSU	A	2604	31	18,21,22	0.98	1 (5%)	22,30,33	0.92	1 (4%)
32	5MC	a	1407	32	18,22,23	0.31	0	26,32,35	0.61	0
32	2MG	a	1516	32	23,26,27	0.36	0	32,38,41	0.56	0
31	OMG	A	2251	31	23,26,27	0.34	0	33,38,41	0.41	0
31	PSU	A	746	57,31	18,21,22	0.93	1 (5%)	22,30,33	0.63	0
32	5MC	a	967	32	18,22,23	0.33	0	26,32,35	0.56	0
31	G7M	A	2069	31	23,26,27	0.65	1 (4%)	35,39,42	0.63	0
31	PSU	A	955	31	18,21,22	0.94	1 (5%)	22,30,33	0.61	0
31	6MZ	A	2030	31	22,25,26	0.43	0	30,36,39	0.67	0
31	PSU	A	2580	31	18,21,22	0.91	1 (5%)	22,30,33	0.84	1 (4%)
18	4D4	O	81	18	9,11,12	0.53	0	8,13,15	0.81	0
31	OMU	A	2552	31	19,22,23	0.32	0	26,31,34	0.46	0
31	OMC	A	2498	57,31	19,22,23	0.32	0	26,31,34	0.54	0
31	1MG	A	745	31	22,26,27	0.53	0	33,39,42	0.51	0
31	2MA	A	2503	57,31	22,25,26	0.92	1 (4%)	33,37,40	1.14	2 (6%)
31	PSU	A	2605	31	18,21,22	0.87	1 (5%)	22,30,33	0.79	0
32	2MG	a	1207	32	23,26,27	0.39	0	32,38,41	0.46	0
32	MA6	a	1519	32	23,26,27	0.26	0	34,38,41	0.75	1 (2%)
31	2MG	A	1835	31	23,26,27	0.32	0	32,38,41	0.49	0
32	UR3	a	1498	32	19,22,23	0.32	0	26,32,35	0.73	0
31	6MZ	A	1618	31	22,25,26	0.29	0	30,36,39	0.52	0
31	PSU	A	2504	31	18,21,22	0.88	1 (5%)	22,30,33	0.85	1 (4%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
43	D2T	l	89	43	-	1/7/12/14	-
32	MA6	a	1518	32	-	0/11/29/30	0/3/3/3
31	H2U	A	2449	31	-	0/7/38/39	0/2/2/2
31	5MC	A	1962	31	-	0/7/25/26	0/2/2/2
31	5MU	A	1939	31	-	0/7/25/26	0/2/2/2
10	MEQ	E	150	10	-	2/8/9/11	-
31	2MG	A	2445	31	-	2/9/27/28	0/3/3/3
32	2MG	a	966	32	-	2/9/27/28	0/3/3/3
32	PSU	a	516	32	-	0/7/25/26	0/2/2/2
31	5MU	A	747	31	-	0/7/25/26	0/2/2/2
31	PSU	A	2457	31	-	0/7/25/26	0/2/2/2
31	PSU	A	1911	31	-	0/7/25/26	0/2/2/2
32	4OC	a	1402	32	-	1/9/29/30	0/2/2/2
31	PSU	A	1917	31	-	0/7/25/26	0/2/2/2
31	3TD	A	1915	31	-	1/7/25/26	0/2/2/2
42	IAS	k	119	42	-	0/7/7/8	-
32	G7M	a	527	32	-	2/7/25/26	0/3/3/3
31	PSU	A	2604	31	-	0/7/25/26	0/2/2/2
32	5MC	a	1407	32	-	1/7/25/26	0/2/2/2
32	2MG	a	1516	32	-	0/9/27/28	0/3/3/3
31	OMG	A	2251	31	-	0/9/27/28	0/3/3/3
31	PSU	A	746	57,31	-	1/7/25/26	0/2/2/2
32	5MC	a	967	32	-	0/7/25/26	0/2/2/2
31	G7M	A	2069	31	-	2/7/25/26	0/3/3/3
31	PSU	A	955	31	-	0/7/25/26	0/2/2/2
31	6MZ	A	2030	31	-	1/9/27/28	0/3/3/3
31	PSU	A	2580	31	-	0/7/25/26	0/2/2/2
18	4D4	O	81	18	-	1/11/12/14	-
31	OMU	A	2552	31	-	1/9/27/28	0/2/2/2
31	OMC	A	2498	57,31	-	0/9/27/28	0/2/2/2
31	1MG	A	745	31	-	0/7/25/26	0/3/3/3
31	2MA	A	2503	57,31	-	1/7/25/26	0/3/3/3
31	PSU	A	2605	31	-	0/7/25/26	0/2/2/2
32	2MG	a	1207	32	-	0/9/27/28	0/3/3/3
32	MA6	a	1519	32	-	1/11/29/30	0/3/3/3
31	2MG	A	1835	31	-	0/9/27/28	0/3/3/3
32	UR3	a	1498	32	-	0/7/25/26	0/2/2/2
31	6MZ	A	1618	31	-	0/9/27/28	0/3/3/3
31	PSU	A	2504	31	-	0/7/25/26	0/2/2/2

The worst 5 of 15 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
31	A	1915	3TD	C6-C5	3.76	1.39	1.35
31	A	2604	PSU	C6-C5	3.69	1.39	1.35
31	A	746	PSU	C6-C5	3.62	1.39	1.35
31	A	1917	PSU	C6-C5	3.59	1.39	1.35
31	A	955	PSU	C6-C5	3.58	1.39	1.35

The worst 5 of 14 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
31	A	2503	2MA	C5-C4-N3	-3.15	123.65	127.19
31	A	2503	2MA	CM2-C2-N1	3.10	121.99	117.15
32	a	1519	MA6	C2-N1-C6	2.90	118.60	111.75
32	a	1518	MA6	C2-N1-C6	2.85	118.48	111.75
31	A	2580	PSU	C3'-C2'-C1'	2.77	104.86	101.64

There are no chirality outliers.

5 of 20 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
32	a	527	G7M	O4'-C4'-C5'-O5'
32	a	527	G7M	C3'-C4'-C5'-O5'
32	a	966	2MG	O4'-C4'-C5'-O5'
32	a	966	2MG	C3'-C4'-C5'-O5'
10	E	150	MEQ	OE1-CD-CG-CB

There are no ring outliers.

5 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
32	a	1518	MA6	1	0
31	A	1917	PSU	1	0
32	a	527	G7M	1	0
31	A	2030	6MZ	1	0
32	a	1519	MA6	1	0

## 5.5 Carbohydrates

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry

Of 476 ligands modelled in this entry, 476 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-60747. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 200




Y Index: 200




Z Index: 200


### 6.2.2 Raw map



X Index: 200



Y Index: 200




Z Index: 200

The images above show central slices of the map in three orthogonal directions.




## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 199




Y Index: 193




Z Index: 179


### 6.3.2 Raw map



X Index: 199



Y Index: 193




Z Index: 179


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)


### 6.4.1 Primary map



X




Y




Z


### 6.4.2 Raw map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.



## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



X




Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.5. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


### 6.5.2 Raw map



X



Y



Z

These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 613 nm<sup>3</sup>; this corresponds to an approximate mass of 554 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum ⓘ




\*Reported resolution corresponds to spatial frequency of 0.370 Å<sup>-1</sup>

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.370  $\text{\AA}^{-1}$

## 8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.70	-	-
Author-provided FSC curve	2.73	3.09	2.78
Unmasked-calculated*	3.89	6.88	4.11

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.89 differs from the reported value 2.7 by more than 10 %


## 9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-60747 and PDB model 9IOT. Per-residue inclusion information can be found in section [3](#) on page [16](#).


### 9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.5 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.


## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.5).









































































## 9.4 Atom inclusion [i](#)



At the recommended contour level, 76% of all backbone atoms, 78% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary ⓘ













































The table lists the average atom inclusion at the recommended contour level (0.5) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7830	 0.5850
0	 0.6460	 0.5730
1	 0.7530	 0.6060
2	 0.3780	 0.5070
3	 0.8110	 0.6240
4	 0.7110	 0.5940
5	 0.8620	 0.6370
6	 0.8700	 0.6340
7	 0.7500	 0.5980
8	 0.0950	 0.4070
A	 0.8430	 0.5870
B	 0.8320	 0.5870
D	 0.8170	 0.6260
E	 0.7880	 0.6180
F	 0.7500	 0.6050
G	 0.5290	 0.5350
H	 0.5200	 0.5310
I	 0.3670	 0.5370
L	 0.7980	 0.6130
M	 0.7830	 0.6170
N	 0.8120	 0.6220
O	 0.7800	 0.6190
P	 0.8580	 0.6270
Q	 0.7250	 0.5890
R	 0.7650	 0.6160
S	 0.8520	 0.6250
T	 0.7680	 0.6110
U	 0.8100	 0.6210
V	 0.6760	 0.5790
W	 0.7000	 0.5830
X	 0.6800	 0.5850
Y	 0.7900	 0.6170
Z	 0.7550	 0.6140
a	 0.8250	 0.5830
b	 0.6040	 0.5550



*Continued on next page...*

*Continued from previous page...*

Chain	Atom inclusion	Q-score
c	 0.6580	 0.5730
d	 0.6680	 0.5810
e	 0.7610	 0.6020
f	 0.6030	 0.5560
g	 0.5340	 0.5550
h	 0.7440	 0.6020
i	 0.6440	 0.5660
j	 0.6060	 0.5500
k	 0.6680	 0.5730
l	 0.7230	 0.6060
m	 0.5840	 0.5670
n	 0.6970	 0.5900
o	 0.6970	 0.5880
p	 0.7530	 0.5950
q	 0.6440	 0.5720
r	 0.6640	 0.5670
s	 0.5890	 0.5530
t	 0.6860	 0.5750
u	 0.4650	 0.5310
v	 0.5760	 0.5860
y	 0.4600	 0.5740
z	 0.3780	 0.5000