



## Full wwPDB EM Validation Report ⓘ

May 4, 2025 – 02:20 PM EDT

PDB ID : 7L1R / pdb\_0000711r  
EMDB ID : EMD-23116  
Title : PS3 F1-ATPase Hydrolysis Dwell  
Authors : Sobti, M.; Ueno, H.; Noji, H.; Stewart, A.G.  
Deposited on : 2020-12-15  
Resolution : 3.10 Å (reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev118  
Mogul : 2022.3.0, CSD as543be (2022)  
MolProbity : 4-5-2 with Phenix2.0rc1  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.43.1

# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:  
*ELECTRON MICROSCOPY*

The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	510	
1	B	510	
1	C	510	
2	D	484	
2	E	484	
2	F	484	
3	G	285	

## 2 Entry composition i

There are 6 unique types of molecules in this entry. The entry contains 24199 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ATP synthase subunit alpha.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	474	Total	C	N	O	S	0	0
			3636	2303	637	687	9		
1	B	475	Total	C	N	O	S	0	0
			3643	2308	638	688	9		
1	C	476	Total	C	N	O	S	0	0
			3649	2311	639	690	9		

There are 33 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-7	MET	-	expression tag	UNP A0A0M3VGF9
A	-6	SER	-	expression tag	UNP A0A0M3VGF9
A	-5	HIS	-	expression tag	UNP A0A0M3VGF9
A	-4	HIS	-	expression tag	UNP A0A0M3VGF9
A	-3	HIS	-	expression tag	UNP A0A0M3VGF9
A	-2	HIS	-	expression tag	UNP A0A0M3VGF9
A	-1	HIS	-	expression tag	UNP A0A0M3VGF9
A	0	HIS	-	expression tag	UNP A0A0M3VGF9
A	1	GLY	-	expression tag	UNP A0A0M3VGF9
A	193	SER	CYS	conflict	UNP A0A0M3VGF9
A	463	PHE	TRP	conflict	UNP A0A0M3VGF9
B	-7	MET	-	expression tag	UNP A0A0M3VGF9
B	-6	SER	-	expression tag	UNP A0A0M3VGF9
B	-5	HIS	-	expression tag	UNP A0A0M3VGF9
B	-4	HIS	-	expression tag	UNP A0A0M3VGF9
B	-3	HIS	-	expression tag	UNP A0A0M3VGF9
B	-2	HIS	-	expression tag	UNP A0A0M3VGF9
B	-1	HIS	-	expression tag	UNP A0A0M3VGF9
B	0	HIS	-	expression tag	UNP A0A0M3VGF9
B	1	GLY	-	expression tag	UNP A0A0M3VGF9
B	193	SER	CYS	conflict	UNP A0A0M3VGF9
B	463	PHE	TRP	conflict	UNP A0A0M3VGF9
C	-7	MET	-	expression tag	UNP A0A0M3VGF9
C	-6	SER	-	expression tag	UNP A0A0M3VGF9

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
C	-5	HIS	-	expression tag	UNP A0A0M3VGF9
C	-4	HIS	-	expression tag	UNP A0A0M3VGF9
C	-3	HIS	-	expression tag	UNP A0A0M3VGF9
C	-2	HIS	-	expression tag	UNP A0A0M3VGF9
C	-1	HIS	-	expression tag	UNP A0A0M3VGF9
C	0	HIS	-	expression tag	UNP A0A0M3VGF9
C	1	GLY	-	expression tag	UNP A0A0M3VGF9
C	193	SER	CYS	conflict	UNP A0A0M3VGF9
C	463	PHE	TRP	conflict	UNP A0A0M3VGF9

- Molecule 2 is a protein called ATP synthase subunit beta.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	D	470	Total	C	N	O	S	0	0
			3621	2285	627	696	13		
2	E	470	Total	C	N	O	S	0	0
			3622	2285	627	696	14		
2	F	471	Total	C	N	O	S	0	0
			3629	2290	628	697	14		

There are 36 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
D	-10	MET	-	expression tag	UNP A0A0M4U1P9
D	-9	HIS	-	expression tag	UNP A0A0M4U1P9
D	-8	HIS	-	expression tag	UNP A0A0M4U1P9
D	-7	HIS	-	expression tag	UNP A0A0M4U1P9
D	-6	HIS	-	expression tag	UNP A0A0M4U1P9
D	-5	HIS	-	expression tag	UNP A0A0M4U1P9
D	-4	HIS	-	expression tag	UNP A0A0M4U1P9
D	-3	HIS	-	expression tag	UNP A0A0M4U1P9
D	-2	HIS	-	expression tag	UNP A0A0M4U1P9
D	-1	HIS	-	expression tag	UNP A0A0M4U1P9
D	0	HIS	-	expression tag	UNP A0A0M4U1P9
D	190	ASP	GLU	conflict	UNP A0A0M4U1P9
E	-10	MET	-	expression tag	UNP A0A0M4U1P9
E	-9	HIS	-	expression tag	UNP A0A0M4U1P9
E	-8	HIS	-	expression tag	UNP A0A0M4U1P9
E	-7	HIS	-	expression tag	UNP A0A0M4U1P9
E	-6	HIS	-	expression tag	UNP A0A0M4U1P9
E	-5	HIS	-	expression tag	UNP A0A0M4U1P9
E	-4	HIS	-	expression tag	UNP A0A0M4U1P9

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	-3	HIS	-	expression tag	UNP A0A0M4U1P9
E	-2	HIS	-	expression tag	UNP A0A0M4U1P9
E	-1	HIS	-	expression tag	UNP A0A0M4U1P9
E	0	HIS	-	expression tag	UNP A0A0M4U1P9
E	190	ASP	GLU	conflict	UNP A0A0M4U1P9
F	-10	MET	-	expression tag	UNP A0A0M4U1P9
F	-9	HIS	-	expression tag	UNP A0A0M4U1P9
F	-8	HIS	-	expression tag	UNP A0A0M4U1P9
F	-7	HIS	-	expression tag	UNP A0A0M4U1P9
F	-6	HIS	-	expression tag	UNP A0A0M4U1P9
F	-5	HIS	-	expression tag	UNP A0A0M4U1P9
F	-4	HIS	-	expression tag	UNP A0A0M4U1P9
F	-3	HIS	-	expression tag	UNP A0A0M4U1P9
F	-2	HIS	-	expression tag	UNP A0A0M4U1P9
F	-1	HIS	-	expression tag	UNP A0A0M4U1P9
F	0	HIS	-	expression tag	UNP A0A0M4U1P9
F	190	ASP	GLU	conflict	UNP A0A0M4U1P9


- Molecule 3 is a protein called ATP synthase gamma chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	G	282	2211	1393	388	420	10	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
G	112	CYS	SER	conflict	UNP A0A0M4TPJ7
G	215	CYS	ILE	conflict	UNP A0A0M4TPJ7

- Molecule 4 is ADENOSINE-5'-TRIPHOSPHATE (CCD ID: ATP) (formula:  $C_{10}H_{16}N_5O_{13}P_3$ ).



Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
4	A	1	Total	C	N	O	P	0
			31	10	5	13	3	
4	B	1	Total	C	N	O	P	0
			31	10	5	13	3	
4	C	1	Total	C	N	O	P	0
			31	10	5	13	3	
4	D	1	Total	C	N	O	P	0
			31	10	5	13	3	
4	F	1	Total	C	N	O	P	0
			31	10	5	13	3	

- Molecule 5 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
			Total	Mg	
5	A	1	Total	Mg	0
			1	1	
5	B	1	Total	Mg	0
			1	1	
5	C	1	Total	Mg	0
			1	1	
5	D	1	Total	Mg	0
			1	1	
5	E	1	Total	Mg	0
			1	1	
5	F	1	Total	Mg	0
			1	1	


- Molecule 6 is ADENOSINE-5'-DIPHOSPHATE (CCD ID: ADP) (formula: C<sub>10</sub>H<sub>15</sub>N<sub>5</sub>O<sub>10</sub>P<sub>2</sub>).




### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: ATP synthase subunit alpha




- Molecule 1: ATP synthase subunit alpha



- Molecule 1: ATP synthase subunit alpha



• Molecule 3: ATP synthase gamma chain



## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	340916	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	50	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 QUANTUM (4k x 4k)	Depositor
Maximum map value	2.095	Depositor
Minimum map value	-0.028	Depositor
Average map value	0.005	Depositor
Map value standard deviation	0.050	Depositor
Recommended contour level	0.15	Depositor
Map size (Å)	215.04, 215.04, 215.04	wwPDB
Map dimensions	256, 256, 256	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.84, 0.84, 0.84	Depositor

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: ATP, MG, ADP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.74	0/3695	1.36	22/5004 (0.4%)
1	B	0.79	1/3702 (0.0%)	1.39	21/5014 (0.4%)
1	C	0.68	0/3708	1.21	7/5022 (0.1%)
2	D	0.64	0/3684	1.12	2/4991 (0.0%)
2	E	0.64	0/3685	1.14	7/4991 (0.1%)
2	F	0.64	0/3692	1.13	6/5001 (0.1%)
3	G	0.67	0/2244	1.14	0/3036
All	All	0.69	1/24410 (0.0%)	1.22	65/33059 (0.2%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	280	PRO	C-O	-5.78	1.20	1.25

All (65) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	395	PHE	CA-CB-CG	8.99	122.79	113.80
1	A	145	PRO	N-CA-C	8.38	123.98	111.41
1	A	396	ALA	N-CA-C	7.74	122.30	113.02
1	A	172	GLN	CB-CA-C	7.53	117.29	109.83
2	F	316	PRO	N-CA-C	7.52	124.71	113.81
1	B	479	LYS	CA-C-N	-7.09	110.72	122.21
1	B	479	LYS	C-N-CA	-7.09	110.72	122.21
1	A	136	VAL	N-CA-C	-7.00	99.69	109.21
1	A	145	PRO	CB-CA-C	-6.98	101.80	110.95
2	E	382	ASP	CA-CB-CG	6.96	119.56	112.60
1	B	277	LEU	N-CA-C	-6.85	104.50	112.92
1	A	366	VAL	N-CA-C	-6.71	104.79	111.77
1	B	448	ILE	N-CA-C	6.58	115.40	108.95

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	158	PRO	N-CA-C	6.55	121.12	111.03
1	C	500	VAL	N-CA-C	6.44	118.77	108.85
1	A	318	PHE	CA-CB-CG	6.32	120.12	113.80
2	E	316	PRO	N-CA-C	6.30	122.03	113.84
1	A	479	LYS	CA-C-N	-6.21	112.16	122.21
1	A	479	LYS	C-N-CA	-6.21	112.16	122.21
2	F	413	ASN	CA-CB-CG	6.17	118.77	112.60
1	C	397	GLN	N-CA-C	-6.10	105.69	113.01
2	E	396	ASP	CA-CB-CG	6.09	118.69	112.60
2	F	193	ARG	CA-C-N	6.08	129.55	120.31
2	F	193	ARG	C-N-CA	6.08	129.55	120.31
1	B	158	PRO	N-CA-C	6.06	120.85	111.21
1	A	289	ASP	CA-CB-CG	6.01	118.61	112.60
1	A	79	TYR	CB-CA-C	-5.95	101.88	111.28
2	D	217	GLN	OE1-CD-NE2	-5.83	116.77	122.60
2	E	204	ASP	CA-CB-CG	5.78	118.38	112.60
2	E	424	PRO	N-CA-C	5.72	121.65	113.47
1	B	280	PRO	N-CA-C	5.69	115.93	110.47
1	A	423	ASP	CA-CB-CG	5.67	118.27	112.60
2	E	215	PHE	CA-CB-CG	5.55	119.35	113.80
1	A	236	PHE	CA-CB-CG	5.53	119.33	113.80
1	A	65	ASN	CA-CB-CG	5.49	118.09	112.60
1	B	96	GLU	CA-C-N	-5.49	117.39	123.43
1	B	96	GLU	C-N-CA	-5.49	117.39	123.43
1	C	233	PRO	CA-C-N	-5.48	111.98	120.31
1	C	233	PRO	C-N-CA	-5.48	111.98	120.31
1	B	236	PHE	CA-CB-CG	5.46	119.26	113.80
1	A	233	PRO	CA-C-N	-5.45	112.02	120.31
1	A	233	PRO	C-N-CA	-5.45	112.02	120.31
2	E	352	ARG	N-CA-C	-5.45	106.30	113.17
1	B	478	THR	CB-CA-C	-5.42	101.04	110.09
1	B	280	PRO	CB-CA-C	-5.34	106.37	111.39
1	B	285	ALA	N-CA-C	-5.33	104.49	112.54
1	B	233	PRO	CA-C-N	-5.23	111.99	120.72
1	B	233	PRO	C-N-CA	-5.23	111.99	120.72
1	B	287	PRO	N-CA-C	-5.22	103.00	111.19
2	D	414	PHE	CA-CB-CG	5.21	119.01	113.80
1	A	425	HIS	CB-CG-CD2	-5.20	124.45	131.20
1	B	479	LYS	N-CA-C	-5.17	104.27	111.30
1	B	278	ARG	CB-CA-C	5.16	119.38	111.39
1	C	433	GLN	OE1-CD-NE2	-5.12	117.48	122.60
1	B	154	ASP	CA-CB-CG	5.10	117.70	112.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	333	ASN	O-C-N	-5.08	116.83	122.07
1	B	186	GLN	CA-C-N	5.07	131.22	121.54
1	B	186	GLN	C-N-CA	5.07	131.22	121.54
1	A	446	ASP	CA-C-N	5.06	127.06	120.28
1	A	446	ASP	C-N-CA	5.06	127.06	120.28
1	C	356	ALA	CA-C-O	-5.06	116.29	122.41
1	A	433	GLN	OE1-CD-NE2	-5.05	117.55	122.60
1	C	154	ASP	CA-CB-CG	5.05	117.65	112.60
2	F	188	VAL	CA-C-O	-5.02	115.16	120.48
2	F	310	ALA	N-CA-C	-5.00	100.14	110.80

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3636	0	3710	50	0
1	B	3643	0	3718	43	0
1	C	3649	0	3724	40	0
2	D	3621	0	3631	24	0
2	E	3622	0	3634	22	0
2	F	3629	0	3643	10	0
3	G	2211	0	2257	20	0
4	A	31	0	12	2	0
4	B	31	0	12	0	0
4	C	31	0	12	0	0
4	D	31	0	12	1	0
4	F	31	0	12	4	0
5	A	1	0	0	0	0
5	B	1	0	0	0	0
5	C	1	0	0	0	0
5	D	1	0	0	0	0
5	E	1	0	0	0	0
5	F	1	0	0	0	0
6	E	27	0	12	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	24199	0	24389	197	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (197) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:F:500:ATP:H8	4:F:500:ATP:H5'1	1.38	0.89
1:B:55:PHE:HA	1:B:88:VAL:HA	1.57	0.86
2:E:275:VAL:H	3:G:274:THR:HG22	1.41	0.86
4:F:500:ATP:H5'1	4:F:500:ATP:C8	2.11	0.85
2:D:191:ARG:CG	2:D:191:ARG:HH21	1.91	0.84
1:B:56:ALA:HB2	1:B:87:GLU:HB3	1.58	0.83
2:D:191:ARG:HH21	2:D:191:ARG:HG2	1.48	0.79
1:A:67:GLU:HA	2:E:8:GLN:HG2	1.65	0.79
1:B:28:VAL:C	1:B:44:LEU:H	1.90	0.79
2:E:335:LEU:HD22	2:E:340:ILE:HD12	1.65	0.77
1:B:30:THR:O	1:B:42:HIS:N	2.24	0.70
1:C:179:ALA:HB2	1:C:318:PHE:HZ	1.56	0.69
1:A:233:PRO:HG3	1:A:273:LEU:HD11	1.75	0.69
1:B:29:GLY:HA2	1:B:43:GLY:HA3	1.75	0.69
1:A:172:GLN:HG3	2:D:350:THR:HG21	1.76	0.68
1:A:145:PRO:HB3	1:A:370:ALA:O	1.94	0.68
1:B:54:GLU:HG3	1:B:89:ARG:HB2	1.75	0.67
1:B:473:GLU:HA	1:B:473:GLU:OE1	1.94	0.67
2:F:192:THR:O	2:F:192:THR:OG1	2.04	0.66
1:A:445:LEU:HA	1:A:448:ILE:HD13	1.76	0.66
2:D:456:VAL:HG21	2:D:462:VAL:HG22	1.78	0.66
4:F:500:ATP:H8	4:F:500:ATP:C5'	2.09	0.64
2:D:39:GLU:H	2:D:39:GLU:CD	2.05	0.64
1:B:451:GLU:H	1:B:451:GLU:CD	2.04	0.64
1:B:452:ASP:OD2	1:B:452:ASP:N	2.31	0.63
2:F:190:ASP:OD1	2:F:217:GLN:NE2	2.31	0.63
1:A:385:ASP:O	1:A:409:LYS:NZ	2.29	0.62
1:B:54:GLU:O	1:B:89:ARG:N	2.22	0.62
1:C:67:GLU:HB2	1:C:70:ASN:ND2	2.15	0.62
4:A:600:ATP:H8	4:A:600:ATP:H5'1	1.64	0.62
1:A:67:GLU:HB2	1:A:70:ASN:ND2	2.15	0.62
1:A:233:PRO:HG3	1:A:273:LEU:HD21	1.83	0.60
1:A:33:GLN:HB2	1:A:40:ARG:HG3	1.83	0.60

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:395:PHE:HB2	3:G:26:ALA:HB2	1.83	0.60
1:C:193:SER:HB2	1:C:221:THR:HG22	1.82	0.60
1:A:164:ARG:HD3	1:A:298:LEU:O	2.03	0.59
2:E:450:GLU:H	2:E:450:GLU:CD	2.10	0.59
1:B:28:VAL:O	1:B:43:GLY:HA3	2.02	0.58
1:C:366:VAL:O	1:C:366:VAL:HG12	2.03	0.58
1:A:448:ILE:HG12	1:A:456:PHE:CD1	2.39	0.57
3:G:216:LEU:HA	3:G:219:LEU:HG	1.86	0.57
2:E:464:GLU:HA	2:E:467:LYS:HD3	1.87	0.57
3:G:211:SER:HB2	3:G:214:GLU:HB2	1.85	0.57
3:G:270:GLN:O	3:G:274:THR:HG23	2.04	0.57
1:A:79:TYR:H	1:A:79:TYR:HD1	1.54	0.56
1:A:378:VAL:HG12	1:A:437:ILE:HG22	1.87	0.56
1:C:189:GLN:OE1	1:C:189:GLN:N	2.31	0.56
1:C:48:MET:HE3	1:C:51:GLU:HG3	1.87	0.55
1:C:365:ARG:HE	2:D:191:ARG:HH11	1.53	0.55
1:C:67:GLU:O	2:D:72:ARG:NH1	2.40	0.55
1:A:275:LEU:HD11	1:A:285:ALA:HB1	1.89	0.55
1:A:48:MET:HE3	1:A:51:GLU:HG3	1.87	0.55
1:A:412:ARG:O	1:A:412:ARG:HG3	2.08	0.54
4:D:500:ATP:H5'1	4:D:500:ATP:H8	1.71	0.54
1:B:42:HIS:O	1:B:42:HIS:CG	2.60	0.54
4:A:600:ATP:H5'1	4:A:600:ATP:C8	2.43	0.54
2:E:357:GLU:H	2:E:357:GLU:CD	2.16	0.53
2:D:149:ILE:HG22	2:D:353:ALA:HB2	1.88	0.53
1:A:66:LEU:O	2:E:8:GLN:HA	2.08	0.53
1:C:469:GLN:HA	1:C:469:GLN:OE1	2.07	0.53
1:A:162:GLY:H	1:A:314:THR:HB	1.75	0.52
2:E:275:VAL:H	3:G:274:THR:CG2	2.18	0.52
1:B:423:ASP:OD1	1:B:423:ASP:N	2.41	0.52
1:A:469:GLN:OE1	1:A:469:GLN:HA	2.07	0.52
1:C:137:MET:HE2	2:D:105:LEU:HD23	1.92	0.52
1:C:415:ARG:HH11	1:C:415:ARG:HG3	1.73	0.52
3:G:273:ILE:HG22	3:G:273:ILE:O	2.08	0.52
1:B:29:GLY:HA2	1:B:42:HIS:O	2.10	0.51
2:F:8:GLN:HB2	2:F:15:ASP:HB2	1.92	0.51
1:A:38:ILE:HD11	1:A:273:LEU:HD22	1.91	0.51
1:A:448:ILE:HD12	1:A:448:ILE:H	1.75	0.51
1:C:104:ILE:HA	1:C:222:ILE:HG12	1.91	0.51
1:B:77:GLY:O	1:B:231:PRO:HG2	2.09	0.51
4:F:500:ATP:C8	4:F:500:ATP:C5'	2.89	0.51

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:423:GLN:HG2	2:D:424:PRO:HD2	1.93	0.51
1:C:218:LEU:HA	1:C:221:THR:OG1	2.11	0.51
1:B:179:ALA:HB2	1:B:318:PHE:HZ	1.76	0.51
1:C:409:LYS:O	1:C:409:LYS:HD2	2.11	0.51
2:D:283:THR:O	2:D:287:GLN:HG2	2.12	0.50
1:A:395:PHE:CD2	1:A:396:ALA:HB2	2.47	0.50
2:D:191:ARG:CG	2:D:191:ARG:NH2	2.60	0.50
1:A:385:ASP:C	1:A:409:LYS:HZ3	2.18	0.50
3:G:192:LEU:HD12	3:G:193:PRO:HA	1.93	0.49
1:B:54:GLU:CG	1:B:89:ARG:HB2	2.40	0.49
1:C:347:ASP:OD2	1:C:347:ASP:N	2.41	0.49
2:E:68:ASP:N	2:E:68:ASP:OD1	2.44	0.49
1:B:30:THR:H	1:B:42:HIS:H	1.61	0.49
1:C:365:ARG:HH11	2:D:191:ARG:NH1	2.10	0.49
1:B:29:GLY:CA	1:B:43:GLY:HA3	2.41	0.48
1:B:384:LEU:HD13	1:B:384:LEU:HA	1.71	0.48
1:A:290:ILE:HG21	1:A:330:ILE:HD12	1.95	0.48
2:D:83:ILE:HB	2:D:118:ILE:HD12	1.96	0.48
2:E:357:GLU:OE1	2:E:357:GLU:N	2.46	0.48
1:B:136:VAL:O	1:B:137:MET:HB2	2.13	0.48
2:F:317:ALA:HB3	2:F:318:PRO:HD3	1.95	0.48
2:E:161:GLY:O	2:E:333:ARG:NH2	2.47	0.47
1:B:289:ASP:N	1:B:289:ASP:OD1	2.47	0.47
1:C:394:ALA:O	1:C:397:GLN:HG2	2.14	0.47
1:B:30:THR:H	1:B:42:HIS:N	2.13	0.47
1:C:415:ARG:HG3	1:C:415:ARG:NH1	2.30	0.47
1:B:478:THR:O	1:B:479:LYS:C	2.58	0.47
1:C:396:ALA:C	1:C:398:PHE:H	2.23	0.47
1:B:31:VAL:HA	1:B:40:ARG:O	2.15	0.47
2:D:166:VAL:HG12	2:D:166:VAL:O	2.15	0.47
1:B:446:ASP:OD1	1:B:447:ASP:N	2.49	0.46
1:A:409:LYS:O	1:A:409:LYS:HE3	2.14	0.46
2:E:154:ILE:N	2:E:154:ILE:HD12	2.30	0.46
1:B:206:ARG:HA	2:E:125:PHE:CE1	2.51	0.46
1:B:271:ARG:HD2	1:B:285:ALA:HB3	1.96	0.46
3:G:106:ILE:HG13	3:G:107:GLN:N	2.31	0.46
1:A:418:GLU:HG3	1:A:450:VAL:HG13	1.97	0.46
3:G:95:ASN:CG	3:G:124:VAL:HG21	2.41	0.46
1:C:289:ASP:OD1	1:C:289:ASP:N	2.47	0.46
3:G:243:ARG:O	3:G:247:MET:HG2	2.16	0.46
1:C:136:VAL:O	1:C:137:MET:HB2	2.17	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:87:GLU:O	1:B:87:GLU:HG2	2.15	0.45
2:E:75:GLU:OE1	2:E:75:GLU:C	2.60	0.45
1:A:349:PHE:C	1:A:351:SER:H	2.23	0.45
1:C:499:VAL:O	1:C:499:VAL:HG23	2.15	0.45
2:D:317:ALA:HB3	2:D:318:PRO:HD3	1.98	0.45
1:C:391:GLU:OE2	2:D:404:ARG:NH1	2.46	0.45
1:A:448:ILE:H	1:A:448:ILE:CD1	2.30	0.45
2:D:49:GLU:O	2:D:49:GLU:HG3	2.16	0.45
1:C:140:ARG:HG2	1:C:141:SER:H	1.81	0.45
1:C:396:ALA:C	1:C:398:PHE:N	2.71	0.45
1:B:27:ASP:C	1:B:44:LEU:HA	2.42	0.44
1:A:366:VAL:HG22	2:E:193:ARG:CZ	2.48	0.44
1:B:162:GLY:H	1:B:314:THR:HB	1.81	0.44
2:F:162:VAL:HG12	2:F:162:VAL:O	2.16	0.44
2:E:450:GLU:CD	2:E:450:GLU:N	2.76	0.44
1:B:27:ASP:O	1:B:44:LEU:HD23	2.17	0.44
1:A:140:ARG:HG2	1:A:141:SER:H	1.82	0.44
1:C:170:ASP:O	1:C:173:THR:OG1	2.34	0.44
1:C:451:GLU:H	1:C:451:GLU:CD	2.26	0.44
1:A:448:ILE:HD12	1:A:448:ILE:N	2.33	0.44
1:B:46:ASN:O	1:B:90:ARG:NH2	2.50	0.44
1:C:366:VAL:O	1:C:366:VAL:CG1	2.65	0.44
1:C:336:SER:O	2:D:191:ARG:NH2	2.51	0.43
2:F:164:LYS:HB2	2:F:164:LYS:HE3	1.84	0.43
3:G:210:PRO:HB2	3:G:215:CYS:HB2	2.00	0.43
1:A:209:VAL:O	1:A:210:GLU:C	2.61	0.43
1:B:456:PHE:CD2	1:B:456:PHE:C	2.97	0.43
1:C:191:MET:HB2	1:C:191:MET:HE2	1.62	0.43
3:G:108:LYS:N	3:G:108:LYS:HE2	2.33	0.43
2:F:285:MET:HE2	2:F:285:MET:HB3	1.81	0.43
2:F:315:ASP:HA	2:F:316:PRO:HD3	1.94	0.43
3:G:191:LEU:HG	3:G:192:LEU:HD22	2.00	0.43
1:A:136:VAL:HG23	2:E:192:THR:HG23	2.01	0.43
1:B:279:ARG:HA	1:B:280:PRO:HD3	1.94	0.43
1:B:168:ILE:HG23	1:B:343:PHE:HD1	1.84	0.42
1:A:474:HIS:HE1	1:A:480:ASP:HB3	1.84	0.42
1:A:478:THR:O	1:A:478:THR:HG22	2.20	0.42
2:D:165:THR:O	2:D:165:THR:CG2	2.67	0.42
1:B:347:ASP:OD2	1:B:347:ASP:N	2.41	0.42
1:B:382:LEU:HD12	1:B:382:LEU:HA	1.84	0.42
2:D:166:VAL:O	2:D:166:VAL:CG1	2.68	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:30:THR:O	1:B:41:ALA:HA	2.20	0.42
1:C:384:LEU:HD13	1:C:384:LEU:HA	1.79	0.42
1:A:472:LEU:O	1:A:473:GLU:C	2.62	0.42
2:F:310:ALA:C	2:F:312:ASP:H	2.28	0.42
1:A:403:ASP:OD2	1:A:404:LYS:N	2.53	0.42
2:E:308:VAL:HA	2:E:309:PRO:HD3	1.96	0.42
2:E:225:ARG:O	2:E:228:VAL:HG12	2.19	0.41
1:A:283:ARG:HA	3:G:277:ILE:HD11	2.02	0.41
3:G:86:SER:O	3:G:124:VAL:HG22	2.20	0.41
1:C:448:ILE:HD12	1:C:448:ILE:N	2.35	0.41
1:C:179:ALA:HB2	1:C:318:PHE:CZ	2.46	0.41
1:C:365:ARG:HH11	2:D:191:ARG:HH11	1.67	0.41
3:G:56:VAL:HB	3:G:219:LEU:HD13	2.02	0.41
1:A:232:ALA:HB3	1:A:233:PRO:HD3	2.02	0.41
1:A:405:ALA:O	1:A:408:ALA:N	2.53	0.41
1:B:137:MET:HE3	1:B:137:MET:HB3	1.72	0.41
1:C:488:ASN:N	1:C:488:ASN:HD22	2.19	0.41
1:A:45:ASP:OD2	1:A:45:ASP:N	2.53	0.41
1:A:409:LYS:HD2	1:A:409:LYS:HA	1.70	0.41
3:G:192:LEU:HD13	3:G:192:LEU:HA	1.91	0.41
1:A:273:LEU:HA	1:A:273:LEU:HD23	1.80	0.41
1:B:27:ASP:OD2	1:B:46:ASN:HB2	2.20	0.41
1:C:45:ASP:OD2	1:C:45:ASP:N	2.53	0.41
2:E:271:MET:HB3	2:E:271:MET:HE2	1.59	0.41
1:A:232:ALA:HB1	1:A:269:ALA:HB1	2.03	0.41
1:A:473:GLU:OE1	1:A:473:GLU:HA	2.19	0.41
1:B:168:ILE:HD11	1:B:331:PRO:HB3	2.02	0.41
1:C:456:PHE:CD2	1:C:456:PHE:C	2.99	0.41
1:A:488:ASN:N	1:A:488:ASN:HD22	2.19	0.40
2:E:312:ASP:OD2	3:G:270:GLN:NE2	2.55	0.40
2:F:447:HIS:ND1	2:F:447:HIS:N	2.63	0.40
1:A:115:VAL:O	2:D:126:GLU:OE1	2.40	0.40
1:C:179:ALA:CB	1:C:318:PHE:HZ	2.30	0.40
1:C:452:ASP:OD1	1:C:455:ARG:NH2	2.53	0.40
2:D:390:ASP:OD2	2:D:390:ASP:N	2.55	0.40
2:E:220:GLU:O	2:E:225:ARG:NH1	2.54	0.40
1:C:382:LEU:HD12	1:C:382:LEU:HA	1.92	0.40
3:G:11:LYS:HD2	3:G:11:LYS:HA	1.86	0.40
1:A:94:ILE:HG22	1:A:95:MET:N	2.36	0.40
1:A:304:LEU:HB3	1:A:308:LYS:HB2	2.04	0.40
1:B:56:ALA:N	1:B:87:GLU:O	2.55	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	472/510 (92%)	453 (96%)	19 (4%)	0	100	100
1	B	473/510 (93%)	456 (96%)	16 (3%)	1 (0%)	44	74
1	C	474/510 (93%)	461 (97%)	13 (3%)	0	100	100
2	D	468/484 (97%)	451 (96%)	17 (4%)	0	100	100
2	E	468/484 (97%)	455 (97%)	13 (3%)	0	100	100
2	F	469/484 (97%)	453 (97%)	16 (3%)	0	100	100
3	G	280/285 (98%)	273 (98%)	7 (2%)	0	100	100
All	All	3104/3267 (95%)	3002 (97%)	101 (3%)	1 (0%)	100	100

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	281	PRO

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	386/419 (92%)	373 (97%)	13 (3%)	32	62
1	B	387/419 (92%)	372 (96%)	15 (4%)	27	58

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	C	388/419 (93%)	373 (96%)	15 (4%)	27	58
2	D	386/400 (96%)	376 (97%)	10 (3%)	41	68
2	E	386/400 (96%)	373 (97%)	13 (3%)	32	62
2	F	387/400 (97%)	377 (97%)	10 (3%)	41	68
3	G	238/240 (99%)	229 (96%)	9 (4%)	28	59
All	All	2558/2697 (95%)	2473 (97%)	85 (3%)	35	62

All (85) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	34	VAL
1	A	47	VAL
1	A	70	ASN
1	A	97	VAL
1	A	136	VAL
1	A	293	LEU
1	A	314	THR
1	A	375	MET
1	A	378	VAL
1	A	384	LEU
1	A	409	LYS
1	A	417	VAL
1	A	445	LEU
1	B	38	ILE
1	B	47	VAL
1	B	53	VAL
1	B	90	ARG
1	B	97	VAL
1	B	136	VAL
1	B	137	MET
1	B	314	THR
1	B	321	THR
1	B	375	MET
1	B	384	LEU
1	B	417	VAL
1	B	452	ASP
1	B	463	PHE
1	B	478	THR
1	C	34	VAL
1	C	47	VAL

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	C	70	ASN
1	C	97	VAL
1	C	173	THR
1	C	177	SER
1	C	314	THR
1	C	319	VAL
1	C	365	ARG
1	C	375	MET
1	C	384	LEU
1	C	390	ARG
1	C	391	GLU
1	C	401	ASP
1	C	446	ASP
2	D	46	LEU
2	D	109	ILE
2	D	165	THR
2	D	191	ARG
2	D	192	THR
2	D	226	MET
2	D	228	VAL
2	D	253	ASN
2	D	304	GLN
2	D	451	ASP
2	E	67	THR
2	E	68	ASP
2	E	142	VAL
2	E	234	THR
2	E	240	ARG
2	E	248	LEU
2	E	254	ILE
2	E	268	LEU
2	E	315	ASP
2	E	328	THR
2	E	357	GLU
2	E	421	THR
2	E	456	VAL
2	F	15	ASP
2	F	77	ILE
2	F	98	VAL
2	F	132	VAL
2	F	204	ASP
2	F	233	LEU

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
2	F	308	VAL
2	F	365	GLN
2	F	378	LYS
2	F	447	HIS
3	G	10	ILE
3	G	90	LEU
3	G	102	VAL
3	G	108	LYS
3	G	141	THR
3	G	187	THR
3	G	188	GLU
3	G	192	LEU
3	G	227	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (35) such sidechains are listed below:

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	46	ASN
1	A	70	ASN
1	A	407	GLN
1	A	474	HIS
1	A	488	ASN
1	B	46	ASN
1	B	65	ASN
1	B	230	GLN
1	B	341	GLN
1	B	397	GLN
1	B	488	ASN
1	C	46	ASN
1	C	70	ASN
1	C	322	GLN
1	C	397	GLN
1	C	488	ASN
2	D	33	GLN
2	D	169	GLN
2	D	245	GLN
2	D	330	ASN
2	D	365	GLN
2	D	401	HIS
2	E	33	GLN
2	E	173	HIS
2	E	200	HIS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	E	324	HIS
2	E	375	GLN
2	F	8	GLN
2	F	196	ASN
2	F	217	GLN
2	F	407	GLN
3	G	36	ASN
3	G	41	ASN
3	G	183	GLN
3	G	285	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 12 ligands modelled in this entry, 6 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
4	ATP	A	600	5	28,33,33	0.76	0	34,52,52	0.91	1 (2%)
4	ATP	F	500	5	28,33,33	0.76	0	34,52,52	0.87	1 (2%)
4	ATP	D	500	5	28,33,33	0.78	1 (3%)	34,52,52	0.81	1 (2%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	ATP	C	600	5	28,33,33	0.76	0	34,52,52	0.89	1 (2%)
4	ATP	B	600	5	28,33,33	0.74	0	34,52,52	0.87	1 (2%)
6	ADP	E	501	5	24,29,29	0.74	0	29,45,45	0.78	1 (3%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	ATP	A	600	5	-	0/18/38/38	0/3/3/3
4	ATP	F	500	5	-	2/18/38/38	0/3/3/3
4	ATP	D	500	5	-	1/18/38/38	0/3/3/3
4	ATP	C	600	5	-	1/18/38/38	0/3/3/3
4	ATP	B	600	5	-	1/18/38/38	0/3/3/3
6	ADP	E	501	5	-	0/12/32/32	0/3/3/3

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	D	500	ATP	C1'-N9	-2.06	1.44	1.49

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	C	600	ATP	C5-C6-N6	2.34	123.87	120.31
4	B	600	ATP	C5-C6-N6	2.33	123.86	120.31
4	A	600	ATP	C5-C6-N6	2.30	123.81	120.31
6	E	501	ADP	C5-C6-N6	2.29	123.80	120.31
4	D	500	ATP	C5-C6-N6	2.28	123.78	120.31
4	F	500	ATP	C5-C6-N6	2.18	123.63	120.31

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	D	500	ATP	O4'-C4'-C5'-O5'
4	B	600	ATP	O4'-C4'-C5'-O5'
4	F	500	ATP	PA-O3A-PB-O1B
4	C	600	ATP	O4'-C4'-C5'-O5'

*Continued on next page...*

*Continued from previous page...*


Mol	Chain	Res	Type	Atoms
4	F	500	ATP	PA-O3A-PB-O2B


There are no ring outliers.


3 monomers are involved in 7 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	600	ATP	2	0
4	F	500	ATP	4	0
4	D	500	ATP	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-23116. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X



Y



Z

The images above show the map projected in three orthogonal directions.

### 6.2 Central slices [i](#)

#### 6.2.1 Primary map



X Index: 128



Y Index: 128



Z Index: 128

The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [\(i\)](#)

### 6.3.1 Primary map



X Index: 125



Y Index: 149




Z Index: 136


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) [\(i\)](#)


### 6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.15. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


## 6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 103 nm<sup>3</sup>; this corresponds to an approximate mass of 93 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum [i](#)



\*Reported resolution corresponds to spatial frequency of  $0.323 \text{\AA}^{-1}$


## 8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-23116 and PDB model 7L1R. Per-residue inclusion information can be found in section 3 on page 8.

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.15 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.15).

## 9.4 Atom inclusion [i](#)



At the recommended contour level, 84% of all backbone atoms, 68% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary [i](#)

The table lists the average atom inclusion at the recommended contour level (0.15) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.6800	 0.4440
A	 0.6730	 0.4170
B	 0.6810	 0.4290
C	 0.7230	 0.4780
D	 0.7160	 0.4820
E	 0.6800	 0.4590
F	 0.7010	 0.4840
G	 0.5180	 0.3030

