



## wwPDB EM Validation Summary Report ⓘ

Feb 4, 2025 – 08:33 AM EST

PDB ID : 6OSQ  
EMDB ID : EMD-20187  
Title : RF1 accommodated state bound Release complex 70S at long incubation time point  
Authors : Fu, Z.; Indrisiunaite, G.; Kaledhonkar, S.; Shah, B.; Sun, M.; Chen, B.; Grassucci, R.A.; Ehrenberg, M.; Frank, J.  
Deposited on : 2019-05-02  
Resolution : 3.50 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev113  
Mogul : 2022.3.0, CSD as543be (2022)  
MolProbity : 4.02b-467  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.40


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*

The reported resolution of this entry is 3.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415
RNA backbone	6643	2191

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	1	2903	
2	2	1534	
3	3	120	
4	4	9	
5	5	76	
6	B	271	
7	C	209	
8	D	201	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	E	177	39% 99%
10	F	175	46% 99%
11	G	149	92% 98%
12	J	142	11% 100%
13	K	123	15% 99%
14	L	144	10% 100%
15	M	136	15% 100%
16	N	119	5% 100%
17	O	116	20% 98%
18	P	114	15% 98%
19	Q	117	7% 99%
20	R	103	17% 96%
21	S	110	11% 100%
22	T	94	18% 100%
23	U	103	19% 100%
24	V	94	23% 99%
25	W	76	12% 99%
26	X	77	19% 99%
27	Y	62	29% 100%
28	Z	58	12% 98%
29	a	66	86% 97%
30	b	56	12% 96%
31	c	52	25% 98%
32	d	46	• 100%
33	e	64	8% 97%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
34	f	38	
35	g	225	
36	h	208	
37	i	205	
38	j	156	
39	k	104	
40	l	151	
41	m	129	
42	n	127	
43	o	99	
44	p	117	
45	q	123	
46	r	116	
47	s	100	
48	t	88	
49	u	82	
50	v	80	
51	w	66	
52	x	83	
53	y	86	
54	z	70	
55	A	259	

## 2 Entry composition

There are 57 unique types of molecules in this entry. The entry contains 146756 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 23S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	1	2903	Total	C	N	O	P	0	0
			62336	27816	11470	20147	2903		

- Molecule 2 is a RNA chain called 16S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	2	1534	Total	C	N	O	P	0	0
			32929	14693	6041	10661	1534		

- Molecule 3 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	3	120	Total	C	N	O	P	0	0
			2569	1144	468	837	120		

- Molecule 4 is a RNA chain called mRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	4	9	Total	C	N	O	P	0	0
			184	83	26	66	9		

- Molecule 5 is a RNA chain called P-tRNA.

Mol	Chain	Residues	Atoms						AltConf	Trace
5	5	76	Total	C	N	O	P	S	0	0
			1627	727	296	527	76	1		

- Molecule 6 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	B	271	Total	C	N	O	S	0	0
			2082	1288	423	364	7		

- Molecule 7 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	C	209	Total	C	N	O	S	0	0
			1565	979	288	294	4		

- Molecule 8 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	D	201	Total	C	N	O	S	0	0
			1552	974	283	290	5		

- Molecule 9 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	E	177	Total	C	N	O	S	0	0
			1410	899	249	256	6		

- Molecule 10 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	F	175	Total	C	N	O	S	0	0
			1313	826	241	244	2		

- Molecule 11 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	G	149	Total	C	N	O	S	0	0
			1111	699	197	214	1		

- Molecule 12 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	J	142	Total	C	N	O	S	0	0
			1129	714	212	199	4		

- Molecule 13 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	K	123	Total	C	N	O	S	0	0
			946	593	181	166	6		

- Molecule 14 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	L	144	Total	C	N	O	S	0	0
			1053	654	207	190	2		

- Molecule 15 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	M	136	Total	C	N	O	S	0	0
			1074	686	205	177	6		

- Molecule 16 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	N	119	Total	C	N	O	S	0	0
			951	588	195	163	5		

- Molecule 17 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms				AltConf	Trace
17	O	116	Total	C	N	O	0	0
			892	552	178	162		

- Molecule 18 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	P	114	Total	C	N	O	S	0	0
			917	574	179	163	1		

- Molecule 19 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms				AltConf	Trace
19	Q	117	Total	C	N	O	0	0
			947	604	192	151		

- Molecule 20 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	R	103	Total	C	N	O	S	0	0
			816	516	153	145	2		

- Molecule 21 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	S	110	Total	C	N	O	S	0	0
			857	532	166	156	3		

- Molecule 22 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	T	94	Total	C	N	O	S	0	0
			746	470	140	134	2		

- Molecule 23 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	U	103	Total	C	N	O		0	0
			788	498	148	142			

- Molecule 24 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	V	94	Total	C	N	O	S	0	0
			753	479	137	134	3		

- Molecule 25 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	W	76	Total	C	N	O	S	0	0
			582	360	117	104	1		

- Molecule 26 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	X	77	Total	C	N	O	S	0	0
			625	388	129	106	2		

- Molecule 27 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	Y	62	Total	C	N	O	S	0	0
			501	308	98	94	1		

- Molecule 28 is a protein called 50S ribosomal protein L30.



Mol	Chain	Residues	Atoms					AltConf	Trace
28	Z	58	Total	C	N	O	S	0	0
			448	281	87	78	2		

- Molecule 29 is a protein called 50S ribosomal protein L31.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	a	66	Total	C	N	O	S	0	0
			522	323	99	94	6		

- Molecule 30 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	b	56	Total	C	N	O	S	0	0
			444	269	94	80	1		

- Molecule 31 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms				AltConf	Trace
31	c	52	Total	C	N	O	0	0
			426	275	78	73		

- Molecule 32 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	d	46	Total	C	N	O	S	0	0
			377	228	90	57	2		

- Molecule 33 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	e	64	Total	C	N	O	S	0	0
			504	323	105	74	2		

- Molecule 34 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	f	38	Total	C	N	O	S	0	0
			302	185	65	48	4		

- Molecule 35 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	g	225	Total	C	N	O	S	0	0
			1760	1113	316	323	8		

- Molecule 36 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	h	208	Total	C	N	O	S	0	0
			1636	1036	307	290	3		

- Molecule 37 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	i	205	Total	C	N	O	S	0	0
			1643	1026	315	298	4		

- Molecule 38 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	j	156	Total	C	N	O	S	0	0
			1152	717	217	212	6		

- Molecule 39 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	k	104	Total	C	N	O	S	0	0
			848	536	153	152	7		

- Molecule 40 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	l	151	Total	C	N	O	S	0	0
			1181	735	227	215	4		

- Molecule 41 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	m	129	Total	C	N	O	S	0	0
			979	616	173	184	6		

- Molecule 42 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	n	127	Total	C	N	O	S	0	0
			1022	634	206	179	3		

- Molecule 43 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	o	99	Total	C	N	O	S	0	0
			790	495	151	143	1		

- Molecule 44 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	p	117	Total	C	N	O	S	0	0
			877	540	174	160	3		

- Molecule 45 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	q	123	Total	C	N	O	S	0	0
			957	591	196	165	5		

- Molecule 46 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	r	116	Total	C	N	O	S	0	0
			900	558	181	158	3		

- Molecule 47 is a protein called 30S ribosomal protein S14.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	s	100	Total	C	N	O	S	0	0
			805	499	164	139	3		

- Molecule 48 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	t	88	Total	C	N	O	S	0	0
			714	439	144	130	1		

- Molecule 49 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	u	82	Total	C	N	O	S	0	0
			649	406	128	114	1		

- Molecule 50 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	v	80	Total	C	N	O	S	0	0
			648	411	121	113	3		

- Molecule 51 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	w	66	Total	C	N	O	S	0	0
			544	344	102	97	1		

- Molecule 52 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	x	83	Total	C	N	O	S	0	0
			663	424	126	111	2		

- Molecule 53 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	y	86	Total	C	N	O	S	0	0
			669	414	138	114	3		

- Molecule 54 is a protein called 30S ribosomal protein S21.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	z	70	Total	C	N	O	S	0	0
			589	366	125	97	1		

- Molecule 55 is a protein called Peptide chain release factor 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
55	A	259	Total	C	N	O	S	0	0
			2014	1235	382	389	8		

- Molecule 56 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
56	1	289	Total 289	Mg 289	0
56	2	126	Total 126	Mg 126	0
56	3	8	Total 8	Mg 8	0
56	5	4	Total 4	Mg 4	0
56	C	2	Total 2	Mg 2	0
56	D	1	Total 1	Mg 1	0
56	N	1	Total 1	Mg 1	0
56	Q	1	Total 1	Mg 1	0
56	b	1	Total 1	Mg 1	0
56	f	1	Total 1	Mg 1	0
56	h	1	Total 1	Mg 1	0
56	i	1	Total 1	Mg 1	0


- Molecule 57 is ZINC ION (three-letter code: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		AltConf
57	a	1	Total 1	Zn 1	0
57	f	1	Total 1	Zn 1	0

### 3 Residue-property plots [i](#)



These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: 23S ribosomal RNA






• Molecule 2: 16S ribosomal RNA








• Molecule 3: 5S ribosomal RNA



• Molecule 4: mRNA




• Molecule 5: P-tRNA




• Molecule 6: 50S ribosomal protein L2








• Molecule 7: 50S ribosomal protein L3




• Molecule 8: 50S ribosomal protein L4





• Molecule 9: 50S ribosomal protein L5





• Molecule 10: 50S ribosomal protein L6




• Molecule 11: 50S ribosomal protein L9







• Molecule 12: 50S ribosomal protein L13




• Molecule 13: 50S ribosomal protein L14




• Molecule 14: 50S ribosomal protein L15



• Molecule 15: 50S ribosomal protein L16




• Molecule 16: 50S ribosomal protein L17




• Molecule 17: 50S ribosomal protein L18






- Molecule 18: 50S ribosomal protein L19




- Molecule 19: 50S ribosomal protein L20



- Molecule 20: 50S ribosomal protein L21




- Molecule 21: 50S ribosomal protein L22




- Molecule 22: 50S ribosomal protein L23




- Molecule 23: 50S ribosomal protein L24




- Molecule 24: 50S ribosomal protein L25




- Molecule 25: 50S ribosomal protein L27




- Molecule 26: 50S ribosomal protein L28





- Molecule 27: 50S ribosomal protein L29



- Molecule 28: 50S ribosomal protein L30




- Molecule 29: 50S ribosomal protein L31




- Molecule 30: 50S ribosomal protein L32







- Molecule 31: 50S ribosomal protein L33




- Molecule 32: 50S ribosomal protein L34




- Molecule 33: 50S ribosomal protein L35




- Molecule 34: 50S ribosomal protein L36




- Molecule 35: 30S ribosomal protein S2




- Molecule 36: 30S ribosomal protein S3




• Molecule 37: 30S ribosomal protein S4




• Molecule 38: 30S ribosomal protein S5




• Molecule 39: 30S ribosomal protein S6





• Molecule 40: 30S ribosomal protein S7




- Molecule 41: 30S ribosomal protein S8




- Molecule 42: 30S ribosomal protein S9




- Molecule 43: 30S ribosomal protein S10



- Molecule 44: 30S ribosomal protein S11




- Molecule 45: 30S ribosomal protein S12




- Molecule 46: 30S ribosomal protein S13







- Molecule 47: 30S ribosomal protein S14




- Molecule 48: 30S ribosomal protein S15




- Molecule 49: 30S ribosomal protein S16



- Molecule 50: 30S ribosomal protein S17




- Molecule 51: 30S ribosomal protein S18




- Molecule 52: 30S ribosomal protein S19











- Molecule 53: 30S ribosomal protein S20



- Molecule 54: 30S ribosomal protein S21



- Molecule 55: Peptide chain release factor 1



## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	72251	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI POLARA 300	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	41.6	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.502	Depositor
Minimum map value	-0.385	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.016	Depositor
Recommended contour level	0.08	Depositor
Map size ( $\text{\AA}$ )	424.96, 424.96, 424.96	wwPDB
Map dimensions	256, 256, 256	wwPDB
Map angles ( $^\circ$ )	90.0, 90.0, 90.0	wwPDB
Pixel spacing ( $\text{\AA}$ )	1.66, 1.66, 1.66	Depositor

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: UR3, OMG, MG, 4SU, PSU, 5MU, 3TD, 4OC, 2MA, 1MG, 2MG, H2U, ZN, 5MC, OMU, MA6, OMC, 0TD, G7M, 6MZ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	1	0.86	0/69286	0.98	0/108087
2	2	0.75	0/36590	0.95	0/57074
3	3	0.68	0/2872	0.93	0/4478
4	4	0.83	0/203	1.16	0/312
5	5	0.60	0/1704	0.97	0/2654
6	B	0.53	0/2121	0.61	0/2852
7	C	0.52	0/1586	0.63	0/2134
8	D	0.47	0/1571	0.58	0/2113
9	E	0.39	0/1434	0.60	0/1926
10	F	0.36	0/1333	0.56	0/1805
11	G	0.32	0/1122	0.58	0/1515
12	J	0.48	0/1152	0.55	0/1551
13	K	0.51	0/955	0.65	0/1279
14	L	0.45	0/1062	0.62	0/1413
15	M	0.47	0/1093	0.59	0/1460
16	N	0.47	0/964	0.63	0/1289
17	O	0.40	0/902	0.59	0/1209
18	P	0.48	0/929	0.57	0/1242
19	Q	0.55	0/960	0.58	0/1278
20	R	0.51	0/829	0.65	0/1107
21	S	0.45	0/864	0.59	0/1156
22	T	0.43	0/752	0.56	0/1005
23	U	0.44	0/796	0.57	0/1062
24	V	0.41	0/766	0.56	0/1025
25	W	0.51	0/589	0.57	0/779
26	X	0.46	0/635	0.55	0/848
27	Y	0.34	0/502	0.56	0/667
28	Z	0.41	0/452	0.63	0/605
29	a	0.33	0/531	0.55	0/709
30	b	0.47	0/450	0.64	0/599
31	c	0.44	0/433	0.60	0/576

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
32	d	0.50	0/380	0.64	0/498
33	e	0.48	0/513	0.69	0/676
34	f	0.48	0/303	0.56	0/397
35	g	0.35	0/1791	0.55	0/2413
36	h	0.39	0/1663	0.57	0/2241
37	i	0.38	0/1665	0.53	0/2227
38	j	0.46	0/1165	0.62	0/1568
39	k	0.40	0/867	0.62	0/1171
40	l	0.37	0/1195	0.58	0/1602
41	m	0.45	0/989	0.59	0/1326
42	n	0.41	0/1034	0.64	0/1375
43	o	0.39	0/800	0.63	0/1082
44	p	0.42	0/893	0.54	0/1205
45	q	0.49	0/960	0.65	0/1286
46	r	0.36	0/909	0.61	0/1215
47	s	0.39	0/817	0.53	0/1088
48	t	0.37	0/722	0.58	0/964
49	u	0.39	0/659	0.60	0/884
50	v	0.42	0/657	0.60	0/881
51	w	0.39	0/553	0.54	0/743
52	x	0.36	0/680	0.55	0/915
53	y	0.35	0/675	0.51	0/895
54	z	0.35	0/597	0.56	0/792
55	A	0.44	0/2046	0.64	0/2759
All	All	0.72	0/157971	0.88	0/236012

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
6	B	269/271 (99%)	250 (93%)	19 (7%)	0	100	100
7	C	207/209 (99%)	196 (95%)	11 (5%)	0	100	100
8	D	199/201 (99%)	190 (96%)	9 (4%)	0	100	100
9	E	175/177 (99%)	160 (91%)	14 (8%)	1 (1%)	22	56
10	F	173/175 (99%)	160 (92%)	13 (8%)	0	100	100
11	G	147/149 (99%)	138 (94%)	9 (6%)	0	100	100
12	J	140/142 (99%)	134 (96%)	6 (4%)	0	100	100
13	K	121/123 (98%)	112 (93%)	9 (7%)	0	100	100
14	L	142/144 (99%)	133 (94%)	9 (6%)	0	100	100
15	M	134/136 (98%)	129 (96%)	5 (4%)	0	100	100
16	N	117/119 (98%)	111 (95%)	6 (5%)	0	100	100
17	O	114/116 (98%)	111 (97%)	3 (3%)	0	100	100
18	P	112/114 (98%)	109 (97%)	3 (3%)	0	100	100
19	Q	115/117 (98%)	110 (96%)	5 (4%)	0	100	100
20	R	101/103 (98%)	88 (87%)	11 (11%)	2 (2%)	6	33
21	S	108/110 (98%)	104 (96%)	4 (4%)	0	100	100
22	T	92/94 (98%)	87 (95%)	5 (5%)	0	100	100
23	U	101/103 (98%)	92 (91%)	9 (9%)	0	100	100
24	V	92/94 (98%)	84 (91%)	8 (9%)	0	100	100
25	W	74/76 (97%)	71 (96%)	3 (4%)	0	100	100
26	X	75/77 (97%)	72 (96%)	3 (4%)	0	100	100
27	Y	60/62 (97%)	59 (98%)	1 (2%)	0	100	100
28	Z	56/58 (97%)	53 (95%)	3 (5%)	0	100	100
29	a	64/66 (97%)	59 (92%)	5 (8%)	0	100	100
30	b	54/56 (96%)	51 (94%)	3 (6%)	0	100	100

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
31	c	50/52 (96%)	50 (100%)	0	0	100	100
32	d	44/46 (96%)	43 (98%)	1 (2%)	0	100	100
33	e	62/64 (97%)	57 (92%)	5 (8%)	0	100	100
34	f	36/38 (95%)	33 (92%)	3 (8%)	0	100	100
35	g	223/225 (99%)	204 (92%)	19 (8%)	0	100	100
36	h	206/208 (99%)	194 (94%)	12 (6%)	0	100	100
37	i	203/205 (99%)	196 (97%)	7 (3%)	0	100	100
38	j	154/156 (99%)	145 (94%)	9 (6%)	0	100	100
39	k	102/104 (98%)	99 (97%)	3 (3%)	0	100	100
40	l	149/151 (99%)	142 (95%)	7 (5%)	0	100	100
41	m	127/129 (98%)	122 (96%)	5 (4%)	0	100	100
42	n	125/127 (98%)	115 (92%)	10 (8%)	0	100	100
43	o	97/99 (98%)	85 (88%)	12 (12%)	0	100	100
44	p	115/117 (98%)	105 (91%)	10 (9%)	0	100	100
45	q	120/123 (98%)	109 (91%)	11 (9%)	0	100	100
46	r	114/116 (98%)	106 (93%)	8 (7%)	0	100	100
47	s	98/100 (98%)	93 (95%)	5 (5%)	0	100	100
48	t	86/88 (98%)	82 (95%)	4 (5%)	0	100	100
49	u	80/82 (98%)	75 (94%)	5 (6%)	0	100	100
50	v	78/80 (98%)	69 (88%)	9 (12%)	0	100	100
51	w	64/66 (97%)	62 (97%)	2 (3%)	0	100	100
52	x	81/83 (98%)	77 (95%)	4 (5%)	0	100	100
53	y	84/86 (98%)	84 (100%)	0	0	100	100
54	z	68/70 (97%)	67 (98%)	1 (2%)	0	100	100
55	A	257/259 (99%)	235 (91%)	22 (9%)	0	100	100
All	All	5865/5966 (98%)	5512 (94%)	350 (6%)	3 (0%)	50	79

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
20	R	52	PRO
9	E	124	GLY
20	R	49	ILE

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
6	B	216/216 (100%)	214 (99%)	2 (1%)	75	86
7	C	164/164 (100%)	163 (99%)	1 (1%)	84	91
8	D	165/165 (100%)	163 (99%)	2 (1%)	67	82
9	E	148/148 (100%)	148 (100%)	0	100	100
10	F	136/136 (100%)	134 (98%)	2 (2%)	60	77
11	G	114/114 (100%)	111 (97%)	3 (3%)	41	66
12	J	116/116 (100%)	116 (100%)	0	100	100
13	K	104/104 (100%)	103 (99%)	1 (1%)	73	84
14	L	103/103 (100%)	103 (100%)	0	100	100
15	M	109/109 (100%)	109 (100%)	0	100	100
16	N	99/99 (100%)	99 (100%)	0	100	100
17	O	86/86 (100%)	84 (98%)	2 (2%)	45	69
18	P	99/99 (100%)	97 (98%)	2 (2%)	50	72
19	Q	89/89 (100%)	88 (99%)	1 (1%)	70	83
20	R	84/84 (100%)	82 (98%)	2 (2%)	44	68
21	S	93/93 (100%)	93 (100%)	0	100	100
22	T	81/81 (100%)	81 (100%)	0	100	100
23	U	84/84 (100%)	84 (100%)	0	100	100
24	V	78/78 (100%)	77 (99%)	1 (1%)	65	81
25	W	58/58 (100%)	57 (98%)	1 (2%)	56	75
26	X	67/67 (100%)	66 (98%)	1 (2%)	60	77
27	Y	54/54 (100%)	54 (100%)	0	100	100
28	Z	48/48 (100%)	47 (98%)	1 (2%)	48	71
29	a	59/59 (100%)	57 (97%)	2 (3%)	32	60
30	b	47/47 (100%)	45 (96%)	2 (4%)	25	54
31	c	47/47 (100%)	46 (98%)	1 (2%)	48	71

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
32	d	38/38 (100%)	38 (100%)	0	100	100
33	e	51/51 (100%)	49 (96%)	2 (4%)	27	56
34	f	34/34 (100%)	34 (100%)	0	100	100
35	g	187/187 (100%)	187 (100%)	0	100	100
36	h	171/171 (100%)	168 (98%)	3 (2%)	54	74
37	i	172/172 (100%)	172 (100%)	0	100	100
38	j	119/119 (100%)	117 (98%)	2 (2%)	56	75
39	k	91/91 (100%)	91 (100%)	0	100	100
40	l	124/124 (100%)	123 (99%)	1 (1%)	79	88
41	m	104/104 (100%)	103 (99%)	1 (1%)	73	84
42	n	105/105 (100%)	103 (98%)	2 (2%)	52	73
43	o	86/86 (100%)	85 (99%)	1 (1%)	67	82
44	p	90/90 (100%)	88 (98%)	2 (2%)	47	70
45	q	102/102 (100%)	101 (99%)	1 (1%)	73	84
46	r	94/94 (100%)	94 (100%)	0	100	100
47	s	83/83 (100%)	83 (100%)	0	100	100
48	t	76/76 (100%)	74 (97%)	2 (3%)	41	66
49	u	65/65 (100%)	64 (98%)	1 (2%)	60	77
50	v	74/74 (100%)	73 (99%)	1 (1%)	62	79
51	w	57/57 (100%)	57 (100%)	0	100	100
52	x	72/72 (100%)	70 (97%)	2 (3%)	38	65
53	y	65/65 (100%)	65 (100%)	0	100	100
54	z	60/60 (100%)	60 (100%)	0	100	100
55	A	210/210 (100%)	206 (98%)	4 (2%)	52	73
All	All	4878/4878 (100%)	4826 (99%)	52 (1%)	69	83

5 of 52 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
33	e	31	HIS
41	m	121	LEU
55	A	213	GLU
36	h	72	ARG
38	j	29	ARG



Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 40 such sidechains are listed below:

Mol	Chain	Res	Type
44	p	119	ASN
54	z	56	HIS
46	r	8	ASN
52	x	52	HIS
55	A	218	ASN

### 5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	1	2898/2903 (99%)	569 (19%)	10 (0%)
2	2	1529/1534 (99%)	295 (19%)	4 (0%)
3	3	119/120 (99%)	20 (16%)	0
4	4	8/9 (88%)	2 (25%)	0
5	5	74/76 (97%)	24 (32%)	1 (1%)
All	All	4628/4642 (99%)	910 (19%)	15 (0%)

5 of 910 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	1	10	A
1	1	12	U
1	1	23	G
1	1	34	U
1	1	35	G

5 of 15 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	1	2193	G
2	2	1322	C
1	1	2286	G
5	5	17	U
2	2	516	PSU

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

39 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul

statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
1	PSU	1	2504	1	18,21,22	1.22	2 (11%)	21,30,33	2.02	4 (19%)
1	PSU	1	1917	1	18,21,22	1.08	1 (5%)	21,30,33	1.92	4 (19%)
2	4OC	2	1402	2	20,23,24	2.89	8 (40%)	25,32,35	1.06	2 (8%)
1	5MC	1	1962	1	19,22,23	3.70	8 (42%)	26,32,35	1.30	5 (19%)
2	5MC	2	1407	2	19,22,23	3.81	8 (42%)	26,32,35	1.17	3 (11%)
1	PSU	1	1911	1	18,21,22	1.14	2 (11%)	21,30,33	1.91	4 (19%)
1	PSU	1	2580	1	18,21,22	1.12	3 (16%)	21,30,33	1.96	4 (19%)
2	PSU	2	516	2	18,21,22	1.49	4 (22%)	21,30,33	2.24	8 (38%)
2	UR3	2	1498	2	19,22,23	2.50	6 (31%)	26,32,35	1.58	4 (15%)
1	2MG	1	2445	1	18,26,27	2.55	7 (38%)	16,38,41	2.35	6 (37%)
5	4SU	5	8	5	18,21,22	3.82	8 (44%)	25,30,33	2.37	8 (32%)
2	MA6	2	1518	2	19,26,27	1.75	2 (10%)	18,38,41	2.84	3 (16%)
2	2MG	2	1516	2	18,26,27	2.61	7 (38%)	16,38,41	1.96	5 (31%)
1	PSU	1	955	1,56	18,21,22	1.10	2 (11%)	21,30,33	1.84	4 (19%)
1	PSU	1	2605	1	18,21,22	1.20	2 (11%)	21,30,33	1.91	6 (28%)
5	PSU	5	55	5	18,21,22	1.02	1 (5%)	21,30,33	1.75	3 (14%)
1	1MG	1	745	1	19,26,27	2.73	5 (26%)	18,39,42	1.83	6 (33%)
2	MA6	2	1519	2	19,26,27	1.74	2 (10%)	18,38,41	2.93	3 (16%)
5	5MU	5	54	5	19,22,23	4.83	7 (36%)	27,32,35	3.89	9 (33%)
1	2MA	1	2503	1,56	17,25,26	2.28	5 (29%)	16,37,40	1.79	3 (18%)
2	5MC	2	967	2	19,22,23	3.86	8 (42%)	26,32,35	1.01	2 (7%)
1	5MU	1	1939	1,56	19,22,23	4.65	7 (36%)	27,32,35	3.88	9 (33%)
1	PSU	1	2457	1	18,21,22	1.17	3 (16%)	21,30,33	2.15	6 (28%)
5	H2U	5	20	5	18,21,22	3.38	5 (27%)	19,30,33	1.55	4 (21%)
2	2MG	2	966	2	18,26,27	2.48	7 (38%)	16,38,41	2.10	6 (37%)
1	OMG	1	2251	5,1	19,26,27	2.41	7 (36%)	21,38,41	1.47	5 (23%)
1	2MG	1	1835	1	18,26,27	2.55	7 (38%)	16,38,41	2.34	6 (37%)
2	G7M	2	527	2	20,26,27	3.87	9 (45%)	16,39,42	1.12	2 (12%)
5	4OC	5	32	5	20,23,24	2.99	8 (40%)	25,32,35	0.90	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
1	OMU	1	2552	1	19,22,23	2.81	7 (36%)	25,31,34	1.90	5 (20%)
2	2MG	2	1207	2	18,26,27	2.65	7 (38%)	16,38,41	1.55	4 (25%)
1	5MU	1	747	1	19,22,23	4.68	7 (36%)	27,32,35	3.87	10 (37%)
1	G7M	1	2069	1	20,26,27	2.28	7 (35%)	16,39,42	1.38	3 (18%)
1	6MZ	1	2030	1	17,25,26	1.76	4 (23%)	15,36,39	2.31	4 (26%)
1	PSU	1	746	1,56	18,21,22	1.10	2 (11%)	21,30,33	1.80	5 (23%)
45	0TD	q	89	45	8,9,10	2.66	1 (12%)	6,11,13	1.28	0
1	OMC	1	2498	1,56	19,22,23	2.69	7 (36%)	25,31,34	1.04	2 (8%)
1	6MZ	1	1618	1	17,25,26	1.60	3 (17%)	15,36,39	2.28	3 (20%)
1	3TD	1	1915	1	19,22,23	4.31	5 (26%)	23,32,35	1.91	3 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	PSU	1	2504	1	-	2/7/25/26	0/2/2/2
1	PSU	1	1917	1	-	0/7/25/26	0/2/2/2
2	4OC	2	1402	2	-	2/9/29/30	0/2/2/2
1	5MC	1	1962	1	-	0/7/25/26	0/2/2/2
2	5MC	2	1407	2	-	0/7/25/26	0/2/2/2
1	PSU	1	1911	1	-	0/7/25/26	0/2/2/2
1	PSU	1	2580	1	-	0/7/25/26	0/2/2/2
2	PSU	2	516	2	-	3/7/25/26	0/2/2/2
2	UR3	2	1498	2	-	0/7/25/26	0/2/2/2
1	2MG	1	2445	1	-	2/5/27/28	0/3/3/3
5	4SU	5	8	5	-	4/7/25/26	0/2/2/2
2	MA6	2	1518	2	-	2/7/29/30	0/3/3/3
2	2MG	2	1516	2	-	0/5/27/28	0/3/3/3
1	PSU	1	955	1,56	-	0/7/25/26	0/2/2/2
1	PSU	1	2605	1	-	0/7/25/26	0/2/2/2
5	PSU	5	55	5	-	2/7/25/26	0/2/2/2
1	1MG	1	745	1	-	0/3/25/26	0/3/3/3
2	MA6	2	1519	2	-	4/7/29/30	0/3/3/3
5	5MU	5	54	5	-	0/7/25/26	0/2/2/2
1	2MA	1	2503	1,56	-	2/3/25/26	0/3/3/3
2	5MC	2	967	2	-	2/7/25/26	0/2/2/2

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	5MU	1	1939	1,56	-	2/7/25/26	0/2/2/2
1	PSU	1	2457	1	-	0/7/25/26	0/2/2/2
5	H2U	5	20	5	-	4/7/38/39	0/2/2/2
2	2MG	2	966	2	-	2/5/27/28	0/3/3/3
1	OMG	1	2251	5,1	-	1/5/27/28	0/3/3/3
1	2MG	1	1835	1	-	2/5/27/28	0/3/3/3
2	G7M	2	527	2	-	3/3/25/26	0/3/3/3
5	4OC	5	32	5	-	0/9/29/30	0/2/2/2
1	OMU	1	2552	1	-	0/9/27/28	0/2/2/2
2	2MG	2	1207	2	-	0/5/27/28	0/3/3/3
1	5MU	1	747	1	-	1/7/25/26	0/2/2/2
1	G7M	1	2069	1	-	1/3/25/26	0/3/3/3
1	6MZ	1	2030	1	-	2/5/27/28	0/3/3/3
1	PSU	1	746	1,56	-	2/7/25/26	0/2/2/2
45	0TD	q	89	45	-	3/7/12/14	-
1	OMC	1	2498	1,56	-	0/9/27/28	0/2/2/2
1	6MZ	1	1618	1	-	2/5/27/28	0/3/3/3
1	3TD	1	1915	1	-	2/7/25/26	0/2/2/2

The worst 5 of 201 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	1	1915	3TD	C6-C5	13.49	1.50	1.35
5	5	54	5MU	C2-N1	11.24	1.56	1.38
5	5	20	H2U	C2-N1	11.07	1.51	1.35
1	1	747	5MU	C2-N1	10.54	1.55	1.38
5	5	54	5MU	C6-N1	10.48	1.55	1.38

The worst 5 of 173 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	5	54	5MU	C5-C4-N3	13.09	126.70	115.32
1	1	747	5MU	C5-C4-N3	12.37	126.07	115.32
1	1	1939	5MU	C5-C4-N3	12.35	126.06	115.32
1	1	1939	5MU	C5-C6-N1	-10.16	112.27	123.31
5	5	54	5MU	C5-C6-N1	-9.66	112.81	123.31

There are no chirality outliers.

5 of 52 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	1	1618	6MZ	C5-C6-N6-C9
1	1	1618	6MZ	N1-C6-N6-C9
1	1	1915	3TD	O4'-C1'-C5-C4
1	1	1915	3TD	O4'-C1'-C5-C6
2	2	516	PSU	O4'-C1'-C5-C4

There are no ring outliers.

No monomer is involved in short contacts.

## 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 438 ligands modelled in this entry, 438 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-20187. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X



Y



Z


The images above show the map projected in three orthogonal directions.

### 6.2 Central slices [i](#)


#### 6.2.1 Primary map



X Index: 128



Y Index: 128




Z Index: 128


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 138



Y Index: 126




Z Index: 143


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)


### 6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.08. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

## 6.6 Mask visualisation [i](#)


This section was not generated. No masks/segmentation were deposited.



## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 648 nm<sup>3</sup>; this corresponds to an approximate mass of 585 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum ⓘ



\*Reported resolution corresponds to spatial frequency of 0.286 Å<sup>-1</sup>


## 8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-20187 and PDB model 6OSQ. Per-residue inclusion information can be found in section 3 on page 14.

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.08 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.08).







































































## 9.4 Atom inclusion [i](#)



At the recommended contour level, 74% of all backbone atoms, 64% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.08) and Q-score for the entire model and for each chain.











































Chain	Atom inclusion	Q-score
All	 0.6370	 0.4740
1	 0.7000	 0.4710
2	 0.6960	 0.4700
3	 0.6830	 0.4630
4	 0.6470	 0.4760
5	 0.4570	 0.4500
A	 0.4540	 0.4710
B	 0.6250	 0.5240
C	 0.6010	 0.5100
D	 0.5660	 0.4940
E	 0.4350	 0.4510
F	 0.3970	 0.4630
G	 0.0780	 0.3710
J	 0.5980	 0.5090
K	 0.5770	 0.5080
L	 0.5970	 0.4960
M	 0.5780	 0.5040
N	 0.6610	 0.5110
O	 0.5420	 0.4760
P	 0.5830	 0.5070
Q	 0.6570	 0.5140
R	 0.5850	 0.5080
S	 0.6080	 0.5070
T	 0.5470	 0.5020
U	 0.5190	 0.4820
V	 0.5150	 0.4890
W	 0.6030	 0.5150
X	 0.5740	 0.5030
Y	 0.4990	 0.4780
Z	 0.5920	 0.4970
a	 0.1680	 0.3940
b	 0.6250	 0.5060
c	 0.5240	 0.5000
d	 0.6510	 0.5150
e	 0.6700	 0.5320



*Continued on next page...*



*Continued from previous page...*

Chain	Atom inclusion	Q-score
f	 0.5990	 0.5110
g	 0.3920	 0.4390
h	 0.5180	 0.4870
i	 0.4760	 0.4660
j	 0.5400	 0.4820
k	 0.4530	 0.4670
l	 0.3970	 0.4370
m	 0.5460	 0.4820
n	 0.4670	 0.4550
o	 0.4010	 0.4420
p	 0.5240	 0.4760
q	 0.5590	 0.5060
r	 0.4470	 0.4560
s	 0.5220	 0.4810
t	 0.5200	 0.4810
u	 0.5630	 0.4900
v	 0.4680	 0.4760
w	 0.4780	 0.4800
x	 0.4530	 0.4650
y	 0.5340	 0.4870
z	 0.3260	 0.4350