



wwPDB EM Validation Summary Report ⓘ

Mar 8, 2026 – 11:22 AM UTC

PDB ID : 9RL4 / pdb_00009rl4
EMDB ID : EMD-54030
Title : Structure of BAF in complex with OCT4-SOX2-bound nucleosome - SHL-6
Authors : Vecchia, L.; Weiss, J.; Cavadini, S.; Kempf, G.; Kater, L.; Pathare, G.; Thoma, N.H.
Deposited on : 2025-06-16
Resolution : 3.50 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49



1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.





















Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	13950 (3.00 - 4.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	139	
1	E	139	
2	B	106	
2	F	106	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	C	133	 82% 18%
3	G	133	 81% 18%
4	D	128	 71% 27%
4	H	128	 72% 27%
5	I	1647	 8% 46% 54%
6	J	429	 91% 7%
7	K	375	 95% 5%
8	L	2285	 20% 80%
9	M	385	 75% 23%
10	N	1214	 22% 78%
10	O	1214	 27% 73%
11	P	515	 7% 73% 26%
12	Q	411	 25% 74%
13	R	435	 16% 84%
14	V	645	 11% 89%
15	W	105	 70% 30%
16	X	227	 54% 9% 37%
17	Y	227	 59% 37%

2 Entry composition

There are 19 unique types of molecules in this entry. The entry contains 38125 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Histone H3.1.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	94	Total	C	N	O	S	0	0
			773	488	147	134	4		
1	E	95	Total	C	N	O	S	0	0
			783	494	150	135	4		

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	GLY	-	expression tag	UNP P68431
A	-1	SER	-	expression tag	UNP P68431
A	0	HIS	-	expression tag	UNP P68431
E	-2	GLY	-	expression tag	UNP P68431
E	-1	SER	-	expression tag	UNP P68431
E	0	HIS	-	expression tag	UNP P68431

- Molecule 2 is a protein called Histone H4.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	82	Total	C	N	O	S	0	0
			653	412	127	113	1		
2	F	81	Total	C	N	O	S	0	0
			646	407	126	112	1		

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	-2	GLY	-	expression tag	UNP P62805
B	-1	SER	-	expression tag	UNP P62805
B	0	HIS	-	expression tag	UNP P62805
F	-2	GLY	-	expression tag	UNP P62805
F	-1	SER	-	expression tag	UNP P62805
F	0	HIS	-	expression tag	UNP P62805

- Molecule 3 is a protein called Histone H2A type 1-B/E.

Mol	Chain	Residues	Atoms				AltConf	Trace
3	C	109	Total	C	N	O	0	0
			837	526	166	145		
3	G	109	Total	C	N	O	0	0
			840	529	166	145		

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	-2	GLY	-	expression tag	UNP P04908
C	-1	SER	-	expression tag	UNP P04908
C	0	HIS	-	expression tag	UNP P04908
G	-2	GLY	-	expression tag	UNP P04908
G	-1	SER	-	expression tag	UNP P04908
G	0	HIS	-	expression tag	UNP P04908

- Molecule 4 is a protein called Histone H2B type 1-J.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	D	93	Total	C	N	O	S	0	0
			726	456	130	138	2		
4	H	93	Total	C	N	O	S	0	0
			726	456	130	138	2		

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
D	-2	GLY	-	expression tag	UNP P06899
D	-1	SER	-	expression tag	UNP P06899
D	0	HIS	-	expression tag	UNP P06899
H	-2	GLY	-	expression tag	UNP P06899
H	-1	SER	-	expression tag	UNP P06899
H	0	HIS	-	expression tag	UNP P06899

- Molecule 5 is a protein called Transcription activator BRG1.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	I	763	Total	C	N	O	S	0	0
			4517	2749	893	872	3		

- Molecule 6 is a protein called Actin-like protein 6A.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	J	400	Total	C	N	O	S	0	0
			3109	1967	526	594	22		

- Molecule 7 is a protein called Actin, cytoplasmic 1, N-terminally processed.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	K	357	Total	C	N	O	S	0	0
			2784	1765	465	534	20		

- Molecule 8 is a protein called AT-rich interactive domain-containing protein 1A.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	L	466	Total	C	N	O	S	0	0
			3671	2341	620	689	21		

- Molecule 9 is a protein called SWI/SNF-related matrix-associated actin-dependent regulator of chromatin subfamily B member 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	M	295	Total	C	N	O	S	0	0
			2375	1496	403	464	12		

- Molecule 10 is a protein called SWI/SNF complex subunit SMARCC2.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	N	270	Total	C	N	O	S	0	0
			2194	1388	387	407	12		
10	O	332	Total	C	N	O	S	0	0
			2666	1696	464	493	13		

- Molecule 11 is a protein called SWI/SNF-related matrix-associated actin-dependent regulator of chromatin subfamily D member 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	P	381	Total	C	N	O	S	0	0
			2744	1722	506	505	11		

- Molecule 12 is a protein called SWI/SNF-related matrix-associated actin-dependent regulator of chromatin subfamily E member 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	Q	105	Total	C	N	O	S	0	0
			860	530	161	165	4		

- Molecule 13 is a protein called Zinc finger protein ubi-d4.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	R	70	Total	C	N	O	S	0	0
			580	361	112	102	5		

There are 44 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
R	392	GLY	-	expression tag	UNP Q92785
R	393	THR	-	expression tag	UNP Q92785
R	394	LEU	-	expression tag	UNP Q92785
R	395	GLU	-	expression tag	UNP Q92785
R	396	VAL	-	expression tag	UNP Q92785
R	397	LEU	-	expression tag	UNP Q92785
R	398	PHE	-	expression tag	UNP Q92785
R	399	GLN	-	expression tag	UNP Q92785
R	400	GLY	-	expression tag	UNP Q92785
R	401	PRO	-	expression tag	UNP Q92785
R	402	GLY	-	expression tag	UNP Q92785
R	403	GLY	-	expression tag	UNP Q92785
R	404	SER	-	expression tag	UNP Q92785
R	405	GLY	-	expression tag	UNP Q92785
R	406	SER	-	expression tag	UNP Q92785
R	407	ALA	-	expression tag	UNP Q92785
R	408	TRP	-	expression tag	UNP Q92785
R	409	SER	-	expression tag	UNP Q92785
R	410	HIS	-	expression tag	UNP Q92785
R	411	PRO	-	expression tag	UNP Q92785
R	412	GLN	-	expression tag	UNP Q92785
R	413	PHE	-	expression tag	UNP Q92785
R	414	GLU	-	expression tag	UNP Q92785
R	415	LYS	-	expression tag	UNP Q92785
R	416	GLY	-	expression tag	UNP Q92785
R	417	GLY	-	expression tag	UNP Q92785
R	418	GLY	-	expression tag	UNP Q92785
R	419	SER	-	expression tag	UNP Q92785
R	420	GLY	-	expression tag	UNP Q92785
R	421	GLY	-	expression tag	UNP Q92785
R	422	GLY	-	expression tag	UNP Q92785

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
R	423	SER	-	expression tag	UNP Q92785
R	424	GLY	-	expression tag	UNP Q92785
R	425	GLY	-	expression tag	UNP Q92785
R	426	SER	-	expression tag	UNP Q92785
R	427	ALA	-	expression tag	UNP Q92785
R	428	TRP	-	expression tag	UNP Q92785
R	429	SER	-	expression tag	UNP Q92785
R	430	HIS	-	expression tag	UNP Q92785
R	431	PRO	-	expression tag	UNP Q92785
R	432	GLN	-	expression tag	UNP Q92785
R	433	PHE	-	expression tag	UNP Q92785
R	434	GLU	-	expression tag	UNP Q92785
R	435	LYS	-	expression tag	UNP Q92785

- Molecule 14 is a protein called Green fluorescent protein,POU domain, class 5, transcription factor 1.

Mol	Chain	Residues	Atoms				AltConf	Trace
14	V	73	Total	C	N	O	0	0
			363	217	73	73		

There are 52 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
V	-272	MET	-	initiating methionine	UNP P42212
V	-271	ASP	-	expression tag	UNP P42212
V	-270	TRP	-	expression tag	UNP P42212
V	-269	SER	-	expression tag	UNP P42212
V	-268	HIS	-	expression tag	UNP P42212
V	-267	PRO	-	expression tag	UNP P42212
V	-266	GLN	-	expression tag	UNP P42212
V	-265	PHE	-	expression tag	UNP P42212
V	-264	GLU	-	expression tag	UNP P42212
V	-263	LYS	-	expression tag	UNP P42212
V	-262	SER	-	expression tag	UNP P42212
V	-261	ALA	-	expression tag	UNP P42212
V	-260	VAL	-	expression tag	UNP P42212
V	-259	ASP	-	expression tag	UNP P42212
V	-258	GLU	-	expression tag	UNP P42212
V	-257	ASN	-	expression tag	UNP P42212
V	-256	LEU	-	expression tag	UNP P42212
V	-255	TYR	-	expression tag	UNP P42212

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
V	-254	PHE	-	expression tag	UNP P42212
V	-253	GLN	-	expression tag	UNP P42212
V	-252	GLY	-	expression tag	UNP P42212
V	-251	GLY	-	expression tag	UNP P42212
V	-250	GLY	-	expression tag	UNP P42212
V	-249	ARG	-	expression tag	UNP P42212
V	-248	MET	-	expression tag	UNP P42212
V	-247	VAL	-	expression tag	UNP P42212
V	-184	LEU	PHE	conflict	UNP P42212
V	-183	THR	SER	conflict	UNP P42212
V	-42	LYS	ALA	conflict	UNP P42212
V	-17	LEU	HIS	conflict	UNP P42212
V	-9	GLU	-	linker	UNP P42212
V	-8	ALA	-	linker	UNP P42212
V	-7	ALA	-	linker	UNP P42212
V	-6	ALA	-	linker	UNP P42212
V	-5	LYS	-	linker	UNP P42212
V	-4	GLU	-	linker	UNP P42212
V	-3	ALA	-	linker	UNP P42212
V	-2	ALA	-	linker	UNP P42212
V	-1	ALA	-	linker	UNP P42212
V	0	LYS	-	linker	UNP P42212
V	361	LEU	-	expression tag	UNP Q01860
V	362	PRO	-	expression tag	UNP Q01860
V	363	GLU	-	expression tag	UNP Q01860
V	364	THR	-	expression tag	UNP Q01860
V	365	GLY	-	expression tag	UNP Q01860
V	366	GLY	-	expression tag	UNP Q01860
V	367	HIS	-	expression tag	UNP Q01860
V	368	HIS	-	expression tag	UNP Q01860
V	369	HIS	-	expression tag	UNP Q01860
V	370	HIS	-	expression tag	UNP Q01860
V	371	HIS	-	expression tag	UNP Q01860
V	372	HIS	-	expression tag	UNP Q01860

- Molecule 15 is a protein called Transcription factor SOX-2.

Mol	Chain	Residues	Atoms				AltConf	Trace
15	W	74	Total	C	N	O	0	0
			378	230	74	74		

There are 23 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
W	14	MET	-	initiating methionine	UNP P48431
W	15	ASP	-	expression tag	UNP P48431
W	16	TRP	-	expression tag	UNP P48431
W	17	SER	-	expression tag	UNP P48431
W	18	HIS	-	expression tag	UNP P48431
W	19	PRO	-	expression tag	UNP P48431
W	20	GLN	-	expression tag	UNP P48431
W	21	PHE	-	expression tag	UNP P48431
W	22	GLU	-	expression tag	UNP P48431
W	23	LYS	-	expression tag	UNP P48431
W	24	SER	-	expression tag	UNP P48431
W	25	ALA	-	expression tag	UNP P48431
W	26	VAL	-	expression tag	UNP P48431
W	27	ASP	-	expression tag	UNP P48431
W	28	GLU	-	expression tag	UNP P48431
W	29	ASN	-	expression tag	UNP P48431
W	30	LEU	-	expression tag	UNP P48431
W	31	TYR	-	expression tag	UNP P48431
W	32	PHE	-	expression tag	UNP P48431
W	33	GLN	-	expression tag	UNP P48431
W	34	GLY	-	expression tag	UNP P48431
W	35	GLY	-	expression tag	UNP P48431
W	36	MET	-	expression tag	UNP P48431


- Molecule 16 is a DNA chain called DNA (148-MER).

Mol	Chain	Residues	Atoms					AltConf	Trace
16	X	142	Total	C	N	O	P	0	0
			2889	1377	519	852	141		

- Molecule 17 is a DNA chain called DNA (148-MER).

Mol	Chain	Residues	Atoms					AltConf	Trace
17	Y	142	Total	C	N	O	P	0	0
			2930	1389	549	850	142		

- Molecule 18 is PENTANEDIAL (CCD ID: PTD) (formula: C₅H₈O₂).



Mol	Chain	Residues	Atoms	AltConf
18	A	1	Total C 5 5	0
18	C	1	Total C 5 5	0
18	D	1	Total C 5 5	0
18	E	1	Total C 5 5	0
18	E	1	Total C 5 5	0
18	E	1	Total C 5 5	0
18	G	1	Total C 5 5	0
18	H	1	Total C 5 5	0
18	I	1	Total C 5 5	0
18	L	1	Total C 5 5	0
18	M	1	Total C 5 5	0
18	N	1	Total C 5 5	0
18	N	1	Total C 5 5	0
18	N	1	Total C 5 5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
18	O	1	Total	C	0
			5	5	
18	P	1	Total	C	0
			5	5	

- Molecule 19 is ZINC ION (CCD ID: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		AltConf
19	L	1	Total	Zn	0
			1	1	

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Histone H3.1

Chain A:  67% 32%





- Molecule 1: Histone H3.1

Chain E:  68% 32%





- Molecule 2: Histone H4

Chain B:  77% 23%





- Molecule 2: Histone H4

Chain F:  76% 24%



- Molecule 3: Histone H2A type 1-B/E

Chain C:  82% 18%



- Molecule 3: Histone H2A type 1-B/E

GLY	SER	HIS	MET	SER	GLY	ARG	GLY	LYS	GLN	GLY	GLY	K10	K37	P118	LYS	LYS	THR	GLU	SER	HIS	HIS	LYS	ALA	LYS	GLY	LYS
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

- | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|
| GLY | SER | HIS | PRO | GLU | PRO | ALA | LYS | SER | ALA | PRO | PRO | ALA | PRO | LYS | GLY | SER | LYS | LYS | ALA | GLN | LYS | LYS | ASP | GLY | LYS | LYS | ARG | LYS | ARG | SER | K44 | K47 | A125 |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|

- | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|
| GLY | SER | HIS | MET | PRO | GLU | PRO | PRO | ALA | LYS | SER | ALA | PRO | ALA | ALA | PRO | LYS | LYS | GLY | SER | LYS | LYS | ALA | VAL | THR | LYS | LYS | ALA | ALA | GLN | LYS | LYS | LYS | ASP | GLY | LYS | LYS | ARG | LYS | LYS | ARG | ARG | S33 | K47 | A125 |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|

- | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| MET | SER | THR | ASP | PRO | PRO | LEU | GLY | GLY | THR | PRO | ARG | GLY | PRO | PRO | SER | PRO | GLY | PRO | SER | PRO | GLY | ALA | MET | LEU | LEU | PRO | PRO | SER | PRO | GLY | GLY | PRO | PRO | GLY | HIS | PRO | ILE | THR | THR | GLN | GLY |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|

PRO	GLY	GLY	TYR	PRO	GLN	ASP	ASN	ASN	MET	HIS	GLN	MET	MET	HIS	LYS	PRO	PRO	MET	GLU	GLU	GLY	MET	SER	SER	ASP	ASP	ARG	ARG	TYR	ASN	GLN	ASN	GLY	LYS	MET	MET	GLY	GLY	MET	GLY	GLY	GLY	ALA	HIS	ALA	GLY	MET	MET	MET	SER	SER	PRO	PRO	PRO	PRO	ASP	GLN	GLN	GLY	TYR
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

PRO	SER	PRO	LEU	GLY	GLY	SER	HIS	ALA	SER	SER	PRO	PRO	VAL	PRO	ALA	SER	SER	GLY	PRO	SER	SER	SER	SER	GLY	GLY	GLY	GLY	GLY	GLY	ALA	ALA	PRO	PRO	LEU	LEU	ASP	GLN	GLN	ASN	ASN	ARG	GLY	GLY	PRO	PRO	THR	PRO	PRO	PHE	ASN	ASN	GLN	GLN	HIS	HIS	LEU	LEU	GLN	GLN	LEU
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

ARG	ALA	GLN	ILE	MET	ALA	LYS	MET	LEU	ALA	ARG	GLY	GLN	PRO	LEU	ASP	HIS	LEU	GLN	MET	VAL	ALA	GLN	GLY	LYS	ARG	PRO	MET	PRO	GLY	MET	GLN	GLN	GLN	MET	THR	THR	LEU	PRO	PRO	PRO	SER	VAL	SER	ALA	ALA	THR	GLY	PRO	GLY	PRO	PRO	GLY	PRO	GLY	PRO
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

GLY	PRO	GLY	PRO	ALA	PRO	PRO	ASN	TYR	SER	ARG	PRO	HIS	GLY	GLY	GLY	PRO	ASN	MET	PRO	PRO	PRO	GLY	PRO	PRO	GLY	GLN	PRO	PRO	GLY	GLY	GLY	PRO	PRO	PRO	LYS	PRO	TRP	TRP	GLU	GLY	GLY	PRO	MET	ALA	ASN	ALA	ALA	ALA	ALA	ALA	PRO	THR	THR	SER	THR	PRO	GLN
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

Protein	Residue	Score	Rank
LYS	1	3.50	1
LEU	2	3.45	2
ILE	3	3.48	3
PRO	4	3.51	4
PRO	5	3.57	5
GLN	6	3.50	6
THR	7	3.50	7
GLY	8	3.50	8
ARG	9	3.50	9
PRO	10	3.50	10
SER	11	3.50	11
PRO	12	3.50	12
ALA	13	3.50	13
VAL	14	3.50	14
PRO	15	3.50	15
PRO	16	3.50	16
ALA	17	3.50	17
SER	18	3.50	18
PRO	19	3.50	19
VAL	20	3.50	20
MET	21	3.50	21
PRO	22	3.50	22
PRO	23	3.50	23
GLN	24	3.50	24
THR	25	3.50	25
GLN	26	3.50	26
PRO	27	3.50	27
GLY	28	3.50	28
GLN	29	3.50	29
PRO	30	3.50	30
GLN	31	3.50	31
PRO	32	3.50	32
ALA	33	3.50	33
PRO	34	3.50	34
MET	35	3.50	35
VAL	36	3.50	36
PRO	37	3.50	37
LEU	38	3.50	38
HIS	39	3.50	39
GLN	40	3.50	40
LYS	41	3.50	41
GLN	42	3.50	42

[illegible]

LYS LYS ALA ALA GLU ASN ALA ALA GLU GLY GLN THR PRO PRO ALA ALA ILE GLY PRO PRO ASP ASP GLY GLY GLU PRO PRO LEU LEU GLU GLU THR SER SER GLN MET MET SER ASP ASP LEU LEU PRO PRO VAL VAL LYS LYS ILE ILE HIS HIS VAL VAL GLU GLU SER SER GLY GLY LYS LYS ILE ILE LEU LEU THR THR GLY GLY THR THR ASP ASP ALA ALA ALA ALA GLY GLY GLN GLN LEU LEU GLU GLU MET MET ASN

PRO	GLY	TYR	GLU	VAL	ALA	ALA	PRO	ARG	SER	ASP	SER	GLU	GLY	SER	SER	GLU	GLY	GLU	GLY	GLU	GLY	GLU	GLY	GLU	GLN	GLN	GLN	ALA	ALA	ALA	GLN	PRO	PRO	THR	LEU	PRO	PRO	VAL	GLY	GLY	LYS	LYS	LYS	ILE	ASP	ASP	VAL	ASP	ASP	SER	GLY	VAL	ASP	ARG	ALA	HIS	THR
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----







- Molecule 10: SWI/SNF complex subunit SMARCC2



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	179373	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	Not provided	
Image detector	FEI FALCON IV (4k x 4k)	Depositor
Maximum map value	0.474	Depositor
Minimum map value	-0.016	Depositor
Average map value	0.002	Depositor
Map value standard deviation	0.010	Depositor
Recommended contour level	0.04	Depositor
Map size (Å)	405.6, 405.6, 405.6	wwPDB
Map dimensions	480, 480, 480	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.845, 0.845, 0.845	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PTD, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.37	0/783	0.53	1/1050 (0.1%)
1	E	0.36	0/794	0.52	0/1065
2	B	0.32	0/660	0.50	0/883
2	F	0.31	0/653	0.53	0/873
3	C	0.29	0/846	0.47	0/1139
3	G	0.29	0/850	0.45	0/1146
4	D	0.35	0/737	0.47	0/990
4	H	0.36	0/737	0.49	0/990
5	I	0.37	0/4552	0.57	0/6250
6	J	0.25	0/3180	0.49	0/4315
7	K	0.28	0/2843	0.49	0/3852
8	L	0.28	0/3740	0.51	1/5070 (0.0%)
9	M	0.29	0/2418	0.48	0/3269
10	N	0.32	0/2233	0.48	0/3011
10	O	0.27	0/2725	0.49	0/3693
11	P	0.33	0/2792	0.56	0/3797
12	Q	0.27	0/871	0.51	0/1168
13	R	0.34	0/595	0.55	0/799
14	V	0.24	0/363	0.46	0/505
15	W	0.30	0/382	0.51	0/536
16	X	0.40	0/3236	0.71	0/4988
17	Y	0.39	0/3291	0.68	0/5082
All	All	0.32	0/39281	0.55	2/54471 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	L	1811	LYS	CD-CE-NZ	8.23	138.24	111.90
1	A	123	LYS	N-CA-CB	5.12	117.74	110.06

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	773	0	804	0	0
1	E	783	0	810	0	0
2	B	653	0	694	0	0
2	F	646	0	685	0	0
3	C	837	0	895	0	0
3	G	840	0	900	0	0
4	D	726	0	739	0	0
4	H	726	0	737	0	0
5	I	4517	0	3119	1	0
6	J	3109	0	3039	4	0
7	K	2784	0	2756	2	0
8	L	3671	0	3720	1	0
9	M	2375	0	2337	3	0
10	N	2194	0	2169	1	0
10	O	2666	0	2644	0	0
11	P	2744	0	2403	4	0
12	Q	860	0	864	1	0
13	R	580	0	552	0	0
14	V	363	0	166	0	0
15	W	378	0	189	0	0
16	X	2889	0	1599	10	0
17	Y	2930	0	1596	4	0
18	A	5	0	6	0	0
18	C	5	0	6	0	0
18	D	5	0	6	0	0
18	E	15	0	18	0	0
18	G	5	0	6	0	0
18	H	5	0	6	0	0
18	I	5	0	6	0	0
18	L	5	0	6	0	0
18	M	5	0	6	0	0
18	N	15	0	18	0	0
18	O	5	0	6	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
18	P	5	0	6	0	0
19	L	1	0	0	0	0
All	All	38125	0	33513	29	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 0.

The worst 5 of 29 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:J:6:TYR:O	7:K:372:ARG:NH1	2.29	0.65
9:M:369:ASP:OD1	9:M:370:ARG:N	2.36	0.59
16:X:88:DA:H2''	16:X:89:DA:C8	2.37	0.58
6:J:416:TYR:O	6:J:419:GLY:N	2.41	0.53
10:N:619:ASP:OD1	10:N:621:ASN:N	2.41	0.52

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	92/139 (66%)	92 (100%)	0	0	100	100
1	E	93/139 (67%)	93 (100%)	0	0	100	100
2	B	80/106 (76%)	79 (99%)	1 (1%)	0	100	100
2	F	79/106 (74%)	79 (100%)	0	0	100	100
3	C	107/133 (80%)	105 (98%)	2 (2%)	0	100	100
3	G	107/133 (80%)	104 (97%)	3 (3%)	0	100	100
4	D	91/128 (71%)	89 (98%)	2 (2%)	0	100	100
4	H	91/128 (71%)	91 (100%)	0	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
5	I	751/1647 (46%)	718 (96%)	33 (4%)	0	100	100
6	J	396/429 (92%)	385 (97%)	9 (2%)	2 (0%)	24	57
7	K	353/375 (94%)	344 (98%)	9 (2%)	0	100	100
8	L	456/2285 (20%)	442 (97%)	14 (3%)	0	100	100
9	M	289/385 (75%)	281 (97%)	8 (3%)	0	100	100
10	N	262/1214 (22%)	261 (100%)	1 (0%)	0	100	100
10	O	324/1214 (27%)	315 (97%)	9 (3%)	0	100	100
11	P	379/515 (74%)	364 (96%)	13 (3%)	2 (0%)	24	57
12	Q	103/411 (25%)	101 (98%)	2 (2%)	0	100	100
13	R	68/435 (16%)	65 (96%)	3 (4%)	0	100	100
14	V	71/645 (11%)	71 (100%)	0	0	100	100
15	W	72/105 (69%)	72 (100%)	0	0	100	100
All	All	4264/10672 (40%)	4151 (97%)	109 (3%)	4 (0%)	49	79

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
11	P	291	GLN
11	P	368	PRO
6	J	10	GLU
6	J	291	ASN

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	82/113 (73%)	82 (100%)	0	100	100
1	E	83/113 (74%)	82 (99%)	1 (1%)	63	73
2	B	67/81 (83%)	67 (100%)	0	100	100
2	F	66/81 (82%)	66 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	C	84/102 (82%)	84 (100%)	0	100	100
3	G	85/102 (83%)	84 (99%)	1 (1%)	63	73
4	D	79/106 (74%)	77 (98%)	2 (2%)	42	63
4	H	79/106 (74%)	78 (99%)	1 (1%)	61	72
5	I	204/1422 (14%)	202 (99%)	2 (1%)	68	75
6	J	340/364 (93%)	338 (99%)	2 (1%)	78	79
7	K	303/318 (95%)	303 (100%)	0	100	100
8	L	418/1845 (23%)	418 (100%)	0	100	100
9	M	265/346 (77%)	263 (99%)	2 (1%)	73	77
10	N	231/1030 (22%)	230 (100%)	1 (0%)	84	81
10	O	284/1030 (28%)	283 (100%)	1 (0%)	84	81
11	P	231/442 (52%)	230 (100%)	1 (0%)	84	81
12	Q	98/361 (27%)	97 (99%)	1 (1%)	68	75
13	R	59/373 (16%)	59 (100%)	0	100	100
14	V	1/537 (0%)	1 (100%)	0	100	100
15	W	5/95 (5%)	5 (100%)	0	100	100
All	All	3064/8967 (34%)	3049 (100%)	15 (0%)	78	80

5 of 15 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
6	J	5	VAL
11	P	414	GLN
6	J	214	ASN
12	Q	253	GLN
10	N	619	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 33 such sidechains are listed below:

Mol	Chain	Res	Type
11	P	484	GLN
12	Q	190	HIS
13	R	23	GLN
8	L	1854	HIS
8	L	1843	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 17 ligands modelled in this entry, 1 is monoatomic - leaving 16 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
18	PTD	M	401	9	4,4,6	0.37	0	3,3,5	0.53	0
18	PTD	E	203	1	4,4,6	0.34	0	3,3,5	0.60	0
18	PTD	E	201	1	4,4,6	0.31	0	3,3,5	0.68	0
18	PTD	L	2302	8,13	4,4,6	0.33	0	3,3,5	0.56	0
18	PTD	N	1302	13,10	4,4,6	0.35	0	3,3,5	0.55	0
18	PTD	P	601	8,11	4,4,6	0.35	0	3,3,5	0.57	0
18	PTD	C	201	3,4	4,4,6	0.34	0	3,3,5	0.54	0
18	PTD	G	201	3,4	4,4,6	0.31	0	3,3,5	0.66	0
18	PTD	D	201	4	4,4,6	0.33	0	3,3,5	0.60	0
18	PTD	H	201	4	4,4,6	0.30	0	3,3,5	0.64	0
18	PTD	E	202	2,1	4,4,6	0.33	0	3,3,5	0.54	0
18	PTD	I	1701	5	4,4,6	0.32	0	3,3,5	0.52	0
18	PTD	N	1301	10,11	4,4,6	0.31	0	3,3,5	0.60	0
18	PTD	N	1303	10	4,4,6	0.33	0	3,3,5	0.65	0
18	PTD	O	1301	9,10	4,4,6	0.34	0	3,3,5	0.60	0
18	PTD	A	201	2,1	4,4,6	0.31	0	3,3,5	0.59	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
18	PTD	M	401	9	-	2/2/2/4	-
18	PTD	E	203	1	-	1/2/2/4	-
18	PTD	E	201	1	-	0/2/2/4	-
18	PTD	L	2302	8,13	-	0/2/2/4	-
18	PTD	N	1302	13,10	-	2/2/2/4	-
18	PTD	P	601	8,11	-	2/2/2/4	-
18	PTD	C	201	3,4	-	1/2/2/4	-
18	PTD	G	201	3,4	-	1/2/2/4	-
18	PTD	D	201	4	-	1/2/2/4	-
18	PTD	H	201	4	-	0/2/2/4	-
18	PTD	E	202	2,1	-	1/2/2/4	-
18	PTD	I	1701	5	-	0/2/2/4	-
18	PTD	N	1301	10,11	-	0/2/2/4	-
18	PTD	N	1303	10	-	1/2/2/4	-
18	PTD	O	1301	9,10	-	0/2/2/4	-
18	PTD	A	201	2,1	-	1/2/2/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

5 of 13 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
18	P	601	PTD	C2-C3-C4-C5
18	P	601	PTD	C1-C2-C3-C4
18	M	401	PTD	C2-C3-C4-C5
18	N	1302	PTD	C1-C2-C3-C4
18	G	201	PTD	C2-C3-C4-C5

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-54030. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y



Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 240



Y Index: 240




Z Index: 240


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 253



Y Index: 228




Z Index: 255


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)

6.4.1 Primary map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views

This section was not generated.


6.6 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 595 nm³; this corresponds to an approximate mass of 538 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.286 Å⁻¹

8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.


9 Map-model fit [i](#)

This section contains information regarding the fit between EMD map EMD-54030 and PDB model 9RL4. Per-residue inclusion information can be found in section 3 on page 13.

9.1 Map-model overlay [i](#)


This section was not generated.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.04).















































9.4 Atom inclusion [i](#)



At the recommended contour level, 95% of all backbone atoms, 90% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.04) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8980	 0.3860
A	 0.9610	 0.5520
B	 0.9490	 0.5520
C	 0.9660	 0.5190
D	 0.9760	 0.5250
E	 0.9730	 0.5400
F	 0.9520	 0.5490
G	 0.9310	 0.5070
H	 0.9580	 0.5260
I	 0.7940	 0.1780
J	 0.8900	 0.3540
K	 0.8420	 0.3060
L	 0.9240	 0.4690
M	 0.9120	 0.4000
N	 0.9120	 0.3780
O	 0.9040	 0.3750
P	 0.8490	 0.3180
Q	 0.8730	 0.2980
R	 0.9390	 0.4550
V	 1.0000	 0.2740
W	 0.9660	 0.1580
X	 0.9330	 0.4630
Y	 0.9340	 0.4620

