

BIBTOOL Quick Reference Card

for BIBTOOL version 2.68 — see also <http://www.gerd.neugebauer.de/software/TeX/BibTool/>
©2019 Gerd Neugebauer (gene@gerd-neugebauer.de)

| Command line options | General | Sorting | Checks |
|--|---|--|---|
| -rsc_command Perform resource command as if given in a file. | resource.search.path = {dir ₁ :dir ₂ ...} resource {file} bibtex.search.path = {dir ₁ :dir ₂ ...} bibtex.env.name = {ENV_NAME} env.separator = {c} dir.file.separator = {c} print {message} quiet = OnOff verbose = OnOff | sort = OnOff sort.cased = OnOff sort.reverse = OnOff sort.format = {format} sort.order {...} sort.macros = OnOff | check.double = OnOff check.do.delete = OnOff check.rule {field # pattern # message} check.warning.rule {field # pattern # message} |
| -A type Determine key disambiguation. type in 0, a, A, | | | check.error.rule {field # pattern # message} |
| -d Check double entries. | | | check.case.sensitive = OnOff unique.field {field} |
| -f key_format Generate keys according to key_format | | | |
| -F Enable key generation with free key format. | | | |
| -h Print short help and exit. | | | |
| -i input_file Mark a file to be processed later. | | | |
| -k Make keys with the short format. | | | |
| -K Make keys with the long format. | | | |
| -o output_file Send the output to output_file. | | | |
| -q Suppress warning messages. | | | |
| -r resource_file Read the resource file resource_file. | | | |
| -R Load the default resource file now. | | | |
| -s Sort the result. | | | |
| -S Sort the result in reverse order. | | | |
| -v Turn on verbose messages about the actions performed. | | | |
| -x aux_file Extract those entries mentioned in aux_file. | | | |
| -X regex Extract entries matching regex. | | | |
| Reading and Printing | | Searching (Extraction) | Strings |
| | input {bib_file} output.file = {file} parse.exit.on.error = OnOff pass.comments = OnOff new.entry.type {type} print.align = n print.align.key = n print.align.preamble = n print.align.comment = n print.braces = OnOff print.comma.at.end = OnOff print.deleted.entries = OnOff print.deleted.prefix = {prefix} print.indent = n print.line.length = n print.newline = n print.parentheses = OnOff print.terminal.comma = OnOff print.use.tab = OnOff print.wide.equal = OnOff suppress.initial.newline = OnOff new.field.type {new=old} symbol.type = type | tex.define {macro[arg]=text} extract.file {file} select {field ₁ ...field _n "regex"} select {type ₁ ...type _n } select.by.string {field ₁ ...field _n "regex"} select.by.string.ignore {chars} select.case.sensitive = OnOff select.fields = {field ₁ ,field ₂ ,...} | macro.file {file} print.all.strings = OnOff expand.macros = OnOff |
| Field Manipulation | | | Inheritance |
| | | add.field {field="value"} delete.field {field} keep.field {field} keep.field {field if field ₂ ="pattern"} rename.field {old=new} rename.field {old=new if field="pattern"} rewrite.rule { pattern } delete all matching fields rewrite.rule { pattern # replacement } rewrite all fields rewrite.rule {f ₁ ...f _n # pattern # replacement } | crossref.map = OnOff clear.crossref.map {} crossref.limit = {n} expand.crossref = OnOff expand.xdata = OnOff |
| BibTeX1.0 | | | |
| | | | apply.alias = OnOff apply.include = OnOff apply.modify = OnOff key.make.alias = OnOff |
| Counting | | | |
| | | | count.all = OnOff count.used = OnOff |

Key Generation

```
preserve.keys = OnOff
preserve.key.case = OnOff
key.format = {format}
    special values: short, long, short.need,
    long.need, empty
key.generation = OnOff
default.key = {key}
key.base = base
    values: upper, lower, digit
key.number.separator = {s}
key.expand.macros = OnOff
fmt.name.title = {s}
fmt.title.title = {s}
fmt.name.name = {s}
fmt.inter.name = {s}
fmt.name.pre = {s}
fmt.et.al = {s}
fmt.word.separator = {s}
new.format.type = {n="spec"}
```

Name Formatting Specification

Use n letters. Use m name parts. Insert pre before, mid between, and $post$ after the words. Translate according to the s parameter ('+', '−', '*'').

```
%sn.mf[mid][pre][post]
    format first names.
%sn.mv[mid][pre][post]
    format "von" part.
%sn.ml[mid][pre][post]
    format last name.
```

`%sn.mj[mid][pre][post]`

format “junior” part.

Format Specifications

Pseudo fields:

```
$key
$default.key
$sortkey
$source
$type
@type
$day
$month
$mon
$year
$hour
$minute
$second
$user
$hostname
```

Formatting Fields:

```
%±x.y n(field)
    format  $y$  characters of  $x$  last names.
%±x.y N(field)
    format  $y$  characters of  $x$  names.
%±x.y p(field)
    format  $x$  names according to the name format  $y$ .
%±x.y d(field)
    format at most  $x$  digits of the  $y^{th}$  number.
%±x.y D(field)
    format  $x$  digits of the  $y^{th}$  number without truncation.
%±x s(field)
    format  $x$  string characters.
```

`%±x.y t(field)`

format x sentence words of length y .

`%±x.y T(field)`

format x sentence words of length y .
(Words ignored)

`%±x.y w(field)`

format x words of length y .

`%±x W(field)`

format x words of length y . (Words ignored)

`%±x.y #n(field)`

test whether the number of names is between x and y .

`%±x.y #N(field)`

test whether the number of names is between x and y .

`%±x.y #p(field)`

test whether the number of names is between x and y .

`%±x.y #s(field)`

test whether the number of characters is between x and y .

`%±x.y #t(field)`

test whether the number of words is between x and y .

`%±x.y #T(field)`

test whether the number of not ignored words is between x and y .

`%±x.y #w(field)`

test whether the number of words is between x and y .

`%±x.y #W(field)`

test whether the number of not ignored words is between x and y .

Libraries

| | |
|---------------|---|
| check_y | Check the value of the year. |
| default | All default settings. |
| field | Redefine field names. |
| brace | Use braces as delimiters. |
| improve | Apply improvements. |
| iso2tex | Translate ISO 8859/1 characters. |
| iso_def | Define ISO 8859/1 characters for formatting. |
| keep_bibtex | Keep only the fields of standard BibTeX styles. |
| keep_biblatax | Keep only the fields of standard bibLATEX styles. |
| month | Introduce strings for month names. |
| opt | Remove OPT in field names. |
| sort_fld | Specify sort order for fields. |
| tex_def | Define TeX macros for formatting. |
| biblatax | Define entry types and fields known to bibLATEX. |

Environment Variables

| | |
|-----------|--------------------------------|
| BIBTOOL | Search path for rsc files |
| BIBINPUTS | Search path for bib files |
| HOME | Home directory for .bibtoolrsc |