Full wwPDB X-ray Structure Validation Report (i)

Oct 24, 2026 – 01:27 PM EDT

PDB ID	:	14CL / pdb_000014cl
Title	:	Structure of liver pyruvate kinase in complex with TEPP-46
Authors	:	Lulla, A.; Rodriguez Rivero, A.; Grotli, M.; Hyvonen, M.
Deposited on	:	2026-04-28
Resolution	:	2.13 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at
http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (i)) were used in the production of this report:


MolProbity	:	4-5-2 with Phenix2.2
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.2
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.015 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.51

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.13 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	8290 (2.14-2.10)
Clashscore	190562	8817 (2.14-2.10)
Ramachandran outliers	187476	8738 (2.14-2.10)
Sidechain outliers	187428	8739 (2.14-2.10)
RSRZ outliers	180081	8294 (2.14-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	447	10% 83% 10% • 6%
1	B	447	19% 89% 8% •
1	C	447	6% 84% 10% • 5%
1	D	447	4% 87% 7% • 5%
1	E	447	8% 84% 10% • 5%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	447	6% 86% 10%
1	G	447	4% 83% 12%
1	H	447	3% 85% 9% 5%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	OXL	A	602	-	X	-	-
3	OXL	B	602	-	X	-	-
3	OXL	C	602	-	X	-	-
3	OXL	D	602	-	X	-	-
3	OXL	E	602	-	X	-	-
3	OXL	F	602	-	X	-	-
3	OXL	G	602	-	X	-	-
3	OXL	H	602	-	X	-	-

2 Entry composition (i)

There are 7 unique types of molecules in this entry. The entry contains 27958 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Isoform L-type of Pyruvate kinase PKLR.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	420	Total	C	N	O	S	0	13	0
			3249	2040	583	606	20			
1	B	436	Total	C	N	O	S	3	8	0
			3350	2104	604	622	20			
1	C	424	Total	C	N	O	S	0	8	0
			3265	2056	584	606	19			
1	D	425	Total	C	N	O	S	0	8	0
			3261	2048	590	604	19			
1	E	423	Total	C	N	O	S	0	13	0
			3278	2061	588	609	20			
1	F	435	Total	C	N	O	S	0	8	0
			3341	2101	600	620	20			
1	G	427	Total	C	N	O	S	0	9	0
			3290	2070	588	613	19			
1	H	425	Total	C	N	O	S	0	9	0
			3269	2053	593	604	19			

There are 48 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	GLY	-	expression tag	UNP P30613
A	0	SER	-	expression tag	UNP P30613
A	12	ASP	SER	conflict	UNP P30613
A	130	GLY	-	linker	UNP P30613
A	131	SER	-	linker	UNP P30613
A	132	GLY	-	linker	UNP P30613
B	-1	GLY	-	expression tag	UNP P30613
B	0	SER	-	expression tag	UNP P30613
B	12	ASP	SER	conflict	UNP P30613
B	130	GLY	-	linker	UNP P30613
B	131	SER	-	linker	UNP P30613
B	132	GLY	-	linker	UNP P30613
C	-1	GLY	-	expression tag	UNP P30613

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
C	0	SER	-	expression tag	UNP P30613
C	12	ASP	SER	conflict	UNP P30613
C	130	GLY	-	linker	UNP P30613
C	131	SER	-	linker	UNP P30613
C	132	GLY	-	linker	UNP P30613
D	-1	GLY	-	expression tag	UNP P30613
D	0	SER	-	expression tag	UNP P30613
D	12	ASP	SER	conflict	UNP P30613
D	130	GLY	-	linker	UNP P30613
D	131	SER	-	linker	UNP P30613
D	132	GLY	-	linker	UNP P30613
E	-1	GLY	-	expression tag	UNP P30613
E	0	SER	-	expression tag	UNP P30613
E	12	ASP	SER	conflict	UNP P30613
E	130	GLY	-	linker	UNP P30613
E	131	SER	-	linker	UNP P30613
E	132	GLY	-	linker	UNP P30613
F	-1	GLY	-	expression tag	UNP P30613
F	0	SER	-	expression tag	UNP P30613
F	12	ASP	SER	conflict	UNP P30613
F	130	GLY	-	linker	UNP P30613
F	131	SER	-	linker	UNP P30613
F	132	GLY	-	linker	UNP P30613
G	-1	GLY	-	expression tag	UNP P30613
G	0	SER	-	expression tag	UNP P30613
G	12	ASP	SER	conflict	UNP P30613
G	130	GLY	-	linker	UNP P30613
G	131	SER	-	linker	UNP P30613
G	132	GLY	-	linker	UNP P30613
H	-1	GLY	-	expression tag	UNP P30613
H	0	SER	-	expression tag	UNP P30613
H	12	ASP	SER	conflict	UNP P30613
H	130	GLY	-	linker	UNP P30613
H	131	SER	-	linker	UNP P30613
H	132	GLY	-	linker	UNP P30613

- Molecule 2 is 1,6-di-O-phosphono-beta-D-fructofuranose (CCD ID: FBP) (formula: $C_6H_{14}O_{12}P_2$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	O	P	0	0
			20	6	12	2		
2	B	1	Total	C	O	P	0	0
			20	6	12	2		
2	C	1	Total	C	O	P	0	0
			20	6	12	2		
2	D	1	Total	C	O	P	0	0
			20	6	12	2		
2	E	1	Total	C	O	P	0	0
			20	6	12	2		
2	F	1	Total	C	O	P	0	0
			20	6	12	2		
2	G	1	Total	C	O	P	0	0
			20	6	12	2		
2	H	1	Total	C	O	P	0	0
			20	6	12	2		

- Molecule 3 is OXALATE ION (CCD ID: OXL) (formula: C_2O_4).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C O 6 2 4	0	0
3	B	1	Total C O 6 2 4	0	0
3	C	1	Total C O 6 2 4	0	0
3	D	1	Total C O 6 2 4	0	0
3	E	1	Total C O 6 2 4	0	0
3	F	1	Total C O 6 2 4	0	0
3	G	1	Total C O 6 2 4	0	0
3	H	1	Total C O 6 2 4	0	0

- Molecule 4 is 6-(3-aminobenzyl)-4-methyl-2-methylsulfinyl-4,6-dihydro-5H-thieno[2',3':4,5]pyrrolo[2,3-d]pyridazin-5-one (CCD ID: 07T) (formula: $C_{17}H_{16}N_4O_2S_2$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C N O S 50 34 8 4 4	0	1
4	B	1	Total C N O S 50 34 8 4 4	0	1
4	E	1	Total C N O S 50 34 8 4 4	0	1
4	F	1	Total C N O S 50 34 8 4 4	0	1

- Molecule 5 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total Mg 1 1	0	0
5	B	1	Total Mg 1 1	0	0
5	C	1	Total Mg 1 1	0	0
5	D	1	Total Mg 1 1	0	0
5	E	1	Total Mg 1 1	0	0
5	F	1	Total Mg 1 1	0	0
5	G	1	Total Mg 1 1	0	0
5	H	1	Total Mg 1 1	0	0

- Molecule 6 is POTASSIUM ION (CCD ID: K) (formula: K).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total K 1 1	0	0
6	B	1	Total K 1 1	0	0
6	C	1	Total K 1 1	0	0
6	D	1	Total K 1 1	0	0
6	E	1	Total K 1 1	0	0
6	F	1	Total K 1 1	0	0
6	G	1	Total K 1 1	0	0
6	H	1	Total K 1 1	0	0

- Molecule 7 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	110	Total O 110 110	0	0
7	B	111	Total O 111 111	0	0
7	C	173	Total O 173 173	0	0
7	D	199	Total O 199 199	0	0
7	E	121	Total O 121 121	0	0
7	F	149	Total O 149 149	0	0
7	G	169	Total O 169 169	0	0
7	H	199	Total O 199 199	0	0

3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Isoform L-type of Pyruvate kinase PKLR

Chain A:



• Molecule 1: Isoform L-type of Pyruvate kinase PKLR


Chain B:




• Molecule 1: Isoform L-type of Pyruvate kinase PKLR


Chain C:







• Molecule 1: Isoform L-type of Pyruvate kinase PKLR







• Molecule 1: Isoform L-type of Pyruvate kinase PKLR






• Molecule 1: Isoform L-type of Pyruvate kinase PKLR






• Molecule 1: Isoform L-type of Pyruvate kinase PKLR

Chain G:



• Molecule 1: Isoform L-type of Pyruvate kinase PKLR

Chain H:



4 Data and refinement statistics (i)

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α, β, γ	207.27Å 112.59Å 187.70Å 90.00° 91.73° 90.00°	Depositor
Resolution (Å)	103.59 – 2.13 103.59 – 2.13	Depositor EDS
% Data completeness (in resolution range)	69.0 (103.59-2.13) 69.0 (103.59-2.13)	Depositor EDS
R_{merge}	0.22	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ [1]	1.57 (at 2.12Å)	Xtriage
Refinement program	BUSTER 2.10.4	Depositor
R, R_{free}	0.215 , 0.248 0.203 , 0.231	Depositor DCC
R_{free} test set	8268 reflections (4.87%)	wwPDB-VP
Wilson B-factor (Å^2)	38.6	Xtriage
Anisotropy	0.001	Xtriage
Bulk solvent k_{sol}(e/Å^3), B_{sol}(Å^2)	0.32 , 32.7	EDS
L-test for twinning[2]	$< \|L\| > = 0.49$, $< L^2 > = 0.32$	Xtriage
Estimated twinning fraction	0.000 for -h,-k,l	Xtriage
F_o,F_c correlation	0.95	EDS
Total number of atoms	27958	wwPDB-VP
Average B, all atoms (Å^2)	45.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 44.21 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.5773e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

[1] Intensities estimated from amplitudes.

[2] Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: FBP, OXL, K, MG, 07T

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#$\|Z\|$ >5	RMSZ	#$\|Z\|$ >5
1	A	0.66	0/3341	1.01	1/4517 (0.0%)
1	B	0.67	0/3429	1.00	2/4636 (0.0%)
1	C	0.74	1/3343 (0.0%)	1.02	5/4519 (0.1%)
1	D	0.73	0/3341	1.02	5/4517 (0.1%)
1	E	0.66	0/3373	1.01	4/4560 (0.1%)
1	F	0.72	1/3420 (0.0%)	1.02	3/4625 (0.1%)
1	G	0.74	0/3371	1.02	4/4557 (0.1%)
1	H	0.75	0/3352	1.03	3/4531 (0.1%)
All	All	0.71	2/26970 (0.0%)	1.02	27/36462 (0.1%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	376	SER	CA-C	7.71	1.56	1.52
1	F	376	SER	CA-C	5.00	1.54	1.52

All (27) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
1	E	259	VAL	N-CA-CB	7.51	118.72	110.53
1	G	516	PHE	CA-CB-CG	6.66	120.45	113.80
1	G	275	GLU	CB-CG-CD	6.32	123.34	112.60
1	H	516	PHE	CA-CB-CG	5.97	119.77	113.80
1	C	516	PHE	CA-CB-CG	5.94	119.74	113.80
1	D	455	LEU	CA-C-N	5.84	128.38	120.38
1	D	455	LEU	C-N-CA	5.84	128.38	120.38
1	D	341	ALA	CA-C-N	5.73	132.49	121.54
1	D	341	ALA	C-N-CA	5.73	132.49	121.54
1	F	341	ALA	CA-C-N	5.58	132.20	121.54
1	F	341	ALA	C-N-CA	5.58	132.20	121.54

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
1	E	541	VAL	N-CA-CB	5.56	117.72	111.21
1	G	341	ALA	CA-C-N	5.39	131.84	121.54
1	G	341	ALA	C-N-CA	5.39	131.84	121.54
1	H	455	LEU	CA-C-N	5.35	127.70	120.38
1	H	455	LEU	C-N-CA	5.35	127.70	120.38
1	D	516	PHE	CA-CB-CG	5.31	119.11	113.80
1	C	341	ALA	CA-C-N	5.23	131.53	121.54
1	C	341	ALA	C-N-CA	5.23	131.53	121.54
1	C	455	LEU	CA-C-N	5.16	127.45	120.38
1	C	455	LEU	C-N-CA	5.16	127.45	120.38
1	A	516	PHE	CA-CB-CG	5.15	118.95	113.80
1	F	25	PHE	CA-CB-CG	-5.13	108.67	113.80
1	B	341	ALA	CA-C-N	5.11	131.29	121.54
1	B	341	ALA	C-N-CA	5.11	131.29	121.54
1	E	341	ALA	CA-C-N	5.03	131.14	121.54
1	E	341	ALA	C-N-CA	5.03	131.14	121.54

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3249	0	3323	25	0
1	B	3350	0	3417	20	1
1	C	3265	0	3331	24	0
1	D	3261	0	3321	21	0
1	E	3278	0	3342	23	0
1	F	3341	0	3410	25	0
1	G	3290	0	3356	31	0
1	H	3269	0	3334	26	0
2	A	20	0	10	0	0
2	B	20	0	10	0	0
2	C	20	0	10	0	0
2	D	20	0	10	0	0
2	E	20	0	10	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	F	20	0	10	0	0
2	G	20	0	10	0	0
2	H	20	0	10	0	0
3	A	6	0	0	0	0
3	B	6	0	0	0	0
3	C	6	0	0	1	0
3	D	6	0	0	0	0
3	E	6	0	0	0	0
3	F	6	0	0	0	0
3	G	6	0	0	0	0
3	H	6	0	0	0	0
4	A	50	0	32	1	0
4	B	50	0	32	1	0
4	E	50	0	32	1	0
4	F	50	0	32	0	0
5	A	1	0	0	0	0
5	B	1	0	0	0	0
5	C	1	0	0	0	0
5	D	1	0	0	0	0
5	E	1	0	0	0	0
5	F	1	0	0	0	0
5	G	1	0	0	0	0
5	H	1	0	0	0	0
6	A	1	0	0	0	0
6	B	1	0	0	0	0
6	C	1	0	0	0	0
6	D	1	0	0	0	0
6	E	1	0	0	0	0
6	F	1	0	0	0	0
6	G	1	0	0	0	0
6	H	1	0	0	0	0
7	A	110	0	0	0	0
7	B	111	0	0	0	0
7	C	173	0	0	0	0
7	D	199	0	0	2	0
7	E	121	0	0	0	0
7	F	149	0	0	1	0
7	G	169	0	0	0	0
7	H	199	0	0	0	0
All	All	27958	0	27042	170	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (170) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:413:ARG:HG3	1:C:428:ILE:HD11	1.58	0.83
1:G:540:ARG:HG2	1:H:538:ILE:HG12	1.62	0.79
1:A:420[A]:ARG:HD3	1:B:16:LEU:HD11	1.64	0.79
1:A:538:ILE:HG12	1:B:540:ARG:HG2	1.63	0.79
1:G:56:SER:HB2	1:G:482:GLY:HA2	1.66	0.77
1:C:424[A]:GLU:HG3	1:C:454:LEU:HD13	1.72	0.71
1:C:56:SER:HB2	1:C:482:GLY:HA2	1.75	0.69
1:E:538:ILE:HG12	1:F:540:ARG:HG2	1.75	0.69
1:G:424[A]:GLU:HG3	1:G:454:LEU:HD13	1.75	0.68
1:D:56:SER:HB2	1:D:482:GLY:HA2	1.76	0.67
1:H:56:SER:HB2	1:H:482:GLY:HA2	1.76	0.66
1:E:540:ARG:HG2	1:F:538:ILE:HG12	1.77	0.65
1:F:409:PHE:CE2	1:F:413:ARG:NH1	2.65	0.65
1:A:409:PHE:CE2	1:A:413:ARG:NH1	2.65	0.64
1:E:56:SER:HB2	1:E:482:GLY:HA2	1.80	0.64
1:B:56:SER:HB2	1:B:482:GLY:HA2	1.80	0.63
1:A:56:SER:HB2	1:A:482:GLY:HA2	1.81	0.62
1:C:540:ARG:HG2	1:D:538:ILE:HG12	1.80	0.62
1:G:538:ILE:HG12	1:H:540[A]:ARG:HG2	1.83	0.61
1:G:413:ARG:HG3	1:G:428:ILE:HD11	1.82	0.61
1:G:413:ARG:NH2	1:H:413:ARG:NH1	2.47	0.61
1:A:413:ARG:NH2	1:B:413:ARG:NH2	2.51	0.59
1:G:56:SER:HB2	1:G:482:GLY:CA	2.34	0.58
1:F:56:SER:HB2	1:F:482:GLY:HA2	1.86	0.58
1:B:413:ARG:HG2	1:B:428:ILE:HD11	1.85	0.57
1:B:65:PRO:HG2	1:B:381:LYS:HE3	1.86	0.57
1:F:116:SER:O	1:F:118:ARG:HD2	2.03	0.57
1:E:413:ARG:HG2	1:E:428:ILE:HD11	1.87	0.56
1:G:342:THR:HG22	1:G:343:GLN:HG3	1.88	0.55
1:H:518:ARG:HH11	1:H:519:VAL:H	1.54	0.55
1:D:530:ARG:HD2	1:D:531:PRO:O	2.07	0.55
1:H:68:ARG:NH2	1:H:98:GLU:HB2	2.21	0.55
1:B:342:THR:HG22	1:B:343:GLN:HG3	1.87	0.54
1:G:269:ARG:HG2	1:G:281:ILE:CD1	2.38	0.54
1:A:409:PHE:HE2	1:A:413:ARG:HH12	1.53	0.54
1:G:498:ASP:O	1:G:502:ARG:HG2	2.08	0.54
1:H:413:ARG:HG2	1:H:428:ILE:HD11	1.89	0.53
1:C:56:SER:HB2	1:C:482:GLY:CA	2.38	0.53
1:F:67:SER:HA	1:F:72:ARG:HG2	1.91	0.53
1:D:56:SER:HB2	1:D:482:GLY:CA	2.39	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:339:VAL:HG22	1:F:372:CYS:HB2	1.91	0.52
1:H:56:SER:HB2	1:H:482:GLY:CA	2.40	0.52
1:A:342:THR:HG22	1:A:343:GLN:HG3	1.92	0.51
1:E:420:ARG:HD3	1:F:16:LEU:HD11	1.93	0.51
1:C:342:THR:HG22	1:C:343:GLN:HG3	1.93	0.51
1:A:67:SER:HA	1:A:72:ARG:HG2	1.92	0.51
4:B:603[B]:07T:H5	1:D:408:LEU:HD13	1.91	0.51
1:A:488:TYR:CZ	1:A:490[B]:GLU:HB2	2.46	0.51
1:G:539:MET:HE3	1:H:539:MET:HG2	1.93	0.51
1:A:519:VAL:HG13	1:A:545:SER:HB3	1.92	0.50
1:D:342:THR:HG22	1:D:343:GLN:HG3	1.93	0.50
1:G:432[A]:GLU:OE1	1:H:432[A]:GLU:OE1	2.29	0.50
1:F:83:ILE:HG12	1:F:121:ALA:HB3	1.93	0.50
1:F:68:ARG:NH2	1:F:98:GLU:HB3	2.27	0.50
1:C:432[B]:GLU:OE2	1:D:432[B]:GLU:OE1	2.30	0.49
1:G:488:TYR:CZ	1:G:490:GLU:HB2	2.47	0.49
1:F:342:THR:HG22	1:F:343:GLN:HG3	1.95	0.49
1:H:339:VAL:HG22	1:H:372:CYS:HB2	1.94	0.49
1:G:437:CYS:HB3	1:H:425:VAL:HG21	1.95	0.49
1:A:530:ARG:HD2	1:A:531:PRO:O	2.13	0.48
1:C:83:ILE:HG12	1:C:121:ALA:HB3	1.94	0.48
1:B:339:VAL:HG22	1:B:372:CYS:HB2	1.95	0.48
1:D:68:ARG:NH2	1:D:98:GLU:HB2	2.29	0.48
1:E:83:ILE:HG12	1:E:121:ALA:HB3	1.96	0.48
1:F:384:PHE:HB3	1:F:387:GLU:HB2	1.95	0.48
1:B:410:GLU:HG2	1:B:413:ARG:HH22	1.79	0.47
1:A:339:VAL:HG22	1:A:372:CYS:HB2	1.95	0.47
1:D:71[B]:GLU:CD	1:D:71[B]:GLU:H	2.22	0.47
1:G:83:ILE:HG12	1:G:121:ALA:HB3	1.96	0.47
1:B:56:SER:HB2	1:B:482:GLY:CA	2.45	0.47
1:E:339:VAL:HG22	1:E:372:CYS:HB2	1.96	0.47
1:E:384:PHE:HB3	1:E:387:GLU:HB2	1.96	0.47
1:B:83:ILE:HG12	1:B:121:ALA:HB3	1.97	0.47
1:F:490:GLU:HG2	7:F:775:HOH:O	2.14	0.47
1:H:286:GLU:HG2	1:H:307:ALA:HB3	1.96	0.47
1:C:406:ARG:HD3	1:D:414:ARG:HH21	1.79	0.47
1:H:342:THR:HG22	1:H:343:GLN:HG3	1.96	0.47
1:A:56:SER:HB2	1:A:482:GLY:CA	2.45	0.46
1:D:83:ILE:HG12	1:D:121:ALA:HB3	1.95	0.46
1:A:384:PHE:HB3	1:A:387:GLU:HB2	1.98	0.46
1:F:30:LEU:O	1:F:34:MET:HG2	2.16	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:67:SER:HB2	1:C:76[B]:MET:SD	2.56	0.46
1:E:342:THR:HG22	1:E:343:GLN:HG3	1.97	0.46
1:A:437:CYS:HB3	1:B:425:VAL:HG21	1.97	0.46
1:A:286:GLU:HG2	1:A:307:ALA:HB3	1.97	0.46
1:A:39:LEU:HB2	4:A:603[B]:07T:H14	1.97	0.46
1:D:339:VAL:HG22	1:D:372:CYS:HB2	1.98	0.46
1:G:354:PRO:HG3	1:G:391:MET:HG2	1.97	0.46
1:E:68:ARG:NH2	1:E:98:GLU:HB3	2.31	0.46
1:E:56:SER:HB2	1:E:482:GLY:CA	2.46	0.45
1:C:425:VAL:HG21	1:D:437:CYS:HB3	1.98	0.45
1:C:339:VAL:HG22	1:C:372:CYS:HB2	1.99	0.45
1:E:132:GLY:N	1:E:233:PRO:HD3	2.32	0.45
1:F:56:SER:HB2	1:F:482:GLY:CA	2.46	0.45
1:H:66:ALA:O	1:H:72:ARG:HD2	2.16	0.45
1:B:30:LEU:O	1:B:34:MET:HG2	2.17	0.45
1:C:323:ALA:O	1:C:327:MET:HG3	2.16	0.45
1:E:423:THR:HG22	1:E:454:LEU:HD12	1.99	0.45
1:F:260:ARG:O	1:F:293:ARG:HG3	2.17	0.45
1:D:319:LYS:NZ	7:D:704:HOH:O	2.50	0.44
1:D:540:ARG:HD2	7:D:851:HOH:O	2.16	0.44
1:A:83:ILE:HG12	1:A:121:ALA:HB3	2.00	0.44
1:G:67:SER:HB2	1:G:76[B]:MET:SD	2.57	0.44
1:A:410[B]:GLU:HG2	1:A:413:ARG:HH21	1.83	0.44
1:C:289:GLU:HG2	1:C:293:ARG:HD2	1.99	0.44
1:G:286:GLU:HG2	1:G:307:ALA:HB3	2.00	0.44
1:G:339:VAL:HG22	1:G:372:CYS:HB2	2.00	0.44
1:E:410[B]:GLU:OE1	1:E:413:ARG:NH1	2.51	0.44
1:H:337:PRO:HB3	1:H:479:LEU:O	2.18	0.44
1:B:384:PHE:HB3	1:B:387:GLU:HB2	2.00	0.43
1:C:384:PHE:HB3	1:C:387:GLU:HB2	2.00	0.43
1:G:288:HIS:CE1	1:G:292:LYS:HG3	2.53	0.43
1:A:371:ASP:HA	1:A:481:ARG:HB2	2.00	0.43
1:H:323:ALA:O	1:H:327:MET:HG3	2.19	0.43
1:A:432:GLU:OE2	1:B:432[A]:GLU:OE1	2.36	0.43
1:G:413:ARG:HH22	1:H:413:ARG:NH1	2.15	0.43
1:H:524:ILE:HG23	1:H:539:MET:HE3	2.00	0.43
1:H:488:TYR:CE2	1:H:490:GLU:HB2	2.54	0.43
1:D:341:ALA:HB1	1:D:374:MET:HE2	2.01	0.43
1:G:345:LEU:HD23	1:G:358:GLU:HB3	2.01	0.43
1:A:86:LEU:HD21	1:A:122:ILE:CG2	2.49	0.42
1:B:345:LEU:HD23	1:B:358:GLU:HB3	2.01	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:237:GLU:O	1:E:241:ARG:HD3	2.19	0.42
1:E:323:ALA:O	1:E:327:MET:HG3	2.19	0.42
1:H:409:PHE:CZ	1:H:413:ARG:HD3	2.54	0.42
1:C:432[A]:GLU:OE1	1:D:432[A]:GLU:OE1	2.38	0.42
1:D:423:THR:HG22	1:D:454:LEU:HD12	2.01	0.42
1:G:425:VAL:HG21	1:H:437:CYS:HB3	2.01	0.42
1:D:454:LEU:O	1:D:457:ARG:HG2	2.20	0.42
1:E:425:VAL:HG21	1:F:437:CYS:HB3	2.00	0.42
4:E:603[A]:07T:H14	1:G:39:LEU:HB2	2.00	0.42
1:G:323:ALA:O	1:G:327:MET:HG3	2.19	0.42
1:A:418:LEU:HB3	1:B:16:LEU:HD22	2.00	0.42
1:A:423:THR:HG22	1:A:454:LEU:HD12	2.01	0.42
1:E:115:LEU:HD21	1:E:509[B]:GLU:HB3	2.02	0.42
1:E:337:PRO:HB3	1:E:479:LEU:O	2.19	0.42
1:G:384:PHE:HB3	1:G:387:GLU:HB2	2.00	0.42
1:G:423:THR:HG22	1:G:454:LEU:HD12	2.02	0.42
1:C:354:PRO:HG3	1:C:391:MET:HG2	2.02	0.42
1:F:67:SER:HB2	1:F:76[B]:MET:SD	2.60	0.42
1:F:423:THR:HG22	1:F:454:LEU:HD12	2.02	0.42
1:E:437:CYS:HB3	1:F:425:VAL:HG21	2.01	0.42
1:C:307:ALA:HB1	3:C:602:OXL:C1	2.50	0.42
1:C:488:TYR:CE2	1:C:490:GLU:HB2	2.54	0.42
1:E:354:PRO:HG3	1:E:391:MET:HG2	2.02	0.41
1:F:405:HIS:CE1	1:F:461:ARG:HG2	2.55	0.41
1:G:269:ARG:HG2	1:G:281:ILE:HD12	2.01	0.41
1:H:371:ASP:HA	1:H:481:ARG:HB2	2.02	0.41
1:C:488:TYR:CZ	1:C:490:GLU:HB2	2.55	0.41
1:D:121:ALA:HA	1:D:475:ARG:HB3	2.02	0.41
1:F:345:LEU:HD23	1:F:358:GLU:HB3	2.02	0.41
1:H:423:THR:HG22	1:H:454:LEU:HD12	2.02	0.41
1:H:384:PHE:HB3	1:H:387:GLU:HB2	2.03	0.41
1:C:253:ILE:HG12	1:C:479:LEU:HD11	2.03	0.41
1:C:341:ALA:HB1	1:C:374:MET:HE2	2.02	0.41
1:D:384:PHE:HB3	1:D:387:GLU:HB2	2.03	0.41
1:F:337:PRO:HB3	1:F:479:LEU:O	2.21	0.41
1:B:67:SER:HB2	1:B:76[B]:MET:SD	2.60	0.41
1:B:337:PRO:HB3	1:B:479:LEU:O	2.21	0.41
1:E:353:ARG:HH21	1:G:317:ALA:HB2	1.86	0.41
1:H:493:GLU:HB2	1:H:499:ASP:HB2	2.02	0.41
1:B:488:TYR:CZ	1:B:490:GLU:HB2	2.56	0.40
1:C:70:VAL:HG12	1:C:74:LYS:HE3	2.02	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:286:GLU:HG2	1:F:307:ALA:HB3	2.03	0.40
1:F:488:TYR:CZ	1:F:490:GLU:HB2	2.56	0.40
1:G:371:ASP:HA	1:G:481:ARG:HB2	2.02	0.40
1:E:286:GLU:HG2	1:E:307:ALA:HB3	2.03	0.40
1:A:132:GLY:N	1:A:233:PRO:HD3	2.36	0.40
1:C:260:ARG:HD3	1:C:287:ASN:HD21	1.86	0.40
1:G:260:ARG:HD3	1:G:287:ASN:HD21	1.87	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:513:LEU:O	1:B:513:LEU:O[2_555]	2.16	0.04

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	431/447 (96%)	425 (99%)	5 (1%)	1 (0%)	43	44
1	B	442/447 (99%)	436 (99%)	5 (1%)	1 (0%)	43	44
1	C	428/447 (96%)	420 (98%)	7 (2%)	1 (0%)	43	44
1	D	431/447 (96%)	427 (99%)	3 (1%)	1 (0%)	43	44
1	E	434/447 (97%)	426 (98%)	6 (1%)	2 (0%)	24	22
1	F	441/447 (99%)	437 (99%)	3 (1%)	1 (0%)	43	44
1	G	432/447 (97%)	424 (98%)	7 (2%)	1 (0%)	43	44
1	H	432/447 (97%)	428 (99%)	3 (1%)	1 (0%)	43	44
All	All	3471/3576 (97%)	3423 (99%)	39 (1%)	9 (0%)	36	36

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	342	THR
1	B	342	THR
1	C	342	THR
1	D	342	THR
1	E	342	THR
1	F	342	THR
1	G	342	THR
1	H	342	THR
1	E	233	PRO

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	346/352 (98%)	334 (96%)	12 (4%)	32	34
1	B	353/352 (100%)	345 (98%)	8 (2%)	44	50
1	C	345/352 (98%)	334 (97%)	11 (3%)	34	37
1	D	344/352 (98%)	334 (97%)	10 (3%)	37	41
1	E	348/352 (99%)	335 (96%)	13 (4%)	30	31
1	F	352/352 (100%)	343 (97%)	9 (3%)	40	45
1	G	349/352 (99%)	342 (98%)	7 (2%)	48	55
1	H	345/352 (98%)	335 (97%)	10 (3%)	37	41
All	All	2782/2816 (99%)	2702 (97%)	80 (3%)	39	41

All (80) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	26	GLN
1	A	52	VAL
1	A	86	LEU
1	A	260	ARG
1	A	261	LYS
1	A	424	GLU
1	A	477	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	502	ARG
1	A	530	ARG
1	A	539[A]	MET
1	A	539[B]	MET
1	A	542	LEU
1	B	52	VAL
1	B	68	ARG
1	B	118	ARG
1	B	261	LYS
1	B	265	VAL
1	B	381	LYS
1	B	414	ARG
1	B	514	ARG
1	C	19	GLU
1	C	52	VAL
1	C	68	ARG
1	C	116[A]	SER
1	C	116[B]	SER
1	C	260	ARG
1	C	261	LYS
1	C	272[A]	LEU
1	C	272[B]	LEU
1	C	414	ARG
1	C	533	SER
1	D	52	VAL
1	D	68	ARG
1	D	118	ARG
1	D	244[A]	ARG
1	D	244[B]	ARG
1	D	261	LYS
1	D	501	ASP
1	D	513	LEU
1	D	530	ARG
1	D	539	MET
1	E	52	VAL
1	E	68	ARG
1	E	127	LYS
1	E	235	LEU
1	E	259	VAL
1	E	261	LYS
1	E	275	GLU
1	E	414	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	424	GLU
1	E	513	LEU
1	E	539[A]	MET
1	E	539[B]	MET
1	E	541	VAL
1	F	16	LEU
1	F	26	GLN
1	F	52	VAL
1	F	68	ARG
1	F	94	GLU
1	F	261	LYS
1	F	293	ARG
1	F	414	ARG
1	F	519	VAL
1	G	20	LEU
1	G	52	VAL
1	G	68	ARG
1	G	261	LYS
1	G	275	GLU
1	G	414	ARG
1	G	477	VAL
1	H	52	VAL
1	H	68	ARG
1	H	244[A]	ARG
1	H	244[B]	ARG
1	H	261	LYS
1	H	275	GLU
1	H	513	LEU
1	H	518	ARG
1	H	539	MET
1	H	543	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	90	HIS
1	B	15	GLN
1	B	90	HIS
1	C	90	HIS
1	E	90	HIS
1	F	15	GLN
1	F	90	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	G	90	HIS

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no oligosaccharides in this entry.

5.6 Ligand geometry (i)

Of 40 ligands modelled in this entry, 16 are monoatomic - leaving 24 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
4	07T	B	603[B]	-	26,28,28	1.37	2 (7%)	30,42,42	1.29	4 (13%)
3	OXL	G	602	5	5,5,5	2.47	2 (40%)	6,6,6	1.29	1 (16%)
3	OXL	H	602	5	5,5,5	1.97	2 (40%)	6,6,6	1.86	1 (16%)
2	FBP	G	601	-	18,20,20	0.56	0	21,32,32	0.57	0
4	07T	E	603[B]	-	26,28,28	1.34	2 (7%)	30,42,42	1.37	6 (20%)
4	07T	B	603[A]	-	26,28,28	1.22	4 (15%)	30,42,42	1.31	5 (16%)
4	07T	A	603[B]	-	26,28,28	1.26	4 (15%)	30,42,42	1.20	5 (16%)
2	FBP	B	601	-	18,20,20	0.54	0	21,32,32	0.94	1 (4%)
2	FBP	H	601	-	18,20,20	0.59	0	21,32,32	0.79	1 (4%)
3	OXL	B	602	5	5,5,5	2.25	2 (40%)	6,6,6	1.41	1 (16%)
2	FBP	F	601	-	18,20,20	0.33	0	21,32,32	0.59	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\|>2$	Counts	RMSZ	$\#\|Z\|>2$
3	OXL	D	602	5	5,5,5	2.09	2 (40%)	6,6,6	1.94	2 (33%)
3	OXL	A	602	5	5,5,5	1.89	2 (40%)	6,6,6	2.55	3 (50%)
4	07T	F	603[B]	-	26,28,28	1.39	4 (15%)	30,42,42	1.34	3 (10%)
3	OXL	C	602	5	5,5,5	2.23	3 (60%)	6,6,6	2.01	2 (33%)
4	07T	E	603[A]	-	26,28,28	1.11	1 (3%)	30,42,42	1.33	5 (16%)
2	FBP	D	601	-	18,20,20	0.56	0	21,32,32	0.89	1 (4%)
4	07T	A	603[A]	-	26,28,28	1.41	5 (19%)	30,42,42	1.23	2 (6%)
3	OXL	F	602	5	5,5,5	2.26	3 (60%)	6,6,6	2.57	3 (50%)
3	OXL	E	602	5	5,5,5	2.03	2 (40%)	6,6,6	1.73	2 (33%)
2	FBP	E	601	-	18,20,20	0.57	0	21,32,32	0.54	0
2	FBP	C	601	-	18,20,20	0.59	0	21,32,32	0.55	0
4	07T	F	603[A]	-	26,28,28	1.28	3 (11%)	30,42,42	1.45	5 (16%)
2	FBP	A	601	-	18,20,20	0.44	0	21,32,32	0.59	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	07T	B	603[B]	-	-	0/4/8/8	0/4/4/4
3	OXL	G	602	5	-	4/4/4/4	-
3	OXL	H	602	5	-	4/4/4/4	-
2	FBP	G	601	-	-	2/13/32/32	0/1/1/1
4	07T	E	603[B]	-	-	0/4/8/8	0/4/4/4
4	07T	B	603[A]	-	-	0/4/8/8	0/4/4/4
4	07T	A	603[B]	-	-	0/4/8/8	0/4/4/4
2	FBP	B	601	-	-	2/13/32/32	0/1/1/1
2	FBP	H	601	-	-	2/13/32/32	0/1/1/1
3	OXL	B	602	5	-	4/4/4/4	-
2	FBP	F	601	-	-	2/13/32/32	0/1/1/1
3	OXL	D	602	5	-	4/4/4/4	-
3	OXL	A	602	5	-	4/4/4/4	-
4	07T	F	603[B]	-	-	0/4/8/8	0/4/4/4
3	OXL	C	602	5	-	4/4/4/4	-
4	07T	E	603[A]	-	-	0/4/8/8	0/4/4/4
2	FBP	D	601	-	-	2/13/32/32	0/1/1/1
4	07T	A	603[A]	-	-	0/4/8/8	0/4/4/4

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	OXL	F	602	5	-	0/4/4/4	-
3	OXL	E	602	5	-	4/4/4/4	-
2	FBP	E	601	-	-	3/13/32/32	0/1/1/1
2	FBP	C	601	-	-	2/13/32/32	0/1/1/1
4	07T	F	603[A]	-	-	0/4/8/8	0/4/4/4
2	FBP	A	601	-	-	2/13/32/32	0/1/1/1

All (43) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	602	OXL	O2-C2	4.41	1.33	1.22
3	G	602	OXL	O2-C2	4.26	1.33	1.22
4	E	603[B]	07T	CAU-SAN	-4.25	1.65	1.74
4	B	603[B]	07T	CAL-NAX	4.11	1.52	1.46
4	F	603[B]	07T	CAL-NAX	3.84	1.52	1.46
3	C	602	OXL	O2-C2	3.64	1.31	1.22
3	A	602	OXL	O2-C2	3.50	1.31	1.22
3	D	602	OXL	O4-C2	-3.39	1.21	1.30
3	F	602	OXL	O2-C2	3.38	1.30	1.22
4	E	603[A]	07T	CAU-SAN	-3.31	1.67	1.74
3	E	602	OXL	O4-C2	-3.27	1.21	1.30
3	H	602	OXL	O4-C2	-3.17	1.21	1.30
3	D	602	OXL	O2-C2	3.12	1.30	1.22
4	F	603[A]	07T	CAL-NAX	3.05	1.51	1.46
4	A	603[B]	07T	CAL-NAX	3.05	1.51	1.46
3	F	602	OXL	C2-C1	3.03	1.59	1.54
3	E	602	OXL	O2-C2	3.02	1.30	1.22
4	A	603[A]	07T	CAU-SAN	-3.01	1.67	1.74
4	A	603[A]	07T	CAJ-NAM	3.01	1.33	1.29
3	G	602	OXL	O4-C2	-2.98	1.22	1.30
4	B	603[B]	07T	CAU-SAN	-2.97	1.67	1.74
4	A	603[A]	07T	CAL-NAX	2.88	1.50	1.46
4	B	603[A]	07T	CAU-SAN	-2.86	1.68	1.74
4	F	603[A]	07T	CAU-SAN	-2.85	1.68	1.74
4	B	603[A]	07T	CAJ-NAM	2.72	1.32	1.29
4	A	603[B]	07T	CAU-SAN	-2.55	1.68	1.74
4	F	603[A]	07T	CAJ-NAM	2.51	1.32	1.29
4	F	603[B]	07T	CAU-SAN	-2.49	1.68	1.74
3	H	602	OXL	O2-C2	2.48	1.28	1.22
3	C	602	OXL	C2-C1	2.42	1.58	1.54
4	B	603[A]	07T	CAL-NAX	2.40	1.50	1.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	603[B]	07T	CAJ-NAM	2.40	1.32	1.29
4	A	603[A]	07T	CAV-CAR	2.38	1.49	1.43
4	F	603[B]	07T	CAT-CAU	2.37	1.42	1.39
3	A	602	OXL	O4-C2	-2.33	1.24	1.30
3	B	602	OXL	O4-C2	-2.30	1.24	1.30
3	C	602	OXL	O4-C2	-2.28	1.24	1.30
4	B	603[A]	07T	CAT-CAU	2.26	1.42	1.39
4	F	603[B]	07T	CAJ-NAM	2.17	1.32	1.29
4	A	603[B]	07T	CAV-CAR	2.16	1.48	1.43
4	E	603[B]	07T	CAS-CAU	-2.15	1.38	1.44
4	A	603[A]	07T	CAS-CAU	-2.11	1.38	1.44
3	F	602	OXL	O4-C2	-2.07	1.24	1.30

All (53) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
3	F	602	OXL	O4-C2-C1	4.55	121.66	112.83
3	A	602	OXL	O4-C2-C1	4.44	121.44	112.83
3	C	602	OXL	O4-C2-C1	4.14	120.87	112.83
3	H	602	OXL	O4-C2-C1	3.82	120.24	112.83
4	F	603[B]	07T	CAL-NAX-CAR	3.54	122.53	119.22
2	B	601	FBP	O6-P2-O4P	3.51	115.92	106.44
3	F	602	OXL	O3-C1-C2	3.36	119.35	112.83
4	B	603[B]	07T	CAL-NAX-CAR	3.34	122.34	119.22
4	F	603[A]	07T	CAU-SAN-CAQ	-3.27	90.98	95.52
3	D	602	OXL	O4-C2-C1	3.22	119.08	112.83
3	E	602	OXL	O4-C2-C1	3.15	118.95	112.83
4	A	603[A]	07T	CAL-NAX-CAR	3.07	122.09	119.22
4	F	603[B]	07T	CAU-SAN-CAQ	-3.05	91.29	95.52
4	F	603[A]	07T	CAL-NAX-CAR	3.00	122.03	119.22
3	A	602	OXL	O2-C2-C1	-2.99	114.40	120.63
3	A	602	OXL	O3-C1-C2	2.97	118.58	112.83
3	D	602	OXL	O3-C1-C2	2.96	118.56	112.83
4	E	603[A]	07T	CAO-CAI-CAP	-2.93	118.16	121.01
4	B	603[A]	07T	CAV-NAW-CAT	-2.87	106.24	108.61
4	F	603[A]	07T	CAV-NAW-CAT	-2.87	106.24	108.61
4	E	603[B]	07T	CAL-NAX-CAR	2.86	121.89	119.22
4	F	603[B]	07T	CAV-NAW-CAT	-2.83	106.27	108.61
4	A	603[B]	07T	CAU-SAN-CAQ	-2.82	91.61	95.52
2	H	601	FBP	O6-P2-O4P	2.80	114.02	106.44
4	B	603[A]	07T	CAU-SAN-CAQ	-2.75	91.70	95.52
2	D	601	FBP	O6-P2-O4P	2.73	113.82	106.44

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
4	B	603[B]	07T	CAV-NAW-CAT	-2.71	106.37	108.61
4	B	603[B]	07T	CAU-SAN-CAQ	-2.68	91.80	95.52
4	E	603[A]	07T	CAV-NAW-CAT	-2.68	106.40	108.61
4	E	603[B]	07T	CAV-NAW-CAT	-2.60	106.47	108.61
4	E	603[A]	07T	CAU-SAN-CAQ	-2.58	91.94	95.52
4	E	603[B]	07T	CAU-SAN-CAQ	-2.57	91.95	95.52
3	B	602	OXL	O4-C2-C1	2.56	117.79	112.83
4	B	603[A]	07T	CAO-CAI-CAP	-2.52	118.56	121.01
4	E	603[B]	07T	CAO-CAI-CAP	-2.42	118.66	121.01
3	F	602	OXL	O2-C2-C1	-2.42	115.60	120.63
3	G	602	OXL	O3-C1-C2	2.41	117.51	112.83
3	E	602	OXL	O3-C1-C2	2.40	117.49	112.83
4	A	603[A]	07T	CAV-NAW-CAT	-2.40	106.63	108.61
4	F	603[A]	07T	CAO-CAI-CAP	-2.33	118.75	121.01
4	E	603[A]	07T	CAH-CAP-CAI	2.32	121.75	118.55
4	A	603[B]	07T	CAL-NAX-CAR	2.31	121.38	119.22
4	B	603[A]	07T	CAL-NAX-CAR	2.31	121.38	119.22
4	B	603[A]	07T	CAS-CAU-CAT	-2.22	106.42	108.21
4	A	603[B]	07T	CAS-CAU-CAT	-2.18	106.45	108.21
4	E	603[A]	07T	OAE-SAY-CAB	-2.16	101.59	106.44
4	B	603[B]	07T	CAS-CAU-CAT	-2.16	106.47	108.21
3	C	602	OXL	O2-C2-C1	-2.15	116.15	120.63
4	E	603[B]	07T	OAE-SAY-CAB	-2.11	101.71	106.44
4	A	603[B]	07T	CAV-NAW-CAT	-2.07	106.90	108.61
4	A	603[B]	07T	CAO-CAI-CAP	-2.06	119.01	121.01
4	F	603[A]	07T	OAE-SAY-CAB	-2.06	101.83	106.44
4	E	603[B]	07T	CAH-CAP-CAI	2.03	121.35	118.55

There are no chirality outliers.

All (45) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	601	FBP	C4-C5-C6-O6
2	B	601	FBP	C4-C5-C6-O6
2	C	601	FBP	C4-C5-C6-O6
2	D	601	FBP	C4-C5-C6-O6
2	E	601	FBP	C4-C5-C6-O6
2	F	601	FBP	C4-C5-C6-O6
2	G	601	FBP	C4-C5-C6-O6
2	H	601	FBP	C4-C5-C6-O6
2	A	601	FBP	O5-C5-C6-O6
2	B	601	FBP	O5-C5-C6-O6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	C	601	FBP	O5-C5-C6-O6
2	D	601	FBP	O5-C5-C6-O6
2	E	601	FBP	O5-C5-C6-O6
2	F	601	FBP	O5-C5-C6-O6
2	G	601	FBP	O5-C5-C6-O6
2	H	601	FBP	O5-C5-C6-O6
3	E	602	OXL	O3-C1-C2-O4
3	H	602	OXL	O3-C1-C2-O4
3	A	602	OXL	O3-C1-C2-O4
3	B	602	OXL	O3-C1-C2-O4
3	D	602	OXL	O3-C1-C2-O4
3	G	602	OXL	O3-C1-C2-O4
3	A	602	OXL	O1-C1-C2-O2
3	D	602	OXL	O1-C1-C2-O2
3	E	602	OXL	O1-C1-C2-O2
3	G	602	OXL	O1-C1-C2-O2
3	H	602	OXL	O1-C1-C2-O2
3	B	602	OXL	O1-C1-C2-O2
3	C	602	OXL	O3-C1-C2-O4
3	C	602	OXL	O1-C1-C2-O2
3	A	602	OXL	O1-C1-C2-O4
3	E	602	OXL	O1-C1-C2-O4
3	B	602	OXL	O3-C1-C2-O2
3	D	602	OXL	O1-C1-C2-O4
3	D	602	OXL	O3-C1-C2-O2
3	E	602	OXL	O3-C1-C2-O2
3	G	602	OXL	O1-C1-C2-O4
3	G	602	OXL	O3-C1-C2-O2
3	H	602	OXL	O1-C1-C2-O4
3	H	602	OXL	O3-C1-C2-O2
3	A	602	OXL	O3-C1-C2-O2
3	B	602	OXL	O1-C1-C2-O4
3	C	602	OXL	O1-C1-C2-O4
2	E	601	FBP	C1-O1-P1-O1P
3	C	602	OXL	O3-C1-C2-O2

There are no ring outliers.

4 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	603[B]	07T	1	0
4	A	603[B]	07T	1	0


Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	C	602	OXL	1	0
4	E	603[A]	07T	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand 07T B 603 (B)




Ligand FBP G 601




Bond lengths



Bond angles




Torsions




Rings


Ligand 07T E 603 (B)




Bond lengths



Bond angles




Torsions




Rings


Ligand 07T B 603 (A)




Bond lengths



Bond angles




Torsions




Rings


Ligand 07T A 603 (B)




Bond lengths



Bond angles




Torsions




Rings


Ligand FBP B 601




Bond lengths



Bond angles




Torsions




Rings


Ligand FBP H 601




Bond lengths



Bond angles




Torsions




Rings


Ligand FBP F 601




Bond lengths



Bond angles




Torsions




Rings


Ligand 07T F 603 (B)




Bond lengths



Bond angles




Torsions




Rings


Ligand 07T E 603 (A)




Bond lengths



Bond angles




Torsions




Rings


Ligand FBP D 601




Bond lengths



Bond angles




Torsions




Rings


Ligand 07T A 603 (A)




Bond lengths



Bond angles




Torsions




Rings


Ligand FBP E 601




Bond lengths



Bond angles




Torsions




Rings


Ligand FBP C 601




Bond lengths



Bond angles




Torsions




Rings


Ligand 07T F 603 (A)




Bond lengths



Bond angles




Torsions




Rings


Ligand FBP A 601




Bond lengths



Bond angles



Torsions



Rings

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å^2)	Q<0.9
1	A	420/447 (93%)	0.99	46 (10%)	10	11	24, 49, 77, 97	13 (3%)
1	B	436/447 (97%)	1.20	86 (19%)	3	3	21, 49, 83, 93	8 (1%)
1	C	424/447 (94%)	0.56	26 (6%)	27	29	20, 40, 62, 82	8 (1%)
1	D	425/447 (95%)	0.35	17 (4%)	42	45	16, 35, 58, 86	8 (1%)
1	E	423/447 (94%)	0.89	36 (8%)	16	18	25, 47, 75, 93	13 (3%)
1	F	435/447 (97%)	0.70	29 (6%)	24	26	23, 42, 67, 80	8 (1%)
1	G	427/447 (95%)	0.45	18 (4%)	40	43	20, 37, 55, 87	10 (2%)
1	H	425/447 (95%)	0.23	13 (3%)	51	54	16, 34, 55, 71	9 (2%)
All	All	3415/3576 (95%)	0.67	271 (7%)	18	20	16, 42, 71, 97	77 (2%)

All (271) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	115	LEU	6.7
1	E	277[A]	HIS	6.1
1	H	21	GLY	6.0
1	B	513	LEU	5.8
1	D	21	GLY	5.4
1	A	545	SER	5.1
1	B	545	SER	5.1
1	B	114	PRO	4.9
1	G	16	LEU	4.7
1	A	34	MET	4.7
1	A	115	LEU	4.7
1	E	23	ALA	4.6
1	G	233	PRO	4.5
1	C	273	GLY	4.5
1	D	24	PHE	4.4
1	D	277[A]	HIS	4.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	233	PRO	4.2
1	E	516	PHE	4.2
1	E	233	PRO	4.1
1	G	273	GLY	4.1
1	B	116	SER	4.0
1	E	269[A]	ARG	4.0
1	E	235	LEU	3.9
1	E	115	LEU	3.9
1	F	233	PRO	3.9
1	A	26	GLN	3.9
1	A	516	PHE	3.9
1	D	23	ALA	3.8
1	B	235	LEU	3.7
1	C	19	GLU	3.7
1	A	233	PRO	3.6
1	B	492	PRO	3.6
1	B	495	ILE	3.5
1	A	307	ALA	3.5
1	B	269[A]	ARG	3.5
1	C	34	MET	3.5
1	B	77	ILE	3.5
1	B	307	ALA	3.5
1	B	117	TYR	3.5
1	E	34	MET	3.5
1	H	518	ARG	3.5
1	C	368	ASP	3.4
1	C	111	ALA	3.4
1	E	245	PHE	3.4
1	A	490[A]	GLU	3.4
1	B	491	PRO	3.4
1	A	234	GLY	3.4
1	G	516	PHE	3.4
1	B	95	TYR	3.4
1	C	353	ARG	3.4
1	B	118	ARG	3.3
1	B	380	ALA	3.3
1	B	52	VAL	3.3
1	F	265	VAL	3.3
1	B	517	LEU	3.3
1	H	244[A]	ARG	3.3
1	D	22	THR	3.2
1	A	542	LEU	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	276	GLY	3.2
1	B	514	ARG	3.2
1	G	418	LEU	3.2
1	C	234	GLY	3.2
1	F	234	GLY	3.2
1	C	20	LEU	3.1
1	E	435	PHE	3.1
1	F	115	LEU	3.1
1	F	418	LEU	3.1
1	B	519	VAL	3.1
1	B	243	LEU	3.1
1	B	508	ILE	3.1
1	H	34	MET	3.1
1	B	233	PRO	3.0
1	B	418	LEU	3.0
1	E	542	LEU	3.0
1	B	265	VAL	3.0
1	E	258	PHE	3.0
1	F	516	PHE	3.0
1	B	107	VAL	2.9
1	B	515	GLY	2.9
1	B	239	ASP	2.9
1	F	491	PRO	2.9
1	F	518	ARG	2.9
1	A	111	ALA	2.9
1	B	416	ALA	2.9
1	B	63	ILE	2.9
1	E	424	GLU	2.9
1	E	271	ALA	2.9
1	A	235	LEU	2.9
1	H	277[A]	HIS	2.9
1	C	413	ARG	2.9
1	A	274	PRO	2.9
1	B	274	PRO	2.8
1	C	114	PRO	2.8
1	F	277	HIS	2.8
1	F	11	ALA	2.8
1	E	272	LEU	2.8
1	G	274	PRO	2.8
1	B	91	GLY	2.8
1	C	115	LEU	2.8
1	A	70	VAL	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	65	PRO	2.8
1	F	353	ARG	2.7
1	A	245	PHE	2.7
1	E	24	PHE	2.7
1	B	66	ALA	2.7
1	C	545	SER	2.7
1	A	132	GLY	2.7
1	B	80	GLY	2.7
1	B	234	GLY	2.7
1	C	388	ALA	2.7
1	B	486	LEU	2.7
1	D	34	MET	2.7
1	A	424	GLU	2.6
1	A	277	HIS	2.6
1	B	270	ALA	2.6
1	E	114	PRO	2.6
1	F	235	LEU	2.6
1	E	545	SER	2.6
1	A	95	TYR	2.6
1	F	514	ARG	2.6
1	F	240	VAL	2.6
1	A	496	TRP	2.6
1	G	17	THR	2.6
1	H	22	THR	2.6
1	E	492	PRO	2.6
1	G	18	GLN	2.6
1	F	91	GLY	2.6
1	F	489	ARG	2.6
1	A	243	LEU	2.6
1	A	272	LEU	2.6
1	B	272	LEU	2.6
1	D	30	LEU	2.6
1	C	103	VAL	2.5
1	B	112	GLY	2.5
1	C	117	TYR	2.5
1	B	385	PRO	2.5
1	B	494	ALA	2.5
1	H	236	SER	2.5
1	B	258	PHE	2.5
1	B	381	LYS	2.5
1	B	106	ALA	2.5
1	B	509	GLU	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	487	LEU	2.5
1	G	34	MET	2.5
1	A	405	HIS	2.5
1	B	277	HIS	2.5
1	C	75	GLU	2.5
1	A	492	PRO	2.5
1	D	417	PRO	2.5
1	H	233	PRO	2.5
1	F	269[A]	ARG	2.5
1	G	353	ARG	2.5
1	A	265	VAL	2.4
1	A	242	ASP	2.4
1	E	543[A]	SER	2.4
1	F	545	SER	2.4
1	G	545	SER	2.4
1	B	124	LEU	2.4
1	C	418	LEU	2.4
1	B	489	ARG	2.4
1	B	128	GLY	2.4
1	B	130	GLY	2.4
1	B	300	VAL	2.4
1	D	501	ASP	2.4
1	D	233	PRO	2.4
1	B	127	LYS	2.4
1	E	128	GLY	2.4
1	B	384	PHE	2.4
1	C	516	PHE	2.4
1	D	25	PHE	2.4
1	A	413	ARG	2.4
1	F	414	ARG	2.4
1	B	64	GLY	2.4
1	B	110	PHE	2.4
1	E	25	PHE	2.4
1	D	32	ALA	2.3
1	H	235	LEU	2.3
1	B	518	ARG	2.3
1	B	71	GLU	2.3
1	B	119	PRO	2.3
1	C	274	PRO	2.3
1	B	511	GLY	2.3
1	E	517	LEU	2.3
1	H	353	ARG	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	127	LYS	2.3
1	G	54	ALA	2.3
1	B	382	GLY	2.3
1	F	118	ARG	2.3
1	B	76[A]	MET	2.3
1	B	506	PHE	2.3
1	A	77	ILE	2.3
1	H	406	ARG	2.3
1	A	32	ALA	2.3
1	E	234	GLY	2.3
1	G	116[A]	SER	2.2
1	A	484	PHE	2.2
1	A	495	ILE	2.2
1	B	268	VAL	2.2
1	F	114	PRO	2.2
1	A	353	ARG	2.2
1	E	353	ARG	2.2
1	B	368	ASP	2.2
1	A	96	HIS	2.2
1	F	90	HIS	2.2
1	B	543	SER	2.2
1	B	88	PHE	2.2
1	A	359	THR	2.2
1	A	519	VAL	2.2
1	G	234	GLY	2.2
1	B	440	ALA	2.2
1	A	116	SER	2.2
1	C	109	SER	2.2
1	E	116	SER	2.2
1	E	236	SER	2.2
1	B	529	TRP	2.2
1	C	110	PHE	2.2
1	C	281	ILE	2.2
1	A	483	VAL	2.2
1	C	94	GLU	2.2
1	D	424	GLU	2.2
1	F	112	GLY	2.2
1	F	410	GLU	2.2
1	G	75	GLU	2.2
1	B	111	ALA	2.2
1	B	73	LEU	2.2
1	A	502	ARG	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	F	239	ASP	2.2
1	A	409	PHE	2.1
1	B	108	GLU	2.1
1	B	279	ILE	2.1
1	B	259	VAL	2.1
1	F	132	GLY	2.1
1	E	266	ALA	2.1
1	B	74	LYS	2.1
1	F	492	PRO	2.1
1	G	38	PHE	2.1
1	A	477	VAL	2.1
1	B	413	ARG	2.1
1	D	244[A]	ARG	2.1
1	D	413	ARG	2.1
1	F	494	ALA	2.1
1	B	109	SER	2.1
1	B	113	SER	2.1
1	B	510	SER	2.1
1	D	235	LEU	2.1
1	H	417	PRO	2.1
1	B	281	ILE	2.1
1	C	112	GLY	2.1
1	C	25	PHE	2.1
1	E	111	ALA	2.1
1	F	486	LEU	2.1
1	G	30	LEU	2.1
1	B	242	ASP	2.1
1	B	458	TYR	2.1
1	A	112	GLY	2.1
1	H	234	GLY	2.1
1	A	349	ILE	2.1
1	B	386	VAL	2.1
1	B	434	ALA	2.1
1	E	415	ALA	2.1
1	A	414	ARG	2.0
1	B	90	HIS	2.0
1	E	265	VAL	2.0
1	A	543[A]	SER	2.0
1	E	131	SER	2.0
1	E	307	ALA	2.0
1	G	106	ALA	2.0
1	D	353	ARG	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	129	PRO	2.0
1	E	278	GLY	2.0
1	E	449	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no oligosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
3	OXL	B	602	6/6	0.80	0.13	53,54,55,55	0
3	OXL	E	602	6/6	0.85	0.13	61,62,62,62	0
3	OXL	C	602	6/6	0.86	0.11	52,52,53,54	0
5	MG	A	604	1/1	0.86	0.17	52,52,52,52	0
3	OXL	F	602	6/6	0.87	0.11	49,50,51,51	0
4	07T	E	603[B]	25/25	0.88	0.12	39,41,43,43	25
4	07T	E	603[A]	25/25	0.88	0.12	26,30,34,35	25
5	MG	B	604	1/1	0.89	0.11	60,60,60,60	0
6	K	B	605	1/1	0.90	0.09	76,76,76,76	0
3	OXL	A	602	6/6	0.91	0.10	54,55,57,57	0
4	07T	A	603[A]	25/25	0.91	0.10	20,27,32,32	25
4	07T	F	603[A]	25/25	0.91	0.12	38,41,43,44	25
4	07T	F	603[B]	25/25	0.91	0.12	26,30,35,36	25
4	07T	A	603[B]	25/25	0.91	0.10	48,50,53,54	25
4	07T	B	603[A]	25/25	0.91	0.10	18,25,31,32	25
4	07T	B	603[B]	25/25	0.91	0.10	50,53,54,55	25
6	K	E	605	1/1	0.91	0.18	87,87,87,87	0
3	OXL	G	602	6/6	0.93	0.08	42,43,44,45	0
3	OXL	H	602	6/6	0.93	0.09	44,44,45,45	0
2	FBP	B	601	20/20	0.94	0.09	44,45,49,49	0

Continued on next page...


Continued from previous page...


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
3	OXL	D	602	6/6	0.94	0.09	46,46,47,47	0
2	FBP	A	601	20/20	0.95	0.07	48,49,50,50	0
2	FBP	F	601	20/20	0.95	0.07	37,42,48,49	0
2	FBP	E	601	20/20	0.96	0.07	45,47,48,49	0
2	FBP	G	601	20/20	0.96	0.07	30,32,34,34	0
6	K	G	604	1/1	0.96	0.13	56,56,56,56	0
6	K	C	604	1/1	0.97	0.07	52,52,52,52	0
2	FBP	C	601	20/20	0.97	0.06	33,34,36,36	0
6	K	F	605	1/1	0.97	0.06	71,71,71,71	0
2	FBP	D	601	20/20	0.97	0.06	25,27,33,33	0
6	K	D	604	1/1	0.98	0.07	38,38,38,38	0
6	K	A	605	1/1	0.98	0.07	77,77,77,77	0
2	FBP	H	601	20/20	0.98	0.04	26,28,31,32	0
5	MG	C	603	1/1	0.98	0.04	44,44,44,44	0
6	K	H	604	1/1	0.98	0.07	41,41,41,41	0
5	MG	G	603	1/1	0.99	0.03	41,41,41,41	0
5	MG	H	603	1/1	0.99	0.04	41,41,41,41	0
5	MG	D	603	1/1	0.99	0.01	40,40,40,40	0
5	MG	E	604	1/1	0.99	0.02	45,45,45,45	0
5	MG	F	604	1/1	0.99	0.04	36,36,36,36	0


The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around 07T E 603 (B):

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)










Electron density around 07T E 603 (A):

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)










Electron density around 07T A 603 (A):

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)










Electron density around 07T F 603 (A):

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)










Electron density around 07T F 603 (B):

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)










Electron density around 07T A 603 (B):

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)










Electron density around 07T B 603 (A):

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)










Electron density around 07T B 603 (B):

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)










Electron density around FBP B 601:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)









Electron density around FBP A 601:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)




Electron density around FBP F 601:


$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)




Electron density around FBP E 601:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)










Electron density around FBP G 601:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)









Electron density around FBP C 601:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)




Electron density around FBP D 601:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)



Electron density around FBP H 601:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)



6.5 Other polymers (i)

There are no such residues in this entry.