



Full wwPDB EM Validation Report ⓘ

Sep 15, 2026 – 10:25 PM EDT

PDB ID : 38OK / pdb_000038ok
EMDB ID : EMD-79003
Title : AAV2 Rep68(delta1-209)/capsid/DNA complex
Authors : Kaelber, J.T.; Barnakov, V.; Shen, J.; Escalante, C.R.
Deposited on : 2026-09-09
Resolution : 2.93 Å(reported)
Based on initial model : 12KG

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:



EMDB validation analysis : 0.0.1.dev133
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.50

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 2.93 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	13037 (2.43 - 3.43)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	278	45% 99%
1	B	278	17% 99%
1	C	278	17% 98%
1	D	278	12% 99%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	E	278	15% 99%
1	F	278	22% 100%
2	G	7	29% 100%
3	V	510	99%
3	W	510	99%
3	X	510	99%
3	Y	510	99%
3	Z	510	99%

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 34192 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Protein Rep68.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	278	Total	C	N	O	S	0	0
			2198	1402	372	414	10		
1	B	278	Total	C	N	O	S	0	0
			2210	1408	378	414	10		
1	C	278	Total	C	N	O	S	0	0
			2210	1408	378	414	10		
1	D	278	Total	C	N	O	S	0	0
			2210	1408	378	414	10		
1	E	278	Total	C	N	O	S	0	0
			2210	1408	378	414	10		
1	F	278	Total	C	N	O	S	0	0
			2210	1408	378	414	10		

- Molecule 2 is a DNA chain called ssDNA.


Mol	Chain	Residues	Atoms					AltConf	Trace
2	G	7	Total	C	N	O	P	0	0
			147	70	35	35	7		

- Molecule 3 is a protein called Capsid protein VP1.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	V	510	Total	C	N	O	S	0	0
			4100	2584	715	788	13		
3	W	510	Total	C	N	O	S	0	0
			4100	2584	715	788	13		
3	X	510	Total	C	N	O	S	0	0
			4100	2584	715	788	13		
3	Y	510	Total	C	N	O	S	0	0
			4100	2584	715	788	13		
3	Z	510	Total	C	N	O	S	0	0
			4100	2584	715	788	13		


- Molecule 4 is ADENOSINE-5'-DIPHOSPHATE (CCD ID: ADP) (formula: C₁₀H₁₅N₅O₁₀P₂)

(labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					AltConf
4	A	1	Total	C	N	O	P	0
			27	10	5	10	2	
4	E	1	Total	C	N	O	P	0
			27	10	5	10	2	
4	F	1	Total	C	N	O	P	0
			27	10	5	10	2	
4	V	1	Total	C	N	O	P	0
			27	10	5	10	2	
4	W	1	Total	C	N	O	P	0
			27	10	5	10	2	
4	X	1	Total	C	N	O	P	0
			27	10	5	10	2	
4	Y	1	Total	C	N	O	P	0
			27	10	5	10	2	
4	Z	1	Total	C	N	O	P	0
			27	10	5	10	2	

- Molecule 5 is PYROPHOSPHATE 2- (CCD ID: POP) (formula: H₂O₇P₂) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms			AltConf
5	B	1	Total	O	P	0
			9	7	2	

- Molecule 6 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
6	B	1	Total	Mg	0
			1	1	
6	C	1	Total	Mg	0
			1	1	
6	D	1	Total	Mg	0
			1	1	
6	E	1	Total	Mg	0
			1	1	
6	F	1	Total	Mg	0
			1	1	
6	V	1	Total	Mg	0
			1	1	
6	W	1	Total	Mg	0
			1	1	
6	X	1	Total	Mg	0
			1	1	
6	Y	1	Total	Mg	0
			1	1	
6	Z	1	Total	Mg	0
			1	1	

- Molecule 7 is PHOSPHOTHIOPHOSPHORIC ACID-ADENYLATE ESTER (CCD ID:

AGS) (formula: C₁₀H₁₆N₅O₁₂P₃S) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms						AltConf
7	C	1	Total	C	N	O	P	S	0
			31	10	5	12	3	1	
7	D	1	Total	C	N	O	P	S	0
			31	10	5	12	3	1	


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Protein Rep68




• Molecule 1: Protein Rep68




• Molecule 1: Protein Rep68




- Molecule 1: Protein Rep68




- Molecule 1: Protein Rep68




- Molecule 1: Protein Rep68




- Molecule 2: ssDNA




- Molecule 3: Capsid protein VP1





- Molecule 3: Capsid protein VP1

Chain W:  99%





- Molecule 3: Capsid protein VP1

Chain X:  99%





- Molecule 3: Capsid protein VP1

Chain Y:  99%



- Molecule 3: Capsid protein VP1

Chain Z:  99%



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	249955	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	64.96	Depositor
Minimum defocus (nm)	400	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	130000	Depositor
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	0.547	Depositor
Minimum map value	-0.278	Depositor
Average map value	0.003	Depositor
Map value standard deviation	0.030	Depositor
Recommended contour level	0.15	Depositor
Map size (Å)	487.62, 487.62, 487.62	wwPDB
Map dimensions	756, 756, 756	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.645, 0.645, 0.645	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, AGS, DN, POP, ADP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.72	0/2250	1.23	1/3048 (0.0%)
1	B	0.70	0/2262	1.24	1/3062 (0.0%)
1	C	0.70	0/2262	1.23	5/3062 (0.2%)
1	D	0.71	0/2262	1.26	2/3062 (0.1%)
1	E	0.71	0/2262	1.22	1/3062 (0.0%)
1	F	0.70	0/2262	1.22	1/3062 (0.0%)
3	V	0.72	0/4223	1.24	3/5757 (0.1%)
3	W	0.72	0/4223	1.24	4/5757 (0.1%)
3	X	0.72	0/4223	1.23	3/5757 (0.1%)
3	Y	0.72	0/4223	1.24	3/5757 (0.1%)
3	Z	0.72	0/4223	1.24	3/5757 (0.1%)
All	All	0.71	0/34675	1.24	27/47143 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	C	0	1
1	E	0	1
All	All	0	3

There are no bond length outliers.

All (27) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	471	ARG	NE-CZ-NH2	5.99	124.59	119.20
1	D	444	ARG	NE-CZ-NH2	5.90	124.51	119.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	W	326	ASN	CA-CB-CG	5.85	118.45	112.60
3	Z	238	ARG	NE-CZ-NH2	5.74	124.37	119.20
3	X	238	ARG	NE-CZ-NH2	5.73	124.36	119.20
3	V	238	ARG	NE-CZ-NH2	5.72	124.35	119.20
3	Y	238	ARG	NE-CZ-NH2	5.68	124.31	119.20
3	W	238	ARG	NE-CZ-NH2	5.62	124.26	119.20
3	X	288	HIS	CB-CG-CD2	-5.44	124.12	131.20
1	C	367	ASN	CA-CB-CG	5.42	118.02	112.60
1	C	444	ARG	NE-CZ-NH2	5.41	124.07	119.20
3	W	288	HIS	CB-CG-CD2	-5.37	124.22	131.20
1	A	400	ARG	NE-CZ-NH2	5.36	124.02	119.20
3	Z	310	ARG	NE-CZ-NH2	5.34	124.01	119.20
1	E	452	ARG	NE-CZ-NH2	5.32	123.99	119.20
3	V	288	HIS	CB-CG-CD2	-5.30	124.31	131.20
3	Y	288	HIS	CB-CG-CD2	-5.28	124.33	131.20
3	Z	288	HIS	CB-CG-CD2	-5.27	124.35	131.20
1	F	452	ARG	NE-CZ-NH2	5.25	123.93	119.20
3	X	310	ARG	NE-CZ-NH2	5.20	123.88	119.20
3	V	310	ARG	NE-CZ-NH2	5.20	123.88	119.20
3	Y	310	ARG	NE-CZ-NH2	5.18	123.86	119.20
3	W	310	ARG	NE-CZ-NH2	5.12	123.81	119.20
1	C	334	GLY	CA-C-N	5.09	126.20	119.84
1	C	334	GLY	C-N-CA	5.09	126.20	119.84
1	B	452	ARG	NE-CZ-NH2	5.06	123.75	119.20
1	C	442	GLN	OE1-CD-NE2	-5.02	117.58	122.60

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	400	ARG	Sidechain
1	C	444	ARG	Sidechain
1	E	307	TYR	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2198	0	2158	1	0
1	B	2210	0	2179	1	0
1	C	2210	0	2179	0	0
1	D	2210	0	2179	0	0
1	E	2210	0	2179	1	0
1	F	2210	0	2179	0	0
2	G	147	0	50	0	0
3	V	4100	0	3861	0	0
3	W	4100	0	3861	0	0
3	X	4100	0	3861	0	0
3	Y	4100	0	3861	1	0
3	Z	4100	0	3861	1	0
4	A	27	0	12	0	0
4	E	27	0	12	0	0
4	F	27	0	12	0	0
4	V	27	0	12	0	0
4	W	27	0	12	0	0
4	X	27	0	12	0	0
4	Y	27	0	12	0	0
4	Z	27	0	12	0	0
5	B	9	0	0	0	0
6	B	1	0	0	0	0
6	C	1	0	0	0	0
6	D	1	0	0	0	0
6	E	1	0	0	0	0
6	F	1	0	0	0	0
6	V	1	0	0	0	0
6	W	1	0	0	0	0
6	X	1	0	0	0	0
6	Y	1	0	0	0	0
6	Z	1	0	0	0	0
7	C	31	0	12	0	0
7	D	31	0	12	0	0
All	All	34192	0	32528	3	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 0.

All (3) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:481:GLU:HG3	1:E:481:GLU:O	2.12	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:251:ILE:HD11	1:B:273:ILE:HD11	2.00	0.43
3:Y:228:TRP:O	3:Z:399:PRO:HA	2.21	0.41

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	276/278 (99%)	270 (98%)	6 (2%)	0	100	100
1	B	276/278 (99%)	272 (99%)	4 (1%)	0	100	100
1	C	276/278 (99%)	271 (98%)	4 (1%)	1 (0%)	30	54
1	D	276/278 (99%)	265 (96%)	10 (4%)	1 (0%)	30	54
1	E	276/278 (99%)	269 (98%)	7 (2%)	0	100	100
1	F	276/278 (99%)	272 (99%)	4 (1%)	0	100	100
3	V	508/510 (100%)	494 (97%)	14 (3%)	0	100	100
3	W	508/510 (100%)	494 (97%)	14 (3%)	0	100	100
3	X	508/510 (100%)	494 (97%)	14 (3%)	0	100	100
3	Y	508/510 (100%)	493 (97%)	15 (3%)	0	100	100
3	Z	508/510 (100%)	492 (97%)	16 (3%)	0	100	100
All	All	4196/4218 (100%)	4086 (97%)	108 (3%)	2 (0%)	100	100

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	443	ASP
1	C	335	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	237/239 (99%)	237 (100%)	0	100	100
1	B	239/239 (100%)	238 (100%)	1 (0%)	84	92
1	C	239/239 (100%)	238 (100%)	1 (0%)	84	92
1	D	239/239 (100%)	238 (100%)	1 (0%)	84	92
1	E	239/239 (100%)	239 (100%)	0	100	100
1	F	239/239 (100%)	239 (100%)	0	100	100
3	V	454/454 (100%)	452 (100%)	2 (0%)	84	92
3	W	454/454 (100%)	451 (99%)	3 (1%)	76	86
3	X	454/454 (100%)	452 (100%)	2 (0%)	84	92
3	Y	454/454 (100%)	451 (99%)	3 (1%)	76	86
3	Z	454/454 (100%)	452 (100%)	2 (0%)	84	92
All	All	3702/3704 (100%)	3687 (100%)	15 (0%)	81	92

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	341	THR
1	C	402	ASP
1	D	379	GLU
3	V	288	HIS
3	V	688	LYS
3	W	288	HIS
3	W	666	PHE
3	W	688	LYS
3	X	288	HIS
3	X	688	LYS
3	Y	288	HIS
3	Y	330	THR
3	Y	688	LYS
3	Z	288	HIS
3	Z	688	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (68) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	262	GLN
1	B	262	GLN
1	B	403	GLN
1	B	438	GLN
1	B	442	GLN
1	C	262	GLN
1	C	464	GLN
1	C	482	HIS
1	D	262	GLN
1	D	410	GLN
1	D	431	ASN
1	D	438	GLN
1	D	442	GLN
1	E	262	GLN
1	E	456	HIS
1	F	262	GLN
1	F	363	ASN
1	F	367	ASN
1	F	464	GLN
3	V	227	ASN
3	V	229	HIS
3	V	255	HIS
3	V	303	ASN
3	V	408	ASN
3	V	461	GLN
3	V	627	HIS
3	V	641	HIS
3	V	656	ASN
3	W	227	ASN
3	W	229	HIS
3	W	255	HIS
3	W	259	GLN
3	W	303	ASN
3	W	408	ASN
3	W	627	HIS
3	W	641	HIS
3	W	656	ASN
3	X	227	ASN
3	X	229	HIS
3	X	255	HIS
3	X	259	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	X	303	ASN
3	X	408	ASN
3	X	627	HIS
3	X	641	HIS
3	X	656	ASN
3	X	717	ASN
3	Y	227	ASN
3	Y	229	HIS
3	Y	255	HIS
3	Y	259	GLN
3	Y	303	ASN
3	Y	326	ASN
3	Y	408	ASN
3	Y	461	GLN
3	Y	627	HIS
3	Y	641	HIS
3	Y	656	ASN
3	Z	227	ASN
3	Z	229	HIS
3	Z	254	ASN
3	Z	255	HIS
3	Z	303	ASN
3	Z	326	ASN
3	Z	408	ASN
3	Z	627	HIS
3	Z	641	HIS
3	Z	656	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

Of 7 non-standard protein/DNA/RNA residues modelled in this entry, 7 could not be matched to an existing wwPDB Chemical Component Dictionary definition at this stage - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 21 ligands modelled in this entry, 10 are monoatomic - leaving 11 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
7	AGS	C	601	6	32,33,33	1.64	4 (12%)	45,52,52	1.31	7 (15%)
4	ADP	X	801	6	28,29,29	1.12	2 (7%)	43,45,45	1.30	8 (18%)
7	AGS	D	601	6	32,33,33	1.68	3 (9%)	45,52,52	1.32	7 (15%)
4	ADP	E	601	6	28,29,29	1.08	0	43,45,45	1.27	6 (13%)
4	ADP	Z	801	6	28,29,29	1.12	2 (7%)	43,45,45	1.38	9 (20%)
4	ADP	Y	801	6	28,29,29	1.12	1 (3%)	43,45,45	1.35	9 (20%)
4	ADP	F	601	6	28,29,29	1.11	1 (3%)	43,45,45	1.35	8 (18%)
4	ADP	V	801	6	28,29,29	1.14	2 (7%)	43,45,45	1.32	9 (20%)
5	POP	B	601	6	6,8,8	1.52	0	12,13,13	1.34	2 (16%)
4	ADP	A	601	-	28,29,29	0.97	0	43,45,45	1.40	9 (20%)
4	ADP	W	801	6	28,29,29	1.12	1 (3%)	43,45,45	1.31	7 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	AGS	C	601	6	-	4/21/38/38	0/3/3/3
4	ADP	X	801	6	-	3/16/32/32	0/3/3/3
7	AGS	D	601	6	-	0/21/38/38	0/3/3/3
4	ADP	E	601	6	-	3/16/32/32	0/3/3/3
4	ADP	Z	801	6	-	1/16/32/32	0/3/3/3
4	ADP	Y	801	6	-	0/16/32/32	0/3/3/3
4	ADP	F	601	6	-	0/16/32/32	0/3/3/3
4	ADP	V	801	6	-	0/16/32/32	0/3/3/3
5	POP	B	601	6	-	1/6/6/6	-
4	ADP	A	601	-	-	0/16/32/32	0/3/3/3
4	ADP	W	801	6	-	1/16/32/32	0/3/3/3

All (16) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	C	601	AGS	PB-O3A	-5.30	1.53	1.59
7	D	601	AGS	PB-O3A	-4.71	1.54	1.59
7	D	601	AGS	PB-O3B	-4.57	1.54	1.59
7	C	601	AGS	PA-O3A	-4.18	1.55	1.59
7	D	601	AGS	PA-O3A	-4.01	1.55	1.59
7	C	601	AGS	PB-O3B	-3.40	1.55	1.59
4	V	801	ADP	PA-O3A	-2.68	1.56	1.59
4	X	801	ADP	PA-O3A	-2.55	1.56	1.59
4	Z	801	ADP	PA-O3A	-2.36	1.56	1.59
4	Y	801	ADP	PA-O3A	-2.33	1.57	1.59
4	W	801	ADP	PA-O3A	-2.32	1.57	1.59
7	C	601	AGS	C5-C4	-2.09	1.35	1.39
4	F	601	ADP	PB-O3B	-2.07	1.47	1.54
4	X	801	ADP	C8-N7	2.04	1.35	1.31
4	Z	801	ADP	C8-N7	2.02	1.35	1.31
4	V	801	ADP	C5-C4	-2.01	1.35	1.39

All (81) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	C	601	AGS	PB-O3B-PG	-3.78	119.33	133.17
4	A	601	ADP	O2A-PA-O3A	3.65	117.14	107.27
7	D	601	AGS	PB-O3B-PG	-3.57	120.12	133.17
4	W	801	ADP	C5-C4-N3	-3.21	122.30	126.72
4	Y	801	ADP	C5-C4-N3	-3.19	122.33	126.72
4	Z	801	ADP	C5-C4-N3	-3.19	122.33	126.72
4	X	801	ADP	C5-C4-N3	-3.17	122.35	126.72

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	V	801	ADP	C5-C4-N3	-3.16	122.36	126.72
4	F	601	ADP	O3B-PB-O3A	3.09	115.01	104.64
4	E	601	ADP	C5-C4-N3	-3.01	122.58	126.72
4	F	601	ADP	O3B-PB-O1B	-2.99	99.20	110.83
4	A	601	ADP	C5-C4-N3	-2.95	122.65	126.72
4	Z	801	ADP	O2A-PA-O3A	2.93	115.20	107.27
4	F	601	ADP	C4-C5-N7	2.90	113.89	110.58
7	C	601	AGS	C5-C4-N3	-2.89	122.73	126.72
4	E	601	ADP	C4-C5-N7	2.88	113.88	110.58
4	F	601	ADP	C5-C4-N3	-2.85	122.78	126.72
4	A	601	ADP	C4-C5-N7	2.83	113.82	110.58
7	C	601	AGS	C4-C5-N7	2.81	113.79	110.58
4	Y	801	ADP	O2A-PA-O3A	2.78	114.80	107.27
7	D	601	AGS	C5-C4-N3	-2.78	122.89	126.72
7	D	601	AGS	C4-C5-N7	2.70	113.67	110.58
4	W	801	ADP	C4-C5-N7	2.67	113.64	110.58
4	V	801	ADP	C4-C5-N7	2.65	113.61	110.58
4	X	801	ADP	C3'-C2'-C1'	2.61	106.41	101.46
4	Z	801	ADP	C4-C5-N7	2.60	113.56	110.58
4	V	801	ADP	O2A-PA-O3A	2.59	114.29	107.27
5	B	601	POP	O6-P2-O	2.58	113.28	104.64
4	X	801	ADP	C4-C5-N7	2.58	113.53	110.58
4	W	801	ADP	O2A-PA-O3A	2.56	114.20	107.27
4	E	601	ADP	O3B-PB-O3A	2.56	113.20	104.64
4	Z	801	ADP	C3'-C2'-C1'	2.55	106.29	101.46
4	A	601	ADP	O2B-PB-O3A	2.53	113.11	104.64
4	Y	801	ADP	C4-C5-N7	2.52	113.46	110.58
4	W	801	ADP	N3-C4-N9	2.50	131.42	127.17
4	Y	801	ADP	C3'-C2'-C1'	2.47	106.14	101.46
7	D	601	AGS	O2G-PG-O3B	-2.45	96.46	104.64
4	V	801	ADP	C3'-C2'-C1'	2.45	106.10	101.46
4	A	601	ADP	O4'-C1'-C2'	-2.42	101.44	106.62
4	Y	801	ADP	N3-C4-N9	2.36	131.19	127.17
4	Z	801	ADP	N3-C4-N9	2.35	131.17	127.17
4	V	801	ADP	N3-C4-N9	2.33	131.13	127.17
4	Y	801	ADP	O3B-PB-O3A	2.28	112.28	104.64
4	X	801	ADP	N3-C4-N9	2.26	131.02	127.17
4	Z	801	ADP	O3B-PB-O3A	2.26	112.23	104.64
4	F	601	ADP	O2A-PA-O3A	2.26	113.37	107.27
4	X	801	ADP	N6-C6-N1	-2.25	113.36	118.38
4	F	601	ADP	N3-C4-N9	2.22	130.94	127.17
4	X	801	ADP	O2A-PA-O3A	2.21	113.25	107.27

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	C	601	AGS	C2-N1-C6	-2.20	115.12	118.73
4	V	801	ADP	N6-C6-N1	-2.19	113.49	118.38
4	E	601	ADP	N3-C4-N9	2.17	130.85	127.17
4	A	601	ADP	N3-C4-N9	2.16	130.84	127.17
4	Z	801	ADP	N6-C6-N1	-2.15	113.58	118.38
7	C	601	AGS	C5-C6-N1	2.15	122.96	117.51
7	C	601	AGS	N3-C4-N9	2.13	130.79	127.17
4	Z	801	ADP	C5-C6-N1	2.13	122.92	117.51
7	D	601	AGS	C2-N1-C6	-2.12	115.25	118.73
5	B	601	POP	O2-P1-O	-2.11	97.54	104.64
4	A	601	ADP	N6-C6-N1	-2.11	113.69	118.38
4	X	801	ADP	C5-C6-N1	2.11	122.86	117.51
4	A	601	ADP	C5-C6-N1	2.10	122.84	117.51
4	W	801	ADP	C2-N1-C6	-2.10	115.28	118.73
4	W	801	ADP	C5-C6-N1	2.10	122.84	117.51
4	W	801	ADP	O3B-PB-O3A	2.09	111.65	104.64
4	E	601	ADP	C2-N1-C6	-2.09	115.30	118.73
4	F	601	ADP	C5-C6-N1	2.08	122.80	117.51
4	F	601	ADP	C2-N1-C6	-2.08	115.32	118.73
7	D	601	AGS	N6-C6-N1	-2.08	113.75	118.38
4	V	801	ADP	C2-N1-C6	-2.07	115.32	118.73
4	Y	801	ADP	C5-C6-N1	2.07	122.77	117.51
7	D	601	AGS	C5-C6-N1	2.07	122.76	117.51
4	E	601	ADP	C5-C6-N1	2.06	122.75	117.51
4	V	801	ADP	C5-C6-N1	2.06	122.73	117.51
4	Y	801	ADP	N6-C6-N1	-2.05	113.81	118.38
4	V	801	ADP	O3B-PB-O3A	2.05	111.50	104.64
4	Y	801	ADP	C2-N1-C6	-2.03	115.39	118.73
7	C	601	AGS	N6-C6-N1	-2.03	113.86	118.38
4	A	601	ADP	C2-N1-C6	-2.03	115.40	118.73
4	X	801	ADP	C2-N1-C6	-2.01	115.42	118.73
4	Z	801	ADP	C2-N1-C6	-2.01	115.44	118.73

There are no chirality outliers.

All (13) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	X	801	ADP	PA-O3A-PB-O3B
5	B	601	POP	P2-O-P1-O2
4	E	601	ADP	C3'-C4'-C5'-O5'
7	C	601	AGS	O4'-C4'-C5'-O5'
7	C	601	AGS	PG-O3B-PB-O1B

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
4	E	601	ADP	O4'-C4'-C5'-O5'
4	W	801	ADP	C5'-O5'-PA-O1A
4	E	601	ADP	C4'-C5'-O5'-PA
4	X	801	ADP	PA-O3A-PB-O1B
4	X	801	ADP	PA-O3A-PB-O2B
7	C	601	AGS	PG-O3B-PB-O2B
7	C	601	AGS	C3'-C4'-C5'-O5'
4	Z	801	ADP	C4'-C5'-O5'-PA

There are no ring outliers.


No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand AGS C 601




Ligand ADP X 801







Ligand AGS D 601






Ligand ADP E 601











5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-79003. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 378




Y Index: 378




Z Index: 378


6.2.2 Raw map



X Index: 378



Y Index: 378




Z Index: 378


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 448




Y Index: 346




Z Index: 510


6.3.2 Raw map



X Index: 448



Y Index: 410




Z Index: 511


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.15. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_79003_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 1082 nm³; this corresponds to an approximate mass of 978 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.341 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.341 $\text{\AA}^{-1}$

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.93	-	-
Author-provided FSC curve	2.93	3.15	2.96
Unmasked-calculated*	3.09	3.37	3.13

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-79003 and PDB model 38OK. Per-residue inclusion information can be found in section 3 on page 8.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.15 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.15).

9.4 Atom inclusion [i](#)



At the recommended contour level, 75% of all backbone atoms, 68% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.15) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.6810	0.5750
A	0.4130	0.5040
B	0.5660	0.5530
C	0.5560	0.5440
D	0.5880	0.5500
E	0.5970	0.5540
F	0.5410	0.5400
G	0.6190	0.5560
V	0.7700	0.6000
W	0.7740	0.5980
X	0.7730	0.5980
Y	0.7630	0.6000
Z	0.7710	0.5950

1.0

0.0

<0.0