



Full wwPDB EM Validation Report ⓘ

Jul 3, 2024 – 12:36 pm BST

PDB ID : 7AEB
EMDB ID : EMD-11743
Title : Cryo-EM structure of an extracellular contractile injection system in marine bacterium *Algoriphagus machipongonensis*, the baseplate complex in extended state applied 6-fold symmetry.
Authors : Xu, J.; Ericson, C.; Feldmueller, M.; Lien, Y.W.; Pilhofer, M.
Deposited on : 2020-09-17
Resolution : 2.70 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev92
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.37.1

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	933	<div> <div>9%</div> <div>58%</div> <div>41%</div> </div>
1	B	933	<div> <div>9%</div> <div>58%</div> <div>41%</div> </div>
1	C	933	<div> <div>8%</div> <div>58%</div> <div>41%</div> </div>
1	D	933	<div> <div>9%</div> <div>58%</div> <div>41%</div> </div>
1	E	933	<div> <div>9%</div> <div>58%</div> <div>41%</div> </div>
1	F	933	<div> <div>8%</div> <div>58%</div> <div>41%</div> </div>
2	G	1050	<div> <div>12%</div> <div>95%</div> <div>• •</div> </div>
2	H	1050	<div> <div>12%</div> <div>95%</div> <div>• •</div> </div>
2	I	1050	<div> <div>12%</div> <div>95%</div> <div>• •</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	J	1050	12% 95% ..
2	K	1050	12% 95% ..
2	L	1050	12% 95% ..
3	M	228	98% .
3	N	228	99% .
3	O	228	98% .
3	P	228	99% .
3	Q	228	99% .
3	R	228	99% .
4	S	137	96% ..
4	T	137	96% ..
4	U	137	96% ..
4	V	137	96% ..
4	W	137	96% ..
4	X	137	96% ..
5	Y	147	96% ..
5	Z	147	96% ..
5	a	147	96% ..
5	b	147	96% ..
5	c	147	96% ..
5	d	147	96% ..
6	e	692	25% 93% 5%
6	f	692	26% 93% 5%
6	g	692	25% 93% 5%
6	h	692	25% 93% 5%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
6	i	692	<div> <div>25%</div> <div>93%</div> <div>5%</div> </div>
6	j	692	<div> <div>26%</div> <div>93%</div> <div>5%</div> </div>
7	k	142	<div> <div>27%</div> <div>98%</div> <div>..</div> </div>
7	l	142	<div> <div>26%</div> <div>98%</div> <div>..</div> </div>
7	m	142	<div> <div>27%</div> <div>98%</div> <div>..</div> </div>
7	n	142	<div> <div>27%</div> <div>98%</div> <div>..</div> </div>
7	o	142	<div> <div>26%</div> <div>97%</div> <div>..</div> </div>
7	p	142	<div> <div>27%</div> <div>98%</div> <div>..</div> </div>

2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 135156 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called baseplate protein (Algo12).

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	549	Total	C	N	O	S	0	0
			4447	2845	730	858	14		
1	B	549	Total	C	N	O	S	0	0
			4447	2845	730	858	14		
1	C	549	Total	C	N	O	S	0	0
			4447	2845	730	858	14		
1	D	549	Total	C	N	O	S	0	0
			4447	2845	730	858	14		
1	E	549	Total	C	N	O	S	0	0
			4447	2845	730	858	14		
1	F	549	Total	C	N	O	S	0	0
			4447	2845	730	858	14		

- Molecule 2 is a protein called Baseplate_J domain-containing protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	G	1011	Total	C	N	O	S	0	0
			7762	4951	1284	1512	15		
2	H	1011	Total	C	N	O	S	0	0
			7762	4951	1284	1512	15		
2	I	1011	Total	C	N	O	S	0	0
			7762	4951	1284	1512	15		
2	J	1011	Total	C	N	O	S	0	0
			7762	4951	1284	1512	15		
2	K	1011	Total	C	N	O	S	0	0
			7762	4951	1284	1512	15		
2	L	1011	Total	C	N	O	S	0	0
			7762	4951	1284	1512	15		

- Molecule 3 is a protein called LysM domain-containing protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	M	225	Total	C	N	O	S	0	0
			1849	1185	304	355	5		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
3	N	225	Total	C	N	O	S	0	0
			1849	1185	304	355	5		
3	O	225	Total	C	N	O	S	0	0
			1849	1185	304	355	5		
3	P	225	Total	C	N	O	S	0	0
			1849	1185	304	355	5		
3	Q	225	Total	C	N	O	S	0	0
			1849	1185	304	355	5		
3	R	225	Total	C	N	O	S	0	0
			1849	1185	304	355	5		

- Molecule 4 is a protein called Putative tail lysozyme.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	S	133	Total	C	N	O	S	0	0
			1074	690	174	207	3		
4	T	133	Total	C	N	O	S	0	0
			1074	690	174	207	3		
4	U	133	Total	C	N	O	S	0	0
			1074	690	174	207	3		
4	V	133	Total	C	N	O	S	0	0
			1074	690	174	207	3		
4	W	133	Total	C	N	O	S	0	0
			1074	690	174	207	3		
4	X	133	Total	C	N	O	S	0	0
			1074	690	174	207	3		

- Molecule 5 is a protein called Phospholipid/glycerol acyltransferase.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	Y	145	Total	C	N	O	S	0	0
			1192	773	190	226	3		
5	Z	145	Total	C	N	O	S	0	0
			1192	773	190	226	3		
5	a	145	Total	C	N	O	S	0	0
			1192	773	190	226	3		
5	b	145	Total	C	N	O	S	0	0
			1192	773	190	226	3		
5	c	145	Total	C	N	O	S	0	0
			1192	773	190	226	3		
5	d	145	Total	C	N	O	S	0	0
			1192	773	190	226	3		

- Molecule 6 is a protein called Putative phage tail sheath protein FI.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	e	655	Total	C	N	O	S	0	0
			5057	3204	832	1009	12		
6	f	655	Total	C	N	O	S	0	0
			5057	3204	832	1009	12		
6	g	655	Total	C	N	O	S	0	0
			5057	3204	832	1009	12		
6	h	655	Total	C	N	O	S	0	0
			5057	3204	832	1009	12		
6	i	655	Total	C	N	O	S	0	0
			5057	3204	832	1009	12		
6	j	655	Total	C	N	O	S	0	0
			5057	3204	832	1009	12		


- Molecule 7 is a protein called Phage tail protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	k	141	Total	C	N	O	S	0	0
			1145	731	190	221	3		
7	l	141	Total	C	N	O	S	0	0
			1145	731	190	221	3		
7	m	141	Total	C	N	O	S	0	0
			1145	731	190	221	3		
7	n	141	Total	C	N	O	S	0	0
			1145	731	190	221	3		
7	o	141	Total	C	N	O	S	0	0
			1145	731	190	221	3		
7	p	141	Total	C	N	O	S	0	0
			1145	731	190	221	3		


3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: baseplate protein (Algo12)




- Molecule 1: baseplate protein (Algo12)






● Molecule 1: baseplate protein (Algo12)




Chain D:




Chain E:







- Molecule 1: baseplate protein (Algo12)




- Molecule 2: Baseplate J domain-containing protein






• Molecule 2: Baseplate_J domain-containing protein




• Molecule 2: Baseplate_J domain-containing protein




• Molecule 2: Baseplate_J domain-containing protein

Chain J: 




• Molecule 2: Baseplate_J domain-containing protein


Chain K: 



• Molecule 2: Baseplate_J domain-containing protein


Chain L: 






- Molecule 3: LysM domain-containing protein

Chain M: 98%




- Molecule 3: LysM domain-containing protein

Chain N: 99%




- Molecule 3: LysM domain-containing protein

Chain O: 98%




- Molecule 3: LysM domain-containing protein

Chain P: 99%




- Molecule 3: LysM domain-containing protein

Chain Q: 99%




- Molecule 3: LysM domain-containing protein

Chain R: 99%




- Molecule 4: Putative tail lysozyme

Chain S:  96%




- Molecule 4: Putative tail lysozyme

Chain T:  96%




- Molecule 4: Putative tail lysozyme

Chain U:  96%




- Molecule 4: Putative tail lysozyme

Chain V:  96%



- Molecule 4: Putative tail lysozyme

Chain W:  96%



- Molecule 4: Putative tail lysozyme

Chain X:  96%



- Molecule 5: Phospholipid/glycerol acyltransferase

Chain Y:  96%



- Molecule 5: Phospholipid/glycerol acyltransferase

Chain Z:  96%



- Molecule 5: Phospholipid/glycerol acyltransferase

Chain a:  96%




- Molecule 5: Phospholipid/glycerol acyltransferase

Chain b:  96%



- Molecule 5: Phospholipid/glycerol acyltransferase

Chain c:  96%





- Molecule 5: Phospholipid/glycerol acyltransferase


Chain d:  96%





- Molecule 6: Putative phage tail sheath protein FI

Chain e:  25% 93% 5%






• Molecule 6: Putative phage tail sheath protein FI





• Molecule 6: Putative phage tail sheath protein FI







• Molecule 6: Putative phage tail sheath protein FI

Chain h: 25% 93% 5%




• Molecule 6: Putative phage tail sheath protein FI

Chain i: 25% 93% 5%




• Molecule 6: Putative phage tail sheath protein FI

Chain j: 26% 93% 5%




- Molecule 7: Phage tail protein




- Molecule 7: Phage tail protein




- Molecule 7: Phage tail protein




- Molecule 7: Phage tail protein



- Molecule 7: Phage tail protein



● Molecule 7: Phage tail protein



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	82969	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	60	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	0.181	Depositor
Minimum map value	-0.123	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.006	Depositor
Recommended contour level	0.024	Depositor
Map size (Å)	440.0, 440.0, 440.0	wwPDB
Map dimensions	400, 400, 400	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.1, 1.1, 1.1	Depositor

5 Model quality ⓘ

5.1 Standard geometry ⓘ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.84	1/4531 (0.0%)	0.79	3/6117 (0.0%)
1	B	0.84	1/4531 (0.0%)	0.79	3/6117 (0.0%)
1	C	0.84	1/4531 (0.0%)	0.79	3/6117 (0.0%)
1	D	0.84	1/4531 (0.0%)	0.79	3/6117 (0.0%)
1	E	0.84	1/4531 (0.0%)	0.79	3/6117 (0.0%)
1	F	0.84	1/4531 (0.0%)	0.79	3/6117 (0.0%)
2	G	0.69	1/7935 (0.0%)	0.83	17/10781 (0.2%)
2	H	0.69	1/7935 (0.0%)	0.83	18/10781 (0.2%)
2	I	0.69	1/7935 (0.0%)	0.83	18/10781 (0.2%)
2	J	0.69	1/7935 (0.0%)	0.83	15/10781 (0.1%)
2	K	0.69	1/7935 (0.0%)	0.83	17/10781 (0.2%)
2	L	0.69	1/7935 (0.0%)	0.83	18/10781 (0.2%)
3	M	0.39	0/1889	0.55	1/2544 (0.0%)
3	N	0.39	0/1889	0.55	0/2544
3	O	0.39	0/1889	0.55	1/2544 (0.0%)
3	P	0.39	0/1889	0.55	0/2544
3	Q	0.39	0/1889	0.55	0/2544
3	R	0.39	0/1889	0.55	0/2544
4	S	0.68	1/1096 (0.1%)	0.80	0/1483
4	T	0.69	1/1096 (0.1%)	0.80	0/1483
4	U	0.69	1/1096 (0.1%)	0.80	0/1483
4	V	0.69	1/1096 (0.1%)	0.80	0/1483
4	W	0.69	1/1096 (0.1%)	0.80	0/1483
4	X	0.69	1/1096 (0.1%)	0.80	0/1483
5	Y	0.73	0/1226	0.89	5/1664 (0.3%)
5	Z	0.73	0/1226	0.89	5/1664 (0.3%)
5	a	0.73	0/1226	0.89	5/1664 (0.3%)
5	b	0.73	0/1226	0.89	5/1664 (0.3%)
5	c	0.73	0/1226	0.89	5/1664 (0.3%)
5	d	0.73	0/1226	0.89	5/1664 (0.3%)
6	e	0.78	0/5155	0.83	10/7021 (0.1%)
6	f	0.78	0/5155	0.83	9/7021 (0.1%)
6	g	0.78	0/5155	0.83	10/7021 (0.1%)
6	h	0.78	0/5155	0.83	10/7021 (0.1%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
6	i	0.78	0/5155	0.83	10/7021 (0.1%)
6	j	0.78	0/5155	0.83	9/7021 (0.1%)
7	k	0.97	0/1172	0.85	2/1584 (0.1%)
7	l	0.97	0/1172	0.85	2/1584 (0.1%)
7	m	0.97	0/1172	0.85	2/1584 (0.1%)
7	n	0.96	0/1172	0.85	2/1584 (0.1%)
7	o	0.97	1/1172 (0.1%)	0.85	2/1584 (0.1%)
7	p	0.97	0/1172	0.85	2/1584 (0.1%)
All	All	0.74	19/138024 (0.0%)	0.81	223/187164 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	G	0	1
2	H	0	1
2	I	0	1
2	J	0	1
2	K	0	1
2	L	0	1
All	All	0	6

All (19) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	E	117	CYS	CB-SG	-5.70	1.72	1.81
1	F	117	CYS	CB-SG	-5.66	1.72	1.81
1	C	117	CYS	CB-SG	-5.65	1.72	1.81
1	A	117	CYS	CB-SG	-5.65	1.72	1.81
1	D	117	CYS	CB-SG	-5.62	1.72	1.81
1	B	117	CYS	CB-SG	-5.60	1.72	1.81
2	J	795	TRP	CG-CD1	5.46	1.44	1.36
2	L	795	TRP	CG-CD1	5.44	1.44	1.36
2	G	795	TRP	CG-CD1	5.40	1.44	1.36
2	I	795	TRP	CG-CD1	5.38	1.44	1.36
2	H	795	TRP	CG-CD1	5.36	1.44	1.36
2	K	795	TRP	CG-CD1	5.36	1.44	1.36
4	X	76	VAL	CB-CG2	-5.26	1.41	1.52
4	W	76	VAL	CB-CG2	-5.20	1.42	1.52
4	S	76	VAL	CB-CG2	-5.19	1.42	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	V	76	VAL	CB-CG2	-5.19	1.42	1.52
4	T	76	VAL	CB-CG2	-5.14	1.42	1.52
4	U	76	VAL	CB-CG2	-5.14	1.42	1.52
7	o	30	GLU	CD-OE1	-5.05	1.20	1.25

All (223) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	J	1018	PRO	N-CA-CB	9.55	114.77	103.30
2	L	1018	PRO	N-CA-CB	9.51	114.71	103.30
2	H	1018	PRO	N-CA-CB	9.48	114.67	103.30
2	K	1018	PRO	N-CA-CB	9.46	114.66	103.30
2	G	1018	PRO	N-CA-CB	9.44	114.62	103.30
2	I	1018	PRO	N-CA-CB	9.43	114.62	103.30
5	d	94	LEU	CA-CB-CG	8.43	134.69	115.30
5	a	94	LEU	CA-CB-CG	8.42	134.68	115.30
5	Y	94	LEU	CA-CB-CG	8.41	134.64	115.30
5	c	94	LEU	CA-CB-CG	8.39	134.59	115.30
5	Z	94	LEU	CA-CB-CG	8.38	134.58	115.30
5	b	94	LEU	CA-CB-CG	8.38	134.57	115.30
2	G	750	ASP	CB-CG-OD1	-8.26	110.87	118.30
2	I	750	ASP	CB-CG-OD1	-8.20	110.92	118.30
2	K	750	ASP	CB-CG-OD1	-8.18	110.94	118.30
2	J	750	ASP	CB-CG-OD1	-8.18	110.94	118.30
2	H	750	ASP	CB-CG-OD1	-8.16	110.96	118.30
2	L	750	ASP	CB-CG-OD1	-8.14	110.97	118.30
6	i	192	ARG	NE-CZ-NH2	-7.86	116.37	120.30
6	h	192	ARG	NE-CZ-NH2	-7.81	116.39	120.30
5	c	37	ASP	CB-CG-OD2	7.80	125.32	118.30
6	j	192	ARG	NE-CZ-NH2	-7.79	116.41	120.30
6	e	192	ARG	NE-CZ-NH2	-7.76	116.42	120.30
5	b	37	ASP	CB-CG-OD2	7.75	125.28	118.30
5	Z	37	ASP	CB-CG-OD2	7.73	125.25	118.30
6	f	192	ARG	NE-CZ-NH2	-7.72	116.44	120.30
5	d	37	ASP	CB-CG-OD2	7.71	125.24	118.30
6	g	192	ARG	NE-CZ-NH2	-7.70	116.45	120.30
5	a	37	ASP	CB-CG-OD2	7.68	125.21	118.30
5	Y	37	ASP	CB-CG-OD2	7.65	125.18	118.30
1	C	26	ARG	NE-CZ-NH2	-7.40	116.60	120.30
1	F	26	ARG	NE-CZ-NH2	-7.33	116.64	120.30
1	B	26	ARG	NE-CZ-NH2	-7.29	116.65	120.30
1	A	26	ARG	NE-CZ-NH2	-7.28	116.66	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	26	ARG	NE-CZ-NH2	-7.24	116.68	120.30
1	E	26	ARG	NE-CZ-NH2	-7.24	116.68	120.30
6	j	90	ARG	NE-CZ-NH2	-7.22	116.69	120.30
6	g	90	ARG	NE-CZ-NH2	-7.21	116.69	120.30
6	h	90	ARG	NE-CZ-NH2	-7.18	116.71	120.30
6	i	90	ARG	NE-CZ-NH2	-7.09	116.75	120.30
6	e	90	ARG	NE-CZ-NH2	-7.01	116.80	120.30
6	f	90	ARG	NE-CZ-NH2	-6.98	116.81	120.30
2	J	530	ASP	CB-CG-OD1	6.81	124.43	118.30
2	G	530	ASP	CB-CG-OD1	6.80	124.42	118.30
2	L	530	ASP	CB-CG-OD1	6.77	124.39	118.30
2	I	530	ASP	CB-CG-OD1	6.73	124.36	118.30
6	h	39	ARG	NE-CZ-NH2	-6.73	116.94	120.30
7	p	71	TYR	CB-CG-CD1	-6.73	116.96	121.00
2	K	530	ASP	CB-CG-OD1	6.72	124.35	118.30
7	n	71	TYR	CB-CG-CD1	-6.72	116.97	121.00
6	i	39	ARG	NE-CZ-NH2	-6.71	116.94	120.30
2	H	530	ASP	CB-CG-OD1	6.68	124.31	118.30
6	g	39	ARG	NE-CZ-NH2	-6.67	116.96	120.30
7	o	71	TYR	CB-CG-CD1	-6.67	117.00	121.00
7	k	71	TYR	CB-CG-CD1	-6.63	117.02	121.00
6	i	533	TYR	CB-CG-CD2	-6.61	117.03	121.00
6	g	533	TYR	CB-CG-CD2	-6.59	117.05	121.00
5	Y	13	LEU	CA-CB-CG	6.58	130.43	115.30
6	e	39	ARG	NE-CZ-NH2	-6.57	117.02	120.30
5	a	13	LEU	CA-CB-CG	6.56	130.38	115.30
5	d	13	LEU	CA-CB-CG	6.55	130.36	115.30
5	c	13	LEU	CA-CB-CG	6.55	130.36	115.30
6	j	533	TYR	CB-CG-CD2	-6.54	117.07	121.00
5	b	13	LEU	CA-CB-CG	6.54	130.35	115.30
5	Z	13	LEU	CA-CB-CG	6.54	130.34	115.30
6	e	533	TYR	CB-CG-CD2	-6.54	117.08	121.00
6	f	39	ARG	NE-CZ-NH2	-6.52	117.04	120.30
6	h	533	TYR	CB-CG-CD2	-6.50	117.10	121.00
6	f	533	TYR	CB-CG-CD2	-6.48	117.11	121.00
6	j	39	ARG	NE-CZ-NH2	-6.48	117.06	120.30
7	m	71	TYR	CB-CG-CD1	-6.44	117.14	121.00
1	D	509	ARG	NE-CZ-NH2	-6.40	117.10	120.30
7	l	71	TYR	CB-CG-CD1	-6.39	117.16	121.00
1	E	509	ARG	NE-CZ-NH2	-6.38	117.11	120.30
1	F	509	ARG	NE-CZ-NH2	-6.35	117.12	120.30
1	C	509	ARG	NE-CZ-NH2	-6.27	117.17	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	I	634	ASP	CB-CG-OD1	6.26	123.94	118.30
2	K	634	ASP	CB-CG-OD1	6.24	123.92	118.30
2	G	634	ASP	CB-CG-OD1	6.22	123.90	118.30
2	J	634	ASP	CB-CG-OD1	6.21	123.89	118.30
6	i	153	ARG	NE-CZ-NH1	6.14	123.37	120.30
6	g	153	ARG	NE-CZ-NH1	6.14	123.37	120.30
2	H	634	ASP	CB-CG-OD1	6.13	123.81	118.30
6	j	153	ARG	NE-CZ-NH1	6.12	123.36	120.30
2	L	634	ASP	CB-CG-OD1	6.12	123.81	118.30
1	A	509	ARG	NE-CZ-NH2	-6.10	117.25	120.30
6	e	153	ARG	NE-CZ-NH1	6.03	123.31	120.30
6	h	153	ARG	NE-CZ-NH1	6.01	123.31	120.30
1	B	509	ARG	NE-CZ-NH2	-6.00	117.30	120.30
6	f	153	ARG	NE-CZ-NH1	6.00	123.30	120.30
2	I	1002	PRO	N-CA-CB	5.91	110.40	103.30
2	L	1002	PRO	N-CA-CB	5.89	110.36	103.30
2	H	1002	PRO	N-CA-CB	5.88	110.36	103.30
2	J	1002	PRO	N-CA-CB	5.88	110.36	103.30
2	G	1002	PRO	N-CA-CB	5.87	110.34	103.30
2	K	1002	PRO	N-CA-CB	5.86	110.33	103.30
2	I	236	PHE	CB-CG-CD1	5.84	124.89	120.80
2	J	236	PHE	CB-CG-CD1	5.84	124.89	120.80
2	H	236	PHE	CB-CG-CD1	5.82	124.88	120.80
2	G	236	PHE	CB-CG-CD1	5.82	124.87	120.80
2	L	236	PHE	CB-CG-CD1	5.80	124.86	120.80
2	L	952	PRO	N-CA-CB	5.80	110.26	103.30
2	H	952	PRO	N-CA-CB	5.77	110.23	103.30
2	K	236	PHE	CB-CG-CD1	5.77	124.84	120.80
2	J	952	PRO	N-CA-CB	5.76	110.21	103.30
6	e	562	ARG	NE-CZ-NH1	5.76	123.18	120.30
6	i	562	ARG	NE-CZ-NH1	5.75	123.17	120.30
2	G	952	PRO	N-CA-CB	5.73	110.18	103.30
2	K	1015	PRO	N-CA-CB	5.73	110.18	103.30
6	g	562	ARG	NE-CZ-NH1	5.73	123.17	120.30
6	f	562	ARG	NE-CZ-NH1	5.71	123.16	120.30
2	K	952	PRO	N-CA-CB	5.70	110.14	103.30
2	I	952	PRO	N-CA-CB	5.70	110.14	103.30
2	J	1015	PRO	N-CA-CB	5.70	110.14	103.30
2	L	1015	PRO	N-CA-CB	5.68	110.12	103.30
2	G	1015	PRO	N-CA-CB	5.67	110.10	103.30
2	I	1015	PRO	N-CA-CB	5.66	110.09	103.30
2	K	750	ASP	CB-CG-OD2	5.63	123.36	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	j	562	ARG	NE-CZ-NH1	5.62	123.11	120.30
2	H	1015	PRO	N-CA-CB	5.61	110.03	103.30
6	h	562	ARG	NE-CZ-NH1	5.59	123.09	120.30
2	I	750	ASP	CB-CG-OD2	5.58	123.32	118.30
1	A	544	TYR	CB-CG-CD1	-5.56	117.66	121.00
2	J	712	ARG	NE-CZ-NH2	-5.53	117.54	120.30
2	G	750	ASP	CB-CG-OD2	5.52	123.27	118.30
2	G	998	SER	N-CA-C	-5.52	96.10	111.00
2	I	998	SER	N-CA-C	-5.51	96.12	111.00
2	L	998	SER	N-CA-C	-5.51	96.12	111.00
2	J	750	ASP	CB-CG-OD2	5.51	123.26	118.30
2	K	998	SER	N-CA-C	-5.51	96.13	111.00
2	L	750	ASP	CB-CG-OD2	5.50	123.25	118.30
2	H	998	SER	N-CA-C	-5.50	96.16	111.00
2	J	998	SER	N-CA-C	-5.49	96.17	111.00
2	H	750	ASP	CB-CG-OD2	5.49	123.24	118.30
1	B	544	TYR	CB-CG-CD1	-5.49	117.71	121.00
2	K	712	ARG	NE-CZ-NH2	-5.48	117.56	120.30
1	D	544	TYR	CB-CG-CD1	-5.48	117.71	121.00
1	C	544	TYR	CB-CG-CD1	-5.48	117.72	121.00
2	J	634	ASP	CB-CG-OD2	-5.47	113.38	118.30
2	I	999	PRO	N-CA-CB	5.42	109.81	103.30
1	E	544	TYR	CB-CG-CD1	-5.41	117.75	121.00
2	I	634	ASP	CB-CG-OD2	-5.41	113.43	118.30
2	K	634	ASP	CB-CG-OD2	-5.41	113.43	118.30
2	I	712	ARG	NE-CZ-NH2	-5.41	117.60	120.30
2	G	634	ASP	CB-CG-OD2	-5.40	113.44	118.30
2	G	712	ARG	NE-CZ-NH2	-5.40	117.60	120.30
2	L	999	PRO	N-CA-CB	5.39	109.77	103.30
2	L	712	ARG	NE-CZ-NH2	-5.38	117.61	120.30
2	L	634	ASP	CB-CG-OD2	-5.35	113.48	118.30
2	H	999	PRO	N-CA-CB	5.34	109.71	103.30
1	F	544	TYR	CB-CG-CD1	-5.33	117.80	121.00
2	J	187	ASP	CB-CG-OD2	5.33	123.09	118.30
2	G	999	PRO	N-CA-CB	5.32	109.68	103.30
2	J	999	PRO	N-CA-CB	5.32	109.69	103.30
2	K	999	PRO	N-CA-CB	5.31	109.67	103.30
2	G	183	GLY	N-CA-C	5.30	126.36	113.10
2	H	183	GLY	N-CA-C	5.30	126.36	113.10
2	K	183	GLY	N-CA-C	5.30	126.34	113.10
2	J	183	GLY	N-CA-C	5.30	126.34	113.10
6	f	454	ASP	CB-CG-OD1	5.29	123.06	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	H	712	ARG	NE-CZ-NH2	-5.29	117.66	120.30
2	I	187	ASP	CB-CG-OD2	5.28	123.06	118.30
2	I	183	GLY	N-CA-C	5.28	126.30	113.10
2	G	187	ASP	CB-CG-OD2	5.28	123.05	118.30
2	K	187	ASP	CB-CG-OD2	5.28	123.05	118.30
2	L	183	GLY	N-CA-C	5.28	126.29	113.10
7	p	68	ASP	CB-CG-OD1	5.28	123.05	118.30
2	H	634	ASP	CB-CG-OD2	-5.26	113.56	118.30
6	g	454	ASP	CB-CG-OD1	5.25	123.03	118.30
2	L	187	ASP	CB-CG-OD2	5.25	123.02	118.30
7	o	68	ASP	CB-CG-OD1	5.23	123.01	118.30
6	g	81	ASP	CB-CG-OD1	5.23	123.00	118.30
2	L	51	ARG	NE-CZ-NH1	5.22	122.91	120.30
6	i	454	ASP	CB-CG-OD1	5.22	123.00	118.30
7	l	68	ASP	CB-CG-OD1	5.22	123.00	118.30
7	k	68	ASP	CB-CG-OD1	5.21	122.99	118.30
7	n	68	ASP	CB-CG-OD1	5.21	122.99	118.30
2	H	187	ASP	CB-CG-OD2	5.21	122.98	118.30
6	e	81	ASP	CB-CG-OD1	5.21	122.99	118.30
6	e	454	ASP	CB-CG-OD1	5.19	122.97	118.30
2	I	51	ARG	NE-CZ-NH1	5.18	122.89	120.30
7	m	68	ASP	CB-CG-OD1	5.18	122.96	118.30
5	d	93	ASP	CB-CG-OD1	5.17	122.96	118.30
6	j	81	ASP	CB-CG-OD1	5.17	122.96	118.30
6	j	237	PHE	CB-CG-CD1	5.17	124.42	120.80
2	K	51	ARG	NE-CZ-NH1	5.17	122.89	120.30
6	h	454	ASP	CB-CG-OD1	5.16	122.95	118.30
2	H	51	ARG	NE-CZ-NH1	5.16	122.88	120.30
5	c	94	LEU	CB-CG-CD1	-5.15	102.25	111.00
5	a	93	ASP	CB-CG-OD1	5.14	122.92	118.30
5	Z	94	LEU	CB-CG-CD1	-5.14	102.27	111.00
6	i	81	ASP	CB-CG-OD1	5.14	122.92	118.30
5	d	94	LEU	CB-CG-CD1	-5.13	102.28	111.00
6	h	128	TYR	CB-CG-CD2	-5.13	117.92	121.00
2	H	236	PHE	CB-CG-CD2	-5.12	117.21	120.80
2	G	51	ARG	NE-CZ-NH1	5.12	122.86	120.30
6	j	454	ASP	CB-CG-OD1	5.12	122.91	118.30
2	I	236	PHE	CB-CG-CD2	-5.11	117.23	120.80
6	g	128	TYR	CB-CG-CD2	-5.10	117.94	121.00
5	a	94	LEU	CB-CG-CD1	-5.10	102.33	111.00
6	h	81	ASP	CB-CG-OD1	5.10	122.89	118.30
5	Y	94	LEU	CB-CG-CD1	-5.09	102.34	111.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	b	94	LEU	CB-CG-CD1	-5.09	102.34	111.00
6	h	237	PHE	CB-CG-CD1	5.09	124.36	120.80
5	Y	93	ASP	CB-CG-OD1	5.09	122.88	118.30
6	g	237	PHE	CB-CG-CD1	5.08	124.36	120.80
6	f	237	PHE	CB-CG-CD1	5.08	124.36	120.80
6	f	81	ASP	CB-CG-OD1	5.08	122.87	118.30
6	i	237	PHE	CB-CG-CD1	5.07	124.35	120.80
2	H	604	ASP	CB-CG-OD1	5.06	122.85	118.30
5	b	93	ASP	CB-CG-OD1	5.05	122.85	118.30
2	I	19	ARG	NE-CZ-NH2	-5.05	117.78	120.30
2	L	604	ASP	CB-CG-OD1	5.05	122.84	118.30
6	e	128	TYR	CB-CG-CD2	-5.05	117.97	121.00
6	e	237	PHE	CB-CG-CD1	5.05	124.33	120.80
2	L	236	PHE	CB-CG-CD2	-5.04	117.27	120.80
5	c	93	ASP	CB-CG-OD1	5.04	122.84	118.30
2	K	236	PHE	CB-CG-CD2	-5.03	117.28	120.80
2	G	236	PHE	CB-CG-CD2	-5.02	117.29	120.80
6	i	128	TYR	CB-CG-CD2	-5.01	117.99	121.00
3	M	136	LEU	CA-CB-CG	5.00	126.81	115.30
3	O	136	LEU	CA-CB-CG	5.00	126.80	115.30
5	Z	93	ASP	CB-CG-OD1	5.00	122.80	118.30

There are no chirality outliers.

All (6) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	G	778	GLU	Sidechain
2	H	778	GLU	Sidechain
2	I	778	GLU	Sidechain
2	J	778	GLU	Sidechain
2	K	778	GLU	Sidechain
2	L	778	GLU	Sidechain

5.2 Too-close contacts ⓘ

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	547/933 (59%)	533 (97%)	14 (3%)	0	100	100
1	B	547/933 (59%)	533 (97%)	14 (3%)	0	100	100
1	C	547/933 (59%)	533 (97%)	14 (3%)	0	100	100
1	D	547/933 (59%)	533 (97%)	14 (3%)	0	100	100
1	E	547/933 (59%)	533 (97%)	14 (3%)	0	100	100
1	F	547/933 (59%)	533 (97%)	14 (3%)	0	100	100
2	G	1009/1050 (96%)	969 (96%)	37 (4%)	3 (0%)	41	66
2	H	1009/1050 (96%)	969 (96%)	37 (4%)	3 (0%)	41	66
2	I	1009/1050 (96%)	969 (96%)	37 (4%)	3 (0%)	41	66
2	J	1009/1050 (96%)	969 (96%)	37 (4%)	3 (0%)	41	66
2	K	1009/1050 (96%)	969 (96%)	37 (4%)	3 (0%)	41	66
2	L	1009/1050 (96%)	969 (96%)	37 (4%)	3 (0%)	41	66
3	M	221/228 (97%)	220 (100%)	1 (0%)	0	100	100
3	N	221/228 (97%)	219 (99%)	2 (1%)	0	100	100
3	O	221/228 (97%)	219 (99%)	2 (1%)	0	100	100
3	P	221/228 (97%)	219 (99%)	2 (1%)	0	100	100
3	Q	221/228 (97%)	219 (99%)	2 (1%)	0	100	100
3	R	221/228 (97%)	219 (99%)	2 (1%)	0	100	100
4	S	131/137 (96%)	130 (99%)	1 (1%)	0	100	100
4	T	131/137 (96%)	130 (99%)	1 (1%)	0	100	100
4	U	131/137 (96%)	130 (99%)	1 (1%)	0	100	100
4	V	131/137 (96%)	130 (99%)	1 (1%)	0	100	100
4	W	131/137 (96%)	130 (99%)	1 (1%)	0	100	100
4	X	131/137 (96%)	130 (99%)	1 (1%)	0	100	100
5	Y	143/147 (97%)	142 (99%)	1 (1%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
5	Z	143/147 (97%)	142 (99%)	1 (1%)	0	100	100
5	a	143/147 (97%)	142 (99%)	1 (1%)	0	100	100
5	b	143/147 (97%)	142 (99%)	1 (1%)	0	100	100
5	c	143/147 (97%)	142 (99%)	1 (1%)	0	100	100
5	d	143/147 (97%)	142 (99%)	1 (1%)	0	100	100
6	e	651/692 (94%)	635 (98%)	16 (2%)	0	100	100
6	f	651/692 (94%)	635 (98%)	16 (2%)	0	100	100
6	g	651/692 (94%)	635 (98%)	16 (2%)	0	100	100
6	h	651/692 (94%)	635 (98%)	16 (2%)	0	100	100
6	i	651/692 (94%)	635 (98%)	16 (2%)	0	100	100
6	j	651/692 (94%)	635 (98%)	16 (2%)	0	100	100
7	k	139/142 (98%)	137 (99%)	2 (1%)	0	100	100
7	l	139/142 (98%)	137 (99%)	2 (1%)	0	100	100
7	m	139/142 (98%)	137 (99%)	2 (1%)	0	100	100
7	n	139/142 (98%)	137 (99%)	2 (1%)	0	100	100
7	o	139/142 (98%)	137 (99%)	2 (1%)	0	100	100
7	p	139/142 (98%)	137 (99%)	2 (1%)	0	100	100
All	All	17046/19974 (85%)	16591 (97%)	437 (3%)	18 (0%)	54	78

All (18) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	G	1001	ASN
2	G	1015	PRO
2	G	1018	PRO
2	H	1001	ASN
2	H	1015	PRO
2	H	1018	PRO
2	I	1001	ASN
2	I	1015	PRO
2	I	1018	PRO
2	J	1001	ASN
2	J	1015	PRO
2	J	1018	PRO
2	K	1001	ASN
2	K	1015	PRO

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	K	1018	PRO
2	L	1001	ASN
2	L	1015	PRO
2	L	1018	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	497/842 (59%)	497 (100%)	0	100	100
1	B	497/842 (59%)	497 (100%)	0	100	100
1	C	497/842 (59%)	497 (100%)	0	100	100
1	D	497/842 (59%)	497 (100%)	0	100	100
1	E	497/842 (59%)	497 (100%)	0	100	100
1	F	497/842 (59%)	497 (100%)	0	100	100
2	G	814/955 (85%)	814 (100%)	0	100	100
2	H	814/955 (85%)	814 (100%)	0	100	100
2	I	814/955 (85%)	814 (100%)	0	100	100
2	J	814/955 (85%)	814 (100%)	0	100	100
2	K	814/955 (85%)	814 (100%)	0	100	100
2	L	814/955 (85%)	814 (100%)	0	100	100
3	M	201/204 (98%)	201 (100%)	0	100	100
3	N	201/204 (98%)	201 (100%)	0	100	100
3	O	201/204 (98%)	201 (100%)	0	100	100
3	P	201/204 (98%)	201 (100%)	0	100	100
3	Q	201/204 (98%)	201 (100%)	0	100	100
3	R	201/204 (98%)	201 (100%)	0	100	100
4	S	121/125 (97%)	121 (100%)	0	100	100
4	T	121/125 (97%)	121 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
4	U	121/125 (97%)	121 (100%)	0	100	100
4	V	121/125 (97%)	121 (100%)	0	100	100
4	W	121/125 (97%)	121 (100%)	0	100	100
4	X	121/125 (97%)	121 (100%)	0	100	100
5	Y	134/135 (99%)	134 (100%)	0	100	100
5	Z	134/135 (99%)	134 (100%)	0	100	100
5	a	134/135 (99%)	134 (100%)	0	100	100
5	b	134/135 (99%)	134 (100%)	0	100	100
5	c	134/135 (99%)	134 (100%)	0	100	100
5	d	134/135 (99%)	134 (100%)	0	100	100
6	e	547/593 (92%)	547 (100%)	0	100	100
6	f	547/593 (92%)	547 (100%)	0	100	100
6	g	547/593 (92%)	547 (100%)	0	100	100
6	h	547/593 (92%)	547 (100%)	0	100	100
6	i	547/593 (92%)	547 (100%)	0	100	100
6	j	547/593 (92%)	547 (100%)	0	100	100
7	k	127/128 (99%)	127 (100%)	0	100	100
7	l	127/128 (99%)	127 (100%)	0	100	100
7	m	127/128 (99%)	127 (100%)	0	100	100
7	n	127/128 (99%)	127 (100%)	0	100	100
7	o	127/128 (99%)	127 (100%)	0	100	100
7	p	127/128 (99%)	127 (100%)	0	100	100
All	All	14646/17892 (82%)	14646 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (53) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	316	ASN
1	A	346	ASN
1	A	348	ASN
1	B	316	ASN
1	B	346	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	348	ASN
1	C	316	ASN
1	C	346	ASN
1	C	348	ASN
1	D	316	ASN
1	D	346	ASN
1	D	348	ASN
1	E	316	ASN
1	E	346	ASN
1	E	348	ASN
1	F	316	ASN
1	F	346	ASN
1	F	348	ASN
2	G	114	HIS
2	G	139	HIS
2	G	667	GLN
2	H	114	HIS
2	H	139	HIS
2	H	667	GLN
2	I	114	HIS
2	I	139	HIS
2	I	667	GLN
2	J	114	HIS
2	J	139	HIS
2	J	667	GLN
2	K	114	HIS
2	K	139	HIS
2	K	667	GLN
2	L	114	HIS
2	L	139	HIS
2	L	667	GLN
3	M	92	ASN
3	N	92	ASN
3	O	92	ASN
3	P	92	ASN
3	R	92	ASN
4	S	36	GLN
4	S	102	ASN
4	T	36	GLN
4	T	102	ASN
4	U	36	GLN
4	U	102	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	V	36	GLN
4	V	102	ASN
4	W	36	GLN
4	W	102	ASN
4	X	36	GLN
4	X	102	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-11743. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 200



Y Index: 200




Z Index: 200


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 198



Y Index: 180




Z Index: 110


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.024. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 941 nm³; this corresponds to an approximate mass of 850 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.370 Å⁻¹


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-11743 and PDB model 7AEB. Per-residue inclusion information can be found in section [3](#) on page [8](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.024 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.024).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 83% of all backbone atoms, 75% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

















The table lists the average atom inclusion at the recommended contour level (0.024) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7540	 0.5440
A	 0.6980	 0.5270
B	 0.6980	 0.5250
C	 0.6990	 0.5250
D	 0.6980	 0.5250
E	 0.6970	 0.5230
F	 0.6990	 0.5240
G	 0.7750	 0.5470
H	 0.7760	 0.5470
I	 0.7730	 0.5460
J	 0.7750	 0.5470
K	 0.7760	 0.5470
L	 0.7730	 0.5460
M	 0.9290	 0.6560
N	 0.9270	 0.6510
O	 0.9240	 0.6510
P	 0.9300	 0.6560
Q	 0.9250	 0.6520
R	 0.9270	 0.6510
S	 0.8750	 0.6060
T	 0.8700	 0.6030
U	 0.8750	 0.6030
V	 0.8750	 0.6050
W	 0.8700	 0.6020
X	 0.8750	 0.6040
Y	 0.9160	 0.6350
Z	 0.9110	 0.6340
a	 0.9130	 0.6340
b	 0.9150	 0.6340
c	 0.9110	 0.6340
d	 0.9130	 0.6350
e	 0.6620	 0.4970
f	 0.6610	 0.4970
g	 0.6670	 0.4950
h	 0.6620	 0.4970



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
i	 0.6620	 0.4960
j	 0.6650	 0.4950
k	 0.6670	 0.4860
l	 0.6670	 0.4850
m	 0.6680	 0.4860
n	 0.6670	 0.4860
o	 0.6670	 0.4860
p	 0.6680	 0.4870