



wwPDB EM Validation Summary Report ⓘ

Oct 28, 2024 – 04:10 pm GMT

PDB ID : 8BR8
EMDB ID : EMD-16211
Title : Giardia ribosome in POST-T state (A1)
Authors : Majumdar, S.; Emmerich, A.G.; Sanyal, S.
Deposited on : 2022-11-22
Resolution : 3.35 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev113
MolProbity : 4.02b-467
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.35 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415
RNA backbone	6643	2191

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	LA	251	<div> <div>6%</div> <div>92%</div> <div>7%</div> <div>.</div> </div>
2	LB	379	<div> <div>12%</div> <div>88%</div> <div>11%</div> <div>.</div> </div>
3	LC	316	<div> <div>14%</div> <div>91%</div> <div>6%</div> <div>.</div> </div>
4	LD	142	<div> <div>7%</div> <div>68%</div> <div>32%</div> <div>.</div> </div>
5	LE	121	<div> <div>71%</div> <div>26%</div> <div>.</div> </div>
6	LF	297	<div> <div>32%</div> <div>88%</div> <div>10%</div> <div>.</div> </div>
7	LG	51	<div> <div>14%</div> <div>92%</div> <div>.</div> <div>.</div> <div>.</div> </div>
8	LH	235	<div> <div>25%</div> <div>84%</div> <div>6%</div> <div>9%</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	LI	225	
10	LJ	185	
11	LK	210	
12	LL	173	
13	LM	234	
14	LN	131	
15	LO	204	
16	LP	197	
17	LQ	164	
18	LR	179	
19	LS	196	
20	LT	173	
21	LU	159	
22	LV	124	
23	LW	142	
24	LX	189	
25	LY	141	
26	LZ	135	
27	La	135	
28	Lb	149	
29	Lc	62	
30	Ld	109	
31	Le	106	
32	Lf	136	
33	Lg	123	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
34	Lh	120	
35	Li	124	
36	Lj	90	
37	Lk	89	
38	Ll	77	
39	Ln	217	
40	Lo	25	
41	Lp	106	
42	Lq	94	
43	Ls	127	
44	Lt	2697	
45	Lu	75	
46	SA	245	
47	SB	242	
48	SC	217	
49	SD	248	
50	SE	268	
51	SF	190	
52	SG	248	
53	SH	190	
54	SI	174	
55	SJ	130	
56	SK	189	
57	SL	134	
58	SM	154	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
59	SO	143	
60	SP	154	
61	SQ	145	
62	SR	145	
63	ST	158	
64	SU	137	
65	SV	154	
66	SW	139	
67	SX	126	
68	SY	89	
69	Sb	132	
70	Sc	88	
71	Sd	109	
72	Se	81	
73	Sg	64	
74	Sh	51	
75	Sj	69	
76	St	1454	

2 Entry composition

There are 76 unique types of molecules in this entry. The entry contains 174771 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	LA	248	Total	C	N	O	S	0	0
			1864	1151	381	320	12		

- Molecule 2 is a protein called Ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	LB	377	Total	C	N	O	S	0	0
			2978	1880	564	513	21		

- Molecule 3 is a protein called Ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	LC	309	Total	C	N	O	S	0	0
			2412	1516	469	419	8		

- Molecule 4 is a RNA chain called 5.8S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	LD	142	Total	C	N	O	P	0	0
			3038	1350	563	983	142		

- Molecule 5 is a RNA chain called 5S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	LE	117	Total	C	N	O	P	0	0
			2502	1116	457	812	117		

- Molecule 6 is a protein called Ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	LF	293	Total	C	N	O	S	0	0
			2355	1490	439	418	8		

- Molecule 7 is a protein called Ribosomal protein L39.

Mol	Chain	Residues	Atoms				AltConf	Trace
7	LG	50	Total	C	N	O	0	0
			439	281	94	64		

- Molecule 8 is a protein called Ribosomal protein L7.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	LH	213	Total	C	N	O	S	0	0
			1726	1097	314	310	5		

- Molecule 9 is a protein called 60S ribosomal protein L7a.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	LI	188	Total	C	N	O	S	0	0
			1502	956	276	265	5		

- Molecule 10 is a protein called Ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	LJ	184	Total	C	N	O	S	0	0
			1452	917	264	261	10		

- Molecule 11 is a protein called Ribosomal protein L10.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	LK	156	Total	C	N	O	S	0	0
			1270	798	245	223	4		

- Molecule 12 is a protein called Ribosomal protein L11.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	LL	167	Total	C	N	O	S	0	0
			1340	845	249	241	5		

- Molecule 13 is a protein called 60S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	LM	201	Total	C	N	O	S	0	0
			1605	999	325	274	7		

- Molecule 14 is a protein called Ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	LN	130	Total	C	N	O	S	0	0
			1024	649	186	183	6		

- Molecule 15 is a protein called Ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	LO	203	Total	C	N	O	S	0	0
			1708	1080	357	265	6		

- Molecule 16 is a protein called Ribosomal protein L13a.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	LP	193	Total	C	N	O	S	0	0
			1570	988	305	265	12		

- Molecule 17 is a protein called Ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	LQ	154	Total	C	N	O	S	0	0
			1239	784	240	211	4		

- Molecule 18 is a protein called Ribosomal protein L18.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	LR	178	Total	C	N	O	S	0	0
			1402	871	279	243	9		

- Molecule 19 is a protein called Ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	LS	192	Total	C	N	O	S	0	0
			1592	983	334	270	5		

- Molecule 20 is a protein called 60S ribosomal protein L18a.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	LT	170	Total	C	N	O	S	0	0
			1423	899	272	243	9		

- Molecule 21 is a protein called Ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	LU	157	Total	C	N	O	S	0	0
			1264	789	260	208	7		

- Molecule 22 is a protein called Ribosomal L22e.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	LV	100	Total	C	N	O	S	0	0
			820	523	140	155	2		

- Molecule 23 is a protein called Ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	LW	132	Total	C	N	O	S	0	0
			1015	641	193	176	5		

- Molecule 24 is a protein called Ribosomal protein L24.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	LX	63	Total	C	N	O	S	0	0
			538	340	109	82	7		

- Molecule 25 is a protein called Ribosomal protein L23A.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	LY	115	Total	C	N	O	S	0	0
			931	598	168	162	3		

- Molecule 26 is a protein called Ribosomal protein L26.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	LZ	133	Total	C	N	O	S	0	0
			1076	665	219	184	8		

- Molecule 27 is a protein called 60S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	La	119	Total	C	N	O	S	0	0
			957	608	181	163	5		

- Molecule 28 is a protein called Ribosomal protein L27a.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	Lb	148	Total	C	N	O	S	0	0
			1201	759	240	199	3		

- Molecule 29 is a protein called 60S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	Lc	52	Total	C	N	O	S	0	0
			434	260	99	73	2		

- Molecule 30 is a protein called Ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	Ld	107	Total	C	N	O	S	0	0
			804	506	141	153	4		

- Molecule 31 is a protein called Ribosomal protein L31B.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	Le	100	Total	C	N	O		0	0
			818	518	158	142			

- Molecule 32 is a protein called Ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	Lf	127	Total	C	N	O	S	0	0
			1050	667	211	166	6		

- Molecule 33 is a protein called Ribosomal protein L35a.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	Lg	98	Total	C	N	O	S	0	0
			778	498	147	130	3		

- Molecule 34 is a protein called Ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	Lh	95	Total	C	N	O	S	0	0
			765	473	159	129	4		

- Molecule 35 is a protein called Ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	Li	122	Total	C	N	O	S	0	0
			983	623	192	163	5		

- Molecule 36 is a protein called Ribosomal protein L36-1.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	Lj	89	Total	C	N	O	S	0	0
			731	462	146	119	4		

- Molecule 37 is a protein called Ribosomal protein L37.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	Lk	85	Total	C	N	O	S	0	0
			689	420	148	114	7		

- Molecule 38 is a protein called Ribosomal L38e.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	Ll	72	Total	C	N	O	S	0	0
			558	353	99	102	4		

- Molecule 39 is a protein called Ribosomal protein L10a.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	Ln	200	Total	C	N	O	S	0	0
			1592	1025	278	284	5		

- Molecule 40 is a protein called 60S ribosomal protein L41.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	Lo	25	Total	C	N	O	S	0	0
			227	140	57	27	3		

- Molecule 41 is a protein called Ribosomal protein L44.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	Lp	93	Total	C	N	O	S	0	0
			767	478	159	125	5		

- Molecule 42 is a protein called Ribosomal protein L37a.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	Lq	90	Total	C	N	O	S	0	0
			700	432	143	119	6		

- Molecule 43 is a protein called Ubiquitin/Ribosomal protein L40e.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	Ls	47	Total	C	N	O	S	0	0
			388	234	83	64	7		

- Molecule 44 is a RNA chain called Large Subunit rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	Lt	2593	Total	C	N	O	P	0	0
			55643	24727	10311	18012	2593		

- Molecule 45 is a RNA chain called E-site tRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	Lu	57	Total	C	N	O	P	0	0
			1221	546	228	391	56		

- Molecule 46 is a protein called 40S ribosomal protein SA.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	SA	196	Total	C	N	O	S	0	0
			1569	1013	274	274	8		

- Molecule 47 is a protein called Ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	SB	199	Total	C	N	O	S	0	0
			1529	976	277	272	4		

- Molecule 48 is a protein called Ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	SC	208	Total	C	N	O	S	0	0
			1648	1038	304	290	16		

- Molecule 49 is a protein called 40S ribosomal protein S3a.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	SD	231	Total	C	N	O	S	0	0
			1868	1180	349	326	13		

- Molecule 50 is a protein called 40S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	SE	260	Total	C	N	O	S	0	0
			2085	1333	384	356	12		

- Molecule 51 is a protein called Ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	SF	184	Total	C	N	O	S	0	0
			1429	889	272	259	9		

- Molecule 52 is a protein called 40S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	SG	205	Total	C	N	O	S	0	0
			1617	1017	307	283	10		

- Molecule 53 is a protein called 40S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	SH	184	Total	C	N	O	S	0	0
			1481	948	258	268	7		

- Molecule 54 is a protein called 40S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	SI	173	Total	C	N	O	S	0	0
			1357	850	260	244	3		

- Molecule 55 is a protein called Ribosomal protein S15A.

Mol	Chain	Residues	Atoms					AltConf	Trace
55	SJ	129	Total	C	N	O	S	0	0
			1031	659	192	177	3		

- Molecule 56 is a protein called Ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
56	SK	176	Total	C	N	O	S	0	0
			1423	889	281	247	6		

- Molecule 57 is a protein called Ribosomal protein S10B.

Mol	Chain	Residues	Atoms					AltConf	Trace
57	SL	98	Total	C	N	O	S	0	0
			802	519	134	146	3		

- Molecule 58 is a protein called Ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
58	SM	151	Total	C	N	O	S	0	0
			1251	794	246	205	6		

- Molecule 59 is a protein called Ribosomal protein S23.

Mol	Chain	Residues	Atoms					AltConf	Trace
59	SO	139	Total	C	N	O	S	0	0
			1080	683	213	181	3		

- Molecule 60 is a protein called Ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
60	SP	150	Total	C	N	O	S	0	0
			1192	758	228	201	5		

- Molecule 61 is a protein called Ribosomal protein S14.

Mol	Chain	Residues	Atoms					AltConf	Trace
61	SQ	126	Total	C	N	O	S	0	0
			925	569	190	163	3		

- Molecule 62 is a protein called Ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
62	SR	101	Total	C	N	O	S	0	0
			831	530	161	132	8		

- Molecule 63 is a protein called Ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
63	ST	151	Total	C	N	O	S	0	0
			1180	736	229	212	3		

- Molecule 64 is a protein called Ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
64	SU	110	Total	C	N	O	S	0	0
			886	550	171	160	5		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
SU	104	THR	ALA	conflict	UNP A8BRG5

- Molecule 65 is a protein called Ribosomal protein S18.

Mol	Chain	Residues	Atoms					AltConf	Trace
65	SV	140	Total	C	N	O	S	0	0
			1113	685	226	196	6		

- Molecule 66 is a protein called Ribosomal protein S19e.

Mol	Chain	Residues	Atoms					AltConf	Trace
66	SW	137	Total	C	N	O	S	0	0
			1071	680	202	186	3		

- Molecule 67 is a protein called Ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
67	SX	100	Total	C	N	O	S	0	0
			794	507	145	137	5		

- Molecule 68 is a protein called 40S ribosomal protein S21.

Mol	Chain	Residues	Atoms					AltConf	Trace
68	SY	86	Total	C	N	O	S	0	0
			651	403	120	122	6		

- Molecule 69 is a protein called Ribosomal protein S24.

Mol	Chain	Residues	Atoms					AltConf	Trace
69	Sb	119	Total	C	N	O	S	0	0
			945	600	178	161	6		

- Molecule 70 is a protein called 40S ribosomal protein S25.

Mol	Chain	Residues	Atoms					AltConf	Trace
70	Sc	75	Total	C	N	O	S	0	0
			597	377	107	107	6		

- Molecule 71 is a protein called 40S ribosomal protein S26.

Mol	Chain	Residues	Atoms					AltConf	Trace
71	Sd	98	Total	C	N	O	S	0	0
			796	491	164	134	7		

- Molecule 72 is a protein called Ribosomal protein S27.

Mol	Chain	Residues	Atoms					AltConf	Trace
72	Se	80	Total	C	N	O	S	0	0
			629	397	110	116	6		

- Molecule 73 is a protein called Ribosomal protein S28.

Mol	Chain	Residues	Atoms					AltConf	Trace
73	Sg	63	Total	C	N	O	S	0	0
			505	311	100	92	2		

- Molecule 74 is a protein called Ribosomal protein S29A.

Mol	Chain	Residues	Atoms					AltConf	Trace
74	Sh	50	Total	C	N	O	S	0	0
			417	264	80	67	6		

- Molecule 75 is a protein called 40S ribosomal protein S30.

Mol	Chain	Residues	Atoms					AltConf	Trace
75	Sj	62	Total	C	N	O	S	0	0
			502	315	104	82	1		


- Molecule 76 is a RNA chain called Small Subunit rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
76	St	1454	31176	13861	5772	10090	1453	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Ribosomal protein L2



- Molecule 2: Ribosomal protein L3




- Molecule 3: Ribosomal protein L4



- Molecule 4: 5.8S rRNA

Chain LD: 7% 68% 32%




- Molecule 5: 5S rRNA

Chain LE: 71% 26%




- Molecule 6: Ribosomal protein L5

Chain LF: 32% 88% 10%




- Molecule 7: Ribosomal protein L39


Chain LG: 14% 92% 6% 6%






- Molecule 8: Ribosomal protein L7

Chain LH: 25% 84% 6% 9%










• Molecule 9: 60S ribosomal protein L7a




• Molecule 10: Ribosomal protein L6




• Molecule 11: Ribosomal protein L10





• Molecule 12: Ribosomal protein L11







• Molecule 13: 60S ribosomal protein L13





• Molecule 14: Ribosomal protein L14




• Molecule 15: Ribosomal protein L15




• Molecule 16: Ribosomal protein L13a




• Molecule 17: Ribosomal protein L17






- Molecule 18: Ribosomal protein L18

Chain LR: 16% 89% 11% .




- Molecule 19: Ribosomal protein L19

Chain LS: 33% 88% 10% .




- Molecule 20: 60S ribosomal protein L18a

Chain LT: 10% 88% 10% .




- Molecule 21: Ribosomal protein L21



Chain LU: 18% 86% 13% .




- Molecule 22: Ribosomal L22e





• Molecule 23: Ribosomal protein L23




• Molecule 24: Ribosomal protein L24




• Molecule 25: Ribosomal protein L23A




• Molecule 26: Ribosomal protein L26




- Molecule 27: 60S ribosomal protein L27




- Molecule 28: Ribosomal protein L27a




- Molecule 29: 60S ribosomal protein L29




- Molecule 30: Ribosomal protein L30




- Molecule 31: Ribosomal protein L31B




- Molecule 32: Ribosomal protein L32









- Molecule 33: Ribosomal protein L35a




- Molecule 34: Ribosomal protein L34



- Molecule 35: Ribosomal protein L29





- Molecule 36: Ribosomal protein L36-1



- Molecule 37: Ribosomal protein L37




- Molecule 38: Ribosomal L38e







• Molecule 39: Ribosomal protein L10a




• Molecule 40: 60S ribosomal protein L41




• Molecule 41: Ribosomal protein L44




• Molecule 42: Ribosomal protein L37a




• Molecule 43: Ubiquitin/Ribosomal protein L40e






• Molecule 44: Large Subunit rRNA




G2668	A2646	U2400	G2273	U2153	G2065	G1969	A1887	A1767	G1646	G1529	G1401	C1255
A2669	C2547	U2401	G2276	G2177	A2066	A1970	G1888	A1768	A1647	A1533	G1406	G1256
C2679	C2565	U2402	G2279	C2183	C2067	G1971	A1889	A1769	G1648	A1538	A1414	U1257
U2680	G2566	A2403	U2282	C2184	G2068	A1972	A1890	U1770	G1649	C1539	C	G1959
C2681	G2567	C2404	U2283	G2185	G2069	A1973	G1891	G1771	C1658	C1539	C	A1260
A2682	G2568	C2405	U2284	A2186	G2070	A1974	A1892	C1772	G1659	A1540	C1417	C1262
C2572	G2572	G2412	U2285	G2195	G2072	C1975	G1893	C1775	G1666	A1541		
G2573	C2573	C2416	U2286	G2196	G2075	C1976	U1889	U1785		C1558	C1422	G1277
C2574	G2574	C2417	U2287	G2197	G2076	C1977	G1906	U1786	C1672		G1423	A1278
G2575	G2575	G2421	U2288	C2200	U2076	U1978			G1673	A1562		C1279
A2580	A2580	G2424	U2289	C2201	A2080	G1979	C1910	G1793	A1676	A1563	C1434	U1280
C2582	G2582	A2429	C2290	G2202	C2081	A1980	C1914	U1794	C1683	A1564		A1286
C2583	C2583	C2430	U2291	C2211	G2082	C1981	C1915	G1795	A1692	A1565	U1438	G1290
C2584	C2584	G2434	U2292	C2212	G2083	G1982	C1916	C1796	G1697	A1566	U1439	
C2585	C2585	G2437	U2293	G2213	G2084	G1983	U1922	U1797	G1698	G1567	A1440	
G2586	G2586	C2438	U2294	G2214	C2090	C1984	G1923	C1798	A1699			
U2587	U2587	G2439	U2295	U2217	C2093	G1985	C1924	U1785	C1672	C1568	C1422	
C2591	C2591	C2439	U2296	U2218	G2094	C1986	G1925	U1786	G1673	A1562	G1423	
C2592	C2592	A2439	U2297	U2219	A2095	C1987	G1926		A1676	A1563		
C2593	C2593	G2456	U2298	G2222	A2096	C1988	G1927	G1793	C1683	A1564		
U2594	U2594	G2457	U2299	G2223	C2099	G1989	G1928	U1794	A1692	A1565	U1438	
C2595	C2595	G2464	U2300	G2224	G2100	C1990	G1929	C1775	G1659	A1566	U1439	
G2596	G2596	G2467	A2310	A2225	G2101		C1930	C1776	G1666	A1567	A1440	
C2597	C2597	G2470	C2311	A2226	A2102	C2000	G1931	U1785				
C2598	C2598	C2471	G2317	A2227	G2103	C2008	G1932	U1786	C1672	C1568	C1422	
C2605	C2605	C2472	G2321	A2228	G2104	C2009	G1933	U1786	G1673	A1562	G1423	
C2606	C2606	C2473	A2230	A2229	G2105	C2010	G1934	U1786	A1676	A1563		
C2607	C2607	C2474	G2321	A2230	U2107	C2012	G1935	U1786	C1683	A1564		
C2608	C2608	C2475	A2231	A2231	C2106	C2012	G1936	U1786	G1697	A1565	U1438	
C2609	C2609	G2486	A2232	A2232	U2107	C2012	G1937	U1786	G1698	A1566	A1440	
G2610	G2610	G2496	A2233	A2233	C2108	C2017	G1938	U1786	A1699	A1567		
G2617	G2617	C2497	A2234	A2234	C2109	C2018	G1939	U1786	C1672	A1562	G1423	
A2618	A2618	G2503	A2241	A2241	C2112	G2030	G1940	U1786	A1676	A1563		
G2619	G2619	C2508	A2242	A2242	G2113	G2031	C1941	U1786	C1683	A1564		
C2622	C2622	G2509	A2243	A2243	G2114	G2032	C1942	U1786	G1697	A1565	U1438	
G2627	G2627	C2514	A2244	A2244	A2115	G2033	C1943	U1786	G1698	A1566	A1440	
C2628	C2628	G2515	A2245	A2245	A2118	G2034	C1944	U1786	A1699	A1567		
C2629	C2629	G2516	U2250	U2250	G2124	G2038	C1945	U1786	C1672	A1562	G1423	
C2634	C2634	G2523	G2251	G2251	A2126	C2040	G1946	U1786	A1676	A1563		
C2649	C2649	G2532	U2252	U2252	G2127	U2041	G1947	U1786	C1683	A1564		
A2652	A2652	C2531	G2253	G2253	A2128	G2042	C1948	U1786	G1697	A1565	U1438	
C2653	C2653	G2532	G2254	G2254	A2129	G2043	C1949	U1786	G1698	A1566	A1440	
C2654	C2654	U2657	G2255	G2255	G2130	G2044	C1950	U1786	A1699	A1567		
C2655	C2655	G2652	A2261	A2261	C2137	G2045	C1951	U1786	C1672	A1562	G1423	
U2657	U2657	G2653	G2265	G2265	G2138	G2046	G1952	U1786	A1676	A1563		
G2659	G2659	C2654	C2266	C2266	A2139	C2047	G1953	U1786	C1683	A1564		
		C2655	C2267	C2267	C2140	G2048	G1954	U1786	G1697	A1565	U1438	
		U2657	G2268	G2268	C2152	G2049	G1955	U1786	A1699	A1567		
			C2272	C2272	C2151	G2050	G1956	U1786	C1672	A1562	G1423	
					C2152	G2051	G1957	U1786	A1676	A1563		
					C2153	G2052	G1958	U1786	C1683	A1564		
					C2154	G2053	G1959	U1786	A1699	A1567		
					C2155	G2054	G1960	U1786	C1672	A1562	G1423	
					C2156	G2055	G1961	U1786	A1676	A1563		
					C2157	G2056	G1962	U1786	C1683	A1564		
					C2158	G2057	G1963	U1786	A1699	A1567		
					C2159	G2058	G1964	U1786	C1672	A1562	G1423	
					C2160	G2059	G1965	U1786	A1676	A1563		
					C2161	G2060	G1966	U1786	C1683	A1564		
					C2162	G2061	C1967	U1786	A1699	A1567		
					C2163	G2062	C1968	U1786	C1672	A1562	G1423	
					C2164	G2063	C1969	U1786	A1676	A1563		
					C2165	G2064	C1970	U1786	C1683	A1564		
					C2166	G2065	C1971	U1786	A1699	A1567		
					C2167	G2066	C1972	U1786	C1672	A1562	G1423	
					C2168	G2067	C1973	U1786	A1676	A1563		
					C2169	G2068	C1974	U1786	C1683	A1564		
					C2170	G2069	C1975	U1786	A1699	A1567		
					C2171	G2070	C1976	U1786	C1672	A1562	G1423	
					C2172	G2071	C1977	U1786	A1676	A1563		
					C2173	G2072	C1978	U1786	C1683	A1564		
					C2174	G2073	C1979	U1786	A1699	A1567		
					C2175	G2074	C1980	U1786	C1672	A1562	G1423	
					C2176	G2075	C1981	U1786	A1676	A1563		
					C2177	G2076	C1982	U1786	C1683	A1564		
					C2178	G2077	C1983	U1786	A1699	A1567		
					C2179	G2078	C1984	U1786	C1672	A1562	G1423	
					C2180	G2079	C1985	U1786	A1676	A1563		
					C2181	G2080	C1986	U1786	C1683	A1564		
					C2182	G2081	C1987	U1786	A1699	A1567		
					C2183	G2082	C1988	U1786	C1672	A1562	G1423	
					C2184	G2083	C1989	U1786	A1676	A1563		
					C2185	G2084	C1990	U1786	C1683	A1564		
					C2186	G2085	C1991	U1786	A1699	A1567		
					C2187	G2086	C1992	U1786	C1672	A1562	G1423	
					C2188	G2087	C1993	U1786	A1676	A1563		
					C2189	G2088	C1994	U1786	C1683	A1564		
					C2190	G2089	C1995	U1786	A1699	A1567		
					C2191	G2090	C1996	U1786	C1672	A1562	G1423	
					C2192	G2091	C1997	U1786	A1676	A1563		
					C2193	G2092	C1998	U1786	C1683	A1564		
					C2194	G2093	C1999	U1786	A1699	A1567		
					C2195	G2094	C2000	U1786	C1672	A1562	G1423	
					C2196	G2095	C2001	U1786	A1676	A1563		
					C2197	G2096	C2002	U1786	C1683	A1564		
					C2198	G2097	C2003	U1786	A1699	A1567		
					C2199	G2098	C2004	U1786	C1672	A1562	G1423	
					C2200	G2099	C2005	U1786	A1676	A1563		
					C2201	G2100	C2006	U1786	C1683	A1564		
					C2202	G2101	C2007	U1786	A1699	A1567		
					C2203	G2102	C2008	U1786	C1672	A1562	G1423	
					C2204	G2103	C2009	U1786	A1676	A1563		
					C2205	G2104	C2010	U1786	C1683	A1564		
					C2206	G2105	C2011	U1786	A1699	A1567		
					C2207	G2106	C2012	U1786	C1672	A1562	G1423	
					C2208	G2107	C2013	U1786	A1676	A1563		
					C2209	G2108	C2014	U1786	C1683	A1564		
					C2210	G2109	C2015	U1786	A1699	A1567		
					C2211	G2110	C2016	U1786	C1672	A1562	G1423	
					C2212	G2111	C2017	U1786	A1676	A1563		
					C2213	G2112	C2018	U1786	C1683	A1564		
					C2214	G2113	C2019	U1786	A1699	A1567		
					C2215	G2114	C2020	U1786	C1672	A1562	G1423	
					C2216	G2115	C2021	U1786	A1676	A1563		
					C2217	G2116	C2022	U1786	C1683	A1564		
					C2218	G2117	C2023	U1786	A1699	A1567		
					C2219	G2118	C2024	U1786	C1672	A1562	G1423	
					C2220	G2119	C2025	U1786	A1676	A1563		
					C2221	G2120	C2026	U1786	C1683	A1564		
					C2222	G2121	C2027	U1786	A1699	A1567		
					C2223	G2122	C2028	U1786	C1672	A1562	G1423	
					C2224	G2123	C2029	U1786	A1676	A1563		
					C2225	G2124	C2030	U1786	C1683	A1564		
					C2226	G2125	C2031	U1786	A1699	A		


- Molecule 45: E-site tRNA




- Molecule 46: 40S ribosomal protein SA




- Molecule 47: Ribosomal protein S2





- Molecule 48: Ribosomal protein S3









• Molecule 49: 40S ribosomal protein S3a





• Molecule 50: 40S ribosomal protein S4





• Molecule 51: Ribosomal protein S5




• Molecule 52: 40S ribosomal protein S6




• Molecule 53: 40S ribosomal protein S7





• Molecule 54: 40S ribosomal protein S8








• Molecule 55: Ribosomal protein S15A




• Molecule 56: Ribosomal protein S9




• Molecule 57: Ribosomal protein S10B





• Molecule 58: Ribosomal protein S11









• Molecule 59: Ribosomal protein S23




• Molecule 60: Ribosomal protein S13




• Molecule 61: Ribosomal protein S14





• Molecule 62: Ribosomal protein S15









• Molecule 63: Ribosomal protein S16



• Molecule 64: Ribosomal protein S17




• Molecule 65: Ribosomal protein S18




- Molecule 66: Ribosomal protein S19e

Chain SW:




- Molecule 67: Ribosomal protein S20

Chain SX:




- Molecule 68: 40S ribosomal protein S21

Chain SY:




- Molecule 69: Ribosomal protein S24


Chain Sb:




GLY
ALA
LYS
LYS


- Molecule 70: 40S ribosomal protein S25

Chain Sc: 





- Molecule 71: 40S ribosomal protein S26

Chain Sd: 





- Molecule 72: Ribosomal protein S27

Chain Se: 




- Molecule 73: Ribosomal protein S28

Chain Sg: 





- Molecule 74: Ribosomal protein S29A


Chain Sh: 




- Molecule 75: 40S ribosomal protein S30



- Molecule 76: Small Subunit rRNA





4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	29181	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	30.0	Depositor
Minimum defocus (nm)	700	Depositor
Maximum defocus (nm)	1900	Depositor
Magnification	Not provided	
Image detector	GATAN K2 BASE (4k x 4k)	Depositor
Maximum map value	19.404	Depositor
Minimum map value	-10.312	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	1.000	Depositor
Recommended contour level	4.7	Depositor
Map size (Å)	410.0, 410.0, 410.0	wwPDB
Map dimensions	500, 500, 500	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.82, 0.82, 0.82	Depositor

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	LA	0.60	0/1897	0.81	0/2549
2	LB	0.58	0/3049	0.78	0/4118
3	LC	0.60	0/2463	0.76	1/3342 (0.0%)
4	LD	0.65	0/3393	0.85	1/5292 (0.0%)
5	LE	0.59	0/2798	0.80	0/4361
6	LF	0.58	0/2398	0.76	0/3216
7	LG	0.56	0/450	0.76	1/601 (0.2%)
8	LH	0.58	0/1756	0.74	0/2367
9	LI	0.59	0/1528	0.75	0/2063
10	LJ	0.60	0/1479	0.77	0/1997
11	LK	0.59	0/1296	0.72	0/1736
12	LL	0.60	0/1365	0.72	0/1833
13	LM	0.58	0/1628	0.78	0/2180
14	LN	0.58	0/1037	0.77	0/1390
15	LO	0.57	0/1751	0.76	0/2346
16	LP	0.57	0/1602	0.80	0/2149
17	LQ	0.59	0/1265	0.74	0/1692
18	LR	0.60	0/1425	0.75	0/1907
19	LS	0.56	0/1609	0.69	0/2129
20	LT	0.56	0/1457	0.73	0/1957
21	LU	0.58	0/1290	0.76	0/1735
22	LV	0.56	0/836	0.79	0/1126
23	LW	0.57	0/1035	0.76	0/1396
24	LX	0.57	0/553	0.92	2/736 (0.3%)
25	LY	0.57	0/951	0.74	0/1286
26	LZ	0.58	0/1091	0.74	0/1454
27	La	0.59	0/974	0.79	1/1313 (0.1%)
28	Lb	0.59	0/1231	0.78	1/1647 (0.1%)
29	Lc	0.58	0/441	0.88	1/583 (0.2%)
30	Ld	0.60	0/812	0.82	0/1097
31	Le	0.58	0/832	0.75	0/1118
32	Lf	0.58	0/1074	0.75	1/1432 (0.1%)
33	Lg	0.59	0/793	0.81	0/1062
34	Lh	0.60	0/780	0.81	0/1048

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
35	Li	0.56	0/996	0.73	0/1328
36	Lj	0.57	0/741	0.76	0/982
37	Lk	0.61	0/705	0.77	0/934
38	Ll	0.59	0/562	0.77	0/749
39	Ln	0.62	0/1621	0.76	0/2183
40	Lo	0.51	0/229	0.72	0/291
41	Lp	0.57	0/778	0.73	0/1029
42	Lq	0.57	0/709	0.80	0/945
43	Ls	0.56	0/392	0.87	0/522
44	Lt	0.62	0/62214	0.84	24/97098 (0.0%)
45	Lu	0.62	0/1366	0.80	0/2127
46	SA	0.59	0/1603	0.76	0/2178
47	SB	0.61	0/1561	0.77	0/2107
48	SC	0.61	0/1674	0.76	0/2248
49	SD	0.57	0/1903	0.74	1/2562 (0.0%)
50	SE	0.60	0/2131	0.76	0/2874
51	SF	0.63	0/1451	0.74	0/1950
52	SG	0.60	0/1637	0.74	0/2185
53	SH	0.61	0/1508	0.74	0/2032
54	SI	0.60	0/1378	0.76	0/1848
55	SJ	0.61	0/1048	0.78	0/1412
56	SK	0.60	0/1443	0.73	1/1930 (0.1%)
57	SL	0.58	0/824	0.75	0/1122
58	SM	0.60	0/1280	0.74	0/1712
59	SO	0.59	0/1095	0.79	0/1467
60	SP	0.57	0/1215	0.74	0/1632
61	SQ	0.60	0/937	0.84	0/1258
62	SR	0.61	0/845	0.79	0/1127
63	ST	0.62	0/1192	0.77	0/1594
64	SU	0.61	0/895	0.81	0/1193
65	SV	0.60	0/1129	0.87	0/1514
66	SW	0.63	0/1095	0.77	0/1473
67	SX	0.59	0/809	0.77	0/1092
68	SY	0.63	0/659	0.80	0/883
69	Sb	0.59	0/960	0.76	0/1284
70	Sc	0.62	0/603	0.78	0/802
71	Sd	0.59	0/809	0.78	0/1088
72	Se	0.62	0/643	0.77	0/871
73	Sg	0.62	0/508	0.79	0/677
74	Sh	0.58	0/425	0.92	2/563 (0.4%)
75	Sj	0.58	0/510	0.76	0/679
76	St	0.63	0/34858	0.85	14/54401 (0.0%)
All	All	0.61	0/187280	0.81	51/274204 (0.0%)

There are no bond length outliers.

The worst 5 of 51 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
76	St	1079	G	C2'-C3'-O3'	8.74	128.72	109.50
74	Sh	120	CYS	CB-CA-C	-7.80	94.79	110.40
29	Lc	50	ASP	CB-CA-C	7.77	125.94	110.40
44	Lt	1448	G	C2'-C3'-O3'	7.65	126.33	109.50
44	Lt	1349	G	C2'-C3'-O3'	7.37	125.72	109.50

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	LA	246/251 (98%)	235 (96%)	11 (4%)	0	100	100
2	LB	375/379 (99%)	355 (95%)	16 (4%)	4 (1%)	12	37
3	LC	307/316 (97%)	298 (97%)	8 (3%)	1 (0%)	37	65
6	LF	291/297 (98%)	280 (96%)	10 (3%)	1 (0%)	37	65
7	LG	48/51 (94%)	44 (92%)	4 (8%)	0	100	100
8	LH	211/235 (90%)	205 (97%)	5 (2%)	1 (0%)	25	53
9	LI	184/225 (82%)	171 (93%)	11 (6%)	2 (1%)	12	37
10	LJ	182/185 (98%)	163 (90%)	15 (8%)	4 (2%)	5	23
11	LK	152/210 (72%)	146 (96%)	5 (3%)	1 (1%)	19	47
12	LL	165/173 (95%)	157 (95%)	8 (5%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
13	LM	199/234 (85%)	187 (94%)	10 (5%)	2 (1%)	13	39
14	LN	128/131 (98%)	123 (96%)	5 (4%)	0	100	100
15	LO	201/204 (98%)	192 (96%)	8 (4%)	1 (0%)	25	53
16	LP	191/197 (97%)	185 (97%)	4 (2%)	2 (1%)	13	39
17	LQ	152/164 (93%)	146 (96%)	5 (3%)	1 (1%)	19	47
18	LR	176/179 (98%)	168 (96%)	7 (4%)	1 (1%)	22	50
19	LS	190/196 (97%)	186 (98%)	4 (2%)	0	100	100
20	LT	168/173 (97%)	164 (98%)	4 (2%)	0	100	100
21	LU	155/159 (98%)	145 (94%)	8 (5%)	2 (1%)	10	32
22	LV	98/124 (79%)	86 (88%)	9 (9%)	3 (3%)	3	18
23	LW	130/142 (92%)	126 (97%)	4 (3%)	0	100	100
24	LX	61/189 (32%)	57 (93%)	4 (7%)	0	100	100
25	LY	113/141 (80%)	108 (96%)	4 (4%)	1 (1%)	14	41
26	LZ	131/135 (97%)	127 (97%)	4 (3%)	0	100	100
27	La	115/135 (85%)	104 (90%)	9 (8%)	2 (2%)	7	27
28	Lb	146/149 (98%)	136 (93%)	8 (6%)	2 (1%)	9	30
29	Lc	50/62 (81%)	46 (92%)	3 (6%)	1 (2%)	6	25
30	Ld	105/109 (96%)	102 (97%)	3 (3%)	0	100	100
31	Le	98/106 (92%)	94 (96%)	4 (4%)	0	100	100
32	Lf	125/136 (92%)	121 (97%)	4 (3%)	0	100	100
33	Lg	96/123 (78%)	94 (98%)	1 (1%)	1 (1%)	13	39
34	Lh	93/120 (78%)	89 (96%)	1 (1%)	3 (3%)	3	17
35	Li	120/124 (97%)	112 (93%)	8 (7%)	0	100	100
36	Lj	87/90 (97%)	81 (93%)	5 (6%)	1 (1%)	12	37
37	Lk	83/89 (93%)	78 (94%)	5 (6%)	0	100	100
38	Ll	70/77 (91%)	68 (97%)	2 (3%)	0	100	100
39	Ln	194/217 (89%)	180 (93%)	12 (6%)	2 (1%)	13	39
40	Lo	23/25 (92%)	22 (96%)	1 (4%)	0	100	100
41	Lp	91/106 (86%)	88 (97%)	3 (3%)	0	100	100
42	Lq	88/94 (94%)	87 (99%)	1 (1%)	0	100	100
43	Ls	45/127 (35%)	44 (98%)	1 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
46	SA	194/245 (79%)	188 (97%)	5 (3%)	1 (0%)	25	53
47	SB	197/242 (81%)	186 (94%)	10 (5%)	1 (0%)	25	53
48	SC	206/217 (95%)	193 (94%)	12 (6%)	1 (0%)	25	53
49	SD	229/248 (92%)	217 (95%)	10 (4%)	2 (1%)	14	41
50	SE	258/268 (96%)	241 (93%)	15 (6%)	2 (1%)	16	44
51	SF	180/190 (95%)	174 (97%)	5 (3%)	1 (1%)	22	50
52	SG	199/248 (80%)	189 (95%)	10 (5%)	0	100	100
53	SH	182/190 (96%)	169 (93%)	12 (7%)	1 (0%)	25	53
54	SI	171/174 (98%)	165 (96%)	4 (2%)	2 (1%)	11	34
55	SJ	127/130 (98%)	121 (95%)	4 (3%)	2 (2%)	8	28
56	SK	174/189 (92%)	167 (96%)	6 (3%)	1 (1%)	22	50
57	SL	96/134 (72%)	94 (98%)	2 (2%)	0	100	100
58	SM	149/154 (97%)	135 (91%)	12 (8%)	2 (1%)	10	32
59	SO	137/143 (96%)	132 (96%)	3 (2%)	2 (2%)	8	29
60	SP	148/154 (96%)	142 (96%)	6 (4%)	0	100	100
61	SQ	124/145 (86%)	116 (94%)	7 (6%)	1 (1%)	16	44
62	SR	97/145 (67%)	94 (97%)	3 (3%)	0	100	100
63	ST	149/158 (94%)	143 (96%)	6 (4%)	0	100	100
64	SU	106/137 (77%)	100 (94%)	4 (4%)	2 (2%)	6	25
65	SV	138/154 (90%)	120 (87%)	14 (10%)	4 (3%)	3	19
66	SW	135/139 (97%)	126 (93%)	8 (6%)	1 (1%)	19	47
67	SX	98/126 (78%)	95 (97%)	3 (3%)	0	100	100
68	SY	84/89 (94%)	78 (93%)	5 (6%)	1 (1%)	11	34
69	Sb	117/132 (89%)	110 (94%)	6 (5%)	1 (1%)	14	41
70	Sc	73/88 (83%)	65 (89%)	7 (10%)	1 (1%)	9	30
71	Sd	96/109 (88%)	92 (96%)	4 (4%)	0	100	100
72	Se	78/81 (96%)	72 (92%)	6 (8%)	0	100	100
73	Sg	61/64 (95%)	56 (92%)	5 (8%)	0	100	100
74	Sh	48/51 (94%)	44 (92%)	3 (6%)	1 (2%)	5	24
75	Sj	60/69 (87%)	56 (93%)	4 (7%)	0	100	100
All	All	9994/11192 (89%)	9480 (95%)	445 (4%)	69 (1%)	21	47

5 of 69 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
22	LV	45	ILE
27	La	89	TYR
27	La	98	VAL
29	Lc	50	ASP
48	SC	210	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	LA	189/192 (98%)	171 (90%)	18 (10%)	7	25
2	LB	311/313 (99%)	272 (88%)	39 (12%)	3	14
3	LC	257/263 (98%)	237 (92%)	20 (8%)	10	33
6	LF	238/242 (98%)	208 (87%)	30 (13%)	3	14
7	LG	47/48 (98%)	44 (94%)	3 (6%)	14	40
8	LH	184/204 (90%)	170 (92%)	14 (8%)	11	34
9	LI	166/198 (84%)	150 (90%)	16 (10%)	7	24
10	LJ	163/164 (99%)	151 (93%)	12 (7%)	11	36
11	LK	133/177 (75%)	120 (90%)	13 (10%)	6	23
12	LL	143/149 (96%)	126 (88%)	17 (12%)	4	16
13	LM	169/197 (86%)	144 (85%)	25 (15%)	2	9
14	LN	110/111 (99%)	98 (89%)	12 (11%)	5	19
15	LO	174/175 (99%)	161 (92%)	13 (8%)	11	35
16	LP	161/165 (98%)	146 (91%)	15 (9%)	7	26
17	LQ	131/139 (94%)	125 (95%)	6 (5%)	23	50
18	LR	154/155 (99%)	136 (88%)	18 (12%)	4	17
19	LS	163/167 (98%)	144 (88%)	19 (12%)	4	17
20	LT	151/154 (98%)	133 (88%)	18 (12%)	4	16
21	LU	131/133 (98%)	113 (86%)	18 (14%)	3	11

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
22	LV	88/110 (80%)	75 (85%)	13 (15%)	2	9
23	LW	108/114 (95%)	98 (91%)	10 (9%)	7	26
24	LX	61/174 (35%)	51 (84%)	10 (16%)	2	7
25	LY	104/123 (85%)	94 (90%)	10 (10%)	7	24
26	LZ	114/115 (99%)	102 (90%)	12 (10%)	5	21
27	La	105/119 (88%)	92 (88%)	13 (12%)	4	14
28	Lb	126/127 (99%)	118 (94%)	8 (6%)	15	40
29	Lc	48/57 (84%)	46 (96%)	2 (4%)	25	51
30	Ld	91/92 (99%)	78 (86%)	13 (14%)	2	10
31	Le	88/92 (96%)	82 (93%)	6 (7%)	13	39
32	Lf	113/120 (94%)	102 (90%)	11 (10%)	6	24
33	Lg	82/103 (80%)	74 (90%)	8 (10%)	6	23
34	Lh	84/100 (84%)	80 (95%)	4 (5%)	21	48
35	Li	105/107 (98%)	97 (92%)	8 (8%)	11	34
36	Lj	77/78 (99%)	71 (92%)	6 (8%)	10	33
37	Lk	71/74 (96%)	66 (93%)	5 (7%)	12	38
38	Ll	63/68 (93%)	50 (79%)	13 (21%)	1	3
39	Ln	173/189 (92%)	140 (81%)	33 (19%)	1	4
40	Lo	22/22 (100%)	21 (96%)	1 (4%)	23	50
41	Lp	83/93 (89%)	72 (87%)	11 (13%)	3	12
42	Lq	70/73 (96%)	59 (84%)	11 (16%)	2	8
43	Ls	43/110 (39%)	36 (84%)	7 (16%)	2	7
46	SA	171/217 (79%)	152 (89%)	19 (11%)	5	19
47	SB	163/201 (81%)	150 (92%)	13 (8%)	10	32
48	SC	173/182 (95%)	143 (83%)	30 (17%)	1	6
49	SD	208/220 (94%)	177 (85%)	31 (15%)	2	9
50	SE	228/232 (98%)	201 (88%)	27 (12%)	4	16
51	SF	152/157 (97%)	137 (90%)	15 (10%)	6	23
52	SG	174/213 (82%)	143 (82%)	31 (18%)	1	5
53	SH	165/170 (97%)	139 (84%)	26 (16%)	2	8
54	SI	147/148 (99%)	132 (90%)	15 (10%)	6	22

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
55	SJ	114/115 (99%)	93 (82%)	21 (18%)	1	5
56	SK	155/164 (94%)	139 (90%)	16 (10%)	6	22
57	SL	87/119 (73%)	65 (75%)	22 (25%)	0	1
58	SM	134/136 (98%)	117 (87%)	17 (13%)	3	14
59	SO	111/114 (97%)	100 (90%)	11 (10%)	6	23
60	SP	125/130 (96%)	114 (91%)	11 (9%)	8	28
61	SQ	87/113 (77%)	75 (86%)	12 (14%)	3	11
62	SR	92/128 (72%)	75 (82%)	17 (18%)	1	4
63	ST	125/130 (96%)	105 (84%)	20 (16%)	2	8
64	SU	99/124 (80%)	86 (87%)	13 (13%)	3	13
65	SV	118/131 (90%)	93 (79%)	25 (21%)	1	2
66	SW	113/115 (98%)	101 (89%)	12 (11%)	5	20
67	SX	89/110 (81%)	78 (88%)	11 (12%)	4	14
68	SY	69/72 (96%)	55 (80%)	14 (20%)	1	3
69	Sb	103/113 (91%)	86 (84%)	17 (16%)	2	7
70	Sc	67/79 (85%)	53 (79%)	14 (21%)	1	2
71	Sd	92/103 (89%)	81 (88%)	11 (12%)	4	16
72	Se	72/73 (99%)	64 (89%)	8 (11%)	5	19
73	Sg	56/57 (98%)	47 (84%)	9 (16%)	2	8
74	Sh	44/45 (98%)	32 (73%)	12 (27%)	0	1
75	Sj	54/58 (93%)	46 (85%)	8 (15%)	2	9
All	All	8681/9575 (91%)	7632 (88%)	1049 (12%)	6	16

5 of 1049 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
65	SV	116	ARG
67	SX	104	ILE
65	SV	115	LEU
74	Sh	122	ARG
27	La	101	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 110 such sidechains are listed below:

Mol	Chain	Res	Type
41	Lp	18	HIS
51	SF	139	ASN
75	Sj	57	ASN
68	SY	81	GLN
43	Ls	98	HIS

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
4	LD	141/142 (99%)	42 (29%)	11 (7%)
44	Lt	2588/2697 (95%)	760 (29%)	0
45	Lu	55/75 (73%)	29 (52%)	0
5	LE	116/121 (95%)	30 (25%)	5 (4%)
76	St	1453/1454 (99%)	496 (34%)	0
All	All	4353/4489 (96%)	1357 (31%)	16 (0%)

5 of 1357 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
4	LD	9	C
4	LD	12	C
4	LD	17	G
4	LD	20	G
4	LD	21	C

5 of 16 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
5	LE	85	U
5	LE	63	U
4	LD	88	G
5	LE	50	A
4	LD	87	A

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-16211. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 250




Y Index: 250




Z Index: 250


6.2.2 Raw map



X Index: 250



Y Index: 250




Z Index: 250


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 307




Y Index: 252




Z Index: 241


6.3.2 Raw map



X Index: 278



Y Index: 242




Z Index: 236


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 4.7. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 506 nm³; this corresponds to an approximate mass of 457 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.299 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.299 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.35	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	4.35	8.10	4.71

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.35 differs from the reported value 3.35 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-16211 and PDB model 8BR8. Per-residue inclusion information can be found in section [3](#) on page [18](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 4.7 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (4.7).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 65% of all backbone atoms, 57% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ





















































































The table lists the average atom inclusion at the recommended contour level (4.7) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.5680	 0.5130
LA	 0.6440	 0.5730
LB	 0.6170	 0.5550
LC	 0.6070	 0.5510
LD	 0.7530	 0.5500
LE	 0.7290	 0.5400
LF	 0.4750	 0.5040
LG	 0.6220	 0.5640
LH	 0.5340	 0.5310
LI	 0.5110	 0.5150
LJ	 0.5210	 0.5210
LK	 0.2940	 0.4730
LL	 0.4260	 0.4900
LM	 0.5910	 0.5350
LN	 0.5370	 0.5160
LO	 0.7030	 0.5790
LP	 0.5770	 0.5390
LQ	 0.5540	 0.5460
LR	 0.5740	 0.5550
LS	 0.5120	 0.5120
LT	 0.6140	 0.5480
LU	 0.5910	 0.5450
LV	 0.4560	 0.4850
LW	 0.5750	 0.5570
LX	 0.5730	 0.5170
LY	 0.6110	 0.5530
LZ	 0.6040	 0.5420
La	 0.4770	 0.5070
Lb	 0.6710	 0.5650
Lc	 0.5460	 0.5360
Ld	 0.4620	 0.5030
Le	 0.5480	 0.5440
Lf	 0.5760	 0.5570
Lg	 0.6190	 0.5600
Lh	 0.6330	 0.5670



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
Li	 0.5480	 0.5280
Lj	 0.4900	 0.5010
Lk	 0.6640	 0.5630
Ll	 0.3460	 0.4470
Ln	 0.0250	 0.2830
Lo	 0.4950	 0.5270
Lp	 0.6170	 0.5680
Lq	 0.6190	 0.5700
Ls	 0.5780	 0.5400
Lt	 0.7180	 0.5460
Lu	 0.2640	 0.3560
SA	 0.3410	 0.4660
SB	 0.4700	 0.5030
SC	 0.2150	 0.4170
SD	 0.4700	 0.4990
SE	 0.3920	 0.4930
SF	 0.3000	 0.4560
SG	 0.2270	 0.4250
SH	 0.2510	 0.4350
SI	 0.4850	 0.5160
SJ	 0.4910	 0.5170
SK	 0.3730	 0.4700
SL	 0.1050	 0.3710
SM	 0.4550	 0.5200
SO	 0.4060	 0.5190
SP	 0.4800	 0.5320
SQ	 0.5380	 0.5370
SR	 0.0900	 0.4050
ST	 0.2290	 0.4220
SU	 0.1410	 0.3910
SV	 0.1610	 0.3920
SW	 0.2390	 0.4060
SX	 0.1740	 0.4130
SY	 0.3120	 0.4620
Sb	 0.2490	 0.4220
Sc	 0.1760	 0.3890
Sd	 0.5120	 0.5230
Se	 0.3370	 0.4540
Sg	 0.2250	 0.4360
Sh	 0.2390	 0.4220
Sj	 0.2440	 0.4490
St	 0.5670	 0.4860