



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 29, 2025 – 09:37 AM EDT

PDB ID : 3CP9 / pdb_00003cp9
Title : Crystal structure of the VEGFR2 kinase domain in complex with a pyridone inhibitor
Authors : Whittington, D.A.; Long, A.M.; Rose, P.; Gu, Y.; Zhao, H.
Deposited on : 2008-03-31
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0rc1
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0rc1
EDS : 3.0
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.006 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.43.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	5504 (2.50-2.50)
Clashscore	180529	6282 (2.50-2.50)
Ramachandran outliers	177936	6191 (2.50-2.50)
Sidechain outliers	177891	6193 (2.50-2.50)
RSRZ outliers	164620	5504 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	314	
1	B	314	

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 4669 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Vascular endothelial growth factor receptor 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	288	Total	C	N	O	S	0	0	0
			2330	1493	409	412	16			
1	B	269	Total	C	N	O	S	0	0	0
			2161	1392	374	379	16			

There are 20 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	817	ALA	CYS	engineered mutation	UNP P35968
A	916	THR	VAL	engineered mutation	UNP P35968
A	990	VAL	GLU	engineered mutation	UNP P35968
A	1172	ARG	-	expression tag	UNP P35968
A	1173	HIS	-	expression tag	UNP P35968
A	1174	HIS	-	expression tag	UNP P35968
A	1175	HIS	-	expression tag	UNP P35968
A	1176	HIS	-	expression tag	UNP P35968
A	1177	HIS	-	expression tag	UNP P35968
A	1178	HIS	-	expression tag	UNP P35968
B	817	ALA	CYS	engineered mutation	UNP P35968
B	916	THR	VAL	engineered mutation	UNP P35968
B	990	VAL	GLU	engineered mutation	UNP P35968
B	1172	ARG	-	expression tag	UNP P35968
B	1173	HIS	-	expression tag	UNP P35968
B	1174	HIS	-	expression tag	UNP P35968
B	1175	HIS	-	expression tag	UNP P35968
B	1176	HIS	-	expression tag	UNP P35968
B	1177	HIS	-	expression tag	UNP P35968
B	1178	HIS	-	expression tag	UNP P35968

- Molecule 2 is 3-(2-aminoquinazolin-6-yl)-1-(3,3-dimethylindolin-6-yl)-4-methylpyridin-2(1H)-one (CCD ID: C19) (formula: C₂₄H₂₃N₅O).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			30	24	5	1		
2	B	1	Total	C	N	O	0	0
			30	24	5	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	84	Total	O	0	0
			84	84		
3	B	34	Total	O	0	0
			34	34		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Vascular endothelial growth factor receptor 2



- Molecule 1: Vascular endothelial growth factor receptor 2



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	55.57Å 67.17Å 89.10Å 90.00° 93.08° 90.00°	Depositor
Resolution (Å)	30.00 – 2.50 30.00 – 2.50	Depositor EDS
% Data completeness (in resolution range)	100.0 (30.00-2.50) 99.9 (30.00-2.50)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.03 (at 2.51Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.211 , 0.263 0.197 , 0.249	Depositor DCC
R_{free} test set	1341 reflections (5.87%)	wwPDB-VP
Wilson B-factor (Å ²)	37.3	Xtriage
Anisotropy	0.383	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 39.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	4669	wwPDB-VP
Average B, all atoms (Å ²)	39.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.62% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: C19

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.43	0/2390	0.97	13/3230 (0.4%)
1	B	0.38	0/2211	0.92	7/2982 (0.2%)
All	All	0.40	0/4601	0.95	20/6212 (0.3%)

There are no bond length outliers.

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	936	VAL	N-CA-C	-8.48	102.24	109.19
1	B	1100	SER	N-CA-C	-8.18	101.34	113.61
1	A	858	LYS	N-CA-C	-8.18	103.02	113.16
1	A	838	LYS	CA-C-N	8.07	127.83	119.76
1	A	838	LYS	C-N-CA	8.07	127.83	119.76
1	A	1129	ASP	N-CA-C	7.95	120.85	111.71
1	A	827	TRP	N-CA-C	7.46	122.67	113.50
1	B	1129	ASP	N-CA-C	7.46	120.35	111.33
1	A	1100	SER	N-CA-C	-7.30	102.36	113.89
1	B	920	LYS	N-CA-C	6.66	120.50	112.38
1	A	1132	THR	N-CA-C	-6.49	100.63	110.50
1	A	818	GLU	N-CA-C	-6.43	105.37	113.72
1	A	920	LYS	N-CA-C	6.32	118.98	111.71
1	B	858	LYS	N-CA-C	5.94	119.63	112.38
1	B	1084	ILE	N-CA-C	-5.86	103.84	112.04
1	A	1067	LEU	CA-C-N	5.84	127.14	119.84
1	A	1067	LEU	C-N-CA	5.84	127.14	119.84
1	B	915	ILE	N-CA-C	5.69	116.14	108.17
1	B	1132	THR	N-CA-C	-5.45	101.76	110.10
1	A	1026	HIS	N-CA-C	5.28	116.72	111.07

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2330	0	2317	42	0
1	B	2161	0	2182	59	0
2	A	30	0	23	0	0
2	B	30	0	23	2	0
3	A	84	0	0	2	0
3	B	34	0	0	1	0
All	All	4669	0	4545	98	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (98) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1114:GLU:HG2	1:B:1117:ARG:HH12	1.39	0.87
1:A:870:LEU:HD11	1:A:879:HIS:HA	1.57	0.87
1:B:883:MET:HE3	1:B:887:LYS:HE3	1.62	0.80
1:B:843:GLY:HA3	1:B:1049:LEU:HB3	1.66	0.75
1:B:823:ASP:OD1	1:B:825:SER:HB3	1.95	0.67
1:A:883:MET:HE3	1:A:887:LYS:HE3	1.77	0.67
1:B:905:CYS:SG	1:B:913:MET:HE3	2.36	0.66
1:A:838:LYS:HG2	3:A:84:HOH:O	1.97	0.65
1:B:1078:PHE:CZ	1:B:1116:CYS:HB3	2.35	0.61
1:B:1067:LEU:N	1:B:1068:PRO:HD2	2.13	0.61
1:B:1026:HIS:O	1:B:1027:ARG:HB2	2.00	0.60
1:B:820:LEU:HB2	1:B:887:LYS:HB3	1.84	0.59
1:B:826:LYS:HE2	1:B:827:TRP:CZ2	2.38	0.58
1:A:871:LYS:HG2	1:A:872:GLU:N	2.19	0.57
1:B:1153:PHE:O	1:B:1157:VAL:HG23	2.04	0.57
1:B:1047:PHE:O	1:B:1049:LEU:N	2.38	0.57
1:B:820:LEU:O	1:B:887:LYS:HD3	2.04	0.56
1:B:875:THR:HG22	1:B:877:SER:H	1.69	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:917:GLU:OE1	1:A:1043:LYS:HE3	2.06	0.56
1:A:854:PHE:HA	1:A:861:THR:O	2.06	0.56
1:A:869:MET:HB3	1:A:913:MET:HG2	1.87	0.55
1:B:1134:GLU:OE1	1:B:1134:GLU:N	2.38	0.55
1:B:877:SER:HA	1:B:880:ARG:HE	1.71	0.54
1:A:818:GLU:HB2	3:A:141:HOH:O	2.07	0.54
1:A:1026:HIS:O	1:A:1027:ARG:HB2	2.08	0.54
1:B:842:ARG:C	1:B:1049:LEU:HD13	2.32	0.54
1:B:838:LYS:HB2	1:B:839:PRO:HD2	1.90	0.54
1:A:875:THR:HB	1:A:878:GLU:HG3	1.89	0.54
1:A:872:GLU:OE1	1:B:858:LYS:HD3	2.08	0.53
1:B:1114:GLU:HG2	1:B:1117:ARG:NH1	2.17	0.53
1:B:938:TYR:HD1	1:B:939:LYS:O	1.93	0.52
1:A:875:THR:HG22	1:A:876:HIS:N	2.24	0.52
1:A:1022:ARG:HH21	1:A:1022:ARG:HG3	1.74	0.52
1:B:1072:MET:HE2	1:B:1076:THR:HG22	1.92	0.52
1:B:875:THR:N	1:B:878:GLU:OE1	2.39	0.51
1:B:906:THR:HG22	1:B:912:LEU:HD11	1.93	0.51
1:B:1128:PRO:HG2	1:B:1131:THR:HB	1.92	0.51
1:A:1136:TYR:O	1:A:1139:MET:HB2	2.11	0.51
1:B:842:ARG:O	1:B:1049:LEU:HD13	2.12	0.50
1:B:1045:CYS:HB2	2:B:502:C19:O26	2.11	0.50
1:B:888:ILE:O	1:B:892:ILE:HG13	2.12	0.49
1:B:1004:HIS:HD2	1:B:1040:ASN:ND2	2.11	0.49
1:B:1160:LEU:HD23	1:B:1163:LEU:HD12	1.95	0.49
1:B:906:THR:HG22	1:B:912:LEU:CD1	2.42	0.49
1:B:1078:PHE:HZ	1:B:1116:CYS:HB3	1.76	0.49
1:B:875:THR:HG22	1:B:877:SER:N	2.28	0.49
1:A:871:LYS:HG2	1:A:872:GLU:H	1.76	0.48
1:A:1099:PHE:CE2	1:A:1135:MET:HG2	2.49	0.48
1:B:1075:GLU:CD	1:B:1150:ARG:HH22	2.21	0.48
1:A:1079:ASP:O	1:A:1080:ARG:HB2	2.13	0.48
1:B:1163:LEU:C	1:B:1165:GLN:H	2.20	0.48
1:A:1106:TYR:CE1	1:A:1125:MET:HG3	2.48	0.48
1:B:831:ARG:HG3	3:B:48:HOH:O	2.12	0.48
1:B:892:ILE:HD11	1:B:1024:CYS:SG	2.54	0.48
1:A:870:LEU:HD11	1:A:879:HIS:CA	2.37	0.47
1:B:1099:PHE:CE2	1:B:1135:MET:HG2	2.49	0.47
1:B:884:SER:O	1:B:888:ILE:HG13	2.13	0.47
1:B:1128:PRO:O	1:B:1131:THR:HG22	2.14	0.47
1:A:872:GLU:CD	1:B:858:LYS:HD3	2.40	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1038:GLU:H	1:A:1038:GLU:CD	2.23	0.46
1:B:830:PRO:HB2	1:B:833:ARG:HD3	1.97	0.46
1:B:1096:TRP:CD1	1:B:1128:PRO:HD3	2.51	0.46
1:A:1114:GLU:OE1	1:A:1117:ARG:NH1	2.49	0.45
1:B:1075:GLU:OE2	1:B:1147:PRO:HG3	2.16	0.45
1:A:820:LEU:HB2	1:A:887:LYS:HB3	1.99	0.45
1:A:869:MET:HE1	1:B:859:THR:HG22	1.99	0.45
1:A:1015:GLY:O	1:A:1018:PHE:HB3	2.16	0.45
1:B:875:THR:HB	1:B:878:GLU:HG3	1.99	0.45
1:B:1015:GLY:O	1:B:1018:PHE:HB3	2.17	0.44
1:A:884:SER:O	1:A:888:ILE:HG13	2.16	0.44
1:B:894:HIS:CG	1:B:895:HIS:N	2.86	0.44
1:B:894:HIS:CE1	1:B:900:ASN:ND2	2.85	0.44
1:A:1022:ARG:HG3	1:A:1022:ARG:NH2	2.33	0.44
1:A:1002:LEU:HD23	1:A:1002:LEU:HA	1.88	0.44
1:A:875:THR:HG22	1:A:876:HIS:H	1.83	0.43
1:A:1027:ARG:HG2	1:A:1082:TYR:CD2	2.53	0.43
1:B:1039:LYS:O	1:B:1039:LYS:HG2	2.18	0.43
1:A:936:VAL:O	1:A:1001:THR:HA	2.19	0.43
1:A:1067:LEU:HA	1:A:1068:PRO:HD2	1.76	0.43
1:A:935:PHE:CD1	1:A:935:PHE:C	2.97	0.43
1:B:894:HIS:ND1	1:B:900:ASN:ND2	2.67	0.42
1:A:849:ILE:HG22	1:A:850:GLU:N	2.34	0.42
1:A:929:ARG:HG2	1:A:929:ARG:HH11	1.83	0.42
1:A:1038:GLU:CD	1:A:1038:GLU:N	2.77	0.42
1:A:923:ASN:OD1	1:A:925:SER:HB3	2.19	0.42
1:B:937:PRO:O	1:B:1002:LEU:HB2	2.19	0.42
1:A:924:LEU:O	1:A:928:LEU:HG	2.19	0.42
1:A:876:HIS:ND1	1:A:876:HIS:C	2.77	0.42
1:A:895:HIS:H	1:A:900:ASN:HD21	1.68	0.42
1:A:838:LYS:HA	1:A:839:PRO:HD3	1.77	0.42
1:B:1151:PRO:HA	1:B:1155:GLU:OE1	2.20	0.41
1:B:1106:TYR:CE1	1:B:1125:MET:HG3	2.55	0.41
1:B:868:LYS:HB2	2:B:502:C19:H22A	2.01	0.41
1:B:935:PHE:CD1	1:B:935:PHE:C	2.98	0.41
1:B:1163:LEU:C	1:B:1165:GLN:N	2.78	0.41
1:A:1072:MET:HE3	1:A:1076:THR:HG22	2.03	0.41
1:B:1099:PHE:CZ	1:B:1135:MET:HE3	2.56	0.41
1:B:905:CYS:O	1:B:912:LEU:HD12	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	282/314 (90%)	269 (95%)	12 (4%)	1 (0%)	30	49
1	B	259/314 (82%)	244 (94%)	12 (5%)	3 (1%)	11	21
All	All	541/628 (86%)	513 (95%)	24 (4%)	4 (1%)	19	35

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	874	ALA
1	B	938	TYR
1	B	1048	GLY
1	B	937	PRO

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	253/270 (94%)	249 (98%)	4 (2%)	58	80
1	B	236/270 (87%)	235 (100%)	1 (0%)	89	96
All	All	489/540 (91%)	484 (99%)	5 (1%)	73	88

All (5) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	929	ARG
1	A	1037	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	1113	GLU
1	A	1121	GLU
1	B	1002	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	847	GLN
1	A	891	HIS
1	A	933	ASN
1	A	1040	ASN
1	A	1162	ASN
1	A	1165	GLN
1	A	1169	GLN
1	A	1170	GLN
1	B	847	GLN
1	B	900	ASN
1	B	933	ASN
1	B	1040	ASN
1	B	1085	GLN
1	B	1162	ASN
1	B	1165	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	C19	B	502	-	33,34,34	2.08	13 (39%)	46,52,52	1.51	9 (19%)
2	C19	A	501	-	33,34,34	2.07	14 (42%)	46,52,52	1.43	7 (15%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	C19	B	502	-	-	0/8/20/20	0/5/5/5
2	C19	A	501	-	-	0/8/20/20	0/5/5/5

All (27) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	501	C19	C19-N18	6.37	1.51	1.38
2	B	502	C19	C19-N18	5.98	1.50	1.38
2	B	502	C19	C27-N18	-3.33	1.38	1.44
2	B	502	C19	C8-C9	3.26	1.43	1.37
2	A	501	C19	C8-C9	3.24	1.43	1.37
2	A	501	C19	C29-C30	3.16	1.43	1.39
2	A	501	C19	C29-C28	3.16	1.43	1.38
2	B	502	C19	C10-C9	3.13	1.44	1.39
2	B	502	C19	C29-C30	2.96	1.43	1.39
2	B	502	C19	C11-C10	2.96	1.43	1.36
2	B	502	C19	C29-C28	2.85	1.43	1.38
2	A	501	C19	C2-N1	2.83	1.37	1.32
2	B	502	C19	C2-N1	2.81	1.37	1.32
2	A	501	C19	C27-N18	-2.71	1.39	1.44
2	A	501	C19	C16-C17	2.55	1.52	1.45
2	A	501	C19	C28-C27	2.53	1.44	1.39
2	A	501	C19	C11-C10	2.52	1.42	1.36
2	B	502	C19	C32-C27	2.46	1.43	1.39
2	A	501	C19	C32-C27	2.46	1.43	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	501	C19	C10-C9	2.44	1.43	1.39
2	B	502	C19	C20-C21	2.43	1.50	1.43
2	B	502	C19	C3-C4	2.37	1.45	1.42
2	B	502	C19	C16-C17	2.26	1.51	1.45
2	B	502	C19	C16-C21	2.22	1.39	1.36
2	A	501	C19	C16-C21	2.18	1.39	1.36
2	A	501	C19	C20-C21	2.18	1.49	1.43
2	A	501	C19	C3-C4	2.13	1.45	1.42

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	502	C19	C3-C4-N5	-3.43	117.53	122.25
2	B	502	C19	C16-C17-N18	3.38	118.72	114.28
2	B	502	C19	C11-C4-N5	3.21	123.38	118.69
2	A	501	C19	C3-C4-N5	-3.16	117.90	122.25
2	B	502	C19	O26-C17-C16	-3.03	118.21	124.73
2	A	501	C19	C3-C2-N1	-3.00	119.41	124.25
2	A	501	C19	C16-C17-N18	2.97	118.19	114.28
2	B	502	C19	C3-C2-N1	-2.95	119.50	124.25
2	A	501	C19	O26-C17-C16	-2.93	118.42	124.73
2	B	502	C19	C22-C21-C16	2.86	126.94	122.65
2	A	501	C19	C11-C4-N5	2.84	122.84	118.69
2	A	501	C19	C22-C21-C16	2.74	126.76	122.65
2	B	502	C19	C28-C27-N18	2.46	122.83	119.62
2	A	501	C19	C28-C27-N18	2.10	122.37	119.62
2	B	502	C19	C45-C36-C41	2.04	111.79	109.17
2	B	502	C19	C27-N18-C19	2.03	120.51	118.15

There are no chirality outliers.

There are no torsion outliers.


There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	502	C19	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is

within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	288/314 (91%)	-0.31	8 (2%) 55 51	16, 29, 63, 77	0
1	B	269/314 (85%)	0.16	11 (4%) 42 39	23, 45, 72, 84	0
All	All	557/628 (88%)	-0.08	19 (3%) 48 45	16, 35, 71, 84	0

All (19) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	817	ALA	4.8
1	B	821	PRO	2.9
1	B	824	ALA	2.9
1	B	1068	PRO	2.6
1	B	1078	PHE	2.6
1	B	1067	LEU	2.6
1	A	859	THR	2.5
1	A	861	THR	2.5
1	A	1048	GLY	2.4
1	B	1049	LEU	2.4
1	A	870	LEU	2.3
1	B	1165	GLN	2.2
1	A	857	ASP	2.2
1	B	832	ASP	2.2
1	A	874	ALA	2.2
1	B	820	LEU	2.1
1	A	1067	LEU	2.1
1	B	874	ALA	2.1
1	B	892	ILE	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	C19	A	501	30/30	0.94	0.07	21,24,28,30	0
2	C19	B	502	30/30	0.95	0.07	20,28,35,36	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around C19 A 501:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around C19 B 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.