



wwPDB EM Validation Summary Report ⓘ

Oct 12, 2024 – 04:35 PM EDT

PDB ID : 6CRW
EMDB ID : EMD-7574
Title : SARS Spike Glycoprotein, Stabilized variant, single upwards S1 CTD conformation
Authors : Kirchdoerfer, R.N.; Wang, N.; Pallesen, J.; Turner, H.L.; Cottrell, C.A.; McLellan, J.S.; Ward, A.B.
Deposited on : 2018-03-19
Resolution : 3.90 Å (reported)
Based on initial models : 5X4S, 5I08, 2AJF

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev113
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4.02b-467
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1215	<div> <div>23%</div> <div>72%</div> <div>16%</div> <div>12%</div> </div>
1	B	1215	<div> <div>27%</div> <div>74%</div> <div>14%</div> <div>12%</div> </div>
1	C	1215	<div> <div>18%</div> <div>73%</div> <div>14%</div> <div>12%</div> </div>
2	D	3	<div> <div>67%</div> <div>67%</div> <div>33%</div> </div>
2	K	3	<div> <div>100%</div> <div>33%</div> <div>67%</div> </div>
2	L	3	<div> <div>100%</div> <div>100%</div> </div>
2	N	3	<div> <div>33%</div> <div>67%</div> <div>33%</div> </div>
2	W	3	<div> <div>67%</div> <div>67%</div> <div>33%</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	E	4	
3	F	4	
3	O	4	
3	R	4	
3	T	4	
3	V	4	
4	G	2	
4	H	2	
4	I	2	
4	J	2	
4	M	2	
4	P	2	
4	Q	2	
4	S	2	
4	X	2	
5	U	4	

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 25994 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Spike glycoprotein,Fibritin.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	1068	Total	C	N	O	S	0	0
			8339	5328	1379	1586	46		
1	B	1068	Total	C	N	O	S	0	0
			8342	5331	1379	1586	46		
1	C	1068	Total	C	N	O	S	0	0
			8334	5324	1379	1585	46		

There are 42 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	577	ALA	SER	conflict	UNP P59594
A	968	PRO	LYS	engineered mutation	UNP P59594
A	969	PRO	VAL	engineered mutation	UNP P59594
A	1191	GLY	-	linker	UNP P59594
A	1192	SER	ALA	linker	UNP D9IEJ2
A	1220	GLY	-	expression tag	UNP D9IEJ2
A	1221	ARG	-	expression tag	UNP D9IEJ2
A	1222	SER	-	expression tag	UNP D9IEJ2
A	1223	LEU	-	expression tag	UNP D9IEJ2
A	1224	GLU	-	expression tag	UNP D9IEJ2
A	1225	VAL	-	expression tag	UNP D9IEJ2
A	1226	LEU	-	expression tag	UNP D9IEJ2
A	1227	PHE	-	expression tag	UNP D9IEJ2
A	1228	GLN	-	expression tag	UNP D9IEJ2
B	577	ALA	SER	conflict	UNP P59594
B	968	PRO	LYS	engineered mutation	UNP P59594
B	969	PRO	VAL	engineered mutation	UNP P59594
B	1191	GLY	-	linker	UNP P59594
B	1192	SER	ALA	linker	UNP D9IEJ2
B	1220	GLY	-	expression tag	UNP D9IEJ2
B	1221	ARG	-	expression tag	UNP D9IEJ2
B	1222	SER	-	expression tag	UNP D9IEJ2
B	1223	LEU	-	expression tag	UNP D9IEJ2
B	1224	GLU	-	expression tag	UNP D9IEJ2

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	1225	VAL	-	expression tag	UNP D9IEJ2
B	1226	LEU	-	expression tag	UNP D9IEJ2
B	1227	PHE	-	expression tag	UNP D9IEJ2
B	1228	GLN	-	expression tag	UNP D9IEJ2
C	577	ALA	SER	conflict	UNP P59594
C	968	PRO	LYS	engineered mutation	UNP P59594
C	969	PRO	VAL	engineered mutation	UNP P59594
C	1191	GLY	-	linker	UNP P59594
C	1192	SER	ALA	linker	UNP D9IEJ2
C	1220	GLY	-	expression tag	UNP D9IEJ2
C	1221	ARG	-	expression tag	UNP D9IEJ2
C	1222	SER	-	expression tag	UNP D9IEJ2
C	1223	LEU	-	expression tag	UNP D9IEJ2
C	1224	GLU	-	expression tag	UNP D9IEJ2
C	1225	VAL	-	expression tag	UNP D9IEJ2
C	1226	LEU	-	expression tag	UNP D9IEJ2
C	1227	PHE	-	expression tag	UNP D9IEJ2
C	1228	GLN	-	expression tag	UNP D9IEJ2

- Molecule 2 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
2	D	3	Total	C	N	O	0	0
			39	22	2	15		
2	K	3	Total	C	N	O	0	0
			39	22	2	15		
2	L	3	Total	C	N	O	0	0
			39	22	2	15		
2	N	3	Total	C	N	O	0	0
			39	22	2	15		
2	W	3	Total	C	N	O	0	0
			39	22	2	15		

- Molecule 3 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
3	E	4	Total	C	N	O	0	0
			50	28	2	20		
3	F	4	Total	C	N	O	0	0
			50	28	2	20		
3	O	4	Total	C	N	O	0	0
			50	28	2	20		
3	R	4	Total	C	N	O	0	0
			50	28	2	20		
3	T	4	Total	C	N	O	0	0
			50	28	2	20		
3	V	4	Total	C	N	O	0	0
			50	28	2	20		

- Molecule 4 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
4	G	2	Total	C	N	O	0	0
			28	16	2	10		
4	H	2	Total	C	N	O	0	0
			28	16	2	10		
4	I	2	Total	C	N	O	0	0
			28	16	2	10		
4	J	2	Total	C	N	O	0	0
			28	16	2	10		
4	M	2	Total	C	N	O	0	0
			28	16	2	10		
4	P	2	Total	C	N	O	0	0
			28	16	2	10		
4	Q	2	Total	C	N	O	0	0
			28	16	2	10		
4	S	2	Total	C	N	O	0	0
			28	16	2	10		
4	X	2	Total	C	N	O	0	0
			28	16	2	10		

- Molecule 5 is an oligosaccharide called alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
5	U	4	Total	C	N	O	0	0
			50	28	2	20		

- Molecule 6 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				AltConf
6	A	1	Total	C	N	O	0
			14	8	1	5	
6	A	1	Total	C	N	O	0
			14	8	1	5	
6	A	1	Total	C	N	O	0
			14	8	1	5	
6	A	1	Total	C	N	O	0
			14	8	1	5	
6	B	1	Total	C	N	O	0
			14	8	1	5	
6	B	1	Total	C	N	O	0
			14	8	1	5	

Continued on next page...


Continued from previous page...


Mol	Chain	Residues	Atoms				AltConf
6	B	1	Total	C	N	O	0
			14	8	1	5	
6	C	1	Total	C	N	O	0
			14	8	1	5	
6	C	1	Total	C	N	O	0
			14	8	1	5	
6	C	1	Total	C	N	O	0
			14	8	1	5	
6	C	1	Total	C	N	O	0
			14	8	1	5	
6	C	1	Total	C	N	O	0
			14	8	1	5	

3 Residue-property plots



These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Spike glycoprotein,Fibritin






• Molecule 1: Spike glycoprotein, Fibrin



LYS	GLY	GLY	GLY	ASP	LYS	TYR	PHE	ASP	ASN	HIS	THR	SER	PRO	ASP	VAL	ASP	GLY	ILE	GLY	ILE	ASN	ALA	SER	THR	PHE	VAL	ASN	GLY	ILE	GLN
GLY	SER	GLY	TYR	ILE	PRO	GLU	ALA	LYS	ARG	ASP	GLY	GLN	ALA	TYR	VAL	ARG	LYS	ASP	GLY	TRP	SER	VAL	THR	PHE	LEU	VAL	GLY	ASN	ARG	GLN

● Molecule 1: Spike glycoprotein,Fibritin



TYR	GLU	GLN	GLY	SER	GLY	TYR	ILE	PRO	GLU	ALA	ARG	ASP	THR	GLY	GLN	PRO	ASP	VAL	ASP	THR	GLY	GLN	PRO	ASP	THR	PHE	LEU	LEU	PHE	GLN																													
ASP	SER	PHE	LYS	GLY	LEU	ASP	LYS	TYR	PHE	LYS	ASN	HIS	THR	GLY	GLN	PRO	ASP	VAL	ASP	THR	GLY	GLN	PRO	ASP	THR	PHE	LEU	LEU	PHE	GLN																													
V958	L804	K807	V808	T809	LEU	ALA	ASP	ALA	GLY	PHE	MET	LYS	Q818	G824	ASP	ILE	ASN	ALA	ARG	ASP	L831	S1052	Q1053	E1054	R1055	T1059	H1065	E1066	G1067	K1068	F1071	E1074	V1078	G1081	F1103	V1104	D1109	V1110	T1118	V1119	Y1120	ASP	PRO	LEU	GLY	GLN	LYS												
F545	Q546	D560	P565	P575	S591	S592	Y598	W619	R620	I621	Y622	C635	C648	T662	V663	SER	LEU	LEU	ARG	THR	SER	SER	GLN	K672	M679	D684	I687	T698	T706	V711	T716	D727	L734	G739	Q769	N783	I800																						
P466	C467	T468	P469	A471	L472	M473	C474	Y475	W476	P477	L478	M479	D480	Y481	G482	F483	Y484	T485	T486	T487	G488	I489	G490	Y491	Q492	P493	Y494	R495	V496	V497	Y498	L499	S500	F501	E502	LEU	LEU	ASN	ALA	PRO	ALA	T509	V510	C511	G512	P513	K514	Q523	C524	V525	F529	M530	G531	L532	R544				
A406	D407	Y408	N409	Y410	K411	L412	P413	D414	D415	F416	M417	G418	C419	V420	F421	L421	A422	W423	N424	T425	R426	N427	I428	D429	A430	T431	S432	T433	G434	N435	Y436	N437	Y438	K439	Y440	R441	Y442	L443	R444	H445	G446	K447	L448	R449	P450	F451	E452	R453	D454	I455	S456	N457	V458	P459	F460	S461	D463	G464	K465
N347	C348	V349	D351	A350	D351	Y352	S353	V354	L355	Y356	N357	S358	T359	F360	F361	S362	T363	F364	K365	C366	TYR	GLY	VAL	SER	A371	T372	K373	L374	N375	D376	L377	C378	F379	S380	N381	V382	Y383	A384	D385	S386	F387	V388	V389	K390	G391	D392	D393	V394	R395	Q396	I397	A398	P399	G400	T402	G403	V404	I405	
L235	T236	A237	F238	S239	P240	ALA	GLN	ASP	T244	W245	G246	A249	A250	L251	Y252	K258	D277	P282	E285	K291	S310	G311	F316	P317	N318	I319	T320	N321	L322	C323	P324	G326	E327	V328	F329	N330	A331	T332	K333	F334	P335	S336	V337	Y338	A339	W340	E341	R342	K343	K344									
T146	Q147	T148	H149	M151	I152	T160	F161	A167	S169	D171	V172	S173	E174	K175	S176	G177	M178	F179	L182	R183	E184	F185	V186	F187	K188	D191	G192	Y195	V196	Y197	Q201	P202	I203	D204	V205	V206	R207	T215	P218	T219	F220	K221	L222	P223	L224	A233	I234												
SER	ASP	LEU	ASP	R18	D23	D24	V25	R38	G39	V40	L54	P61	H70	T71	I72	T75	F76	G77	N78	D85	K94	S95	N96	V97	V98	R99	G100	T106	V114	I115	I116	I117	N122	I125	D134	N135	P136	F137	F138	A139	V140	S141	K142	P143	M144	G145													

● Molecule 2: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 2: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 2: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F: 




- Molecule 3: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain O: 




- Molecule 3: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain R: 




- Molecule 3: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain T: 



- Molecule 3: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain V: 



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G: 



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose






- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	58349	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	65	Depositor
Minimum defocus (nm)	1200	Depositor
Maximum defocus (nm)	2200	Depositor
Magnification	29000	Depositor
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.170	Depositor
Minimum map value	-0.082	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.006	Depositor
Recommended contour level	0.0315	Depositor
Map size (Å)	329.59998, 329.59998, 329.59998	wwPDB
Map dimensions	320, 320, 320	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.03, 1.03, 1.03	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MAN, BMA, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.41	3/8538 (0.0%)	0.60	5/11617 (0.0%)
1	B	0.36	0/8541	0.57	0/11622
1	C	0.36	0/8532	0.58	1/11609 (0.0%)
All	All	0.38	3/25611 (0.0%)	0.58	6/34848 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	3
1	B	0	1
1	C	0	2
All	All	0	6

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	737	GLN	C-N	-12.01	1.06	1.34
1	A	736	LEU	C-N	10.00	1.57	1.34
1	A	735	LEU	C-N	9.44	1.55	1.34

The worst 5 of 6 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	737	GLN	O-C-N	-11.01	105.08	122.70
1	A	737	GLN	C-N-CA	10.20	147.19	121.70
1	A	737	GLN	CA-C-N	8.11	135.05	117.20
1	A	898	LEU	CB-CG-CD1	-5.55	101.56	111.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	334	PHE	CB-CG-CD1	5.18	124.43	120.80

There are no chirality outliers.

5 of 6 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	207	ARG	Peptide
1	A	736	LEU	Mainchain
1	A	797	ARG	Sidechain
1	B	207	ARG	Peptide
1	C	207	ARG	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	8339	0	8084	137	0
1	B	8342	0	8088	112	0
1	C	8334	0	8080	120	0
2	D	39	0	34	0	0
2	K	39	0	34	0	0
2	L	39	0	34	0	0
2	N	39	0	34	0	0
2	W	39	0	34	0	0
3	E	50	0	43	1	0
3	F	50	0	43	0	0
3	O	50	0	43	1	0
3	R	50	0	43	2	0
3	T	50	0	43	0	0
3	V	50	0	43	0	0
4	G	28	0	25	1	0
4	H	28	0	25	0	0
4	I	28	0	25	0	0
4	J	28	0	25	0	0
4	M	28	0	25	0	0
4	P	28	0	25	0	0
4	Q	28	0	25	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	S	28	0	25	0	0
4	X	28	0	25	0	0
5	U	50	0	43	1	0
6	A	56	0	52	0	0
6	B	42	0	39	0	0
6	C	84	0	78	0	0
All	All	25994	0	25117	342	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

The worst 5 of 342 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:544:ARG:NH1	1:C:546:GLN:HE22	1.24	1.32
1:C:544:ARG:NH1	1:C:546:GLN:NE2	1.95	1.15
1:A:738:TYR:O	1:C:950:SER:OG	1.77	1.00
1:C:544:ARG:HH12	1:C:546:GLN:NE2	1.56	0.96
1:B:94:LYS:O	1:B:175:LYS:HD2	1.70	0.91

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1054/1215 (87%)	992 (94%)	61 (6%)	1 (0%)	48	80
1	B	1054/1215 (87%)	991 (94%)	63 (6%)	0	100	100
1	C	1054/1215 (87%)	998 (95%)	56 (5%)	0	100	100
All	All	3162/3645 (87%)	2981 (94%)	180 (6%)	1 (0%)	100	100

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	740	SER

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	926/1053 (88%)	925 (100%)	1 (0%)	92	95
1	B	927/1053 (88%)	925 (100%)	2 (0%)	92	94
1	C	926/1053 (88%)	925 (100%)	1 (0%)	92	95
All	All	2779/3159 (88%)	2775 (100%)	4 (0%)	92	95

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	722	MET
1	B	576	CYS
1	B	589	ASN
1	C	334	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 30 such sidechains are listed below:

Mol	Chain	Res	Type
1	B	835	GLN
1	C	599	GLN
1	B	937	ASN
1	C	1065	HIS
1	C	201	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

61 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAG	D	1	2,1	14,14,15	0.21	0	17,19,21	0.54	0
2	NAG	D	2	2	14,14,15	0.27	0	17,19,21	0.70	1 (5%)
2	BMA	D	3	2	11,11,12	0.91	0	15,15,17	0.78	0
3	NAG	E	1	3,1	14,14,15	0.39	0	17,19,21	0.49	0
3	NAG	E	2	3	14,14,15	0.28	0	17,19,21	0.63	1 (5%)
3	BMA	E	3	3	11,11,12	0.69	0	15,15,17	0.99	1 (6%)
3	MAN	E	4	3	11,11,12	1.03	1 (9%)	15,15,17	1.31	3 (20%)
3	NAG	F	1	3,1	14,14,15	0.47	0	17,19,21	0.61	0
3	NAG	F	2	3	14,14,15	0.37	0	17,19,21	0.50	0
3	BMA	F	3	3	11,11,12	0.49	0	15,15,17	1.11	1 (6%)
3	MAN	F	4	3	11,11,12	0.90	1 (9%)	15,15,17	1.28	2 (13%)
4	NAG	G	1	4,1	14,14,15	0.25	0	17,19,21	0.45	0
4	NAG	G	2	4	14,14,15	0.28	0	17,19,21	0.57	0
4	NAG	H	1	4,1	14,14,15	0.35	0	17,19,21	0.61	0
4	NAG	H	2	4	14,14,15	0.25	0	17,19,21	0.55	0
4	NAG	I	1	4,1	14,14,15	0.25	0	17,19,21	0.56	0
4	NAG	I	2	4	14,14,15	0.23	0	17,19,21	0.59	0
4	NAG	J	1	4,1	14,14,15	0.22	0	17,19,21	0.40	0
4	NAG	J	2	4	14,14,15	0.35	0	17,19,21	0.61	1 (5%)
2	NAG	K	1	2,1	14,14,15	0.30	0	17,19,21	0.41	0
2	NAG	K	2	2	14,14,15	0.28	0	17,19,21	0.62	1 (5%)
2	BMA	K	3	2	11,11,12	0.79	0	15,15,17	0.95	1 (6%)
2	NAG	L	1	2,1	14,14,15	0.40	0	17,19,21	0.66	0
2	NAG	L	2	2	14,14,15	0.39	0	17,19,21	0.59	0
2	BMA	L	3	2	11,11,12	0.71	0	15,15,17	0.81	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	NAG	M	1	4,1	14,14,15	0.28	0	17,19,21	0.53	0
4	NAG	M	2	4	14,14,15	0.35	0	17,19,21	0.50	0
2	NAG	N	1	2,1	14,14,15	0.21	0	17,19,21	0.58	0
2	NAG	N	2	2	14,14,15	0.27	0	17,19,21	0.58	0
2	BMA	N	3	2	11,11,12	0.79	0	15,15,17	0.95	1 (6%)
3	NAG	O	1	3,1	14,14,15	0.81	1 (7%)	17,19,21	0.87	1 (5%)
3	NAG	O	2	3	14,14,15	0.36	0	17,19,21	0.47	0
3	BMA	O	3	3	11,11,12	0.67	0	15,15,17	1.07	1 (6%)
3	MAN	O	4	3	11,11,12	0.89	0	15,15,17	1.07	2 (13%)
4	NAG	P	1	4,1	14,14,15	0.27	0	17,19,21	0.56	0
4	NAG	P	2	4	14,14,15	0.32	0	17,19,21	0.54	0
4	NAG	Q	1	4,1	14,14,15	0.33	0	17,19,21	0.59	0
4	NAG	Q	2	4	14,14,15	0.43	0	17,19,21	0.62	1 (5%)
3	NAG	R	1	3,1	14,14,15	0.52	0	17,19,21	0.76	0
3	NAG	R	2	3	14,14,15	0.23	0	17,19,21	0.54	0
3	BMA	R	3	3	11,11,12	0.65	0	15,15,17	1.19	1 (6%)
3	MAN	R	4	3	11,11,12	0.76	0	15,15,17	1.08	2 (13%)
4	NAG	S	1	4,1	14,14,15	0.18	0	17,19,21	0.50	0
4	NAG	S	2	4	14,14,15	0.22	0	17,19,21	0.53	0
3	NAG	T	1	3,1	14,14,15	0.41	0	17,19,21	0.66	0
3	NAG	T	2	3	14,14,15	0.26	0	17,19,21	0.63	0
3	BMA	T	3	3	11,11,12	0.69	0	15,15,17	0.73	0
3	MAN	T	4	3	11,11,12	1.09	1 (9%)	15,15,17	1.50	2 (13%)
5	NAG	U	1	1,5	14,14,15	0.21	0	17,19,21	0.60	0
5	NAG	U	2	5	14,14,15	0.40	0	17,19,21	0.43	0
5	BMA	U	3	5	11,11,12	0.64	0	15,15,17	1.17	1 (6%)
5	MAN	U	4	5	11,11,12	0.70	0	15,15,17	1.17	2 (13%)
3	NAG	V	1	3,1	14,14,15	0.65	1 (7%)	17,19,21	0.66	0
3	NAG	V	2	3	14,14,15	0.22	0	17,19,21	0.53	0
3	BMA	V	3	3	11,11,12	0.76	0	15,15,17	1.32	2 (13%)
3	MAN	V	4	3	11,11,12	0.82	0	15,15,17	1.15	2 (13%)
2	NAG	W	1	2,1	14,14,15	0.24	0	17,19,21	0.54	0
2	NAG	W	2	2	14,14,15	0.23	0	17,19,21	0.53	0
2	BMA	W	3	2	11,11,12	0.85	0	15,15,17	1.00	1 (6%)
4	NAG	X	1	4,1	14,14,15	0.27	0	17,19,21	0.50	0
4	NAG	X	2	4	14,14,15	0.36	0	17,19,21	0.61	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the

Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.
 '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	D	1	2,1	-	2/6/23/26	0/1/1/1
2	NAG	D	2	2	-	0/6/23/26	0/1/1/1
2	BMA	D	3	2	-	2/2/19/22	0/1/1/1
3	NAG	E	1	3,1	-	2/6/23/26	0/1/1/1
3	NAG	E	2	3	-	2/6/23/26	0/1/1/1
3	BMA	E	3	3	-	2/2/19/22	0/1/1/1
3	MAN	E	4	3	-	0/2/19/22	0/1/1/1
3	NAG	F	1	3,1	-	2/6/23/26	0/1/1/1
3	NAG	F	2	3	-	2/6/23/26	0/1/1/1
3	BMA	F	3	3	-	2/2/19/22	0/1/1/1
3	MAN	F	4	3	-	0/2/19/22	0/1/1/1
4	NAG	G	1	4,1	-	0/6/23/26	0/1/1/1
4	NAG	G	2	4	-	2/6/23/26	0/1/1/1
4	NAG	H	1	4,1	-	2/6/23/26	0/1/1/1
4	NAG	H	2	4	-	3/6/23/26	0/1/1/1
4	NAG	I	1	4,1	-	2/6/23/26	0/1/1/1
4	NAG	I	2	4	-	1/6/23/26	0/1/1/1
4	NAG	J	1	4,1	-	1/6/23/26	0/1/1/1
4	NAG	J	2	4	-	2/6/23/26	0/1/1/1
2	NAG	K	1	2,1	-	2/6/23/26	0/1/1/1
2	NAG	K	2	2	-	2/6/23/26	0/1/1/1
2	BMA	K	3	2	-	0/2/19/22	0/1/1/1
2	NAG	L	1	2,1	-	2/6/23/26	0/1/1/1
2	NAG	L	2	2	-	2/6/23/26	0/1/1/1
2	BMA	L	3	2	-	2/2/19/22	0/1/1/1
4	NAG	M	1	4,1	-	2/6/23/26	0/1/1/1
4	NAG	M	2	4	-	3/6/23/26	0/1/1/1
2	NAG	N	1	2,1	-	2/6/23/26	0/1/1/1
2	NAG	N	2	2	-	2/6/23/26	0/1/1/1
2	BMA	N	3	2	-	1/2/19/22	0/1/1/1
3	NAG	O	1	3,1	-	2/6/23/26	0/1/1/1
3	NAG	O	2	3	-	0/6/23/26	0/1/1/1
3	BMA	O	3	3	-	2/2/19/22	0/1/1/1
3	MAN	O	4	3	-	2/2/19/22	0/1/1/1
4	NAG	P	1	4,1	-	2/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	P	2	4	-	0/6/23/26	0/1/1/1
4	NAG	Q	1	4,1	-	2/6/23/26	0/1/1/1
4	NAG	Q	2	4	-	1/6/23/26	0/1/1/1
3	NAG	R	1	3,1	-	2/6/23/26	0/1/1/1
3	NAG	R	2	3	-	2/6/23/26	0/1/1/1
3	BMA	R	3	3	-	2/2/19/22	0/1/1/1
3	MAN	R	4	3	-	2/2/19/22	0/1/1/1
4	NAG	S	1	4,1	-	2/6/23/26	0/1/1/1
4	NAG	S	2	4	-	2/6/23/26	0/1/1/1
3	NAG	T	1	3,1	-	1/6/23/26	0/1/1/1
3	NAG	T	2	3	-	0/6/23/26	0/1/1/1
3	BMA	T	3	3	-	2/2/19/22	0/1/1/1
3	MAN	T	4	3	-	2/2/19/22	0/1/1/1
5	NAG	U	1	1,5	-	0/6/23/26	0/1/1/1
5	NAG	U	2	5	-	0/6/23/26	0/1/1/1
5	BMA	U	3	5	-	0/2/19/22	0/1/1/1
5	MAN	U	4	5	-	0/2/19/22	0/1/1/1
3	NAG	V	1	3,1	-	2/6/23/26	0/1/1/1
3	NAG	V	2	3	-	2/6/23/26	0/1/1/1
3	BMA	V	3	3	-	0/2/19/22	0/1/1/1
3	MAN	V	4	3	-	2/2/19/22	0/1/1/1
2	NAG	W	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	W	2	2	-	1/6/23/26	0/1/1/1
2	BMA	W	3	2	-	0/2/19/22	0/1/1/1
4	NAG	X	1	4,1	-	0/6/23/26	0/1/1/1
4	NAG	X	2	4	-	2/6/23/26	0/1/1/1

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	O	1	NAG	O5-C1	-2.87	1.38	1.43
3	E	4	MAN	C1-C2	2.66	1.58	1.52
3	T	4	MAN	C1-C2	2.47	1.58	1.52
3	V	1	NAG	O5-C1	-2.19	1.40	1.43
3	F	4	MAN	C1-C2	2.18	1.57	1.52

The worst 5 of 32 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
3	T	4	MAN	C1-O5-C5	4.76	118.56	112.19
3	F	4	MAN	C1-O5-C5	3.60	117.01	112.19
3	F	3	BMA	C1-O5-C5	3.54	116.93	112.19
5	U	4	MAN	C1-O5-C5	3.41	116.75	112.19
3	V	4	MAN	C1-O5-C5	3.35	116.67	112.19

There are no chirality outliers.

5 of 86 torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
2	L	3	BMA	O5-C5-C6-O6
4	S	2	NAG	O5-C5-C6-O6
2	N	1	NAG	O5-C5-C6-O6
4	J	2	NAG	O5-C5-C6-O6
4	Q	1	NAG	O5-C5-C6-O6



There are no ring outliers.



6 monomers are involved in 6 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	R	2	NAG	1	0
4	G	1	NAG	1	0
3	R	1	NAG	1	0
3	E	1	NAG	1	0
5	U	1	NAG	1	0
3	O	1	NAG	1	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.












































5.6 Ligand geometry [i](#)

13 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
6	NAG	B	1309	1	14,14,15	0.37	0	17,19,21	0.50	0
6	NAG	C	1301	1	14,14,15	0.27	0	17,19,21	0.60	0
6	NAG	C	1306	1	14,14,15	0.21	0	17,19,21	0.46	0
6	NAG	A	1301	1	14,14,15	0.24	0	17,19,21	0.46	0
6	NAG	C	1324	1	14,14,15	0.39	0	17,19,21	0.57	0
6	NAG	A	1310	1	14,14,15	0.28	0	17,19,21	0.55	0
6	NAG	C	1309	1	14,14,15	0.22	0	17,19,21	0.45	0
6	NAG	C	1315	1	14,14,15	0.28	0	17,19,21	0.52	0
6	NAG	C	1310	1	14,14,15	0.40	0	17,19,21	0.52	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	NAG	A	1317	1	14,14,15	0.89	1 (7%)	17,19,21	0.90	1 (5%)
6	NAG	B	1312	1	14,14,15	0.25	0	17,19,21	0.36	0
6	NAG	B	1322	1	14,14,15	0.26	0	17,19,21	0.59	0
6	NAG	A	1305	1	14,14,15	0.53	0	17,19,21	0.57	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	NAG	B	1309	1	-	0/6/23/26	0/1/1/1
6	NAG	C	1301	1	-	1/6/23/26	0/1/1/1
6	NAG	C	1306	1	-	2/6/23/26	0/1/1/1
6	NAG	A	1301	1	-	2/6/23/26	0/1/1/1
6	NAG	C	1324	1	-	2/6/23/26	0/1/1/1
6	NAG	A	1310	1	-	0/6/23/26	0/1/1/1
6	NAG	C	1309	1	-	0/6/23/26	0/1/1/1
6	NAG	C	1315	1	-	2/6/23/26	0/1/1/1
6	NAG	C	1310	1	-	0/6/23/26	0/1/1/1
6	NAG	A	1317	1	-	2/6/23/26	0/1/1/1
6	NAG	B	1312	1	-	2/6/23/26	0/1/1/1
6	NAG	B	1322	1	-	3/6/23/26	0/1/1/1
6	NAG	A	1305	1	-	2/6/23/26	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	A	1317	NAG	O5-C1	-3.10	1.38	1.43

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	1317	NAG	O4-C4-C3	-2.10	105.44	110.38

There are no chirality outliers.

5 of 18 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	A	1317	NAG	O5-C5-C6-O6
6	A	1301	NAG	O5-C5-C6-O6
6	B	1322	NAG	O5-C5-C6-O6
6	C	1324	NAG	O5-C5-C6-O6
6	A	1317	NAG	C4-C5-C6-O6

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	A	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	A	737:GLN	C	738:TYR	N	1.06


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-7574. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 160




Y Index: 160




Z Index: 160


6.2.2 Raw map



X Index: 160



Y Index: 160




Z Index: 160


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 166




Y Index: 155




Z Index: 145


6.3.2 Raw map



X Index: 168



Y Index: 155




Z Index: 145


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.0315. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_7574_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 189 nm³; this corresponds to an approximate mass of 171 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.256 \AA^{-1}

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.256 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.90	-	-
Author-provided FSC curve	4.02	4.65	4.06
Unmasked-calculated*	6.19	8.47	6.72

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 6.19 differs from the reported value 3.9 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-7574 and PDB model 6CRW. Per-residue inclusion information can be found in section [3](#) on page [9](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.0315 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.0315).



















































9.4 Atom inclusion [i](#)



At the recommended contour level, 73% of all backbone atoms, 59% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.0315) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.5910	 0.2830
A	 0.5840	 0.2760
B	 0.5610	 0.2750
C	 0.6540	 0.2990
D	 0.2820	 0.3120
E	 0.3200	 0.3520
F	 0.3600	 0.3480
G	 0.7140	 0.3550
H	 0.5360	 0.3390
I	 0.3210	 0.2950
J	 0.1070	 0.0490
K	 0.1030	 0.2110
L	 0.1280	 0.2780
M	 0.3930	 0.2530
N	 0.5130	 0.3090
O	 0.5400	 0.3350
P	 0.3930	 0.3440
Q	 0.0360	 0.1820
R	 0.2400	 0.2030
S	 0.5000	 0.3880
T	 0.4400	 0.3100
U	 0.2600	 0.3210
V	 0.2800	 0.1980
W	 0.2560	 0.2680
X	 0.2860	 0.2170

