



wwPDB EM Validation Summary Report ⓘ

Dec 30, 2024 – 12:26 PM EST

PDB ID : 8CSQ
EMDB ID : EMD-26967
Title : Human mitochondrial small subunit assembly intermediate (State B)
Authors : Harper, N.J.; Burnside, C.; Klinge, S.
Deposited on : 2022-05-13
Resolution : 2.54 Å(reported)
Based on initial models : 6RW4, 2C2N, 6AAX

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev113
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.40


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.54 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415
RNA backbone	6643	2191

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	0	218	<div> <div>20%</div> <div>92%</div> <div>5%</div> <div>.</div> </div>
2	1	323	<div> <div>15%</div> <div>76%</div> <div>20%</div> <div>.</div> </div>
3	3	199	<div> <div>14%</div> <div>19%</div> <div>77%</div> <div>.</div> </div>
4	4	689	<div> <div>31%</div> <div>74%</div> <div>8%</div> <div>18%</div> </div>
5	5	346	<div> <div>.</div> <div>85%</div> <div>7%</div> <div>8%</div> </div>
6	7	456	<div> <div>5%</div> <div>79%</div> <div>8%</div> <div>13%</div> </div>
7	8	390	<div> <div>5%</div> <div>75%</div> <div>8%</div> <div>16%</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
8	A	955	
9	B	296	
10	C	167	
11	D	430	
12	E	125	
13	F	242	
14	G	396	
15	H	201	
16	J	138	
17	K	128	
18	L	257	
19	M	137	
20	N	130	
21	O	258	
22	P	142	
23	Q	87	
24	R	360	
25	S	190	
26	T	173	
27	U	205	
28	V	414	
29	W	187	
30	X	398	
31	Y	395	
32	Z	106	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
33	a	437	<div><div></div><div></div><div></div></div>

2 Entry composition [i](#)

There are 41 unique types of molecules in this entry. The entry contains 67706 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 28S ribosomal protein S34, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	0	211	Total	C	N	O	S	0	0
			1754	1108	333	308	5		

- Molecule 2 is a protein called 28S ribosomal protein S35, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	1	259	Total	C	N	O	S	0	0
			2098	1333	353	402	10		

- Molecule 3 is a protein called Aurora kinase A-interacting protein.

Mol	Chain	Residues	Atoms				AltConf	Trace
3	3	45	Total	C	N	O	0	0
			395	254	81	60		

- Molecule 4 is a protein called Pentatricopeptide repeat domain-containing protein 3, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	4	566	Total	C	N	O	S	0	0
			4585	2940	774	843	28		

- Molecule 5 is a protein called Dimethyladenosine transferase 1, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	5	319	Total	C	N	O	S	0	0
			2568	1648	458	451	11		

- Molecule 6 is a protein called Methyltransferase-like protein 17, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	7	398	Total	C	N	O	S	0	0
			3145	2006	579	544	16		

- Molecule 7 is a protein called Malonyl-CoA-acyl carrier protein transacylase, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	8	326	Total	C	N	O	S	0	0
			2543	1617	463	446	17		

- Molecule 8 is a RNA chain called 12S mitochondrial rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	A	802	Total	C	N	O	P	0	0
			17027	7635	3061	5529	802		

- Molecule 9 is a protein called 28S ribosomal protein S2, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	B	220	Total	C	N	O	S	0	0
			1789	1142	324	313	10		

- Molecule 10 is a protein called 28S ribosomal protein S24, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	C	126	Total	C	N	O	S	0	0
			1042	679	181	177	5		

- Molecule 11 is a protein called 28S ribosomal protein S5, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	D	232	Total	C	N	O	S	0	0
			1838	1155	345	329	9		

- Molecule 12 is a protein called 28S ribosomal protein S6, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	E	105	Total	C	N	O	S	0	0
			839	526	154	155	4		

- Molecule 13 is a protein called 28S ribosomal protein S7, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	F	208	Total	C	N	O	S	0	0
			1724	1104	312	297	11		

- Molecule 14 is a protein called 28S ribosomal protein S9, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	G	291	Total	C	N	O	S	0	0
			2384	1516	414	440	14		

- Molecule 15 is a protein called 28S ribosomal protein S10, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	H	130	Total	C	N	O	S	0	0
			1064	687	177	197	3		

- Molecule 16 is a protein called 28S ribosomal protein S12, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	J	108	Total	C	N	O	S	0	0
			839	521	169	143	6		

- Molecule 17 is a protein called 28S ribosomal protein S14, mitochondrial.

Mol	Chain	Residues	Atoms				AltConf	Trace
17	K	35	Total	C	N	O	0	0
			296	182	67	47		

- Molecule 18 is a protein called 28S ribosomal protein S15, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	L	161	Total	C	N	O	S	0	0
			1363	869	253	234	7		

- Molecule 19 is a protein called 28S ribosomal protein S16, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	M	115	Total	C	N	O	S	0	0
			913	578	181	148	6		

- Molecule 20 is a protein called 28S ribosomal protein S17, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	N	109	Total	C	N	O	S	0	0
			859	557	155	144	3		

- Molecule 21 is a protein called 28S ribosomal protein S18b, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	O	190	Total	C	N	O	S	0	0
			1570	999	291	274	6		

- Molecule 22 is a protein called 28S ribosomal protein S18c, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	P	92	Total	C	N	O	S	0	0
			731	472	123	128	8		

- Molecule 23 is a protein called 28S ribosomal protein S21, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	Q	6	Total	C	N	O	S	0	0
			49	30	8	10	1		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
Q	50	ARG	CYS	conflict	UNP P82921

- Molecule 24 is a protein called 28S ribosomal protein S22, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	R	291	Total	C	N	O	S	0	0
			2382	1518	409	447	8		

- Molecule 25 is a protein called 28S ribosomal protein S23, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	S	133	Total	C	N	O	S	0	0
			1100	709	196	194	1		

- Molecule 26 is a protein called 28S ribosomal protein S25, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	T	164	Total	C	N	O	S	0	0
			1344	859	234	240	11		

- Molecule 27 is a protein called 28S ribosomal protein S26, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	U	174	Total	C	N	O	S	0	0
			1468	905	295	264	4		

- Molecule 28 is a protein called 28S ribosomal protein S27, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	V	359	Total	C	N	O	S	0	0
			2946	1891	491	552	12		

- Molecule 29 is a protein called 28S ribosomal protein S28, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	W	98	Total	C	N	O	S	0	0
			775	491	138	142	4		

- Molecule 30 is a protein called 28S ribosomal protein S29, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	X	352	Total	C	N	O	S	0	0
			2849	1822	499	517	11		

- Molecule 31 is a protein called 28S ribosomal protein S31, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	Y	123	Total	C	N	O	S	0	0
			1043	676	175	189	3		


- Molecule 32 is a protein called 28S ribosomal protein S33, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	Z	56	Total	C	N	O	S	0	0
			465	298	84	80	3		

- Molecule 33 is a protein called GTPase Era, mitochondrial.


Mol	Chain	Residues	Atoms					AltConf	Trace
33	a	263	Total	C	N	O	S	0	0
			1785	1121	323	335	6		

- Molecule 34 is IRON/SULFUR CLUSTER (three-letter code: SF4) (formula: Fe₄S₄) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			AltConf
34	7	1	Total	Fe	S	0
			8	4	4	

- Molecule 35 is S-ADENOSYLMETHIONINE (three-letter code: SAM) (formula: $C_{15}H_{22}N_6O_5S$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms		AltConf
36	A	4	Total	K	0
			4	4	


- Molecule 37 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
37	A	25	Total	Mg	0
			25	25	
37	B	1	Total	Mg	0
			1	1	
37	X	1	Total	Mg	0
			1	1	

- Molecule 38 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
38	O	1	Total	Zn	0
			1	1	

- Molecule 39 is FE2/S2 (INORGANIC) CLUSTER (three-letter code: FES) (formula: Fe₂S₂).




Mol	Chain	Residues	Atoms			AltConf
39	P	1	Total	Fe	S	0
			4	2	2	
39	T	1	Total	Fe	S	0
			4	2	2	

- Molecule 40 is ADENOSINE-5'-TRIPHOSPHATE (three-letter code: ATP) (formula: $C_{10}H_{16}N_5O_{13}P_3$).




Mol	Chain	Residues	Atoms					AltConf
40	X	1	Total	C	N	O	P	0
			31	10	5	13	3	



- Molecule 41 is GUANOSINE-5'-DIPHOSPHATE (three-letter code: GDP) (formula: $C_{10}H_{15}N_5O_{11}P_2$).





Mol	Chain	Residues	Atoms					AltConf
41	X	1	Total	C	N	O	P	0
			28	10	5	11	2	




- Molecule 4: Pentatricopeptide repeat domain-containing protein 3, mitochondrial




- Molecule 5: Dimethyladenosine transferase 1, mitochondrial





- Molecule 6: Methyltransferase-like protein 17, mitochondrial








- Molecule 12: 28S ribosomal protein S6, mitochondrial



- Molecule 13: 28S ribosomal protein S7, mitochondrial





- Molecule 14: 28S ribosomal protein S9, mitochondrial





- Molecule 15: 28S ribosomal protein S10, mitochondrial





- Molecule 16: 28S ribosomal protein S12, mitochondrial





- Molecule 17: 28S ribosomal protein S14, mitochondrial




- Molecule 18: 28S ribosomal protein S15, mitochondrial




- Molecule 19: 28S ribosomal protein S16, mitochondrial






- Molecule 20: 28S ribosomal protein S17, mitochondrial









- Molecule 21: 28S ribosomal protein S18b, mitochondrial







- Molecule 22: 28S ribosomal protein S18c, mitochondrial




- Molecule 23: 28S ribosomal protein S21, mitochondrial




- Molecule 24: 28S ribosomal protein S22, mitochondrial








- Molecule 25: 28S ribosomal protein S23, mitochondrial





- Molecule 26: 28S ribosomal protein S25, mitochondrial




- Molecule 27: 28S ribosomal protein S26, mitochondrial




- Molecule 28: 28S ribosomal protein S27, mitochondrial




- Molecule 29: 28S ribosomal protein S28, mitochondrial




- Molecule 30: 28S ribosomal protein S29, mitochondrial



- Molecule 31: 28S ribosomal protein S31, mitochondrial



- Molecule 32: 28S ribosomal protein S33, mitochondrial



LYS
ARG
LEU
LYS
LYS
LEU
ARG
GLY
LYS
GLU
LYS
PRO
LYS
LYS
GLY
GLY
LYS
ARG
ALA
LYS
ARG
LYS

● Molecule 33: GTPase Era, mitochondrial



MET
ALA
ALA
PRO
SER
GLY
TRP
ARG
GLY
ALA
ALA
LEU
ASP
VAL
GLN
SER
VAL
PHE
LEU
GLY
PHE
LEU
ARG
GLN
TRP
VAL
GLN
VAL
GLY
PRO
HIS
THR
VAL
VAL
ALA
ALA
GLU
PRO
GLU
ARG
ALA
VAL
VAL
TLE
PRO
PHE
SER
SER
GLU
LEU
LEU
GLY
PHE
GLN
LEU
ARG
VAL
ARG
CYS
VAL
SER
CYS
VAL
MET
VAL
PRO
ALA
GLY
SER
ASN

SER
ARG
SER
ASN
GLY
GLN
GLY
SER
GLY
ASP
LEU
HIS
PHE
LEU
GLY
PHE
SER
GLN
TRP
PRO
ASP
SER
VAL
THR
CYS
PRO
CYS
VAL
VAL
G153
G154
G155
SER
MET
ASN
ASP
ASP
GLN
GLN
ASP
VAL
VAL
LEU
LEU
LEU
VAL
VAL
D167
HIS
HIS
PRO
ASP
MET
PRO
ALA
GLY
ASN
S111
R112
V113
L114
R115
V116
V117
L118
G125

L129
Q132
L133
L134
G135
R136
K137
V138
PHE
PRO
VAL
SER
SER
ARG
LYS
VAL
HIS
THR
THR
ARG
CYS
GLN
ALA
L153
G154
V155
E158
K159
Q162
V163
I164
L165
L166
D167
T168
P169
G170
I171
TLE
SER
PRO
LYS
LYS
GLN
LYS
ARG
HIS
HIS
LEU
GLU
LEU
SER
LEU
LEU
E188
D189
P190

W191
K192
S193
M194
E195
S196
A197
D198
L199
V204
D205
D208
K209
W210
T211
R212
L215
S216
P217
Q218
L219
L220
R221
C222
L223
T224
K225
Y226
S227
Q228
I229
C240
L241
K242
Q243
L250
E256
K262
K263
L264
K265
M266
R267
Q268
A269
F270
H271
SER
HIS
PRO
GLY
THR
HIS

CYS
PRO
SER
PRO
ALA
VAL
LYS
ASP
PRO
ASN
THR
GLN
SER
VAL
GLY
ASN
P294
Q295
R296
I297
H301
E304
A310
L311
S312
Q313
E314
D315
L319
L323
L324
T325
Q326
A327
Q328
P329
G330
PRO
TRP
GLU
TYR
HIS
SER
ALA
VAL
LEU
THR
SER
GLN
T343
P344
E345
E346
I347
C348

A349
N350
I351
I352
R353
E354
K355
L356
L357
E358
H359
L360
P361
Q362
E363
V364
P365
Y366
N367
V368
Q369
Q370
K371
T372
A373
V374
W375
E376
E377
G378
F379
G380
G381
E382
L383
V384
I385
Q386
Q387
K388
L389
L390
V391
P392
K393
E394
S395
Y396
V397
K398
L399
L400
I401
G402
P403
K404
G405
H406
V407
I408

S409
Q410
I411
A412
Q413
E414
A415
Q416
H417
D418
L419
M420
D421
I422
F423
L424
C425
D426
V427
D428
I429
R430
L431
S432
V433
K434
L435
L436
K437

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	203950	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	51	Depositor
Minimum defocus (nm)	700	Depositor
Maximum defocus (nm)	1800	Depositor
Magnification	64000	Depositor
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	56.870	Depositor
Minimum map value	-28.093	Depositor
Average map value	0.039	Depositor
Map value standard deviation	1.386	Depositor
Recommended contour level	8.5	Depositor
Map size (\AA)	424.80002, 424.80002, 424.80002	wwPDB
Map dimensions	400, 400, 400	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	1.062, 1.062, 1.062	Depositor

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: SAM, FES, SF4, K, MG, ZN, ATP, GDP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	0	0.25	0/1800	0.60	0/2440
2	1	0.30	0/2143	0.50	0/2902
3	3	0.27	0/402	0.64	0/533
4	4	0.29	0/4686	0.51	0/6335
5	5	0.30	0/2624	0.56	0/3552
6	7	0.29	0/3234	0.56	1/4390 (0.0%)
7	8	0.29	0/2603	0.57	1/3520 (0.0%)
8	A	0.32	0/19038	0.80	4/29619 (0.0%)
9	B	0.28	0/1832	0.55	0/2480
10	C	0.31	0/1074	0.53	0/1456
11	D	0.27	0/1877	0.57	0/2523
12	E	0.27	0/853	0.57	0/1151
13	F	0.27	0/1766	0.54	0/2373
14	G	0.29	0/2435	0.55	0/3269
15	H	0.30	0/1086	0.52	0/1473
16	J	0.26	0/855	0.60	0/1148
17	K	0.25	0/299	0.69	0/397
18	L	0.27	0/1387	0.55	0/1853
19	M	0.25	0/934	0.59	0/1255
20	N	0.26	0/877	0.56	0/1187
21	O	0.26	0/1624	0.52	0/2210
22	P	0.27	0/747	0.47	0/1004
23	Q	0.22	0/51	0.36	0/68
24	R	0.27	0/2429	0.51	0/3280
25	S	0.28	0/1127	0.58	0/1518
26	T	0.28	0/1375	0.52	0/1847
27	U	0.27	0/1490	0.60	0/1999
28	V	0.28	0/3007	0.47	0/4062
29	W	0.27	0/787	0.55	0/1060
30	X	0.27	0/2921	0.50	0/3954
31	Y	0.27	0/1073	0.47	0/1444
32	Z	0.27	0/473	0.61	0/631

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
33	a	0.26	0/1801	0.52	1/2447 (0.0%)
All	All	0.29	0/70710	0.63	7/99380 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
16	J	0	1
26	T	0	1
All	All	0	2

There are no bond length outliers.

The worst 5 of 7 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	8	59	PRO	CA-N-CD	-5.86	103.30	111.50
8	A	1333	G	N3-C2-N2	-5.69	115.92	119.90
33	a	223	LEU	CA-CB-CG	5.38	127.67	115.30
8	A	721	U	C2-N1-C1'	5.21	123.96	117.70
8	A	1262	C	N1-C2-O2	-5.13	115.82	118.90

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
16	J	72	LYS	Peptide
26	T	160	ARG	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	0	1754	0	1754	8	0
2	1	2098	0	2115	12	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	3	395	0	432	6	0
4	4	4585	0	4595	38	0
5	5	2568	0	2655	16	0
6	7	3145	0	3159	24	0
7	8	2543	0	2561	20	0
8	A	17027	0	8651	54	0
9	B	1789	0	1781	6	0
10	C	1042	0	1033	11	0
11	D	1838	0	1858	5	0
12	E	839	0	848	10	0
13	F	1724	0	1769	16	0
14	G	2384	0	2351	16	0
15	H	1064	0	1089	9	0
16	J	839	0	887	2	0
17	K	296	0	304	4	0
18	L	1363	0	1442	14	0
19	M	913	0	943	1	0
20	N	859	0	922	2	0
21	O	1570	0	1533	0	0
22	P	731	0	761	5	0
23	Q	49	0	36	0	0
24	R	2382	0	2405	10	0
25	S	1100	0	1103	1	0
26	T	1344	0	1359	4	0
27	U	1468	0	1478	6	0
28	V	2946	0	2942	10	0
29	W	775	0	791	3	0
30	X	2849	0	2843	18	0
31	Y	1043	0	996	16	0
32	Z	465	0	475	10	0
33	a	1785	0	1599	0	0
34	7	8	0	0	0	0
35	7	27	0	22	1	0
36	A	4	0	0	0	0
37	A	25	0	0	0	0
37	B	1	0	0	0	0
37	X	1	0	0	0	0
38	O	1	0	0	0	0
39	P	4	0	0	0	0
39	T	4	0	0	0	0
40	X	31	0	12	0	0
41	X	28	0	12	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	67706	0	59516	293	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

The worst 5 of 293 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:4:267:VAL:HG11	4:4:296:ALA:HB1	1.58	0.86
14:G:249:THR:HG22	14:G:250:LEU:HD12	1.56	0.85
13:F:48:LYS:NZ	14:G:321:ASP:OD1	2.10	0.84
11:D:409:GLU:OE2	11:D:418:LYS:NZ	2.10	0.83
8:A:738:A:O2'	8:A:739:C:O2	1.96	0.82

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	0	209/218 (96%)	208 (100%)	1 (0%)	0	100	100
2	1	255/323 (79%)	251 (98%)	4 (2%)	0	100	100
3	3	43/199 (22%)	42 (98%)	1 (2%)	0	100	100
4	4	558/689 (81%)	549 (98%)	9 (2%)	0	100	100
5	5	317/346 (92%)	311 (98%)	6 (2%)	0	100	100
6	7	394/456 (86%)	381 (97%)	13 (3%)	0	100	100
7	8	324/390 (83%)	316 (98%)	8 (2%)	0	100	100
9	B	218/296 (74%)	216 (99%)	2 (1%)	0	100	100
10	C	122/167 (73%)	120 (98%)	2 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
11	D	228/430 (53%)	223 (98%)	5 (2%)	0	100	100
12	E	103/125 (82%)	103 (100%)	0	0	100	100
13	F	206/242 (85%)	203 (98%)	3 (2%)	0	100	100
14	G	287/396 (72%)	281 (98%)	6 (2%)	0	100	100
15	H	126/201 (63%)	124 (98%)	2 (2%)	0	100	100
16	J	106/138 (77%)	102 (96%)	4 (4%)	0	100	100
17	K	31/128 (24%)	30 (97%)	1 (3%)	0	100	100
18	L	159/257 (62%)	158 (99%)	1 (1%)	0	100	100
19	M	113/137 (82%)	113 (100%)	0	0	100	100
20	N	107/130 (82%)	107 (100%)	0	0	100	100
21	O	188/258 (73%)	185 (98%)	3 (2%)	0	100	100
22	P	90/142 (63%)	89 (99%)	1 (1%)	0	100	100
23	Q	4/87 (5%)	4 (100%)	0	0	100	100
24	R	289/360 (80%)	284 (98%)	5 (2%)	0	100	100
25	S	131/190 (69%)	130 (99%)	1 (1%)	0	100	100
26	T	162/173 (94%)	160 (99%)	2 (1%)	0	100	100
27	U	172/205 (84%)	168 (98%)	4 (2%)	0	100	100
28	V	355/414 (86%)	349 (98%)	6 (2%)	0	100	100
29	W	96/187 (51%)	95 (99%)	1 (1%)	0	100	100
30	X	350/398 (88%)	346 (99%)	4 (1%)	0	100	100
31	Y	119/395 (30%)	118 (99%)	1 (1%)	0	100	100
32	Z	52/106 (49%)	47 (90%)	5 (10%)	0	100	100
33	a	253/437 (58%)	248 (98%)	5 (2%)	0	100	100
All	All	6167/8620 (72%)	6061 (98%)	106 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	0	184/190 (97%)	184 (100%)	0	100	100
2	1	239/291 (82%)	239 (100%)	0	100	100
3	3	40/166 (24%)	39 (98%)	1 (2%)	42	60
4	4	506/609 (83%)	506 (100%)	0	100	100
5	5	286/309 (93%)	286 (100%)	0	100	100
6	7	339/385 (88%)	338 (100%)	1 (0%)	91	96
7	8	270/317 (85%)	270 (100%)	0	100	100
9	B	194/249 (78%)	194 (100%)	0	100	100
10	C	111/143 (78%)	111 (100%)	0	100	100
11	D	196/357 (55%)	196 (100%)	0	100	100
12	E	89/107 (83%)	89 (100%)	0	100	100
13	F	185/209 (88%)	185 (100%)	0	100	100
14	G	253/342 (74%)	253 (100%)	0	100	100
15	H	120/180 (67%)	120 (100%)	0	100	100
16	J	93/118 (79%)	93 (100%)	0	100	100
17	K	30/113 (26%)	30 (100%)	0	100	100
18	L	151/226 (67%)	151 (100%)	0	100	100
19	M	94/113 (83%)	93 (99%)	1 (1%)	70	82
20	N	95/115 (83%)	95 (100%)	0	100	100
21	O	171/230 (74%)	171 (100%)	0	100	100
22	P	83/123 (68%)	83 (100%)	0	100	100
23	Q	5/79 (6%)	5 (100%)	0	100	100
24	R	261/318 (82%)	261 (100%)	0	100	100
25	S	115/164 (70%)	115 (100%)	0	100	100
26	T	151/157 (96%)	151 (100%)	0	100	100
27	U	150/174 (86%)	150 (100%)	0	100	100
28	V	323/364 (89%)	323 (100%)	0	100	100
29	W	85/158 (54%)	85 (100%)	0	100	100
30	X	311/351 (89%)	311 (100%)	0	100	100
31	Y	113/357 (32%)	113 (100%)	0	100	100
32	Z	51/95 (54%)	51 (100%)	0	100	100
33	a	151/386 (39%)	151 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
All	All	5445/7495 (73%)	5442 (100%)	3 (0%)	92 98

All (3) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
3	3	158	GLN
6	7	108	ARG
19	M	29	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 18 such sidechains are listed below:

Mol	Chain	Res	Type
30	X	140	HIS
33	a	321	GLN
33	a	301	HIS
10	C	130	HIS
26	T	37	HIS

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
8	A	792/955 (82%)	187 (23%)	6 (0%)

5 of 187 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
8	A	650	U
8	A	651	A
8	A	664	G
8	A	680	U
8	A	688	A

5 of 6 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
8	A	1466	C
8	A	1531	C
8	A	1536	A
8	A	1225	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
8	A	1077	U

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 38 ligands modelled in this entry, 32 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
41	GDP	X	503	-	25,30,30	3.55	14 (56%)	30,47,47	2.18	6 (20%)
39	FES	T	201	19,26	0,4,4	-	-	-		
40	ATP	X	501	37	28,33,33	0.80	0	34,52,52	0.95	2 (5%)
39	FES	P	201	12,22	0,4,4	-	-	-		
34	SF4	7	501	6	0,12,12	-	-	-		
35	SAM	7	502	-	23,29,29	1.27	3 (13%)	20,42,42	1.72	2 (10%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
41	GDP	X	503	-	-	3/12/32/32	0/3/3/3
39	FES	T	201	19,26	-	-	0/1/1/1
40	ATP	X	501	37	-	0/18/38/38	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
39	FES	P	201	12,22	-	-	0/1/1/1
34	SF4	7	501	6	-	-	0/6/5/5
35	SAM	7	502	-	-	2/13/33/33	0/3/3/3

The worst 5 of 17 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
41	X	503	GDP	O6-C6	8.04	1.42	1.23
41	X	503	GDP	C2-N1	7.67	1.56	1.37
41	X	503	GDP	PA-O3A	7.35	1.67	1.59
41	X	503	GDP	C2-N2	5.23	1.46	1.34
41	X	503	GDP	C2-N3	5.17	1.45	1.33

The worst 5 of 10 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
41	X	503	GDP	C8-N7-C5	8.13	116.39	102.55
35	7	502	SAM	N3-C2-N1	-6.28	120.15	128.67
41	X	503	GDP	C2-N1-C6	-4.80	116.33	125.11
41	X	503	GDP	O2B-PB-O3A	2.78	113.95	104.64
41	X	503	GDP	O3B-PB-O3A	2.69	113.65	104.64

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
35	7	502	SAM	CB-CG-SD-CE
35	7	502	SAM	CB-CG-SD-C5'
41	X	503	GDP	C5'-O5'-PA-O1A
41	X	503	GDP	PB-O3A-PA-O1A
41	X	503	GDP	O4'-C4'-C5'-O5'


There are no ring outliers.



2 monomers are involved in 2 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
41	X	503	GDP	1	0
35	7	502	SAM	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In

addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-26967. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y



Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 200




Y Index: 200




Z Index: 200


6.2.2 Raw map



X Index: 200



Y Index: 200




Z Index: 200


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 190




Y Index: 209




Z Index: 243


6.3.2 Raw map



X Index: 190



Y Index: 209




Z Index: 187


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 8.5. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_26967_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 276 nm³; this corresponds to an approximate mass of 249 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.394 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.394 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.54	-	-
Author-provided FSC curve	2.54	2.97	2.60
Unmasked-calculated*	3.00	3.61	3.05

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.00 differs from the reported value 2.54 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-26967 and PDB model 8CSQ. Per-residue inclusion information can be found in section 3 on page 13.


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 8.5 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (8.5).





































































9.4 Atom inclusion [i](#)



At the recommended contour level, 77% of all backbone atoms, 70% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (8.5) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7040	 0.5660
0	 0.7090	 0.6480
1	 0.6900	 0.5720
3	 0.3080	 0.5310
4	 0.5180	 0.4430
5	 0.8620	 0.5610
7	 0.8540	 0.5890
8	 0.7350	 0.5270
A	 0.7240	 0.5480
B	 0.8950	 0.6560
C	 0.8380	 0.5970
D	 0.7590	 0.6490
E	 0.7200	 0.5810
F	 0.7250	 0.5560
G	 0.7310	 0.5670
H	 0.7700	 0.5830
J	 0.6920	 0.6440
K	 0.6060	 0.5080
L	 0.6360	 0.5900
M	 0.8390	 0.6840
N	 0.7390	 0.6670
O	 0.7420	 0.6640
P	 0.6460	 0.5430
Q	 0.3330	 0.6070
R	 0.5870	 0.6350
S	 0.6410	 0.5750
T	 0.6930	 0.6460
U	 0.5090	 0.5730
V	 0.7510	 0.6260
W	 0.7170	 0.6060
X	 0.8390	 0.6290
Y	 0.6570	 0.5390
Z	 0.5560	 0.4550
a	 0.2340	 0.2380

