



# wwPDB X-ray Structure Validation Summary Report ⓘ

Feb 10, 2025 – 03:12 PM EST

PDB ID : 4DR3  
Title : Crystal structure of the *Thermus thermophilus* (HB8) 30S ribosomal subunit with streptomycin bound  
Authors : Demirci, H.; Murphy IV, F.; Murphy, E.; Gregory, S.T.; Dahlberg, A.E.; Jogl, G.  
Deposited on : 2012-02-16  
Resolution : 3.35 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	1.21
EDS	:	3.0
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4	:	9.0.004 (Gargrove)
Density-Fitness	:	1.0.11
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.40


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 3.35 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.

















Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	164625	1325 (3.38-3.30)
Clashscore	180529	1376 (3.38-3.30)
Ramachandran outliers	177936	1376 (3.38-3.30)
Sidechain outliers	177891	1375 (3.38-3.30)
RSRZ outliers	164620	1325 (3.38-3.30)
RNA backbone	3690	1003 (3.70-2.98)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1522	 55% 32% 11% 2% 2%
2	B	256	 57% 30% 9% 4% 0%
3	C	239	 51% 28% 7% 14%

*Continued on next page...*

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	D	209	
5	E	162	
6	F	101	
7	G	156	
8	H	138	
9	I	128	
10	J	105	
11	K	129	
12	L	135	
13	M	126	
14	N	61	
15	O	89	
16	P	88	
17	Q	105	
18	R	88	
19	S	93	
20	T	106	
21	U	27	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
23	MG	A	1631	-	-	-	X
23	MG	A	1643	-	-	-	X
23	MG	A	1676	-	-	-	X
23	MG	A	1715	-	-	-	X
23	MG	A	1725	-	-	-	X
23	MG	A	1751	-	-	-	X
23	MG	A	1765	-	-	-	X

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
23	MG	A	1777	-	-	-	X
23	MG	A	1780	-	-	-	X
23	MG	A	1812	-	-	-	X
23	MG	A	1814	-	-	-	X

## 2 Entry composition

There are 25 unique types of molecules in this entry. The entry contains 52164 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 16S rRNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	1512	Total	C	N	O	P	0	0	0
			32507	14477	6011	10507	1512			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1534	C	A	conflict	GB M26923.1
A	1535	A	C	conflict	GB M26923.1

- Molecule 2 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	234	Total	C	N	O	S	0	0	0
			1900	1213	341	341	5			

- Molecule 3 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	206	Total	C	N	O	S	0	0	0
			1612	1016	314	281	1			

- Molecule 4 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	D	208	Total	C	N	O	S	0	0	0
			1703	1066	339	291	7			

- Molecule 5 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	E	150	Total	C	N	O	S	0	0	0
			1146	724	217	201	4			

- Molecule 6 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	F	101	Total	C	N	O	S	0	0	0
			843	531	155	154	3			

- Molecule 7 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	G	155	Total	C	N	O	S	0	0	0
			1257	781	252	218	6			

- Molecule 8 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	H	138	Total	C	N	O	S	0	0	0
			1116	705	215	193	3			

- Molecule 9 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
9	I	127	Total	C	N	O	0	0	0
			1010	639	197	174			

- Molecule 10 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	J	98	Total	C	N	O	S	0	0	0
			792	498	156	137	1			

- Molecule 11 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
11	K	116	Total	C	N	O	S	0	0	0
			864	537	164	160	3			

- Molecule 12 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
12	L	124	Total	C	N	O	S	0	0	0
			972	612	195	163	2			

- Molecule 13 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
13	M	118	Total	C	N	O	S	0	0	0
			937	579	193	163	2			

- Molecule 14 is a protein called 30S ribosomal protein S14.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
14	N	60	Total	C	N	O	S	0	0	0
			492	312	104	72	4			

- Molecule 15 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
15	O	87	Total	C	N	O	S	0	0	0
			729	457	146	124	2			

- Molecule 16 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
16	P	83	Total	C	N	O	S	0	0	0
			700	443	139	117	1			

- Molecule 17 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
17	Q	99	Total	C	N	O	S	0	0	0
			823	528	152	141	2			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
Q	96	GLN	GLU	conflict	UNP Q5SHP7

- Molecule 18 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
18	R	70	Total	C	N	O		0	0	0
			574	367	112	95				

- Molecule 19 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
19	S	80	Total	C	N	O	S	0	0	0
			647	414	119	112	2			


- Molecule 20 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
20	T	99	Total	C	N	O	S	0	0	0
			763	470	162	129	2			

- Molecule 21 is a protein called 30S ribosomal protein THX.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
21	U	24	Total	C	N	O	0	0	0
			208	128	50	30			

- Molecule 22 is STREPTOMYCIN (three-letter code: SRY) (formula:  $C_{21}H_{39}N_7O_{12}$ ).





*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
23	B	1	Total 1	Mg 1	0	0
23	D	1	Total 1	Mg 1	0	0
23	E	1	Total 1	Mg 1	0	0
23	H	3	Total 3	Mg 3	0	0
23	M	1	Total 1	Mg 1	0	0
23	N	1	Total 1	Mg 1	0	0
23	P	3	Total 3	Mg 3	0	0
23	Q	2	Total 2	Mg 2	0	0
23	T	2	Total 2	Mg 2	0	0
23	U	1	Total 1	Mg 1	0	0

- Molecule 24 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
24	D	1	Total 1	Zn 1	0	0
24	N	1	Total 1	Zn 1	0	0

- Molecule 25 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
25	A	256	Total 256	O 256	0	0
25	D	1	Total 1	O 1	0	0
25	E	2	Total 2	O 2	0	0
25	G	1	Total 1	O 1	0	0
25	L	1	Total 1	O 1	0	0

*Continued on next page...*


*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
25	N	1	Total	O	0	0
			1	1		
25	U	1	Total	O	0	0
			1	1		







• Molecule 2: 30S ribosomal protein S2




• Molecule 3: 30S ribosomal protein S3




• Molecule 4: 30S ribosomal protein S4




- Molecule 5: 30S ribosomal protein S5




- Molecule 6: 30S ribosomal protein S6



- Molecule 7: 30S ribosomal protein S7




- Molecule 8: 30S ribosomal protein S8




- Molecule 9: 30S ribosomal protein S9







• Molecule 10: 30S ribosomal protein S10




• Molecule 11: 30S ribosomal protein S11




• Molecule 12: 30S ribosomal protein S12




• Molecule 13: 30S ribosomal protein S13




- Molecule 14: 30S ribosomal protein S14




- Molecule 15: 30S ribosomal protein S15




- Molecule 16: 30S ribosomal protein S16




- Molecule 17: 30S ribosomal protein S17




- Molecule 18: 30S ribosomal protein S18




- Molecule 19: 30S ribosomal protein S19



- Molecule 20: 30S ribosomal protein S20



• Molecule 21: 30S ribosomal protein THX





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	404.04Å 404.04Å 173.53Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	34.55 – 3.35 34.55 – 3.35	Depositor EDS
% Data completeness (in resolution range)	98.3 (34.55-3.35) 98.0 (34.55-3.35)	Depositor EDS
$R_{merge}$	0.06	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.89 (at 3.32Å)	Xtriage
Refinement program	PHENIX dev_978	Depositor
R, $R_{free}$	0.168 , 0.206 0.167 , 0.204	Depositor DCC
$R_{free}$ test set	10116 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	117.9	Xtriage
Anisotropy	0.341	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.27 , 132.9	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	52164	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	147.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.63% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 7MG, SRY, 2MG, 4OC, ZN, MA6, 5MC, M2G, MG, PSU, UR3, 0TD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.56	3/36040 (0.0%)	0.98	71/56243 (0.1%)
2	B	0.41	0/1935	0.64	0/2609
3	C	0.32	0/1636	0.56	0/2205
4	D	0.39	0/1733	0.56	1/2318 (0.0%)
5	E	0.49	0/1162	0.70	1/1564 (0.1%)
6	F	0.32	0/856	0.52	0/1154
7	G	0.33	0/1276	0.52	0/1709
8	H	0.53	0/1136	0.69	0/1527
9	I	0.34	0/1029	0.58	0/1379
10	J	0.32	0/805	0.58	0/1082
11	K	0.38	0/879	0.60	0/1187
12	L	0.41	0/977	0.68	0/1306
13	M	0.33	0/947	0.60	0/1270
14	N	0.34	0/501	0.53	0/664
15	O	0.37	0/740	0.56	0/987
16	P	0.43	0/716	0.65	0/963
17	Q	0.49	0/836	0.74	1/1117 (0.1%)
18	R	0.34	0/579	0.57	0/768
19	S	0.27	0/661	0.53	0/890
20	T	0.39	0/765	0.64	1/1007 (0.1%)
21	U	0.32	0/212	0.53	0/277
All	All	0.51	3/55421 (0.0%)	0.88	75/82226 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
3	C	0	1
8	H	0	1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	#Chirality outliers	#Planarity outliers
10	J	0	1
12	L	0	1
20	T	0	1
All	All	0	5

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	279	A	N9-C4	-8.65	1.32	1.37
1	A	279	A	N3-C4	-5.60	1.31	1.34
1	A	108	G	N9-C8	5.45	1.41	1.37

The worst 5 of 75 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	117	G	N1-C6-O6	11.04	126.53	119.90
1	A	279	A	C2-N3-C4	-10.47	105.37	110.60
1	A	328	C	N1-C2-O2	8.61	124.07	118.90
1	A	117	G	C6-C5-N7	-8.21	125.47	130.40
1	A	328	C	C2-N1-C1'	8.14	127.75	118.80

There are no chirality outliers.

All (5) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
3	C	166	GLU	Peptide
8	H	90	GLY	Peptide
10	J	87	THR	Peptide
12	L	25	PRO	Peptide
20	T	93	GLU	Peptide

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	32507	0	16433	452	1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	1900	0	1951	57	0
3	C	1612	0	1677	58	0
4	D	1703	0	1763	38	0
5	E	1146	0	1207	36	0
6	F	843	0	857	15	0
7	G	1257	0	1296	29	0
8	H	1116	0	1177	30	0
9	I	1010	0	1037	44	0
10	J	792	0	835	35	0
11	K	864	0	881	22	0
12	L	972	0	1058	40	0
13	M	937	0	995	21	0
14	N	492	0	529	23	0
15	O	729	0	768	17	0
16	P	700	0	720	21	0
17	Q	823	0	893	21	0
18	R	574	0	644	17	0
19	S	647	0	673	26	0
20	T	763	0	861	20	0
21	U	208	0	221	6	0
22	A	40	0	36	3	0
23	A	248	0	0	0	0
23	B	1	0	0	0	0
23	D	1	0	0	0	0
23	E	1	0	0	0	0
23	H	3	0	0	0	0
23	M	1	0	0	0	0
23	N	1	0	0	0	0
23	P	3	0	0	0	0
23	Q	2	0	0	0	0
23	T	2	0	0	0	0
23	U	1	0	0	0	0
24	D	1	0	0	0	0
24	N	1	0	0	0	0
25	A	256	0	0	5	0
25	D	1	0	0	0	0
25	E	2	0	0	0	0
25	G	1	0	0	0	0
25	L	1	0	0	0	0
25	N	1	0	0	0	0
25	U	1	0	0	1	0
All	All	52164	0	36512	895	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

The worst 5 of 895 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:235:C:H5'	17:Q:70:ARG:HG2	1.55	0.88
1:A:1443:G:H5''	1:A:1446:A:H5'	1.57	0.86
12:L:47:LYS:HD3	12:L:48:PRO:HD3	1.56	0.86
1:A:517:G:N1	1:A:533:A:OP2	2.07	0.86
1:A:103:C:OP1	20:T:17:ARG:NH1	2.09	0.85

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:81:U:O4	1:A:1384:C:O2'[3_545]	2.19	0.01

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	B	232/256 (91%)	210 (90%)	19 (8%)	3 (1%)	10	37
3	C	204/239 (85%)	180 (88%)	23 (11%)	1 (0%)	25	56
4	D	206/209 (99%)	194 (94%)	12 (6%)	0	100	100
5	E	148/162 (91%)	140 (95%)	8 (5%)	0	100	100
6	F	99/101 (98%)	97 (98%)	2 (2%)	0	100	100
7	G	153/156 (98%)	143 (94%)	10 (6%)	0	100	100
8	H	136/138 (99%)	134 (98%)	2 (2%)	0	100	100
9	I	125/128 (98%)	114 (91%)	11 (9%)	0	100	100
10	J	96/105 (91%)	77 (80%)	17 (18%)	2 (2%)	5	28

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
11	K	114/129 (88%)	106 (93%)	8 (7%)	0	100	100
12	L	121/135 (90%)	112 (93%)	8 (7%)	1 (1%)	16	47
13	M	116/126 (92%)	106 (91%)	10 (9%)	0	100	100
14	N	58/61 (95%)	53 (91%)	5 (9%)	0	100	100
15	O	85/89 (96%)	83 (98%)	2 (2%)	0	100	100
16	P	81/88 (92%)	77 (95%)	4 (5%)	0	100	100
17	Q	97/105 (92%)	90 (93%)	7 (7%)	0	100	100
18	R	68/88 (77%)	63 (93%)	5 (7%)	0	100	100
19	S	78/93 (84%)	69 (88%)	8 (10%)	1 (1%)	10	37
20	T	97/106 (92%)	84 (87%)	13 (13%)	0	100	100
21	U	22/27 (82%)	21 (96%)	1 (4%)	0	100	100
All	All	2336/2541 (92%)	2153 (92%)	175 (8%)	8 (0%)	37	66

5 of 8 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	21	ARG
2	B	24	TRP
12	L	28	LYS
19	S	31	ILE
3	C	15	THR

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	B	202/220 (92%)	182 (90%)	20 (10%)	6	25
3	C	160/188 (85%)	126 (79%)	34 (21%)	1	3
4	D	180/181 (99%)	167 (93%)	13 (7%)	12	37
5	E	115/123 (94%)	96 (84%)	19 (16%)	2	8
6	F	90/90 (100%)	81 (90%)	9 (10%)	6	24

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
7	G	126/127 (99%)	115 (91%)	11 (9%)	8	30
8	H	119/119 (100%)	103 (87%)	16 (13%)	3	14
9	I	98/99 (99%)	87 (89%)	11 (11%)	5	20
10	J	87/92 (95%)	80 (92%)	7 (8%)	10	33
11	K	88/99 (89%)	80 (91%)	8 (9%)	7	28
12	L	103/110 (94%)	86 (84%)	17 (16%)	2	8
13	M	94/101 (93%)	84 (89%)	10 (11%)	5	22
14	N	49/50 (98%)	42 (86%)	7 (14%)	2	12
15	O	79/80 (99%)	76 (96%)	3 (4%)	28	56
16	P	72/74 (97%)	64 (89%)	8 (11%)	5	20
17	Q	94/97 (97%)	83 (88%)	11 (12%)	4	18
18	R	61/77 (79%)	54 (88%)	7 (12%)	4	19
19	S	71/80 (89%)	62 (87%)	9 (13%)	3	15
20	T	76/82 (93%)	67 (88%)	9 (12%)	4	18
21	U	19/22 (86%)	19 (100%)	0	100	100
All	All	1983/2111 (94%)	1754 (88%)	229 (12%)	4	19

5 of 229 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
8	H	63	LEU
20	T	10	LEU
11	K	41	THR
19	S	63	THR
17	Q	76	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 12 such sidechains are listed below:

Mol	Chain	Res	Type
10	J	13	HIS
11	K	26	ASN
19	S	47	HIS
13	M	77	ASN
5	E	78	HIS

### 5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	A	1508/1522 (99%)	282 (18%)	47 (3%)

5 of 282 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	A	6	G
1	A	7	G
1	A	9	G
1	A	32	A
1	A	33	A

5 of 47 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	A	992	U
1	A	1190	G
1	A	1065	U
1	A	1145	C
1	A	1256	A

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

15 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
1	5MC	A	1400	1	19,22,23	1.25	3 (15%)	26,32,35	0.94	2 (7%)
1	M2G	A	966	1	20,27,28	1.43	3 (15%)	19,40,43	1.26	2 (10%)
12	0TD	L	92	12	8,9,10	1.32	1 (12%)	6,11,13	2.79	3 (50%)
1	2MG	A	1207	1	18,26,27	1.60	4 (22%)	16,38,41	1.45	2 (12%)
1	5MC	A	1407	1	19,22,23	1.02	1 (5%)	26,32,35	1.21	4 (15%)
1	PSU	A	516	1,23	18,21,22	1.22	2 (11%)	21,30,33	1.89	5 (23%)



Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
1	PSU	A	1540	1,23	18,21,22	1.25	1 (5%)	21,30,33	1.71	4 (19%)
1	UR3	A	1498	1	19,22,23	1.05	1 (5%)	26,32,35	1.12	1 (3%)
1	MA6	A	1518	1	19,26,27	1.23	3 (15%)	18,38,41	0.79	0
1	7MG	A	527	1	23,26,27	3.82	4 (17%)	27,39,42	2.32	9 (33%)
1	MA6	A	1519	1	19,26,27	1.48	4 (21%)	18,38,41	0.61	0
1	PSU	A	1541	1	18,21,22	1.15	1 (5%)	21,30,33	1.84	5 (23%)
1	4OC	A	1402	1	20,23,24	0.93	2 (10%)	25,32,35	0.80	1 (4%)
1	5MC	A	967	1	19,22,23	0.98	1 (5%)	26,32,35	0.75	0
1	5MC	A	1404	1	19,22,23	0.96	1 (5%)	26,32,35	0.84	1 (3%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	5MC	A	1400	1	-	2/7/25/26	0/2/2/2
1	M2G	A	966	1	-	4/7/29/30	0/3/3/3
12	0TD	L	92	12	-	1/7/12/14	-
1	2MG	A	1207	1	-	2/5/27/28	0/3/3/3
1	5MC	A	1407	1	-	0/7/25/26	0/2/2/2
1	PSU	A	516	1,23	-	0/7/25/26	0/2/2/2
1	PSU	A	1540	1,23	-	2/7/25/26	0/2/2/2
1	UR3	A	1498	1	-	0/7/25/26	0/2/2/2
1	MA6	A	1518	1	-	3/7/29/30	0/3/3/3
1	7MG	A	527	1	-	2/7/37/38	0/3/3/3
1	MA6	A	1519	1	-	3/7/29/30	0/3/3/3
1	PSU	A	1541	1	-	0/7/25/26	0/2/2/2
1	4OC	A	1402	1	-	2/9/29/30	0/2/2/2
1	5MC	A	967	1	-	0/7/25/26	0/2/2/2
1	5MC	A	1404	1	-	0/7/25/26	0/2/2/2

The worst 5 of 32 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	527	7MG	C8-N9	-16.86	1.34	1.45
1	A	527	7MG	C5-N7	4.34	1.41	1.35
1	A	1540	PSU	C6-C5	4.33	1.40	1.35

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	1519	MA6	C6-N1	4.20	1.38	1.32
1	A	1541	PSU	C6-C5	4.05	1.39	1.35

The worst 5 of 39 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
12	L	92	0TD	CSB-SB-CB	-5.50	92.47	102.36
1	A	527	7MG	C5-C6-N1	5.31	120.28	110.94
1	A	527	7MG	C2-N3-C4	4.81	120.59	112.30
1	A	527	7MG	N9-C4-N3	4.72	132.37	125.46
1	A	516	PSU	C4-N3-C2	-4.71	119.89	126.37

There are no chirality outliers.

5 of 21 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	527	7MG	O4'-C4'-C5'-O5'
1	A	966	M2G	N1-C2-N2-CM1
1	A	966	M2G	N3-C2-N2-CM1
1	A	1207	2MG	O4'-C4'-C5'-O5'
1	A	1207	2MG	C3'-C4'-C5'-O5'

There are no ring outliers.

9 monomers are involved in 13 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A	1400	5MC	1	0
12	L	92	0TD	2	0
1	A	1207	2MG	1	0
1	A	1407	5MC	1	0
1	A	1518	MA6	2	0
1	A	527	7MG	2	0
1	A	1519	MA6	2	0
1	A	967	5MC	2	0
1	A	1404	5MC	1	0

## 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry

Of 267 ligands modelled in this entry, 266 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
22	SRY	A	1601	-	40,42,42	2.34	10 (25%)	49,63,63	2.00	12 (24%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
22	SRY	A	1601	-	-	1/20/87/87	0/3/3/3

The worst 5 of 10 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
22	A	1601	SRY	CD1-N31	9.27	1.49	1.33
22	A	1601	SRY	CA1-N11	7.00	1.45	1.33
22	A	1601	SRY	O53-C53	-3.37	1.36	1.44
22	A	1601	SRY	CA1-NB1	3.03	1.45	1.34
22	A	1601	SRY	CD1-NE1	2.82	1.44	1.34

The worst 5 of 12 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
22	A	1601	SRY	C13-O13-C22	-5.96	106.12	116.26
22	A	1601	SRY	C12-O42-C42	-5.66	99.33	108.48
22	A	1601	SRY	O13-C13-C23	5.26	116.61	108.07
22	A	1601	SRY	O42-C12-C22	-3.42	103.65	107.31
22	A	1601	SRY	O41-C12-O42	-3.41	107.89	111.37

There are no chirality outliers.

All (1) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
22	A	1601	SRY	C13-C23-N23-Cl3

There are no ring outliers.

1 monomer is involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
22	A	1601	SRY	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	1498/1522 (98%)	-0.55	10 (0%) 84 76	70, 128, 260, 393	0
2	B	234/256 (91%)	-0.39	3 (1%) 74 63	95, 139, 218, 251	0
3	C	206/239 (86%)	-0.16	1 (0%) 87 82	129, 201, 262, 285	0
4	D	208/209 (99%)	-0.20	11 (5%) 33 26	87, 136, 183, 219	0
5	E	150/162 (92%)	-0.63	0 100 100	72, 103, 137, 175	0
6	F	101/101 (100%)	-0.43	0 100 100	120, 154, 180, 209	0
7	G	155/156 (99%)	-0.23	3 (1%) 66 53	132, 181, 235, 243	0
8	H	138/138 (100%)	-0.67	0 100 100	65, 93, 130, 146	0
9	I	127/128 (99%)	0.02	7 (5%) 32 26	136, 204, 254, 268	0
10	J	98/105 (93%)	0.15	1 (1%) 79 69	152, 218, 293, 338	0
11	K	116/129 (89%)	-0.38	1 (0%) 81 71	100, 130, 166, 195	0
12	L	123/135 (91%)	-0.28	4 (3%) 49 37	71, 124, 164, 204	0
13	M	118/126 (93%)	-0.16	3 (2%) 58 45	131, 161, 192, 300	0
14	N	60/61 (98%)	0.36	3 (5%) 35 28	146, 184, 244, 276	0
15	O	87/89 (97%)	-0.69	0 100 100	83, 116, 157, 169	0
16	P	83/88 (94%)	-0.35	0 100 100	97, 129, 169, 193	0
17	Q	99/105 (94%)	-0.55	0 100 100	78, 106, 146, 159	0
18	R	70/88 (79%)	-0.53	0 100 100	92, 127, 183, 213	0
19	S	80/93 (86%)	0.42	13 (16%) 5 6	176, 226, 259, 274	0
20	T	99/106 (93%)	-0.22	2 (2%) 64 51	99, 131, 178, 198	0
21	U	24/27 (88%)	0.41	3 (12%) 9 10	139, 164, 207, 223	0
All	All	3874/4063 (95%)	-0.38	65 (1%) 69 56	65, 140, 243, 393	0

The worst 5 of 65 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	203	GLY	5.6
4	D	2	GLY	5.5
20	T	106	ALA	5.3
1	A	1129	C	5.0
3	C	2	GLY	4.9

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
1	PSU	A	1541	20/21	0.58	0.18	272,282,296,297	0
1	PSU	A	1540	20/21	0.82	0.20	182,221,301,301	0
1	5MC	A	1407	21/22	0.95	0.08	118,141,154,159	0
1	2MG	A	1207	24/25	0.95	0.12	175,197,217,222	0
1	5MC	A	1404	21/22	0.95	0.09	103,108,121,123	0
1	UR3	A	1498	21/22	0.96	0.10	106,117,127,143	0
1	MA6	A	1518	24/25	0.96	0.07	110,123,144,146	0
1	MA6	A	1519	24/25	0.96	0.08	101,119,127,132	0
1	PSU	A	516	20/21	0.96	0.08	121,133,147,153	0
1	5MC	A	1400	21/22	0.96	0.06	98,130,139,140	0
1	7MG	A	527	24/25	0.97	0.08	94,105,118,125	0
1	M2G	A	966	25/26	0.97	0.08	117,136,146,153	0
1	5MC	A	967	21/22	0.97	0.08	121,129,139,144	0
12	0TD	L	92	10/11	0.97	0.11	103,124,136,321	0
1	4OC	A	1402	22/23	0.99	0.08	104,109,121,128	0

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
23	MG	A	1823	1/1	0.41	0.39	138,138,138,138	0
23	MG	A	1776	1/1	0.58	0.39	122,122,122,122	0
23	MG	A	1775	1/1	0.60	0.18	142,142,142,142	0
23	MG	A	1643	1/1	0.62	0.77	123,123,123,123	0
23	MG	A	1751	1/1	0.63	0.51	104,104,104,104	0
23	MG	A	1807	1/1	0.65	0.34	106,106,106,106	0
23	MG	A	1722	1/1	0.67	0.33	127,127,127,127	0
23	MG	A	1768	1/1	0.68	0.30	136,136,136,136	0
23	MG	A	1765	1/1	0.69	0.55	119,119,119,119	0
23	MG	A	1676	1/1	0.69	0.42	108,108,108,108	0
23	MG	A	1780	1/1	0.70	0.77	110,110,110,110	0
23	MG	A	1766	1/1	0.70	0.35	125,125,125,125	0
23	MG	A	1631	1/1	0.70	0.54	128,128,128,128	0
23	MG	A	1812	1/1	0.71	0.41	128,128,128,128	0
23	MG	A	1725	1/1	0.71	0.50	133,133,133,133	0
23	MG	A	1674	1/1	0.72	0.28	116,116,116,116	0
23	MG	A	1814	1/1	0.74	0.57	118,118,118,118	0
23	MG	A	1777	1/1	0.74	0.49	102,102,102,102	0
23	MG	A	1746	1/1	0.75	0.29	116,116,116,116	0
23	MG	A	1843	1/1	0.75	0.21	139,139,139,139	0
23	MG	A	1831	1/1	0.76	0.37	122,122,122,122	0
23	MG	N	102	1/1	0.77	0.31	139,139,139,139	0
23	MG	A	1834	1/1	0.78	0.33	143,143,143,143	0
23	MG	A	1702	1/1	0.78	0.10	343,343,343,343	0
23	MG	A	1715	1/1	0.78	0.64	131,131,131,131	0
23	MG	B	301	1/1	0.79	0.21	131,131,131,131	0
23	MG	A	1774	1/1	0.79	0.22	150,150,150,150	0
23	MG	A	1778	1/1	0.80	0.43	129,129,129,129	0
23	MG	A	1833	1/1	0.80	0.09	113,113,113,113	0
23	MG	A	1828	1/1	0.80	0.08	436,436,436,436	0
23	MG	A	1719	1/1	0.81	0.09	206,206,206,206	0
23	MG	A	1671	1/1	0.81	0.20	173,173,173,173	0
23	MG	A	1753	1/1	0.81	0.40	133,133,133,133	0
23	MG	A	1818	1/1	0.81	0.24	111,111,111,111	0
23	MG	A	1683	1/1	0.81	0.29	111,111,111,111	0
23	MG	M	201	1/1	0.81	0.29	136,136,136,136	0
23	MG	A	1783	1/1	0.81	0.55	118,118,118,118	0
23	MG	P	102	1/1	0.81	0.15	128,128,128,128	0
23	MG	A	1844	1/1	0.82	0.20	118,118,118,118	0
23	MG	A	1815	1/1	0.82	0.26	110,110,110,110	0
23	MG	A	1748	1/1	0.82	0.73	106,106,106,106	0
23	MG	A	1758	1/1	0.82	0.37	132,132,132,132	0
23	MG	A	1610	1/1	0.82	0.10	122,122,122,122	0

Continued on next page...



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
23	MG	A	1760	1/1	0.83	0.29	105,105,105,105	0
23	MG	A	1699	1/1	0.83	0.10	227,227,227,227	0
23	MG	A	1841	1/1	0.83	0.26	107,107,107,107	0
23	MG	A	1842	1/1	0.83	0.26	108,108,108,108	0
23	MG	A	1675	1/1	0.83	0.14	187,187,187,187	0
23	MG	A	1688	1/1	0.83	0.24	111,111,111,111	0
23	MG	A	1729	1/1	0.83	0.51	121,121,121,121	0
23	MG	H	202	1/1	0.83	0.13	88,88,88,88	0
23	MG	A	1789	1/1	0.83	0.51	100,100,100,100	0
23	MG	A	1737	1/1	0.83	0.49	114,114,114,114	0
23	MG	A	1832	1/1	0.83	0.33	110,110,110,110	0
23	MG	A	1620	1/1	0.84	0.44	111,111,111,111	0
23	MG	A	1846	1/1	0.84	0.31	156,156,156,156	0
23	MG	A	1849	1/1	0.84	0.30	126,126,126,126	0
23	MG	A	1763	1/1	0.84	0.80	121,121,121,121	0
23	MG	A	1787	1/1	0.84	0.32	140,140,140,140	0
23	MG	A	1685	1/1	0.84	0.37	197,197,197,197	0
23	MG	A	1741	1/1	0.84	0.39	117,117,117,117	0
23	MG	A	1679	1/1	0.84	0.38	120,120,120,120	0
23	MG	A	1732	1/1	0.85	0.36	126,126,126,126	0
23	MG	A	1796	1/1	0.85	0.35	132,132,132,132	0
23	MG	A	1817	1/1	0.85	0.16	119,119,119,119	0
23	MG	A	1801	1/1	0.85	0.13	274,274,274,274	0
23	MG	A	1839	1/1	0.85	0.28	111,111,111,111	0
23	MG	A	1703	1/1	0.85	0.09	259,259,259,259	0
23	MG	A	1824	1/1	0.85	0.12	300,300,300,300	0
23	MG	A	1667	1/1	0.85	0.17	110,110,110,110	0
23	MG	A	1644	1/1	0.86	0.38	164,164,164,164	0
23	MG	A	1695	1/1	0.86	0.25	150,150,150,150	0
23	MG	A	1736	1/1	0.86	0.32	119,119,119,119	0
23	MG	A	1799	1/1	0.86	0.09	144,144,144,144	0
23	MG	A	1665	1/1	0.86	0.32	116,116,116,116	0
23	MG	A	1764	1/1	0.86	0.65	118,118,118,118	0
23	MG	A	1788	1/1	0.87	0.32	114,114,114,114	0
23	MG	A	1840	1/1	0.87	0.24	105,105,105,105	0
23	MG	A	1713	1/1	0.87	0.37	389,389,389,389	0
23	MG	A	1790	1/1	0.87	0.20	112,112,112,112	0
23	MG	A	1791	1/1	0.87	0.33	100,100,100,100	0
23	MG	A	1792	1/1	0.87	0.41	110,110,110,110	0
23	MG	A	1773	1/1	0.87	0.30	75,75,75,75	0
23	MG	A	1779	1/1	0.87	0.12	97,97,97,97	0
23	MG	A	1754	1/1	0.87	0.23	100,100,100,100	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
23	MG	A	1738	1/1	0.87	0.22	98,98,98,98	0
23	MG	A	1810	1/1	0.87	0.38	151,151,151,151	0
23	MG	A	1730	1/1	0.87	0.17	102,102,102,102	0
23	MG	A	1835	1/1	0.87	0.24	132,132,132,132	0
23	MG	A	1825	1/1	0.88	0.11	282,282,282,282	0
23	MG	A	1651	1/1	0.88	0.23	111,111,111,111	0
23	MG	A	1772	1/1	0.88	0.13	105,105,105,105	0
23	MG	A	1806	1/1	0.88	0.18	87,87,87,87	0
23	MG	P	101	1/1	0.88	0.29	92,92,92,92	0
23	MG	A	1630	1/1	0.88	0.17	142,142,142,142	0
23	MG	A	1698	1/1	0.89	0.20	194,194,194,194	0
23	MG	A	1837	1/1	0.89	0.40	89,89,89,89	0
23	MG	A	1794	1/1	0.89	0.10	129,129,129,129	0
23	MG	A	1656	1/1	0.89	0.15	90,90,90,90	0
23	MG	H	203	1/1	0.89	0.21	120,120,120,120	0
23	MG	A	1749	1/1	0.89	0.45	123,123,123,123	0
23	MG	A	1750	1/1	0.89	0.32	97,97,97,97	0
23	MG	A	1759	1/1	0.89	0.30	112,112,112,112	0
23	MG	A	1782	1/1	0.89	0.17	120,120,120,120	0
23	MG	Q	201	1/1	0.89	0.18	114,114,114,114	0
23	MG	A	1633	1/1	0.90	0.21	111,111,111,111	0
23	MG	A	1826	1/1	0.90	0.08	237,237,237,237	0
23	MG	A	1716	1/1	0.90	0.17	135,135,135,135	0
23	MG	A	1830	1/1	0.90	0.29	103,103,103,103	0
23	MG	A	1697	1/1	0.90	0.29	110,110,110,110	0
23	MG	A	1681	1/1	0.90	0.09	149,149,149,149	0
23	MG	A	1663	1/1	0.90	0.17	121,121,121,121	0
23	MG	A	1816	1/1	0.90	0.20	95,95,95,95	0
23	MG	A	1603	1/1	0.90	0.22	113,113,113,113	0
23	MG	A	1784	1/1	0.90	0.17	132,132,132,132	0
23	MG	A	1819	1/1	0.90	0.38	117,117,117,117	0
23	MG	A	1687	1/1	0.90	0.25	113,113,113,113	0
23	MG	A	1652	1/1	0.90	0.26	97,97,97,97	0
23	MG	A	1629	1/1	0.91	0.13	93,93,93,93	0
23	MG	A	1821	1/1	0.91	0.18	116,116,116,116	0
23	MG	A	1726	1/1	0.91	0.34	93,93,93,93	0
23	MG	A	1767	1/1	0.91	0.43	91,91,91,91	0
23	MG	A	1756	1/1	0.91	0.19	115,115,115,115	0
23	MG	A	1804	1/1	0.91	0.20	116,116,116,116	0
23	MG	A	1848	1/1	0.91	0.13	116,116,116,116	0
23	MG	A	1769	1/1	0.91	0.32	96,96,96,96	0
23	MG	A	1771	1/1	0.91	0.21	101,101,101,101	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
23	MG	A	1785	1/1	0.91	0.19	99,99,99,99	0
23	MG	A	1684	1/1	0.91	0.37	152,152,152,152	0
23	MG	A	1622	1/1	0.91	0.11	90,90,90,90	0
23	MG	A	1680	1/1	0.91	0.24	151,151,151,151	0
23	MG	A	1762	1/1	0.91	0.28	102,102,102,102	0
23	MG	A	1701	1/1	0.91	0.26	136,136,136,136	0
23	MG	A	1645	1/1	0.91	0.19	89,89,89,89	0
23	MG	T	202	1/1	0.91	0.23	106,106,106,106	0
23	MG	U	1300	1/1	0.91	0.18	166,166,166,166	0
23	MG	A	1740	1/1	0.92	0.30	107,107,107,107	0
23	MG	A	1605	1/1	0.92	0.31	115,115,115,115	0
23	MG	A	1609	1/1	0.92	0.28	101,101,101,101	0
23	MG	A	1723	1/1	0.92	0.08	115,115,115,115	0
23	MG	A	1700	1/1	0.92	0.13	121,121,121,121	0
23	MG	D	302	1/1	0.92	0.20	111,111,111,111	0
23	MG	A	1623	1/1	0.92	0.20	136,136,136,136	0
23	MG	A	1658	1/1	0.92	0.18	134,134,134,134	0
23	MG	A	1604	1/1	0.92	0.18	113,113,113,113	0
23	MG	A	1838	1/1	0.92	0.29	82,82,82,82	0
23	MG	A	1800	1/1	0.92	0.16	122,122,122,122	0
23	MG	A	1691	1/1	0.92	0.38	123,123,123,123	0
23	MG	P	103	1/1	0.92	0.10	120,120,120,120	0
23	MG	A	1612	1/1	0.92	0.15	120,120,120,120	0
23	MG	A	1647	1/1	0.92	0.33	135,135,135,135	0
23	MG	A	1718	1/1	0.92	0.36	213,213,213,213	0
23	MG	A	1694	1/1	0.93	0.20	114,114,114,114	0
23	MG	A	1739	1/1	0.93	0.17	127,127,127,127	0
23	MG	A	1648	1/1	0.93	0.08	156,156,156,156	0
23	MG	A	1664	1/1	0.93	0.75	105,105,105,105	0
23	MG	A	1743	1/1	0.93	0.41	94,94,94,94	0
23	MG	A	1650	1/1	0.93	0.34	109,109,109,109	0
23	MG	A	1747	1/1	0.93	0.14	124,124,124,124	0
23	MG	A	1845	1/1	0.93	0.22	128,128,128,128	0
23	MG	A	1721	1/1	0.93	0.46	99,99,99,99	0
23	MG	A	1847	1/1	0.93	0.16	81,81,81,81	0
23	MG	A	1820	1/1	0.93	0.04	163,163,163,163	0
23	MG	A	1617	1/1	0.93	0.21	75,75,75,75	0
23	MG	A	1602	1/1	0.93	0.10	133,133,133,133	0
23	MG	A	1673	1/1	0.93	0.14	143,143,143,143	0
23	MG	E	201	1/1	0.93	0.19	129,129,129,129	0
23	MG	A	1634	1/1	0.93	0.48	102,102,102,102	0
23	MG	A	1636	1/1	0.93	0.15	162,162,162,162	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
23	MG	A	1704	1/1	0.93	0.12	98,98,98,98	0
23	MG	A	1709	1/1	0.93	0.30	138,138,138,138	0
23	MG	A	1803	1/1	0.93	0.11	96,96,96,96	0
23	MG	A	1712	1/1	0.93	0.22	117,117,117,117	0
23	MG	A	1805	1/1	0.93	0.28	104,104,104,104	0
23	MG	A	1659	1/1	0.93	0.15	102,102,102,102	0
23	MG	A	1761	1/1	0.93	0.21	105,105,105,105	0
23	MG	A	1808	1/1	0.93	0.34	147,147,147,147	0
23	MG	A	1693	1/1	0.94	0.26	95,95,95,95	0
23	MG	A	1744	1/1	0.94	0.45	118,118,118,118	0
23	MG	A	1733	1/1	0.94	0.59	125,125,125,125	0
23	MG	A	1752	1/1	0.94	0.34	146,146,146,146	0
23	MG	A	1611	1/1	0.94	0.15	74,74,74,74	0
23	MG	A	1793	1/1	0.94	0.11	139,139,139,139	0
23	MG	A	1717	1/1	0.94	0.16	140,140,140,140	0
23	MG	A	1795	1/1	0.94	0.24	75,75,75,75	0
23	MG	A	1755	1/1	0.94	0.19	81,81,81,81	0
23	MG	A	1836	1/1	0.94	0.38	110,110,110,110	0
23	MG	A	1809	1/1	0.94	0.35	115,115,115,115	0
23	MG	A	1797	1/1	0.94	0.16	129,129,129,129	0
23	MG	A	1708	1/1	0.95	0.23	170,170,170,170	0
23	MG	A	1813	1/1	0.95	0.11	139,139,139,139	0
23	MG	A	1781	1/1	0.95	0.09	126,126,126,126	0
23	MG	A	1632	1/1	0.95	0.13	192,192,192,192	0
23	MG	A	1711	1/1	0.95	0.64	123,123,123,123	0
23	MG	A	1678	1/1	0.95	0.15	124,124,124,124	0
23	MG	A	1757	1/1	0.95	0.16	78,78,78,78	0
23	MG	A	1728	1/1	0.95	0.11	113,113,113,113	0
23	MG	A	1668	1/1	0.95	0.14	153,153,153,153	0
23	MG	A	1641	1/1	0.95	0.16	169,169,169,169	0
23	MG	A	1628	1/1	0.95	0.13	123,123,123,123	0
23	MG	A	1613	1/1	0.95	0.12	112,112,112,112	0
23	MG	A	1666	1/1	0.95	0.17	113,113,113,113	0
23	MG	A	1696	1/1	0.95	0.09	116,116,116,116	0
23	MG	T	201	1/1	0.95	0.11	70,70,70,70	0
23	MG	A	1706	1/1	0.95	0.09	94,94,94,94	0
23	MG	A	1811	1/1	0.95	0.37	93,93,93,93	0
23	MG	A	1724	1/1	0.96	0.07	111,111,111,111	0
23	MG	A	1822	1/1	0.96	0.11	80,80,80,80	0
23	MG	A	1661	1/1	0.96	0.11	214,214,214,214	0
23	MG	A	1642	1/1	0.96	0.10	65,65,65,65	0
23	MG	A	1627	1/1	0.96	0.25	147,147,147,147	0

*Continued on next page...*

*Continued from previous page...*


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
23	MG	A	1692	1/1	0.96	0.12	92,92,92,92	0
23	MG	A	1607	1/1	0.96	0.23	91,91,91,91	0
23	MG	A	1829	1/1	0.96	0.10	101,101,101,101	0
23	MG	A	1677	1/1	0.96	0.23	130,130,130,130	0
23	MG	A	1770	1/1	0.96	0.24	119,119,119,119	0
23	MG	H	201	1/1	0.96	0.14	85,85,85,85	0
23	MG	A	1616	1/1	0.96	0.18	80,80,80,80	0
23	MG	A	1734	1/1	0.96	0.45	102,102,102,102	0
23	MG	A	1657	1/1	0.96	0.15	155,155,155,155	0
23	MG	A	1608	1/1	0.96	0.08	137,137,137,137	0
23	MG	A	1669	1/1	0.96	0.20	124,124,124,124	0
23	MG	A	1682	1/1	0.96	0.21	154,154,154,154	0
23	MG	A	1670	1/1	0.96	0.19	133,133,133,133	0
23	MG	A	1624	1/1	0.96	0.11	126,126,126,126	0
23	MG	A	1798	1/1	0.96	0.19	117,117,117,117	0
23	MG	A	1672	1/1	0.96	0.35	136,136,136,136	0
23	MG	A	1686	1/1	0.96	0.19	142,142,142,142	0
22	SRY	A	1601	40/40	0.97	0.09	86,111,131,138	0
23	MG	A	1735	1/1	0.97	0.14	83,83,83,83	0
23	MG	A	1635	1/1	0.97	0.09	109,109,109,109	0
23	MG	A	1621	1/1	0.97	0.08	76,76,76,76	0
23	MG	A	1637	1/1	0.97	0.10	118,118,118,118	0
23	MG	A	1689	1/1	0.97	0.17	149,149,149,149	0
23	MG	A	1639	1/1	0.97	0.27	65,65,65,65	0
23	MG	A	1727	1/1	0.97	0.04	99,99,99,99	0
23	MG	A	1742	1/1	0.97	0.22	126,126,126,126	0
23	MG	A	1649	1/1	0.97	0.10	121,121,121,121	0
23	MG	A	1640	1/1	0.97	0.28	110,110,110,110	0
23	MG	A	1745	1/1	0.97	0.05	85,85,85,85	0
23	MG	A	1615	1/1	0.97	0.08	79,79,79,79	0
23	MG	Q	202	1/1	0.97	0.04	89,89,89,89	0
23	MG	A	1731	1/1	0.97	0.17	121,121,121,121	0
23	MG	A	1619	1/1	0.97	0.28	109,109,109,109	0
23	MG	A	1720	1/1	0.97	0.15	97,97,97,97	0
23	MG	A	1710	1/1	0.98	0.12	173,173,173,173	0
23	MG	A	1614	1/1	0.98	0.21	108,108,108,108	0
23	MG	A	1802	1/1	0.98	0.09	171,171,171,171	0
23	MG	A	1618	1/1	0.98	0.05	109,109,109,109	0
23	MG	A	1625	1/1	0.98	0.17	83,83,83,83	0
23	MG	A	1714	1/1	0.98	0.10	181,181,181,181	0
23	MG	A	1626	1/1	0.98	0.07	87,87,87,87	0
23	MG	A	1660	1/1	0.98	0.06	103,103,103,103	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
23	MG	A	1705	1/1	0.98	0.11	208,208,208,208	0
23	MG	A	1655	1/1	0.98	0.07	69,69,69,69	0
23	MG	A	1690	1/1	0.98	0.32	102,102,102,102	0
23	MG	A	1786	1/1	0.98	0.07	96,96,96,96	0
23	MG	A	1662	1/1	0.98	0.06	105,105,105,105	0
24	ZN	D	301	1/1	0.98	0.23	113,113,113,113	0
23	MG	A	1638	1/1	0.99	0.12	69,69,69,69	0
23	MG	A	1606	1/1	0.99	0.07	97,97,97,97	0
23	MG	A	1827	1/1	0.99	0.06	189,189,189,189	0
23	MG	A	1707	1/1	0.99	0.14	288,288,288,288	0
23	MG	A	1646	1/1	0.99	0.02	69,69,69,69	0
23	MG	A	1653	1/1	0.99	0.13	86,86,86,86	0
23	MG	A	1654	1/1	0.99	0.09	93,93,93,93	0
24	ZN	N	101	1/1	0.99	0.05	163,163,163,163	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



## 6.5 Other polymers [i](#)

There are no such residues in this entry.