



# wwPDB X-ray Structure Validation Summary Report ⓘ

Jun 22, 2024 – 09:46 AM EDT

PDB ID : 6E8D  
Title : Crystal structure of the Bacillus subtilis sliding clamp-MutL complex.  
Authors : Guarne, A.; Almawi, A.W.  
Deposited on : 2018-07-28  
Resolution : 2.34 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 2022.3.0, CSD as543be (2022)  
Xtriage (Phenix) : 1.20.1  
EDS : 2.37.1  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.37.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.34 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	2096 (2.36-2.32)
Clashscore	141614	2193 (2.36-2.32)
Ramachandran outliers	138981	2159 (2.36-2.32)
Sidechain outliers	138945	2160 (2.36-2.32)
RSRZ outliers	127900	2067 (2.36-2.32)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	512	<div> <div>9%</div> <div>84%</div> <div>7%</div> <div>9%</div> </div>
1	B	512	<div> <div>8%</div> <div>83%</div> <div>6%</div> <div>11%</div> </div>
1	C	512	<div> <div>6%</div> <div>80%</div> <div>9%</div> <div>11%</div> </div>
1	D	512	<div> <div>6%</div> <div>78%</div> <div>8%</div> <div>14%</div> </div>

## 2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 13668 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Beta sliding clamp,DNA mismatch repair protein MutL.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	465	Total	C	N	O	S	0	1	0
			3457	2204	577	668	8			
1	B	458	Total	C	N	O	S	0	1	0
			3419	2178	568	665	8			
1	C	454	Total	C	N	O	S	0	1	0
			3402	2179	556	659	8			
1	D	439	Total	C	N	O	S	0	0	0
			3202	2049	526	620	7			

There are 160 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-5	MET	-	initiating methionine	UNP A0A085C685
A	-4	GLY	-	expression tag	UNP A0A085C685
A	-3	SER	-	expression tag	UNP A0A085C685
A	-2	SER	-	expression tag	UNP A0A085C685
A	-1	HIS	-	expression tag	UNP A0A085C685
A	0	HIS	-	expression tag	UNP A0A085C685
A	1	HIS	-	expression tag	UNP A0A085C685
A	2	HIS	-	expression tag	UNP A0A085C685
A	3	HIS	-	expression tag	UNP A0A085C685
A	4	HIS	-	expression tag	UNP A0A085C685
A	5	GLY	-	expression tag	UNP A0A085C685
A	6	SER	-	expression tag	UNP A0A085C685
A	7	GLY	-	expression tag	UNP A0A085C685
A	8	GLY	-	expression tag	UNP A0A085C685
A	9	GLY	-	expression tag	UNP A0A085C685
A	10	ASN	-	expression tag	UNP A0A085C685
A	11	ASN	-	expression tag	UNP A0A085C685
A	12	ASN	-	expression tag	UNP A0A085C685
A	13	ASN	-	expression tag	UNP A0A085C685
A	14	ASN	-	expression tag	UNP A0A085C685
A	15	ASN	-	expression tag	UNP A0A085C685

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
A	16	ASN	-	expression tag	UNP A0A085C685
A	17	ASN	-	expression tag	UNP A0A085C685
A	18	ASN	-	expression tag	UNP A0A085C685
A	19	ASN	-	expression tag	UNP A0A085C685
A	20	LEU	-	expression tag	UNP A0A085C685
A	21	GLY	-	expression tag	UNP A0A085C685
A	22	ILE	-	expression tag	UNP A0A085C685
A	23	GLU	-	expression tag	UNP A0A085C685
A	24	GLU	-	expression tag	UNP A0A085C685
A	25	ASN	-	expression tag	UNP A0A085C685
A	26	LEU	-	expression tag	UNP A0A085C685
A	27	TYR	-	expression tag	UNP A0A085C685
A	28	PHE	-	expression tag	UNP A0A085C685
A	29	GLN	-	expression tag	UNP A0A085C685
A	30	SER	-	expression tag	UNP A0A085C685
A	31	HIS	-	expression tag	UNP A0A085C685
A	32	MET	-	expression tag	UNP A0A085C685
A	412	ASP	GLY	linker	UNP A0A164SDM9
A	413	SER	GLU	linker	UNP A0A164SDM9
B	-5	MET	-	initiating methionine	UNP A0A085C685
B	-4	GLY	-	expression tag	UNP A0A085C685
B	-3	SER	-	expression tag	UNP A0A085C685
B	-2	SER	-	expression tag	UNP A0A085C685
B	-1	HIS	-	expression tag	UNP A0A085C685
B	0	HIS	-	expression tag	UNP A0A085C685
B	1	HIS	-	expression tag	UNP A0A085C685
B	2	HIS	-	expression tag	UNP A0A085C685
B	3	HIS	-	expression tag	UNP A0A085C685
B	4	HIS	-	expression tag	UNP A0A085C685
B	5	GLY	-	expression tag	UNP A0A085C685
B	6	SER	-	expression tag	UNP A0A085C685
B	7	GLY	-	expression tag	UNP A0A085C685
B	8	GLY	-	expression tag	UNP A0A085C685
B	9	GLY	-	expression tag	UNP A0A085C685
B	10	ASN	-	expression tag	UNP A0A085C685
B	11	ASN	-	expression tag	UNP A0A085C685
B	12	ASN	-	expression tag	UNP A0A085C685
B	13	ASN	-	expression tag	UNP A0A085C685
B	14	ASN	-	expression tag	UNP A0A085C685
B	15	ASN	-	expression tag	UNP A0A085C685
B	16	ASN	-	expression tag	UNP A0A085C685
B	17	ASN	-	expression tag	UNP A0A085C685

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
B	18	ASN	-	expression tag	UNP A0A085C685
B	19	ASN	-	expression tag	UNP A0A085C685
B	20	LEU	-	expression tag	UNP A0A085C685
B	21	GLY	-	expression tag	UNP A0A085C685
B	22	ILE	-	expression tag	UNP A0A085C685
B	23	GLU	-	expression tag	UNP A0A085C685
B	24	GLU	-	expression tag	UNP A0A085C685
B	25	ASN	-	expression tag	UNP A0A085C685
B	26	LEU	-	expression tag	UNP A0A085C685
B	27	TYR	-	expression tag	UNP A0A085C685
B	28	PHE	-	expression tag	UNP A0A085C685
B	29	GLN	-	expression tag	UNP A0A085C685
B	30	SER	-	expression tag	UNP A0A085C685
B	31	HIS	-	expression tag	UNP A0A085C685
B	32	MET	-	expression tag	UNP A0A085C685
B	412	ASP	GLY	linker	UNP A0A164SDM9
B	413	SER	GLU	linker	UNP A0A164SDM9
C	-5	MET	-	initiating methionine	UNP A0A085C685
C	-4	GLY	-	expression tag	UNP A0A085C685
C	-3	SER	-	expression tag	UNP A0A085C685
C	-2	SER	-	expression tag	UNP A0A085C685
C	-1	HIS	-	expression tag	UNP A0A085C685
C	0	HIS	-	expression tag	UNP A0A085C685
C	1	HIS	-	expression tag	UNP A0A085C685
C	2	HIS	-	expression tag	UNP A0A085C685
C	3	HIS	-	expression tag	UNP A0A085C685
C	4	HIS	-	expression tag	UNP A0A085C685
C	5	GLY	-	expression tag	UNP A0A085C685
C	6	SER	-	expression tag	UNP A0A085C685
C	7	GLY	-	expression tag	UNP A0A085C685
C	8	GLY	-	expression tag	UNP A0A085C685
C	9	GLY	-	expression tag	UNP A0A085C685
C	10	ASN	-	expression tag	UNP A0A085C685
C	11	ASN	-	expression tag	UNP A0A085C685
C	12	ASN	-	expression tag	UNP A0A085C685
C	13	ASN	-	expression tag	UNP A0A085C685
C	14	ASN	-	expression tag	UNP A0A085C685
C	15	ASN	-	expression tag	UNP A0A085C685
C	16	ASN	-	expression tag	UNP A0A085C685
C	17	ASN	-	expression tag	UNP A0A085C685
C	18	ASN	-	expression tag	UNP A0A085C685
C	19	ASN	-	expression tag	UNP A0A085C685

*Continued on next page...*

*Continued from previous page...*


Chain	Residue	Modelled	Actual	Comment	Reference
C	20	LEU	-	expression tag	UNP A0A085C685
C	21	GLY	-	expression tag	UNP A0A085C685
C	22	ILE	-	expression tag	UNP A0A085C685
C	23	GLU	-	expression tag	UNP A0A085C685
C	24	GLU	-	expression tag	UNP A0A085C685
C	25	ASN	-	expression tag	UNP A0A085C685
C	26	LEU	-	expression tag	UNP A0A085C685
C	27	TYR	-	expression tag	UNP A0A085C685
C	28	PHE	-	expression tag	UNP A0A085C685
C	29	GLN	-	expression tag	UNP A0A085C685
C	30	SER	-	expression tag	UNP A0A085C685
C	31	HIS	-	expression tag	UNP A0A085C685
C	32	MET	-	expression tag	UNP A0A085C685
C	412	ASP	GLY	linker	UNP A0A164SDM9
C	413	SER	GLU	linker	UNP A0A164SDM9
D	-5	MET	-	initiating methionine	UNP A0A085C685
D	-4	GLY	-	expression tag	UNP A0A085C685
D	-3	SER	-	expression tag	UNP A0A085C685
D	-2	SER	-	expression tag	UNP A0A085C685
D	-1	HIS	-	expression tag	UNP A0A085C685
D	0	HIS	-	expression tag	UNP A0A085C685
D	1	HIS	-	expression tag	UNP A0A085C685
D	2	HIS	-	expression tag	UNP A0A085C685
D	3	HIS	-	expression tag	UNP A0A085C685
D	4	HIS	-	expression tag	UNP A0A085C685
D	5	GLY	-	expression tag	UNP A0A085C685
D	6	SER	-	expression tag	UNP A0A085C685
D	7	GLY	-	expression tag	UNP A0A085C685
D	8	GLY	-	expression tag	UNP A0A085C685
D	9	GLY	-	expression tag	UNP A0A085C685
D	10	ASN	-	expression tag	UNP A0A085C685
D	11	ASN	-	expression tag	UNP A0A085C685
D	12	ASN	-	expression tag	UNP A0A085C685
D	13	ASN	-	expression tag	UNP A0A085C685
D	14	ASN	-	expression tag	UNP A0A085C685
D	15	ASN	-	expression tag	UNP A0A085C685
D	16	ASN	-	expression tag	UNP A0A085C685
D	17	ASN	-	expression tag	UNP A0A085C685
D	18	ASN	-	expression tag	UNP A0A085C685
D	19	ASN	-	expression tag	UNP A0A085C685
D	20	LEU	-	expression tag	UNP A0A085C685
D	21	GLY	-	expression tag	UNP A0A085C685

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	22	ILE	-	expression tag	UNP A0A085C685
D	23	GLU	-	expression tag	UNP A0A085C685
D	24	GLU	-	expression tag	UNP A0A085C685
D	25	ASN	-	expression tag	UNP A0A085C685
D	26	LEU	-	expression tag	UNP A0A085C685
D	27	TYR	-	expression tag	UNP A0A085C685
D	28	PHE	-	expression tag	UNP A0A085C685
D	29	GLN	-	expression tag	UNP A0A085C685
D	30	SER	-	expression tag	UNP A0A085C685
D	31	HIS	-	expression tag	UNP A0A085C685
D	32	MET	-	expression tag	UNP A0A085C685
D	412	ASP	GLY	linker	UNP A0A164SDM9
D	413	SER	GLU	linker	UNP A0A164SDM9

- Molecule 2 is GLYCEROL (three-letter code: GOL) (formula:  $C_3H_8O_3$ ).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			6	3	3		
2	C	1	Total	C	O	0	0
			6	3	3		
2	C	1	Total	C	O	0	0
			6	3	3		

- Molecule 3 is water.



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	46	Total 46	O 46	0	0
3	B	44	Total 44	O 44	0	0
3	C	43	Total 43	O 43	0	0
3	D	37	Total 37	O 37	0	0







● Molecule 1: Beta sliding clamp,DNA mismatch repair protein MutL



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	59.02Å 83.89Å 128.26Å 80.30° 83.57° 89.96°	Depositor
Resolution (Å)	48.26 – 2.34 48.25 – 1.86	Depositor EDS
% Data completeness (in resolution range)	97.1 (48.26-2.34) 72.0 (48.25-1.86)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.29 (at 1.86Å)	Xtriage
Refinement program	PHENIX 1.9_1692	Depositor
R, $R_{free}$	0.216 , 0.250 0.229 , 0.254	Depositor DCC
$R_{free}$ test set	2000 reflections (1.37%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	42.4	Xtriage
Anisotropy	0.303	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.32 , 68.1	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	13668	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	85.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.18% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.33	0/3510	0.50	0/4784
1	B	0.33	0/3469	0.49	0/4724
1	C	0.34	0/3459	0.52	0/4715
1	D	0.29	0/3250	0.44	0/4440
All	All	0.32	0/13688	0.49	0/18663

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3457	0	3358	26	0
1	B	3419	0	3340	28	0
1	C	3402	0	3321	41	0
1	D	3202	0	3100	30	0
2	A	6	0	8	0	0
2	C	12	0	16	0	0
3	A	46	0	0	1	0
3	B	44	0	0	0	0
3	C	43	0	0	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	D	37	0	0	0	0
All	All	13668	0	13143	125	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

The worst 5 of 125 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:180:GLN:HA	1:C:373:VAL:HG11	1.47	0.94
1:C:180:GLN:HA	1:C:373:VAL:CG1	1.98	0.92
1:A:394:THR:OG1	1:A:397:ASP:HB2	1.69	0.92
1:B:394:THR:OG1	1:B:397:ASP:HB3	1.72	0.90
1:C:133:GLN:O	1:C:134:TYR:HB2	1.75	0.84

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	458/512 (90%)	440 (96%)	18 (4%)	0	100	100
1	B	449/512 (88%)	436 (97%)	13 (3%)	0	100	100
1	C	451/512 (88%)	435 (96%)	15 (3%)	1 (0%)	47	55
1	D	433/512 (85%)	418 (96%)	15 (4%)	0	100	100
All	All	1791/2048 (88%)	1729 (96%)	61 (3%)	1 (0%)	51	62

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	441	LYS

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	362/461 (78%)	360 (99%)	2 (1%)	86	92
1	B	363/461 (79%)	362 (100%)	1 (0%)	92	96
1	C	361/461 (78%)	359 (99%)	2 (1%)	86	92
1	D	331/461 (72%)	330 (100%)	1 (0%)	92	96
All	All	1417/1844 (77%)	1411 (100%)	6 (0%)	91	95

5 of 6 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	215	ARG
1	C	384	THR
1	D	215	ARG
1	A	255	ASP
1	A	215	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	148	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	GOL	C	601	-	5,5,5	0.38	0	5,5,5	0.16	0
2	GOL	C	602	-	5,5,5	0.19	0	5,5,5	0.54	0
2	GOL	A	601	-	5,5,5	0.13	0	5,5,5	0.29	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GOL	C	601	-	-	2/4/4/4	-
2	GOL	C	602	-	-	4/4/4/4	-
2	GOL	A	601	-	-	4/4/4/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

5 of 10 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	601	GOL	O1-C1-C2-C3
2	A	601	GOL	C1-C2-C3-O3
2	C	601	GOL	C1-C2-C3-O3
2	C	601	GOL	O2-C2-C3-O3
2	A	601	GOL	O2-C2-C3-O3

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.



## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	465/512 (90%)	0.38	46 (9%) 7 12	27, 80, 179, 243	0
1	B	458/512 (89%)	0.41	43 (9%) 8 13	31, 81, 173, 264	0
1	C	454/512 (88%)	0.37	32 (7%) 16 24	33, 79, 157, 225	0
1	D	439/512 (85%)	0.28	32 (7%) 15 22	37, 84, 160, 214	0
All	All	1816/2048 (88%)	0.36	153 (8%) 11 16	27, 81, 169, 264	0

The worst 5 of 153 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	448	GLY	34.3
1	C	447	VAL	13.1
1	A	496	ARG	12.4
1	C	439	GLN	11.4
1	B	501	ILE	9.5

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	GOL	A	601	6/6	0.75	0.17	71,73,76,84	0
2	GOL	C	602	6/6	0.78	0.17	50,80,84,87	0
2	GOL	C	601	6/6	0.85	0.13	65,78,83,84	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.