



Full wwPDB EM Validation Report ⓘ

Oct 14, 2024 – 03:33 AM EDT

PDB ID : 8F2B
EMDB ID : EMD-28812
Title : Amylin 3 Receptor in complex with Gs and Pramlintide analogue peptide San45
Authors : Cao, J.; Sexton, P.M.; Wootten, D.L.; Belousoff, M.J.
Deposited on : 2022-11-07
Resolution : 2.00 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev113
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	394	
2	B	350	
3	G	71	
4	N	138	
5	E	149	
6	P	38	
7	R	501	

2 Entry composition

There are 13 unique types of molecules in this entry. The entry contains 10360 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Guanine nucleotide-binding protein G(s) subunit alpha isoforms short.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	228	Total	C	N	O	S	0	0
			1876	1187	339	343	7		

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	54	ASN	SER	engineered mutation	UNP P63092
A	226	ALA	GLY	engineered mutation	UNP P63092
A	268	ALA	GLU	engineered mutation	UNP P63092
A	271	LYS	ASN	engineered mutation	UNP P63092
A	274	ASP	LYS	engineered mutation	UNP P63092
A	280	LYS	ARG	engineered mutation	UNP P63092
A	284	ASP	THR	engineered mutation	UNP P63092
A	285	THR	ILE	engineered mutation	UNP P63092

- Molecule 2 is a protein called Guanine nucleotide-binding protein G(I)/G(S)/G(T) subunit beta-1.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	339	Total	C	N	O	S	0	0
			2606	1607	468	510	21		

There are 11 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	-9	MET	-	expression tag	UNP P62873
B	-8	HIS	-	expression tag	UNP P62873
B	-7	HIS	-	expression tag	UNP P62873
B	-6	HIS	-	expression tag	UNP P62873
B	-5	HIS	-	expression tag	UNP P62873
B	-4	HIS	-	expression tag	UNP P62873
B	-3	HIS	-	expression tag	UNP P62873

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-2	GLY	-	expression tag	UNP P62873
B	-1	SER	-	expression tag	UNP P62873
B	0	SER	-	expression tag	UNP P62873
B	1	GLY	-	expression tag	UNP P62873

- Molecule 3 is a protein called Guanine nucleotide-binding protein G(I)/G(S)/G(O) subunit gamma-2.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	G	55	Total	C	N	O	S	0	0
			420	263	74	80	3		

- Molecule 4 is a protein called nanobody 35.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	N	128	Total	C	N	O	S	0	0
			973	605	170	192	6		

- Molecule 5 is a protein called Receptor activity-modifying protein 3.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	E	117	Total	C	N	O	S	0	0
			817	529	137	144	7		

There are 24 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
E	0	MET	-	expression tag	UNP O60896
E	1	LYS	-	expression tag	UNP O60896
E	2	THR	-	expression tag	UNP O60896
E	3	ILE	-	expression tag	UNP O60896
E	4	ILE	-	expression tag	UNP O60896
E	5	ALA	-	expression tag	UNP O60896
E	6	LEU	-	expression tag	UNP O60896
E	7	SER	-	expression tag	UNP O60896
E	8	TYR	-	expression tag	UNP O60896
E	9	ILE	-	expression tag	UNP O60896
E	10	PHE	-	expression tag	UNP O60896
E	11	CYS	-	expression tag	UNP O60896
E	12	LEU	-	expression tag	UNP O60896
E	13	VAL	-	expression tag	UNP O60896
E	14	PHE	-	expression tag	UNP O60896

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	15	ALA	-	expression tag	UNP O60896
E	16	ASP	-	expression tag	UNP O60896
E	17	TYR	-	expression tag	UNP O60896
E	18	LYS	-	expression tag	UNP O60896
E	19	ASP	-	expression tag	UNP O60896
E	20	ASP	-	expression tag	UNP O60896
E	21	ASP	-	expression tag	UNP O60896
E	22	ASP	-	expression tag	UNP O60896
E	23	LYS	-	expression tag	UNP O60896

- Molecule 6 is a protein called pramlintide analogue San45.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	P	38	Total	C	N	O	S	0	1
			278	173	51	52	2		

- Molecule 7 is a protein called Calcitonin receptor.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	R	369	Total	C	N	O	S	0	0
			3025	2002	496	499	28		

There are 52 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
R	-7	MET	-	expression tag	UNP P30988
R	-6	LYS	-	expression tag	UNP P30988
R	-5	THR	-	expression tag	UNP P30988
R	-4	ILE	-	expression tag	UNP P30988
R	-3	ILE	-	expression tag	UNP P30988
R	-2	ALA	-	expression tag	UNP P30988
R	-1	LEU	-	expression tag	UNP P30988
R	0	SER	-	expression tag	UNP P30988
R	1	TYR	-	expression tag	UNP P30988
R	2	ILE	-	expression tag	UNP P30988
R	3	PHE	-	expression tag	UNP P30988
R	4	CYS	-	expression tag	UNP P30988
R	5	LEU	-	expression tag	UNP P30988
R	6	VAL	-	expression tag	UNP P30988
R	7	PHE	-	expression tag	UNP P30988
R	8	ALA	-	expression tag	UNP P30988
R	9	ASP	-	expression tag	UNP P30988

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
R	10	TYR	-	expression tag	UNP P30988
R	11	LYS	-	expression tag	UNP P30988
R	12	ASP	-	expression tag	UNP P30988
R	13	ASP	-	expression tag	UNP P30988
R	14	ASP	-	expression tag	UNP P30988
R	15	ASP	-	expression tag	UNP P30988
R	16	LEU	-	expression tag	UNP P30988
R	17	GLU	-	expression tag	UNP P30988
R	18	VAL	-	expression tag	UNP P30988
R	19	LEU	-	expression tag	UNP P30988
R	20	PHE	-	expression tag	UNP P30988
R	21	GLN	-	expression tag	UNP P30988
R	22	GLY	-	expression tag	UNP P30988
R	23	PRO	-	expression tag	UNP P30988
R	24	ALA	-	expression tag	UNP P30988
R	447	LEU	PRO	conflict	UNP P30988
R	475	PRO	-	expression tag	UNP P30988
R	476	ALA	-	expression tag	UNP P30988
R	477	GLY	-	expression tag	UNP P30988
R	478	LEU	-	expression tag	UNP P30988
R	479	GLU	-	expression tag	UNP P30988
R	480	VAL	-	expression tag	UNP P30988
R	481	LEU	-	expression tag	UNP P30988
R	482	PHE	-	expression tag	UNP P30988
R	483	GLN	-	expression tag	UNP P30988
R	484	GLY	-	expression tag	UNP P30988
R	485	PRO	-	expression tag	UNP P30988
R	486	HIS	-	expression tag	UNP P30988
R	487	HIS	-	expression tag	UNP P30988
R	488	HIS	-	expression tag	UNP P30988
R	489	HIS	-	expression tag	UNP P30988
R	490	HIS	-	expression tag	UNP P30988
R	491	HIS	-	expression tag	UNP P30988
R	492	HIS	-	expression tag	UNP P30988
R	493	HIS	-	expression tag	UNP P30988

- Molecule 8 is N-hexadecanoyl-L-glutamic acid (three-letter code: D6M) (formula: C₂₁H₃₉NO₅) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				AltConf
8	P	1	Total	C	N	O	0
			26	21	1	4	

- Molecule 9 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $\text{C}_8\text{H}_{15}\text{NO}_6$).




Mol	Chain	Residues	Atoms				AltConf
9	R	1	Total 14	C 8	N 1	O 5	0
9	R	1	Total 14	C 8	N 1	O 5	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				AltConf
9	R	1	Total	C	N	O	0
			14	8	1	5	

- Molecule 10 is PALMITIC ACID (three-letter code: PLM) (formula: $C_{16}H_{32}O_2$).




Mol	Chain	Residues	Atoms			AltConf
10	R	1	Total	C	O	0
			18	16	2	
10	R	1	Total	C	O	0
			18	16	2	
10	R	1	Total	C	O	0
			18	16	2	
10	R	1	Total	C	O	0
			18	16	2	
10	R	1	Total	C	O	0
			18	16	2	
10	R	1	Total	C	O	0
			18	16	2	
10	R	1	Total	C	O	0
			18	16	2	

- Molecule 11 is (2S)-2-{[(1R)-1-hydroxyhexadecyl]oxy}-3-{[(1R)-1-hydroxyoctadecyl]oxy}propyl 2-(trimethylammonio)ethyl phosphate (three-letter code: P42) (formula: $C_{42}H_{88}NO_8P$).



Mol	Chain	Residues	Atoms					AltConf
11	R	1	Total	C	N	O	P	0
			52	42	1	8	1	

- Molecule 12 is CHOLESTEROL HEMISUCCINATE (three-letter code: Y01) (formula: $C_{31}H_{50}O_4$).



Mol	Chain	Residues	Atoms			AltConf
12	R	1	Total	C	O	0
			35	31	4	
12	R	1	Total	C	O	0
			35	31	4	


- Molecule 13 is water.

Mol	Chain	Residues	Atoms		AltConf
13	A	2	Total 2	O 2	0
13	P	8	Total 8	O 8	0
13	R	21	Total 21	O 21	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Guanine nucleotide-binding protein G(s) subunit alpha isoforms short



- Molecule 2: Guanine nucleotide-binding protein G(I)/G(S)/G(T) subunit beta-1




- Molecule 3: Guanine nucleotide-binding protein G(I)/G(S)/G(O) subunit gamma-2










- Molecule 4: nanobody 35






- Molecule 5: Receptor activity-modifying protein 3




- Molecule 6: pramlintide analogue San45



- Molecule 7: Calcitonin receptor





4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	518000	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	70.1	Depositor
Minimum defocus (nm)	200	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	0.201	Depositor
Minimum map value	-0.094	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.006	Depositor
Recommended contour level	0.026	Depositor
Map size (Å)	208.0, 208.0, 208.0	wwPDB
Map dimensions	320, 320, 320	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.65, 0.65, 0.65	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PLM, NAG, Y01, NH2, D6M, P42

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.24	0/1911	0.37	0/2570
2	B	0.24	0/2653	0.45	0/3597
3	G	0.23	0/426	0.34	0/576
4	N	0.26	0/993	0.44	0/1345
5	E	0.34	0/841	0.46	0/1162
6	P	0.30	0/283	0.38	0/386
7	R	0.25	0/3125	0.37	0/4257
All	All	0.26	0/10232	0.41	0/13893

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1876	0	1856	17	0
2	B	2606	0	2510	28	0
3	G	420	0	425	3	0
4	N	973	0	938	6	0
5	E	817	0	688	9	0
6	P	278	0	274	8	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
7	R	3025	0	2954	35	0
8	P	26	0	37	1	0
9	R	42	0	39	2	0
10	R	144	0	248	12	0
11	R	52	0	88	2	0
12	R	70	0	98	4	0
13	A	2	0	0	0	0
13	P	8	0	0	0	0
13	R	21	0	0	0	0
All	All	10360	0	10155	98	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (98) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:R:263:TYR:HB3	12:R:514:Y01:HAD1	1.65	0.77
7:R:125:ASN:HB2	9:R:502:NAG:N2	2.01	0.76
2:B:29:THR:HG22	2:B:31:SER:H	1.56	0.70
6:P:38:NH2:N	7:R:129:SER:HG	1.89	0.69
7:R:87:ALA:HB1	7:R:114:GLU:HA	1.73	0.69
5:E:29:ASN:HB2	5:E:80:VAL:HB	1.76	0.66
7:R:361:TRP:HB2	10:R:505:PLM:H92	1.80	0.63
10:R:505:PLM:H72	10:R:506:PLM:H82	1.84	0.60
10:R:504:PLM:H71	10:R:505:PLM:HB2	1.84	0.60
2:B:220:GLN:NE2	2:B:258:ASP:OD1	2.35	0.59
4:N:22:CYS:HB3	4:N:79:LEU:HB3	1.84	0.59
2:B:271:CYS:HB2	2:B:290:ASP:HB2	1.85	0.59
7:R:275:THR:HG23	10:R:509:PLM:HB1	1.84	0.58
2:B:294:CYS:HB2	2:B:308:LEU:HB2	1.84	0.58
7:R:271:LEU:HD21	12:R:514:Y01:HAA2	1.85	0.58
1:A:230:GLU:OE2	1:A:232:ARG:NH1	2.36	0.57
1:A:35:GLN:HE22	7:R:256:LYS:HD3	1.70	0.57
7:R:218:SER:HB2	10:R:510:PLM:H91	1.87	0.56
2:B:155:ASN:HD21	2:B:172:GLU:HB2	1.71	0.55
10:R:511:PLM:HA1	11:R:512:P42:HAI	1.87	0.55
7:R:77:ASP:OD2	7:R:82:TRP:NE1	2.34	0.53
7:R:125:ASN:HB2	9:R:502:NAG:HN2	1.72	0.53
2:B:275:SER:HB2	2:B:318:LEU:HG	1.91	0.53
5:E:142:LYS:HD2	7:R:251:ALA:HB2	1.89	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:N:40:ALA:HB3	4:N:43:LYS:HD3	1.91	0.52
7:R:55:CYS:SG	7:R:76:TRP:HB2	2.50	0.52
2:B:33:ILE:HD12	3:G:34:ALA:HB3	1.93	0.51
10:R:504:PLM:H91	10:R:505:PLM:HC1	1.93	0.51
2:B:112:VAL:HG13	2:B:126:LEU:HD11	1.91	0.51
1:A:354:ASP:OD1	1:A:354:ASP:N	2.44	0.50
2:B:166:CYS:HB2	2:B:180:PHE:HB2	1.93	0.50
2:B:129:ARG:HG3	2:B:130:GLU:N	2.26	0.50
7:R:260:ARG:HB3	12:R:514:Y01:HAM2	1.92	0.50
4:N:52:SER:O	4:N:72:ARG:NH1	2.42	0.49
2:B:250:CYS:HB2	2:B:264:TYR:HB2	1.94	0.49
4:N:11:LEU:HD12	4:N:125:THR:HB	1.94	0.49
1:A:393:LEU:HD23	7:R:347:ILE:HD11	1.94	0.49
6:P:19:SER:HB3	6:P:22:ASN:OD1	2.13	0.49
2:B:51:LEU:HB2	2:B:336:LEU:HB2	1.93	0.48
1:A:51:SER:HA	1:A:249:ALA:HB2	1.94	0.48
7:R:179:GLN:HE22	7:R:257:GLN:H	1.60	0.48
7:R:375:VAL:HA	10:R:511:PLM:HC1	1.95	0.48
7:R:363:PRO:HA	10:R:506:PLM:H21	1.95	0.48
4:N:37:VAL:HG12	4:N:47:TRP:HA	1.96	0.48
2:B:266:HIS:HD2	2:B:267:ASP:H	1.62	0.48
7:R:220:LYS:NZ	7:R:287:ASP:O	2.47	0.48
6:P:20:SER:O	6:P:20:SER:OG	2.29	0.48
1:A:274:ASP:OD1	1:A:278:ASN:ND2	2.46	0.47
6:P:38:NH2:N	7:R:129:SER:H	2.10	0.47
2:B:249:THR:HG22	2:B:265:SER:HB3	1.96	0.47
2:B:210:LEU:HD22	2:B:255:LEU:HD22	1.96	0.47
7:R:72:CYS:HB3	7:R:118:TRP:CE2	2.49	0.47
1:A:19:GLN:NE2	2:B:86:THR:OG1	2.48	0.47
7:R:316:LEU:HD22	7:R:354:ILE:HG13	1.97	0.47
1:A:45:LEU:HD21	1:A:53:LYS:HB2	1.97	0.47
2:B:256:ARG:NH2	3:G:36:ASP:OD2	2.47	0.47
7:R:227:GLN:HE22	7:R:277:HIS:CE1	2.32	0.47
2:B:318:LEU:HB3	2:B:329:THR:HG22	1.96	0.46
1:A:384:GLN:HG3	7:R:252:VAL:HG11	1.98	0.46
7:R:360:PRO:HG2	10:R:505:PLM:H91	1.98	0.46
2:B:160:SER:HB3	2:B:190:LEU:HD23	1.98	0.45
5:E:138:VAL:HG22	7:R:242:ILE:HG23	1.98	0.45
7:R:137:PHE:CE2	7:R:366:LYS:HE3	2.52	0.45
1:A:352:SER:OG	1:A:352:SER:O	2.28	0.45
2:B:79:LEU:HB2	2:B:93:ILE:HB	1.99	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:25:CYS:HA	3:G:29:LYS:HD3	2.00	0.44
7:R:309:LEU:HD13	7:R:356:PHE:HB2	2.00	0.44
10:R:505:PLM:HF1	10:R:506:PLM:HF1	1.99	0.44
5:E:62:PHE:CD2	5:E:66:TYR:HB2	2.53	0.44
4:N:83:MET:HB3	4:N:86:LEU:HD21	2.00	0.44
2:B:260:GLU:OE2	2:B:263:THR:HG22	2.18	0.43
6:P:28:PRO:HA	6:P:29:PRO:HD3	1.86	0.43
1:A:207:ILE:HD11	1:A:222:PHE:HB3	2.01	0.43
5:E:76:GLU:O	5:E:79:VAL:HG22	2.19	0.42
1:A:229:ASP:N	1:A:229:ASP:OD1	2.52	0.42
2:B:130:GLU:OE2	2:B:132:ASN:HB2	2.18	0.42
5:E:144:THR:HG22	7:R:258:ARG:HG3	2.01	0.42
2:B:245:SER:OG	2:B:246:ASP:N	2.52	0.42
7:R:372:TYR:CZ	7:R:376:MET:HG3	2.54	0.42
8:P:101:D6M:H242	7:R:161:PHE:HA	2.02	0.42
11:R:512:P42:HAB	11:R:512:P42:HAEA	1.71	0.42
5:E:71:ASN:HD21	7:R:45:ARG:HH12	1.68	0.42
1:A:224:VAL:HG21	1:A:234:TRP:CZ3	2.55	0.41
2:B:79:LEU:HD11	2:B:114:CYS:HB3	2.02	0.41
6:P:27:LEU:C	6:P:27:LEU:HD12	2.41	0.41
1:A:232:ARG:HH21	2:B:204:CYS:HB3	1.84	0.41
5:E:85:PRO:HG3	7:R:77:ASP:HA	2.02	0.41
7:R:190:THR:HG21	7:R:236:TRP:CD1	2.55	0.41
1:A:295:ASP:OD1	1:A:295:ASP:N	2.53	0.41
6:P:27:LEU:HB2	6:P:28:PRO:HD2	2.03	0.41
10:R:505:PLM:HD2	10:R:505:PLM:HG2	1.72	0.41
12:R:513:Y01:HBC	12:R:513:Y01:HAM1	1.74	0.41
1:A:216:LYS:HE2	1:A:216:LYS:HB3	1.80	0.40
2:B:27:ASP:OD1	2:B:27:ASP:N	2.54	0.40
6:P:23:PHE:CD1	7:R:146:TYR:HB2	2.56	0.40
2:B:212:ASP:OD2	2:B:219:ARG:NH2	2.43	0.40
5:E:73:THR:HG21	5:E:93:ILE:HD11	2.04	0.40
1:A:55:THR:HB	1:A:366:ALA:HB1	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	222/394 (56%)	221 (100%)	1 (0%)	0	100	100
2	B	337/350 (96%)	334 (99%)	3 (1%)	0	100	100
3	G	53/71 (75%)	52 (98%)	1 (2%)	0	100	100
4	N	126/138 (91%)	126 (100%)	0	0	100	100
5	E	115/149 (77%)	113 (98%)	2 (2%)	0	100	100
6	P	36/38 (95%)	33 (92%)	3 (8%)	0	100	100
7	R	367/501 (73%)	364 (99%)	3 (1%)	0	100	100
All	All	1256/1641 (76%)	1243 (99%)	13 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	200/349 (57%)	195 (98%)	5 (2%)	42	45
2	B	282/291 (97%)	273 (97%)	9 (3%)	34	35
3	G	44/58 (76%)	43 (98%)	1 (2%)	45	49
4	N	106/115 (92%)	104 (98%)	2 (2%)	52	57
5	E	71/131 (54%)	69 (97%)	2 (3%)	38	40
6	P	32/32 (100%)	32 (100%)	0	100	100
7	R	324/445 (73%)	318 (98%)	6 (2%)	52	57

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
All	All	1059/1421 (74%)	1034 (98%)	25 (2%)	45 47

All (25) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	205	SER
1	A	265	ARG
1	A	306	SER
1	A	343	ASP
1	A	357	HIS
2	B	42	ARG
2	B	59	TYR
2	B	61	MET
2	B	105	TYR
2	B	161	SER
2	B	207	SER
2	B	234	PHE
2	B	245	SER
2	B	336	LEU
3	G	8	SER
4	N	57	SER
4	N	127	SER
5	E	60	SER
5	E	109	VAL
7	R	62	LEU
7	R	174	ARG
7	R	210	GLU
7	R	332	GLU
7	R	335	SER
7	R	408	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	19	GLN
1	A	35	GLN
1	A	59	GLN
2	B	17	GLN
2	B	88	ASN
2	B	155	ASN
4	N	1	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	N	3	GLN
4	N	13	GLN
7	R	93	GLN
7	R	257	GLN
7	R	277	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

15 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
9	NAG	R	501	7	14,14,15	0.29	0	17,19,21	0.48	0
12	Y01	R	513	-	38,38,38	0.47	0	57,57,57	0.56	0
10	PLM	R	508	-	17,17,17	0.54	0	17,17,17	0.50	0
10	PLM	R	504	-	17,17,17	0.53	0	17,17,17	0.55	0
8	D6M	P	101	6	24,25,26	1.31	2 (8%)	27,27,29	0.89	1 (3%)
10	PLM	R	506	-	17,17,17	0.53	0	17,17,17	0.50	0
10	PLM	R	509	-	17,17,17	0.52	0	17,17,17	0.49	0
12	Y01	R	514	-	38,38,38	0.46	0	57,57,57	0.57	0
10	PLM	R	510	-	17,17,17	0.54	0	17,17,17	0.50	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
9	NAG	R	502	7	14,14,15	0.68	1 (7%)	17,19,21	0.75	1 (5%)
10	PLM	R	507	-	17,17,17	0.54	0	17,17,17	0.50	0
10	PLM	R	511	-	17,17,17	0.54	0	17,17,17	0.50	0
9	NAG	R	503	7	14,14,15	0.26	0	17,19,21	0.47	0
10	PLM	R	505	-	17,17,17	0.55	0	17,17,17	0.50	0
11	P42	R	512	-	51,51,51	0.34	0	53,59,59	0.48	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	NAG	R	501	7	-	3/6/23/26	0/1/1/1
12	Y01	R	513	-	-	4/19/77/77	0/4/4/4
10	PLM	R	508	-	-	2/15/15/15	-
10	PLM	R	504	-	-	3/15/15/15	-
8	D6M	P	101	6	-	9/27/27/28	-
10	PLM	R	506	-	-	2/15/15/15	-
10	PLM	R	509	-	-	3/15/15/15	-
12	Y01	R	514	-	-	6/19/77/77	0/4/4/4
10	PLM	R	510	-	-	2/15/15/15	-
9	NAG	R	502	7	-	0/6/23/26	0/1/1/1
10	PLM	R	507	-	-	2/15/15/15	-
10	PLM	R	511	-	-	3/15/15/15	-
9	NAG	R	503	7	-	2/6/23/26	0/1/1/1
10	PLM	R	505	-	-	9/15/15/15	-
11	P42	R	512	-	-	5/55/55/55	-

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	P	101	D6M	C02-N03	5.44	1.45	1.34
9	R	502	NAG	C1-C2	2.43	1.55	1.52
8	P	101	D6M	O01-C02	-2.24	1.18	1.23

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	R	502	NAG	C1-O5-C5	2.47	115.50	112.19
8	P	101	D6M	C12-C02-N03	2.35	120.00	115.86

There are no chirality outliers.

All (55) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
11	R	512	P42	OAA-CAD-OAC-CAB
11	R	512	P42	CBK-CBE-OBDB-CBC
12	R	513	Y01	OAG-CAY-OAW-CBC
12	R	513	Y01	CAM-CAY-OAW-CBC
9	R	503	NAG	O5-C5-C6-O6
8	P	101	D6M	C02-C12-C13-C14
9	R	503	NAG	C4-C5-C6-O6
8	P	101	D6M	C04-C05-C06-C07
9	R	501	NAG	C8-C7-N2-C2
9	R	501	NAG	O7-C7-N2-C2
12	R	514	Y01	CAO-CBB-CBE-CBI
10	R	505	PLM	C1-C2-C3-C4
10	R	505	PLM	C6-C7-C8-C9
12	R	514	Y01	CAC-CBB-CBE-CAP
12	R	514	Y01	CAC-CBB-CBE-CBI
12	R	514	Y01	CAO-CBB-CBE-CAP
10	R	505	PLM	C9-CA-CB-CC
8	P	101	D6M	C22-C23-C24-C25
10	R	505	PLM	C8-C9-CA-CB
8	P	101	D6M	C12-C13-C14-C15
10	R	505	PLM	CD-CE-CF-CG
10	R	505	PLM	CC-CD-CE-CF
9	R	501	NAG	O5-C5-C6-O6
10	R	505	PLM	C5-C6-C7-C8
10	R	505	PLM	CA-CB-CC-CD
8	P	101	D6M	C13-C14-C15-C16
8	P	101	D6M	C20-C21-C22-C23
10	R	505	PLM	C4-C5-C6-C7
11	R	512	P42	OBN-C4-C5-N
11	R	512	P42	C4-OBN-PBM-OBV
10	R	511	PLM	C8-C9-CA-CB
8	P	101	D6M	C09-C04-C05-C06
8	P	101	D6M	C15-C16-C17-C18
10	R	504	PLM	O2-C1-C2-C3
10	R	509	PLM	O1-C1-C2-C3
10	R	510	PLM	O2-C1-C2-C3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
10	R	511	PLM	O2-C1-C2-C3
10	R	508	PLM	O2-C1-C2-C3
12	R	513	Y01	CAM-CAL-CAX-OAF
10	R	509	PLM	O2-C1-C2-C3
12	R	513	Y01	CAM-CAL-CAX-OAH
10	R	508	PLM	O1-C1-C2-C3
10	R	510	PLM	O1-C1-C2-C3
11	R	512	P42	CBA-CBB-CBC-OBJ
10	R	511	PLM	O1-C1-C2-C3
10	R	504	PLM	O1-C1-C2-C3
10	R	507	PLM	O1-C1-C2-C3
12	R	514	Y01	CAM-CAL-CAX-OAH
10	R	507	PLM	O2-C1-C2-C3
12	R	514	Y01	CAM-CAL-CAX-OAF
8	P	101	D6M	C23-C24-C25-C26
10	R	504	PLM	C3-C4-C5-C6
10	R	506	PLM	O1-C1-C2-C3
10	R	506	PLM	O2-C1-C2-C3
10	R	509	PLM	C7-C8-C9-CA


There are no ring outliers.


11 monomers are involved in 20 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
12	R	513	Y01	1	0
10	R	504	PLM	2	0
8	P	101	D6M	1	0
10	R	506	PLM	3	0
10	R	509	PLM	1	0
12	R	514	Y01	3	0
10	R	510	PLM	1	0
9	R	502	NAG	2	0
10	R	511	PLM	2	0
10	R	505	PLM	7	0
11	R	512	P42	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be


highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-28812. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 160




Y Index: 160




Z Index: 160


6.2.2 Raw map



X Index: 160



Y Index: 160




Z Index: 160


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 142




Y Index: 147




Z Index: 196


6.3.2 Raw map



X Index: 143



Y Index: 147




Z Index: 196


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.026. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_28812_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 27 nm³; this corresponds to an approximate mass of 24 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.500 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.500 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.00	-	-
Author-provided FSC curve	1.99	2.31	2.02
Unmasked-calculated*	2.38	2.90	2.45

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 2.38 differs from the reported value 2.0 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-28812 and PDB model 8F2B. Per-residue inclusion information can be found in section [3](#) on page [11](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.026 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.026).

9.4 Atom inclusion [i](#)



At the recommended contour level, 64% of all backbone atoms, 60% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.026) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	<div></div> 0.5970	<div></div> 0.5560
A	<div></div> 0.7840	<div></div> 0.6760
B	<div></div> 0.8880	<div></div> 0.7310
E	<div></div> 0.0690	<div></div> 0.1710
G	<div></div> 0.6540	<div></div> 0.6170
N	<div></div> 0.8940	<div></div> 0.7310
P	<div></div> 0.2090	<div></div> 0.3510
R	<div></div> 0.3540	<div></div> 0.4050

1.0

0.0

<0.0