



Full wwPDB EM Validation Report ⓘ

Oct 14, 2024 – 06:25 AM EDT

PDB ID : 8FPS
EMDB ID : EMD-29369
Title : GluA2 flip Q isoform N619K mutant of AMPA receptor in complex with gain-of-function TARP gamma-2, with 10mM CaCl₂, 150mM NaCl, 1mM MgCl₂, 330uM CTZ, and 100mM glutamate (Open-CaNaMg/N619K)
Authors : Nakagawa, T.
Deposited on : 2023-01-05
Resolution : 2.38 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev113
MolProbity : 4.02b-467
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.38 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	889	
1	B	889	
1	C	889	
1	D	889	
2	E	336	
2	F	336	
2	G	336	
2	H	336	

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 10602 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Glutamate receptor 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	146	Total	C	N	O	S	2	0
			1159	775	180	197	7		
1	B	151	Total	C	N	O	S	1	0
			1190	792	186	204	8		
1	C	146	Total	C	N	O	S	2	0
			1159	775	180	197	7		
1	D	151	Total	C	N	O	S	1	0
			1190	792	186	204	8		

There are 32 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	619	LYS	ASN	engineered mutation	UNP P19491
A	848	ASP	-	insertion	UNP P19491
A	849	TYR	-	insertion	UNP P19491
A	850	LYS	-	insertion	UNP P19491
A	851	ASP	-	insertion	UNP P19491
A	852	ASP	-	insertion	UNP P19491
A	853	ASP	-	insertion	UNP P19491
A	854	ASP	TYR	conflict	UNP P19491
B	619	LYS	ASN	engineered mutation	UNP P19491
B	848	ASP	-	insertion	UNP P19491
B	849	TYR	-	insertion	UNP P19491
B	850	LYS	-	insertion	UNP P19491
B	851	ASP	-	insertion	UNP P19491
B	852	ASP	-	insertion	UNP P19491
B	853	ASP	-	insertion	UNP P19491
B	854	ASP	TYR	conflict	UNP P19491
C	619	LYS	ASN	engineered mutation	UNP P19491
C	848	ASP	-	insertion	UNP P19491
C	849	TYR	-	insertion	UNP P19491
C	850	LYS	-	insertion	UNP P19491
C	851	ASP	-	insertion	UNP P19491
C	852	ASP	-	insertion	UNP P19491

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	853	ASP	-	insertion	UNP P19491
C	854	ASP	TYR	conflict	UNP P19491
D	619	LYS	ASN	engineered mutation	UNP P19491
D	848	ASP	-	insertion	UNP P19491
D	849	TYR	-	insertion	UNP P19491
D	850	LYS	-	insertion	UNP P19491
D	851	ASP	-	insertion	UNP P19491
D	852	ASP	-	insertion	UNP P19491
D	853	ASP	-	insertion	UNP P19491
D	854	ASP	TYR	conflict	UNP P19491

- Molecule 2 is a protein called Voltage-dependent calcium channel gamma-2 subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	E	186	Total	C	N	O	S	0	0
			1435	936	232	256	11		
2	G	186	Total	C	N	O	S	0	0
			1435	936	232	256	11		
2	F	186	Total	C	N	O	S	0	0
			1439	939	233	256	11		
2	H	186	Total	C	N	O	S	0	0
			1439	939	233	256	11		

There are 60 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
E	52	GLU	LYS	engineered mutation	UNP O88602
E	53	GLU	LYS	engineered mutation	UNP O88602
E	324	GLY	-	expression tag	UNP O88602
E	325	GLY	-	expression tag	UNP O88602
E	326	ARG	-	expression tag	UNP O88602
E	327	GLY	-	expression tag	UNP O88602
E	328	GLY	-	expression tag	UNP O88602
E	329	THR	-	expression tag	UNP O88602
E	330	GLU	-	expression tag	UNP O88602
E	331	THR	-	expression tag	UNP O88602
E	332	SER	-	expression tag	UNP O88602
E	333	GLN	-	expression tag	UNP O88602
E	334	ALA	-	expression tag	UNP O88602
E	335	PRO	-	expression tag	UNP O88602
E	336	ALA	-	expression tag	UNP O88602
G	52	GLU	LYS	engineered mutation	UNP O88602

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	53	GLU	LYS	engineered mutation	UNP O88602
G	324	GLY	-	expression tag	UNP O88602
G	325	GLY	-	expression tag	UNP O88602
G	326	ARG	-	expression tag	UNP O88602
G	327	GLY	-	expression tag	UNP O88602
G	328	GLY	-	expression tag	UNP O88602
G	329	THR	-	expression tag	UNP O88602
G	330	GLU	-	expression tag	UNP O88602
G	331	THR	-	expression tag	UNP O88602
G	332	SER	-	expression tag	UNP O88602
G	333	GLN	-	expression tag	UNP O88602
G	334	ALA	-	expression tag	UNP O88602
G	335	PRO	-	expression tag	UNP O88602
G	336	ALA	-	expression tag	UNP O88602
F	52	GLU	LYS	engineered mutation	UNP O88602
F	53	GLU	LYS	engineered mutation	UNP O88602
F	324	GLY	-	expression tag	UNP O88602
F	325	GLY	-	expression tag	UNP O88602
F	326	ARG	-	expression tag	UNP O88602
F	327	GLY	-	expression tag	UNP O88602
F	328	GLY	-	expression tag	UNP O88602
F	329	THR	-	expression tag	UNP O88602
F	330	GLU	-	expression tag	UNP O88602
F	331	THR	-	expression tag	UNP O88602
F	332	SER	-	expression tag	UNP O88602
F	333	GLN	-	expression tag	UNP O88602
F	334	ALA	-	expression tag	UNP O88602
F	335	PRO	-	expression tag	UNP O88602
F	336	ALA	-	expression tag	UNP O88602
H	52	GLU	LYS	engineered mutation	UNP O88602
H	53	GLU	LYS	engineered mutation	UNP O88602
H	324	GLY	-	expression tag	UNP O88602
H	325	GLY	-	expression tag	UNP O88602
H	326	ARG	-	expression tag	UNP O88602
H	327	GLY	-	expression tag	UNP O88602
H	328	GLY	-	expression tag	UNP O88602
H	329	THR	-	expression tag	UNP O88602
H	330	GLU	-	expression tag	UNP O88602
H	331	THR	-	expression tag	UNP O88602
H	332	SER	-	expression tag	UNP O88602
H	333	GLN	-	expression tag	UNP O88602
H	334	ALA	-	expression tag	UNP O88602

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
H	335	PRO	-	expression tag	UNP O88602
H	336	ALA	-	expression tag	UNP O88602

- Molecule 3 is CHLORIDE ION (three-letter code: CL) (formula: Cl) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	AltConf
3	E	1	Total Cl 1 1	0
3	G	1	Total Cl 1 1	0
3	F	1	Total Cl 1 1	0
3	H	1	Total Cl 1 1	0


- Molecule 4 is water.


Mol	Chain	Residues	Atoms	AltConf
4	A	28	Total O 28 28	0
4	B	28	Total O 28 28	0
4	C	27	Total O 27 27	0
4	D	27	Total O 27 27	0
4	E	11	Total O 11 11	0
4	G	11	Total O 11 11	0
4	F	10	Total O 10 10	0
4	H	10	Total O 10 10	0

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Glutamate receptor 2






• Molecule 1: Glutamate receptor 2

Chain B: 15% 83%




• Molecule 1: Glutamate receptor 2


Chain C: 15% 84%



• Molecule 2: Voltage-dependent calcium channel gamma-2 subunit



• Molecule 2: Voltage-dependent calcium channel gamma-2 subunit



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C2	Depositor
Number of particles used	693935	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	54.6	Depositor
Minimum defocus (nm)	800	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	130000	Depositor
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	0.213	Depositor
Minimum map value	-0.124	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.005	Depositor
Recommended contour level	0.0238	Depositor
Map size (Å)	294.84, 294.84, 294.84	wwPDB
Map dimensions	360, 360, 360	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.819, 0.819, 0.819	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section:
CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.25	0/1191	0.42	0/1614
1	B	0.25	0/1222	0.41	0/1652
1	C	0.25	0/1191	0.42	0/1614
1	D	0.25	0/1222	0.41	0/1652
2	E	0.24	0/1468	0.42	0/1987
2	F	0.24	0/1472	0.41	0/1991
2	G	0.24	0/1468	0.42	0/1987
2	H	0.25	0/1472	0.41	0/1991
All	All	0.25	0/10706	0.41	0/14488

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1159	0	1158	9	0
1	B	1190	0	1190	12	0
1	C	1159	0	1158	14	0
1	D	1190	0	1190	12	0
2	E	1435	0	1404	9	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	F	1439	0	1415	12	0
2	G	1435	0	1404	12	0
2	H	1439	0	1415	12	0
3	E	1	0	0	1	0
3	F	1	0	0	1	0
3	G	1	0	0	1	0
3	H	1	0	0	1	0
4	A	28	0	0	0	0
4	B	28	0	0	0	0
4	C	27	0	0	0	0
4	D	27	0	0	1	0
4	E	11	0	0	0	0
4	F	10	0	0	0	0
4	G	11	0	0	0	0
4	H	10	0	0	0	0
All	All	10602	0	10334	69	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (69) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:802:GLY:HA3	1:D:604:VAL:HG11	1.82	0.61
1:B:604:VAL:HG11	1:C:802:GLY:HA3	1.84	0.58
2:G:33:TRP:HB2	2:G:62:GLY:HA2	1.86	0.56
1:C:604:VAL:HG13	1:D:799:LEU:HD12	1.88	0.56
1:A:604:VAL:HG13	1:B:799:LEU:HD12	1.88	0.55
2:E:33:TRP:HB2	2:E:62:GLY:HA2	1.87	0.54
2:G:61:SER:HB3	2:G:66:THR:HG23	1.91	0.52
2:E:31:ASP:HB3	3:E:401:CL:CL	2.47	0.52
2:E:105:SER:O	2:E:105:SER:OG	2.23	0.51
2:G:31:ASP:HB3	3:G:401:CL:CL	2.49	0.50
1:A:542:LEU:O	1:A:546:PHE:HB3	2.11	0.50
2:E:61:SER:HB3	2:E:66:THR:HG23	1.93	0.50
2:H:37:ARG:HH21	2:H:57:VAL:HA	1.76	0.50
1:D:547:SER:HB3	1:D:550:GLU:HG2	1.94	0.49
1:B:547:SER:HB3	1:B:550:GLU:HG2	1.95	0.49
2:G:105:SER:O	2:G:105:SER:OG	2.23	0.48
2:F:31:ASP:HB3	3:F:401:CL:CL	2.51	0.48
2:H:61:SER:HB3	2:H:66:THR:HG23	1.95	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:F:33:TRP:HB2	2:F:62:GLY:HA2	1.97	0.47
2:H:33:TRP:HB2	2:H:62:GLY:HA2	1.96	0.47
2:F:61:SER:HB3	2:F:66:THR:HG23	1.96	0.47
2:H:31:ASP:HB3	3:H:401:CL:CL	2.51	0.47
1:C:552:HIS:N	1:C:566:GLU:O	2.48	0.47
2:F:37:ARG:HH21	2:F:57:VAL:HA	1.79	0.46
1:A:587:GLN:HG3	1:D:606:TRP:CG	2.50	0.46
1:B:606:TRP:CG	1:C:587:GLN:HG3	2.50	0.46
2:G:58:MET:HG2	2:G:69:LEU:HD11	1.98	0.45
2:H:13:THR:HG23	2:H:193:VAL:HG13	1.99	0.45
2:F:13:THR:HG23	2:F:193:VAL:HG13	1.99	0.44
2:G:24:MET:O	2:G:28:VAL:HG23	2.17	0.44
2:H:31:ASP:HA	2:H:62:GLY:HA3	1.98	0.44
2:F:31:ASP:HA	2:F:62:GLY:HA3	1.98	0.44
2:G:129:LYS:HB2	2:G:129:LYS:HE3	1.73	0.44
2:E:24:MET:O	2:E:28:VAL:HG23	2.17	0.43
1:B:542:LEU:HD11	2:F:140:ILE:HD13	2.00	0.43
1:B:792:VAL:O	1:B:795:VAL:HG12	2.18	0.43
1:D:542:LEU:HD12	2:H:198:VAL:HG21	2.01	0.43
2:H:99:ARG:HD3	2:H:99:ARG:HA	1.77	0.43
1:D:542:LEU:HD11	2:H:140:ILE:HD13	2.00	0.43
2:F:10:MET:O	2:F:14:THR:HG22	2.18	0.43
1:C:542:LEU:HD12	2:G:198:VAL:HG21	2.00	0.43
1:C:606:TRP:CG	1:D:587:GLN:HG3	2.54	0.43
2:E:31:ASP:OD1	2:E:31:ASP:N	2.52	0.43
2:H:37:ARG:HB3	2:H:56:GLU:HG2	2.01	0.43
1:A:542:LEU:HD12	2:E:198:VAL:HG21	2.00	0.42
1:D:792:VAL:O	1:D:795:VAL:HG12	2.18	0.42
1:B:542:LEU:HD12	2:F:198:VAL:HG21	2.01	0.42
1:C:618:ALA:HB1	1:D:621:ALA:HA	2.02	0.42
1:C:511:LYS:NZ	2:F:92:ASP:OD2	2.49	0.42
1:D:586:GLN:NE2	4:D:902:HOH:O	2.30	0.42
2:E:129:LYS:HE3	2:E:129:LYS:HB2	1.73	0.42
2:H:10:MET:O	2:H:14:THR:HG22	2.19	0.42
1:C:524:GLU:HG2	2:G:157:ILE:HD13	2.02	0.42
1:C:542:LEU:O	1:C:546:PHE:HB3	2.20	0.42
2:G:60:HIS:NE2	2:G:67:CYS:HB2	2.35	0.41
1:B:622:ALA:HB2	1:C:625:THR:HG22	2.01	0.41
2:G:30:THR:OG1	2:G:179:SER:OG	2.21	0.41
1:A:524:GLU:HG2	2:E:157:ILE:HD13	2.02	0.41
1:C:542:LEU:HD11	2:G:140:ILE:HD13	2.01	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:F:99:ARG:HA	2:F:99:ARG:HD3	1.77	0.41
1:A:511:LYS:NZ	2:H:92:ASP:OD2	2.52	0.41
1:A:618:ALA:HB1	1:B:621:ALA:HA	2.02	0.41
1:B:624:LEU:HD23	1:B:624:LEU:HA	1.91	0.41
1:C:619:LYS:HA	1:C:619:LYS:HD2	1.81	0.41
1:A:606:TRP:CG	1:B:587:GLN:HG3	2.55	0.41
2:F:37:ARG:HB3	2:F:56:GLU:HG2	2.02	0.40
1:D:551:TRP:CZ3	1:D:567:SER:HB2	2.57	0.40
1:B:551:TRP:CZ3	1:B:567:SER:HB2	2.57	0.40
1:C:619:LYS:HD3	1:D:624:LEU:HD13	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	142/889 (16%)	141 (99%)	1 (1%)	0	100	100
1	B	146/889 (16%)	145 (99%)	1 (1%)	0	100	100
1	C	142/889 (16%)	141 (99%)	1 (1%)	0	100	100
1	D	146/889 (16%)	145 (99%)	1 (1%)	0	100	100
2	E	180/336 (54%)	179 (99%)	1 (1%)	0	100	100
2	F	180/336 (54%)	176 (98%)	4 (2%)	0	100	100
2	G	180/336 (54%)	178 (99%)	2 (1%)	0	100	100
2	H	180/336 (54%)	175 (97%)	5 (3%)	0	100	100
All	All	1296/4900 (26%)	1280 (99%)	16 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	123/763 (16%)	118 (96%)	5 (4%)	26	41
1	B	127/763 (17%)	123 (97%)	4 (3%)	35	53
1	C	123/763 (16%)	118 (96%)	5 (4%)	26	41
1	D	127/763 (17%)	123 (97%)	4 (3%)	35	53
2	E	148/282 (52%)	137 (93%)	11 (7%)	11	17
2	F	149/282 (53%)	145 (97%)	4 (3%)	40	58
2	G	148/282 (52%)	143 (97%)	5 (3%)	32	49
2	H	149/282 (53%)	147 (99%)	2 (1%)	65	80
All	All	1094/4180 (26%)	1054 (96%)	40 (4%)	33	45

All (40) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	523	TYR
1	A	546	PHE
1	A	589[A]	CYS
1	A	589[B]	CYS
1	A	824	ARG
1	B	514	VAL
1	B	523	TYR
1	B	527	MET
1	B	825	MET
1	C	523	TYR
1	C	546	PHE
1	C	589[A]	CYS
1	C	589[B]	CYS
1	C	824	ARG
1	D	509	LYS
1	D	523	TYR
1	D	527	MET
1	D	825	MET
2	E	10	MET

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	E	24	MET
2	E	31	ASP
2	E	76	LEU
2	E	89	TYR
2	E	105	SER
2	E	120	LEU
2	E	127	PHE
2	E	131	ARG
2	E	175	SER
2	E	209	ARG
2	G	5	ASP
2	G	31	ASP
2	G	89	TYR
2	G	105	SER
2	G	175	SER
2	F	6	ARG
2	F	58	MET
2	F	126	GLU
2	F	127	PHE
2	H	6	ARG
2	H	58	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
2	E	60	HIS
2	E	132	HIS
2	G	132	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

Of 4 ligands modelled in this entry, 4 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-29369. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 180




Y Index: 180




Z Index: 180


6.2.2 Raw map



X Index: 180



Y Index: 180




Z Index: 180


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 169




Y Index: 169




Z Index: 149


6.3.2 Raw map



X Index: 162



Y Index: 162




Z Index: 133


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z


The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



X




Y




Z

The images above show the 3D surface view of the map at the recommended contour level 0.0238. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5.2 Raw map



X



Y



Z

These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_29369_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 53 nm^3 ; this corresponds to an approximate mass of 48 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.420 \AA^{-1}

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.420 \AA^{-1}

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.38	-	-
Author-provided FSC curve	2.37	2.63	2.40
Unmasked-calculated*	2.71	3.13	2.76

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 2.71 differs from the reported value 2.38 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-29369 and PDB model 8FPS. Per-residue inclusion information can be found in section [3](#) on page [7](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.0238 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.0238).

9.4 Atom inclusion [i](#)



At the recommended contour level, 78% of all backbone atoms, 79% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.0238) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	<div><div></div></div> 0.7870	<div><div></div></div> 0.6400
A	<div><div></div></div> 0.8760	<div><div></div></div> 0.6840
B	<div><div></div></div> 0.8680	<div><div></div></div> 0.6770
C	<div><div></div></div> 0.8770	<div><div></div></div> 0.6850
D	<div><div></div></div> 0.8700	<div><div></div></div> 0.6770
E	<div><div></div></div> 0.7310	<div><div></div></div> 0.6070
F	<div><div></div></div> 0.7250	<div><div></div></div> 0.6050
G	<div><div></div></div> 0.7350	<div><div></div></div> 0.6100
H	<div><div></div></div> 0.7240	<div><div></div></div> 0.6060

1.0

0.0

<0.0