



# Full wwPDB EM Validation Report (i)

Oct 16, 2024 – 12:20 AM JST

PDB ID : 8HQM  
EMDB ID : EMD-34950  
Title : Activation mechanism of GPR132 by NPGLY  
Authors : Wang, J.L.; Ding, J.H.; Sun, J.P.; Yu, X.  
Deposited on : 2022-12-13  
Resolution : 2.95 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>  
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at  
<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references \(1\)](#)) were used in the production of this report:


EMDB validation analysis	: <b>FAILED</b>
Mogul	: 1.8.5 (274361), CSD as541be (2020)
MolProbity	: 4.02b-467
buster-report	: 1.1.7 (2018)
Percentile statistics	: 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ	: <b>FAILED</b>
Ideal geometry (proteins)	: Engh & Huber (2001)
Ideal geometry (DNA, RNA)	: Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	: 2.39

# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:  
**ELECTRON MICROSCOPY**

The reported resolution of this entry is 2.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%



## 2 Entry composition i

There are 6 unique types of molecules in this entry. The entry contains 8618 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Guanine nucleotide-binding protein G(I)/G(S)/G(T) subunit beta-1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	B	296	2245	1390	397	438	20	0	0

There are 19 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	-17	MET	-	initiating methionine	UNP P62873
B	-16	HIS	-	expression tag	UNP P62873
B	-15	HIS	-	expression tag	UNP P62873
B	-14	HIS	-	expression tag	UNP P62873
B	-13	HIS	-	expression tag	UNP P62873
B	-12	HIS	-	expression tag	UNP P62873
B	-11	HIS	-	expression tag	UNP P62873
B	-10	LEU	-	expression tag	UNP P62873
B	-9	GLU	-	expression tag	UNP P62873
B	-8	VAL	-	expression tag	UNP P62873
B	-7	LEU	-	expression tag	UNP P62873
B	-6	PHE	-	expression tag	UNP P62873
B	-5	GLN	-	expression tag	UNP P62873
B	-4	GLY	-	expression tag	UNP P62873
B	-3	PRO	-	expression tag	UNP P62873
B	-2	GLY	-	expression tag	UNP P62873
B	-1	SER	-	expression tag	UNP P62873
B	0	SER	-	expression tag	UNP P62873
B	1	GLN	-	expression tag	UNP P62873

- Molecule 2 is a protein called Guanine nucleotide-binding protein G(I)/G(S)/G(O) subunit gamma-2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	C	55	424	266	75	80	3	0	0

- Molecule 3 is a protein called scFv16.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	H	232	1768	1120	290	348	10	0	0

- Molecule 4 is a protein called Soluble cytochrome b562,Probable G-protein coupled receptor 132.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	R	307	2440	1594	412	415	19	0	0

There are 27 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
R	-129	MET	-	initiating methionine	UNP P0ABE7
R	-128	LYS	-	expression tag	UNP P0ABE7
R	-127	THR	-	expression tag	UNP P0ABE7
R	-126	ILE	-	expression tag	UNP P0ABE7
R	-125	ILE	-	expression tag	UNP P0ABE7
R	-124	ALA	-	expression tag	UNP P0ABE7
R	-123	LEU	-	expression tag	UNP P0ABE7
R	-122	SER	-	expression tag	UNP P0ABE7
R	-121	TYR	-	expression tag	UNP P0ABE7
R	-120	ILE	-	expression tag	UNP P0ABE7
R	-119	PHE	-	expression tag	UNP P0ABE7
R	-118	CYS	-	expression tag	UNP P0ABE7
R	-117	LEU	-	expression tag	UNP P0ABE7
R	-116	VAL	-	expression tag	UNP P0ABE7
R	-115	PHE	-	expression tag	UNP P0ABE7
R	-114	ALA	-	expression tag	UNP P0ABE7
R	-113	ASP	-	expression tag	UNP P0ABE7
R	-112	TYR	-	expression tag	UNP P0ABE7
R	-111	LYS	-	expression tag	UNP P0ABE7
R	-110	ASP	-	expression tag	UNP P0ABE7
R	-109	ASP	-	expression tag	UNP P0ABE7
R	-108	ASP	-	expression tag	UNP P0ABE7
R	-107	ASP	-	expression tag	UNP P0ABE7
R	-106	LYS	-	expression tag	UNP P0ABE7
R	-99	TRP	MET	conflict	UNP P0ABE7
R	-4	ILE	HIS	conflict	UNP P0ABE7
R	0	LEU	ARG	conflict	UNP P0ABE7


- Molecule 5 is a protein called Guanine nucleotide-binding protein G(i) subunit alpha-1.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	A	214	Total	C	N	O	S	0	0
			1719	1096	286	325	12		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	203	ALA	GLY	conflict	UNP P63096
A	326	SER	ALA	conflict	UNP P63096

- Molecule 6 is N-PALMITOYLGLYCINE (three-letter code: 140) (formula: C<sub>18</sub>H<sub>35</sub>NO<sub>3</sub>) (labeled as "Ligand of Interest" by depositor).





Mol	Chain	Residues	Atoms					AltConf
6	R	1	Total	C	N	O		0
			22	18	1	3		

### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Guanine nucleotide-binding protein G(I)/G(S)/G(T) subunit beta-1




- Molecule 2: Guanine nucleotide-binding protein G(I)/G(S)/G(O) subunit gamma-2




- Molecule 3: scFv16



- Molecule 4: Soluble cytochrome b562, Probable G-protein coupled receptor 132





## 4 Experimental information (i)

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	444266	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	60	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor

## 5 Model quality [\(i\)](#)

### 5.1 Standard geometry [\(i\)](#)

Bond lengths and bond angles in the following residue types are not validated in this section:  
140

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	B	0.31	0/2289	0.61	0/3106
2	C	0.29	0/430	0.52	0/580
3	H	0.31	0/1810	0.62	0/2456
4	R	0.32	0/2494	0.64	0/3389
5	A	0.29	0/1746	0.50	0/2342
All	All	0.31	0/8769	0.60	0/11873

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	2245	0	2137	47	0
2	C	424	0	436	12	0
3	H	1768	0	1696	48	0
4	R	2440	0	2508	44	0
5	A	1719	0	1700	29	0
6	R	22	0	34	1	0
All	All	8618	0	8511	170	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including

hydrogen atoms). The all-atom clashscore for this structure is 10.

All (170) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:R:101:TYR:HD2	4:R:102:ILE:HG12	1.54	0.72
1:B:79:LEU:HB3	1:B:93:ILE:HB	1.71	0.72
1:B:271:CYS:HB2	1:B:290:ASP:HB3	1.71	0.72
4:R:128:VAL:O	4:R:132:PHE:HB2	1.89	0.72
1:B:93:ILE:HG12	1:B:133:VAL:HG21	1.71	0.72
5:A:54:LYS:HA	5:A:54:LYS:CE	2.23	0.67
1:B:160:SER:HB3	1:B:190:LEU:HD23	1.76	0.67
1:B:295:ASN:HD21	1:B:304:ARG:HH22	1.43	0.67
2:C:9:ILE:HG12	2:C:13:ARG:HH12	1.60	0.66
4:R:101:TYR:CD2	4:R:102:ILE:HG12	2.31	0.65
5:A:323:PHE:CD1	5:A:323:PHE:O	2.49	0.65
4:R:313:ASP:HA	4:R:316:ARG:HD3	1.80	0.64
5:A:44:SER:HB2	5:A:224:CYS:HB2	1.78	0.64
3:H:219:GLN:NE2	3:H:224:PRO:O	2.30	0.64
4:R:188:ASP:HB3	6:R:401:140:H181	1.80	0.64
3:H:105:SER:O	3:H:179:ARG:NH2	2.31	0.63
3:H:148:ARG:HH22	3:H:198:THR:HG22	1.62	0.63
1:B:57:LYS:HD2	1:B:332:TRP:HB3	1.81	0.62
5:A:54:LYS:HE3	5:A:54:LYS:CA	2.30	0.62
2:C:18:GLN:NE2	2:C:21:MET:SD	2.74	0.60
3:H:39:GLN:NE2	3:H:40:ALA:O	2.34	0.60
1:B:298:ASP:HB2	1:B:302:ALA:H	1.65	0.60
1:B:325:MET:HA	2:C:49:PRO:HG3	1.83	0.60
1:B:248:ALA:HB1	1:B:269:ILE:HG22	1.84	0.59
3:H:124:SER:OG	3:H:125:ASP:N	2.35	0.58
4:R:224:ARG:HA	4:R:227:LYS:HG2	1.84	0.58
3:H:128:MET:HB2	3:H:227:PHE:HA	1.84	0.58
1:B:288:GLY:HA2	1:B:294:CYS:HA	1.85	0.58
5:A:262:THR:H	5:A:317:LYS:HG2	1.69	0.58
1:B:283:ARG:HE	1:B:300:LEU:HD13	1.68	0.58
1:B:219:ARG:NH2	2:C:24:ASN:O	2.37	0.58
5:A:54:LYS:HE3	5:A:54:LYS:N	2.20	0.57
3:H:6:GLU:HA	3:H:22:CYS:HA	1.87	0.57
3:H:38:ARG:NH2	3:H:89:GLU:O	2.38	0.57
1:B:104:ALA:HB3	1:B:113:ALA:HB3	1.87	0.56
3:H:162:LEU:HD12	3:H:218:MET:O	2.04	0.56
4:R:37:SER:OG	4:R:38:PHE:N	2.38	0.56
1:B:274:THR:OG1	1:B:314:ARG:NH2	2.39	0.56

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:A:241:ASN:HB2	5:A:244:HIS:HD2	1.71	0.56
3:H:162:LEU:HA	3:H:219:GLN:HA	1.88	0.56
1:B:176:GLN:O	1:B:176:GLN:HG2	2.06	0.55
5:A:231:ASP:HA	5:A:285:ILE:HG21	1.89	0.55
1:B:201:SER:HB2	1:B:211:TRP:HE1	1.72	0.55
1:B:56:ALA:O	1:B:74:SER:OG	2.24	0.55
4:R:76:VAL:HG22	4:R:159:ALA:HB2	1.89	0.55
5:A:54:LYS:CE	5:A:54:LYS:CA	2.85	0.54
3:H:126:ILE:HG22	3:H:224:PRO:HB2	1.90	0.54
1:B:227:SER:OG	1:B:228:ASP:N	2.41	0.53
3:H:192:SER:HG	3:H:203:THR:HG1	1.51	0.53
1:B:210:LEU:HD13	1:B:220:GLN:HB2	1.89	0.53
4:R:99:VAL:O	4:R:103:ARG:NH1	2.42	0.53
1:B:161:SER:OG	1:B:163:ASP:OD1	2.26	0.52
4:R:190:LEU:O	4:R:273:ARG:NH2	2.41	0.52
4:R:133:LEU:HA	4:R:136:ILE:HG12	1.91	0.52
3:H:163:TYR:N	3:H:218:MET:O	2.39	0.52
1:B:190:LEU:C	1:B:190:LEU:HD12	2.30	0.52
3:H:137:VAL:HG12	3:H:143:VAL:HG11	1.91	0.52
4:R:314:HIS:NE2	5:A:354:PHE:O	2.43	0.52
1:B:121:CYS:HB3	1:B:139:LEU:HB3	1.92	0.52
1:B:290:ASP:OD1	1:B:314:ARG:NH1	2.43	0.52
1:B:45:MET:N	1:B:340:ASN:OXT	2.42	0.51
4:R:177:VAL:O	4:R:183:LYS:NZ	2.43	0.51
5:A:226:ALA:HA	5:A:269:ASN:HB3	1.92	0.51
2:C:16:VAL:O	2:C:20:LYS:NZ	2.43	0.51
3:H:53:SER:O	3:H:72:ARG:NH1	2.44	0.51
3:H:61:ALA:H	3:H:64:VAL:HB	1.76	0.51
4:R:142:VAL:O	4:R:150:SER:OG	2.28	0.50
2:C:57:SER:OG	2:C:58:GLU:OE1	2.29	0.50
1:B:219:ARG:HE	1:B:220:GLN:HE21	1.59	0.50
4:R:221:ARG:HD3	4:R:224:ARG:HD2	1.94	0.50
4:R:60:ASN:HB2	4:R:89:LEU:HD22	1.94	0.50
1:B:285:LEU:N	1:B:297:TRP:O	2.45	0.50
1:B:266:HIS:NE2	1:B:268:ASN:OD1	2.46	0.49
4:R:279:MET:HA	4:R:282:LEU:HD23	1.94	0.49
3:H:163:TYR:OH	3:H:179:ARG:NH1	2.46	0.49
4:R:89:LEU:HD12	4:R:92:THR:HB	1.94	0.49
3:H:167:GLN:NE2	3:H:168:ARG:O	2.45	0.49
5:A:314:LYS:CB	5:A:317:LYS:HD3	2.42	0.49
1:B:294:CYS:SG	1:B:295:ASN:N	2.86	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:A:272:ASP:OD1	5:A:272:ASP:N	2.46	0.49
1:B:50:THR:HG23	1:B:337:LYS:HB3	1.94	0.49
4:R:261:VAL:HA	4:R:264:VAL:HG12	1.95	0.49
1:B:168:LEU:HD11	1:B:213:VAL:HB	1.96	0.48
3:H:64:VAL:HG13	3:H:68:PHE:HD2	1.78	0.48
3:H:162:LEU:CD2	3:H:200:PHE:CD1	2.97	0.48
5:A:247:MET:SD	5:A:287:TYR:OH	2.72	0.48
5:A:36:LEU:HB3	5:A:198:MET:HG3	1.95	0.48
3:H:196:SER:N	3:H:199:ALA:O	2.47	0.48
3:H:5:VAL:O	3:H:23:SER:N	2.46	0.47
1:B:210:LEU:HB3	1:B:219:ARG:HB3	1.96	0.47
3:H:98:ARG:NH2	3:H:109:ASP:OD2	2.48	0.47
1:B:128:THR:OG1	1:B:132:ASN:O	2.26	0.47
2:C:48:ASP:O	2:C:52:THR:OG1	2.31	0.47
5:A:230:TYR:HB2	5:A:286:CYS:HB2	1.97	0.47
1:B:129:ARG:HH12	3:H:98:ARG:HH12	1.61	0.47
3:H:87:ARG:N	3:H:90:ASP:OD2	2.48	0.46
4:R:124:CYS:SG	4:R:170:VAL:HG11	2.55	0.46
4:R:223:PHE:HA	4:R:241:LYS:HE3	1.97	0.46
1:B:57:LYS:HE3	1:B:59:TYR:HE1	1.80	0.46
1:B:145:TYR:O	1:B:162:GLY:N	2.42	0.46
4:R:194:SER:OG	4:R:273:ARG:NE	2.47	0.46
5:A:33:GLU:HB3	5:A:197:LYS:HG3	1.98	0.46
2:C:8:SER:OG	2:C:11:GLN:OE1	2.31	0.46
1:B:129:ARG:NH1	3:H:98:ARG:HH12	2.14	0.46
1:B:180:PHE:HB3	1:B:211:TRP:CE3	2.51	0.46
1:B:311:HIS:ND1	1:B:333:ASP:OD2	2.49	0.45
5:A:54:LYS:HA	5:A:54:LYS:HE3	1.90	0.45
1:B:184:THR:HG22	2:C:15:LEU:HD21	1.99	0.45
3:H:9:GLY:O	3:H:116:THR:OG1	2.35	0.45
3:H:88:SER:O	3:H:91:THR:OG1	2.35	0.45
3:H:195:GLY:HA3	3:H:200:PHE:HA	1.98	0.45
4:R:124:CYS:SG	4:R:170:VAL:CG1	3.05	0.45
3:H:203:THR:O	3:H:203:THR:OG1	2.35	0.45
4:R:136:ILE:O	4:R:140:ARG:HG2	2.17	0.45
4:R:177:VAL:O	4:R:180:THR:OG1	2.35	0.45
4:R:307:ILE:HD13	4:R:310:LEU:HD21	1.98	0.44
4:R:96:PRO:HA	4:R:99:VAL:HB	2.00	0.44
1:B:289:TYR:HH	1:B:297:TRP:HE1	1.65	0.44
1:B:73:ALA:HB2	1:B:103:CYS:HB3	2.00	0.43
4:R:116:LYS:HE3	4:R:183:LYS:HB3	2.00	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:R:180:THR:OG1	4:R:183:LYS:NZ	2.50	0.43
3:H:35:HIS:HB2	3:H:97:VAL:HB	1.99	0.43
3:H:146:SER:HA	3:H:201:THR:HA	2.00	0.43
5:A:186:GLU:HG3	5:A:199:PHE:HD1	1.82	0.43
5:A:329:THR:OG1	5:A:330:LYS:N	2.51	0.43
1:B:328:ALA:HA	1:B:338:ILE:HG22	2.00	0.43
4:R:40:GLU:HA	4:R:43:ILE:HG12	2.01	0.43
3:H:19:LYS:HG2	3:H:82:GLN:HE22	1.84	0.43
1:B:293:ASN:HB2	1:B:309:ALA:HA	2.00	0.43
2:C:55:PRO:O	2:C:59:ASN:N	2.51	0.43
3:H:52:SER:O	3:H:72:ARG:NH2	2.52	0.43
3:H:4:LEU:HD23	3:H:110:PHE:HD2	1.84	0.42
4:R:204:PHE:CE1	4:R:259:HIS:HB3	2.53	0.42
5:A:342:VAL:O	5:A:346:ASN:N	2.45	0.42
3:H:166:LEU:HD12	3:H:176:LEU:HD11	2.00	0.42
3:H:38:ARG:HA	3:H:94:TYR:HA	2.02	0.42
5:A:6:SER:OG	5:A:7:ALA:N	2.52	0.42
5:A:228:SER:OG	5:A:270:LYS:O	2.25	0.42
4:R:43:ILE:HG22	4:R:103:ARG:HB3	2.00	0.42
1:B:166:CYS:O	1:B:180:PHE:N	2.37	0.42
3:H:153:LEU:HA	3:H:153:LEU:HD13	1.84	0.42
5:A:204:GLN:HG3	5:A:206:SER:HB2	2.02	0.42
3:H:29:PHE:HA	3:H:32:PHE:HB2	2.01	0.42
3:H:99:SER:HB3	3:H:107:PRO:HB3	2.02	0.42
3:H:101:TYR:CD2	5:A:8:GLU:HA	2.54	0.41
3:H:157:ASN:ND2	3:H:161:TYR:OH	2.53	0.41
3:H:162:LEU:CD2	3:H:200:PHE:CE1	3.03	0.41
5:A:233:VAL:HG23	5:A:240:MET:C	2.40	0.41
1:B:184:THR:HG22	2:C:15:LEU:HD11	2.00	0.41
4:R:66:LEU:HD11	4:R:322:ILE:HG13	2.01	0.41
3:H:157:ASN:OD1	3:H:159:ASN:ND2	2.40	0.41
4:R:241:LYS:HD3	4:R:241:LYS:HA	1.88	0.41
4:R:334:ASP:HB3	4:R:337:ARG:HG2	2.02	0.41
1:B:167:ALA:HB2	1:B:179:THR:HG23	2.02	0.41
4:R:200:TYR:HE2	4:R:262:LEU:HD22	1.85	0.41
4:R:204:PHE:HD1	4:R:208:PHE:HD2	1.68	0.41
4:R:203:ARG:HA	4:R:206:VAL:HG12	2.01	0.41
2:C:29:LYS:O	2:C:33:ALA:N	2.48	0.41
3:H:12:VAL:HG11	3:H:86:LEU:HD22	2.03	0.41
3:H:130:GLN:HA	3:H:147:CYS:HA	2.02	0.41
1:B:229:ILE:HA	1:B:245:SER:HB3	2.02	0.41

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:R:150:SER:O	4:R:154:ARG:N	2.54	0.41
4:R:240:VAL:HG13	5:A:353:LEU:HD13	2.03	0.41
3:H:100:ILE:HG23	3:H:105:SER:HB2	2.03	0.41
4:R:57:VAL:HG12	4:R:89:LEU:HD21	2.03	0.40
3:H:221:LEU:O	5:A:6:SER:HB2	2.21	0.40
4:R:336:THR:O	4:R:339:THR:OG1	2.28	0.40
5:A:50:VAL:O	5:A:54:LYS:HG2	2.22	0.40
4:R:57:VAL:HG12	4:R:89:LEU:HD11	2.03	0.40
4:R:189:MET:HB3	4:R:196:ILE:HD12	2.03	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [\(i\)](#)

### 5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	B	294/358 (82%)	284 (97%)	10 (3%)	0	100 100
2	C	53/58 (91%)	50 (94%)	3 (6%)	0	100 100
3	H	228/250 (91%)	203 (89%)	25 (11%)	0	100 100
4	R	303/510 (59%)	291 (96%)	12 (4%)	0	100 100
5	A	206/354 (58%)	202 (98%)	4 (2%)	0	100 100
All	All	1084/1530 (71%)	1030 (95%)	54 (5%)	0	100 100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	B	240/299 (80%)	240 (100%)	0	100 100
2	C	45/47 (96%)	45 (100%)	0	100 100
3	H	194/202 (96%)	194 (100%)	0	100 100
4	R	265/435 (61%)	262 (99%)	3 (1%)	70 83
5	A	188/306 (61%)	187 (100%)	1 (0%)	86 93
All	All	932/1289 (72%)	928 (100%)	4 (0%)	88 95

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
4	R	141	PHE
4	R	219	ASN
4	R	282	LEU
5	A	54	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	268	ASN

### 5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [\(i\)](#)

There are no oligosaccharides in this entry.

### 5.6 Ligand geometry [\(i\)](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
6	140	R	401	-	21,21,21	1.36	2 (9%)	22,22,22	0.82	1 (4%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	140	R	401	-	-	10/20/20/20	-

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	R	401	140	C3-N	5.31	1.45	1.33
6	R	401	140	O3-C3	-2.18	1.18	1.23

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	R	401	140	O2-C1-C2	2.06	119.91	112.74

There are no chirality outliers.

All (10) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	R	401	140	O3-C3-C4-C5
6	R	401	140	C4-C5-C6-C7
6	R	401	140	N-C3-C4-C5
6	R	401	140	C10-C11-C12-C13
6	R	401	140	C14-C15-C16-C17
6	R	401	140	C13-C14-C15-C16
6	R	401	140	C7-C8-C9-C10
6	R	401	140	C11-C12-C13-C14

*Continued on next page...*

*Continued from previous page...*


Mol	Chain	Res	Type	Atoms
6	R	401	140	C15-C16-C17-C18
6	R	401	140	C6-C7-C8-C9

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	R	401	140	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.