



Full wwPDB EM Validation Report ⓘ

Jun 27, 2024 – 08:05 AM JST

PDB ID : 8I4B
EMDB ID : EMD-35168
Title : Cryo-EM structure of apo-form ABCC4
Authors : Chen, Y.; Wang, L.; Hou, W.T.; Zhou, C.Z.; Chen, Y.; Li, Q.
Deposited on : 2023-01-19
Resolution : 3.13 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev92
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.37.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.13 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1325	<div> <div>29%</div> <div>69%</div> <div>23%</div> <div>8%</div> </div>

2 Entry composition

There is only 1 type of molecule in this entry. The entry contains 9727 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called ATP-binding cassette sub-family C member 4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	1218	9727	6316	1637	1731	43	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: ATP-binding cassette sub-family C member 4



ILE	V1260	R1193	I1119	H1037	R891
PRE	L1261	I1199	Q1122	I1041	S898
GLU	L1262	I1200	E1123	I042	P899
THR	Q1263	D1201	P1124	F1043	Y900
ALA	N1264	E1202	V1125	D1044	L904
LEU	K1265	A1203	L1126	N1045	S907
	E1266	T1204	T1130	V1046	G910
	S1267	A1205	K1133	S1051	L911
	L1268	N1206	D1136	P1052	W912
	F1269	V1207	P1137	G1053	K918
	Y1270	D1208	E1140	G1054	A919
	K1271	R1210	D1143	P1055	E920
	M1272	T1211	N1148	L1056	C923
	V1273	D1212	Q1151	V1057	F927
	Q1274	E1213	E1152	L1058	L940
	Q1275	L1214	V1153	T1062	D953
	L1276	I1215	Q1154	A1063	S967
	G1277	Q1216	L1155	L1064	K972
	K1278	K1217	K1156	I1065	D975
	A1279	K1218	E1157	K1066	S984
	E1280	I1219	T1158	E1069	L987
	A1281	R1220	I1159	K1070	T988
	A1282	E1221	E1160	V1071	L989
	A1283	K1222	D1161	R1076	G994
	L1284	F1223	L1162	T1077	W995
	T1285	A1224	P1163	G1078	R998
	E1286	H1225	G1164	A1079	V1010
	T1287	C1226	K1165	G1080	I1014
	A1288	G1227	M1166	K1081	E1015
	K1289	A1232	T1168	S1082	Y1016
	Q1290	H1233	E1169	I1085	P1024
	V1291	R1234	L1170	S1086	Y1027
	Y1292	L1235	A1171	A1087	Q1028
	F1293	N1236	E1172	L1088	P1031
	K1294	T1237	S1173	F1089	P1032
	R1295	I1238	G1174	E1095	P1033
	N1296	I1239	S1175	G1096	P1034
	Y1297	D1240	M1176	K1087	W1035
	P1298	S1241	F1177	I1098	P1036
	HIS	D1242	S1178	W1099	
ILE	K1243	K1243	G1179	T1100	
GLY	I1244	I1244	G1180	D1101	
HIS	M1245	M1245	V1179	I1103	
THR	V1246	V1246	G1181	L1104	
ASP	L1247	L1247	Q1182	I1108	
HIS	D1248	D1248	R1183	H1111	
MET	S1249	S1249	L1184	K1115	
VAL	G1250	G1250	C1186		
THR	R1251	R1251	R1189		
ASN	T1252	T1252			
THR	L1253	L1253			
ASN	K1254	K1254			
GLY	E1254	E1254			
GLN	Y1255	Y1255			
PRO	D1256	D1256			
SER	E1257	E1257			
THR	P1258	P1258			
LEU	Y1259	Y1259			
THR					

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	392047	Depositor
Resolution determination method	DIFFRACTION PATTERN/LAYERLINES	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	60	Depositor
Minimum defocus (nm)	1200	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	3.375	Depositor
Minimum map value	-2.386	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.063	Depositor
Recommended contour level	0.26	Depositor
Map size (Å)	256.80002, 256.80002, 256.80002	wwPDB
Map dimensions	240, 240, 240	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.07, 1.07, 1.07	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.76	2/9936 (0.0%)	0.63	3/13463 (0.0%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	358	TYR	CD1-CE1	-5.59	1.30	1.39
1	A	159	VAL	CB-CG1	-5.19	1.42	1.52

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	147	ILE	CG1-CB-CG2	-6.49	97.12	111.40
1	A	805	ILE	CG1-CB-CG2	-5.49	99.33	111.40
1	A	244	LEU	CB-CG-CD2	-5.33	101.93	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	9727	0	9988	206	0
All	All	9727	0	9988	206	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (206) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1179:VAL:HG22	1:A:1182:ARG:HH21	1.50	0.77
1:A:953:ASP:OD1	1:A:994:GLN:NE2	2.16	0.77
1:A:706:ARG:O	1:A:706:ARG:NH1	2.21	0.71
1:A:1221:GLU:OE2	1:A:1222:LYS:NZ	2.22	0.71
1:A:544:ASN:OD1	1:A:547:ARG:NH1	2.24	0.71
1:A:561:PRO:HG2	1:A:562:LEU:HG	1.73	0.71
1:A:329:LYS:HG3	1:A:775:THR:HG21	1.73	0.69
1:A:272:ARG:NH2	1:A:825:PHE:O	2.26	0.69
1:A:593:GLN:OE1	1:A:595:GLN:NE2	2.26	0.69
1:A:594:LEU:HD21	1:A:631:LEU:HD11	1.77	0.67
1:A:1124:PRO:HB3	1:A:1186:CYS:SG	2.34	0.67
1:A:1153:VAL:HB	1:A:1184:LEU:HD22	1.78	0.66
1:A:268:PHE:CE2	1:A:305:LYS:HB3	2.31	0.65
1:A:409:MET:HE3	1:A:411:HIS:HB2	1.77	0.65
1:A:1180:GLY:HA3	1:A:1211:THR:HG21	1.78	0.65
1:A:138:ALA:O	1:A:142:THR:HG23	1.97	0.65
1:A:1035:TRP:CD1	1:A:1103:ILE:HD12	2.31	0.64
1:A:824:ARG:HD2	1:A:1016:TYR:CE2	2.34	0.63
1:A:488:THR:HG22	1:A:527:VAL:HG22	1.81	0.62
1:A:1024:PRO:HD2	1:A:1027:TYR:HE1	1.63	0.62
1:A:1042:ILE:HB	1:A:1099:TRP:HB2	1.82	0.61
1:A:721:ASN:HB3	1:A:848:LEU:HD11	1.82	0.61
1:A:179:LEU:HD21	1:A:920:GLU:HB2	1.82	0.60
1:A:1076:ARG:HB2	1:A:1079:ALA:HB2	1.84	0.60
1:A:619:GLU:HA	1:A:622:LYS:HD2	1.84	0.60
1:A:1081:LYS:NZ	1:A:1232:ALA:O	2.34	0.60
1:A:428:LEU:HD22	1:A:431:LEU:HD11	1.84	0.59
1:A:344:SER:OG	1:A:345:VAL:N	2.35	0.59
1:A:197:LEU:HA	1:A:201:ASP:HB2	1.83	0.59
1:A:327:ALA:O	1:A:331:ILE:HG13	2.03	0.59
1:A:329:LYS:NZ	1:A:732:ASP:OD2	2.35	0.59
1:A:1254:GLU:OE2	1:A:1268:LEU:N	2.29	0.58
1:A:412:VAL:HG13	1:A:469:VAL:HG22	1.86	0.58
1:A:1216:GLN:HB3	1:A:1220:ARG:HH12	1.68	0.58
1:A:455:LEU:HD22	1:A:557:LEU:HB3	1.86	0.57
1:A:517:LEU:HD13	1:A:524:ASP:HB3	1.87	0.57
1:A:854:VAL:HG13	1:A:868:LEU:HD11	1.87	0.57
1:A:80:LEU:N	1:A:387:GLN:OE1	2.35	0.57
1:A:562:LEU:HB3	1:A:570:SER:HB2	1.86	0.57
1:A:440:LEU:HA	1:A:587:THR:HB	1.86	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:574:PHE:CZ	1:A:596:TYR:HB3	2.41	0.56
1:A:1216:GLN:HB3	1:A:1220:ARG:HH22	1.70	0.56
1:A:861:ILE:HD12	1:A:864:ILE:HD11	1.86	0.56
1:A:292:GLU:OE2	1:A:1111:HIS:NE2	2.31	0.56
1:A:50:GLU:OE2	1:A:55:HIS:NE2	2.38	0.56
1:A:194:ILE:HA	1:A:197:LEU:CD2	2.35	0.56
1:A:1148:ASN:O	1:A:1152:GLU:HG2	2.05	0.56
1:A:330:ILE:O	1:A:334:VAL:HG12	2.06	0.55
1:A:415:PHE:HE2	1:A:428:LEU:HD12	1.72	0.55
1:A:565:VAL:HG23	1:A:570:SER:HB3	1.88	0.55
1:A:574:PHE:HE2	1:A:599:ALA:HB3	1.72	0.55
1:A:268:PHE:HE2	1:A:305:LYS:HB3	1.72	0.55
1:A:1122:GLN:HB2	1:A:1123:GLU:OE1	2.07	0.55
1:A:1178:SER:OG	1:A:1181:GLN:N	2.35	0.54
1:A:412:VAL:O	1:A:432:SER:HA	2.07	0.54
1:A:1031:PRO:HD3	1:A:1108:ILE:HD11	1.89	0.54
1:A:1044:ASP:HB3	1:A:1097:LYS:HB2	1.90	0.53
1:A:1239:ILE:HD11	1:A:1288:ALA:HB2	1.89	0.53
1:A:531:ARG:O	1:A:540:LYS:NZ	2.31	0.53
1:A:149:ALA:HB1	1:A:953:ASP:HB3	1.90	0.52
1:A:853:VAL:HG11	1:A:989:LEU:HD13	1.91	0.52
1:A:269:THR:O	1:A:273:ILE:HG13	2.09	0.52
1:A:1124:PRO:HB2	1:A:1182:ARG:HB3	1.91	0.52
1:A:404:SER:OG	1:A:405:ASP:N	2.43	0.51
1:A:1088:LEU:HD23	1:A:1199:ILE:HD11	1.93	0.51
1:A:900:VAL:HG13	1:A:927:PHE:CE1	2.46	0.51
1:A:338:THR:O	1:A:342:LEU:HG	2.11	0.51
1:A:479:SER:OG	1:A:481:GLN:O	2.19	0.51
1:A:475:ILE:HG12	1:A:555:ILE:HD12	1.93	0.51
1:A:1045:ASN:OD1	1:A:1060:HIS:ND1	2.44	0.51
1:A:451:LYS:HD2	1:A:590:VAL:HG13	1.93	0.50
1:A:1043:PHE:O	1:A:1062:THR:HA	2.11	0.50
1:A:1162:LEU:HB3	1:A:1168:THR:HG21	1.94	0.50
1:A:147:ILE:HG13	1:A:151:LEU:HD12	1.92	0.50
1:A:520:LEU:HD11	1:A:535:LEU:HD21	1.93	0.50
1:A:288:MET:HG2	1:A:1089:PHE:CD2	2.47	0.50
1:A:334:VAL:O	1:A:338:THR:HG23	2.12	0.50
1:A:1261:LEU:HB2	1:A:1269:PHE:HD2	1.76	0.50
1:A:50:GLU:O	1:A:50:GLU:HG3	2.11	0.49
1:A:39:LEU:O	1:A:891:ARG:NH2	2.45	0.49
1:A:329:LYS:HD3	1:A:731:GLN:OE1	2.12	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:415:PHE:CE2	1:A:428:LEU:HD12	2.47	0.49
1:A:555:ILE:HA	1:A:586:ILE:HB	1.94	0.49
1:A:580:GLN:O	1:A:583:HIS:ND1	2.39	0.49
1:A:177:LYS:O	1:A:180:ARG:N	2.38	0.49
1:A:721:ASN:OD1	1:A:782:ARG:HD2	2.12	0.49
1:A:1216:GLN:HB3	1:A:1220:ARG:NH1	2.27	0.49
1:A:152:HIS:O	1:A:152:HIS:CG	2.66	0.49
1:A:177:LYS:O	1:A:179:LEU:N	2.46	0.49
1:A:268:PHE:CD2	1:A:305:LYS:HB3	2.48	0.49
1:A:488:THR:O	1:A:491:SER:OG	2.18	0.48
1:A:1152:GLU:O	1:A:1218:LYS:NZ	2.33	0.48
1:A:490:ARG:NH2	1:A:524:ASP:OD2	2.39	0.48
1:A:1216:GLN:HB3	1:A:1220:ARG:NH2	2.28	0.48
1:A:846:THR:HG21	1:A:995:TRP:HD1	1.78	0.48
1:A:1186:CYS:SG	1:A:1189:ARG:NH1	2.87	0.48
1:A:92:TYR:OH	1:A:209:THR:O	2.31	0.48
1:A:805:ILE:HD11	1:A:821:ILE:HG23	1.95	0.48
1:A:628:GLY:HA2	1:A:631:LEU:HD12	1.96	0.48
1:A:1010:VAL:O	1:A:1014:ILE:HG13	2.14	0.48
1:A:1066:LYS:HB3	1:A:1069:GLU:OE1	2.14	0.48
1:A:1130:THR:HB	1:A:1167:ASP:HA	1.96	0.48
1:A:70:ARG:HH21	1:A:82:ARG:HD3	1.79	0.47
1:A:84:ILE:HD11	1:A:170:MET:HE2	1.95	0.47
1:A:559:ASP:HA	1:A:590:VAL:HB	1.96	0.47
1:A:477:TYR:CZ	1:A:479:SER:HA	2.50	0.47
1:A:852:GLY:O	1:A:856:VAL:HG23	2.14	0.47
1:A:106:LYS:HG3	1:A:148:LEU:HD21	1.97	0.47
1:A:1173:SER:O	1:A:1182:ARG:NH1	2.48	0.47
1:A:96:GLY:HA2	1:A:99:THR:HG22	1.97	0.47
1:A:55:HIS:NE2	1:A:59:GLU:OE2	2.48	0.47
1:A:1115:LYS:O	1:A:1193:ARG:NH2	2.47	0.47
1:A:246:ILE:HG22	1:A:246:ILE:O	2.15	0.46
1:A:1218:LYS:HD3	1:A:1222:LYS:HZ3	1.80	0.46
1:A:428:LEU:HD13	1:A:431:LEU:HD12	1.96	0.46
1:A:798:HIS:HB2	1:A:829:ILE:HD12	1.98	0.46
1:A:292:GLU:OE1	1:A:292:GLU:N	2.42	0.46
1:A:102:GLU:HG3	1:A:148:LEU:HD23	1.97	0.46
1:A:288:MET:CE	1:A:1119:ILE:HD13	2.45	0.46
1:A:198:LEU:HD13	1:A:904:LEU:CD2	2.46	0.46
1:A:276:MET:SD	1:A:299:ILE:HD13	2.55	0.46
1:A:569:VAL:O	1:A:573:LEU:HG	2.15	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1202:GLU:OE2	1:A:1205:ALA:HB2	2.16	0.46
1:A:89:TRP:CE2	1:A:90:LYS:HG3	2.52	0.45
1:A:216:TRP:O	1:A:220:LEU:HB2	2.16	0.45
1:A:882:PHE:CZ	1:A:886:SER:HB2	2.51	0.45
1:A:351:VAL:O	1:A:355:VAL:HG23	2.16	0.45
1:A:1133:LYS:HD3	1:A:1137:PRO:HA	1.99	0.45
1:A:288:MET:HE3	1:A:1119:ILE:HD13	1.97	0.45
1:A:336:PHE:O	1:A:340:VAL:HG23	2.17	0.45
1:A:81:THR:O	1:A:85:ILE:HG12	2.17	0.45
1:A:1079:ALA:HB1	1:A:1249:SER:H	1.81	0.45
1:A:1244:ILE:O	1:A:1255:TYR:HA	2.16	0.45
1:A:113:LEU:HD22	1:A:987:LEU:HD12	1.99	0.45
1:A:194:ILE:HA	1:A:197:LEU:HD22	1.99	0.45
1:A:1024:PRO:HD2	1:A:1027:TYR:CE1	2.49	0.45
1:A:984:SER:O	1:A:988:THR:HG23	2.16	0.45
1:A:175:TYR:HE1	1:A:907:SER:HG	1.61	0.44
1:A:594:LEU:HA	1:A:597:LEU:HG	1.98	0.44
1:A:110:PRO:HG3	1:A:356:THR:HG22	1.99	0.44
1:A:288:MET:HG2	1:A:1089:PHE:HD2	1.83	0.44
1:A:1207:VAL:HB	1:A:1212:ASP:OD1	2.18	0.44
1:A:513:LEU:HB3	1:A:517:LEU:HG	1.99	0.44
1:A:818:ILE:H	1:A:818:ILE:HD12	1.82	0.44
1:A:1213:GLU:O	1:A:1217:LYS:HG2	2.18	0.44
1:A:1232:ALA:HB3	1:A:1238:ILE:HD13	2.00	0.44
1:A:410:VAL:HB	1:A:435:VAL:HG12	2.00	0.43
1:A:451:LYS:HB3	1:A:590:VAL:HG22	2.00	0.43
1:A:1152:GLU:HB3	1:A:1222:LYS:HE2	1.99	0.43
1:A:183:ASN:OD1	1:A:912:TRP:NE1	2.45	0.43
1:A:363:LEU:HD23	1:A:363:LEU:HA	1.82	0.43
1:A:763:TRP:O	1:A:767:ILE:HD12	2.18	0.43
1:A:794:SER:OG	1:A:833:ASP:OD1	2.23	0.43
1:A:44:MET:HG3	1:A:940:LEU:HD12	2.01	0.43
1:A:536:SER:N	1:A:539:GLN:OE1	2.48	0.43
1:A:975:ASP:OD1	1:A:975:ASP:N	2.49	0.43
1:A:208:VAL:HG13	1:A:209:THR:N	2.34	0.43
1:A:1061:LEU:HD12	1:A:1252:LEU:HB2	2.01	0.43
1:A:522:ASP:HB2	1:A:526:THR:N	2.33	0.43
1:A:1071:VAL:HA	1:A:1243:LYS:O	2.19	0.43
1:A:1257:GLU:O	1:A:1261:LEU:HG	2.18	0.43
1:A:864:ILE:HD13	1:A:864:ILE:HG21	1.76	0.42
1:A:1165:LYS:HD3	1:A:1165:LYS:HA	1.79	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1264:ASN:O	1:A:1267:SER:OG	2.37	0.42
1:A:44:MET:HG3	1:A:940:LEU:CD1	2.49	0.42
1:A:340:VAL:HG11	1:A:761:LEU:HD11	2.00	0.42
1:A:175:TYR:OH	1:A:923:CYS:SG	2.72	0.42
1:A:369:PHE:HB3	1:A:370:PRO:HD3	2.01	0.42
1:A:420:ASP:OD1	1:A:421:LYS:N	2.52	0.42
1:A:846:THR:HG21	1:A:995:TRP:CD1	2.53	0.42
1:A:483:TRP:CD1	1:A:910:GLY:HA3	2.55	0.42
1:A:972:LYS:HE3	1:A:972:LYS:HB3	1.83	0.42
1:A:869:VAL:HB	1:A:870:PRO:HD3	2.01	0.42
1:A:177:LYS:NZ	1:A:394:GLU:HB3	2.35	0.41
1:A:705:PHE:HZ	1:A:840:PHE:CZ	2.38	0.41
1:A:232:GLU:OE1	1:A:353:VAL:HG11	2.20	0.41
1:A:455:LEU:HD23	1:A:455:LEU:HA	1.89	0.41
1:A:193:GLN:O	1:A:197:LEU:HD22	2.20	0.41
1:A:233:ILE:HD13	1:A:233:ILE:HG21	1.81	0.41
1:A:120:PHE:HZ	1:A:967:SER:O	2.03	0.41
1:A:508:ILE:HD13	1:A:508:ILE:HA	1.92	0.41
1:A:1046:VAL:HB	1:A:1061:LEU:HB3	2.02	0.41
1:A:194:ILE:HG22	1:A:194:ILE:O	2.20	0.41
1:A:456:SER:HB3	1:A:461:GLU:HB2	2.02	0.41
1:A:1098:ILE:O	1:A:1104:LEU:HD12	2.19	0.41
1:A:1266:GLU:O	1:A:1271:LYS:NZ	2.28	0.41
1:A:307:ILE:O	1:A:311:LEU:HB2	2.20	0.41
1:A:562:LEU:HA	1:A:565:VAL:HG22	2.02	0.41
1:A:872:GLY:O	1:A:876:ILE:HG12	2.21	0.41
1:A:427:THR:O	1:A:428:LEU:HD23	2.20	0.41
1:A:516:ASP:OD2	1:A:542:ARG:NE	2.53	0.41
1:A:995:TRP:CZ3	1:A:998:ARG:HD2	2.56	0.41
1:A:99:THR:O	1:A:103:GLU:HG2	2.21	0.41
1:A:706:ARG:HD2	1:A:706:ARG:HA	1.77	0.41
1:A:1085:ILE:HG13	1:A:1086:SER:N	2.36	0.41
1:A:898:SER:OG	1:A:899:PRO:HD3	2.21	0.40
1:A:1070:LYS:O	1:A:1242:ASP:N	2.54	0.40
1:A:1136:ASP:CG	1:A:1140:GLU:H	2.24	0.40
1:A:539:GLN:O	1:A:543:VAL:HG23	2.21	0.40
1:A:84:ILE:HD11	1:A:170:MET:CE	2.51	0.40
1:A:384:ARG:O	1:A:387:GLN:HB3	2.22	0.40
1:A:1180:GLY:O	1:A:1184:LEU:HG	2.22	0.40
1:A:331:ILE:HG21	1:A:331:ILE:HD13	1.88	0.40
1:A:462:LEU:HD12	1:A:462:LEU:HA	1.88	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:528:ILE:HA	1:A:534:THR:OG1	2.21	0.40
1:A:821:ILE:HG23	1:A:821:ILE:HD12	1.82	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1212/1325 (92%)	1139 (94%)	73 (6%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	1062/1159 (92%)	1062 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	595	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-35168. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 120




Y Index: 120




Z Index: 120


6.2.2 Raw map



X Index: 120



Y Index: 120




Z Index: 120


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 117




Y Index: 133




Z Index: 113


6.3.2 Raw map



X Index: 120



Y Index: 134




Z Index: 113


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z


6.4.2 Raw map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.26. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 55 nm³; this corresponds to an approximate mass of 50 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.319 \AA^{-1}

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.319 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	-	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	3.57	3.93	3.62

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-35168 and PDB model 8I4B. Per-residue inclusion information can be found in section [3](#) on page [4](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.26 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.26).

9.4 Atom inclusion [i](#)



At the recommended contour level, 62% of all backbone atoms, 60% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.26) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	<div></div> 0.5960	<div></div> 0.4260
A	<div></div> 0.5960	<div></div> 0.4260

