



## wwPDB EM Validation Summary Report ⓘ

Oct 16, 2024 – 01:16 AM JST

PDB ID : 8I9X  
EMDB ID : EMD-35287  
Title : Cryo-EM structure of a Chaetomium thermophilum pre-60S ribosomal subunit - Ytm1-1  
Authors : Lau, B.; Huang, Z.; Beckmann, R.; Hurt, E.; Cheng, J.  
Deposited on : 2023-02-07  
Resolution : 2.80 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : **FAILED**  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
MolProbity : 4.02b-467  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
MapQ : **FAILED**  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.39


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415
RNA backbone	6643	2191

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ .

Mol	Chain	Length	Quality of chain
1	C1	3341	
2	C2	319	
3	CA	316	
4	CB	391	
5	CC	801	
6	CD	495	
7	CE	598	
8	CF	270	
9	CG	184	


























*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
10	CH	661	
11	CI	414	
12	CJ	679	
13	CK	261	
14	CL	558	
15	CM	249	
15	LF	249	
16	CN	246	
17	CO	120	
18	CP	751	
19	CQ	225	
20	CR	237	
21	CS	834	
22	CT	688	
23	CU	451	
24	CV	147	
25	CX	203	
26	CY	788	
27	Cb	924	
28	Cz	123	
29	LB	392	
30	LC	365	
31	LE	200	
32	LG	262	
33	LH	192	


*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
34	LK	165	
35	LL	213	
36	LM	142	
37	LN	203	
38	LO	204	
39	LP	187	
40	LQ	213	
41	LR	2898	
42	LS	174	
43	LT	160	
44	LU	127	
45	LV	139	
46	LX	156	
47	LY	138	
48	LZ	135	
49	Lc	108	
50	Ld	120	
51	Le	131	
52	Lf	109	
53	Lg	119	
54	Lh	935	
55	Li	110	
56	Lj	95	
57	Lk	81	
58	Ll	51	

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
59	Lq	217	 93% • 5%

## 2 Entry composition

There are 61 unique types of molecules in this entry. The entry contains 162633 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called RNA (3341-MER).

Mol	Chain	Residues	Atoms					AltConf	Trace
1	C1	2658	Total	C	N	O	P	0	0
			56864	25379	10296	18531	2658		

- Molecule 2 is a RNA chain called RNA (319-MER).

Mol	Chain	Residues	Atoms					AltConf	Trace
2	C2	256	Total	C	N	O	P	0	0
			5456	2435	974	1791	256		

- Molecule 3 is a protein called Brix domain-containing protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	CA	251	Total	C	N	O	S	0	0
			2069	1324	381	357	7		

- Molecule 4 is a protein called Ribosome biogenesis protein C8F11.04.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	CB	260	Total	C	N	O	S	0	0
			2063	1322	367	371	3		

- Molecule 5 is a protein called Ribosome biogenesis protein ERB1.

Mol	Chain	Residues	Atoms						AltConf	Trace
5	CC	658	Total	C	N	O	P	S	0	0
			5297	3368	931	983	2	13		

- Molecule 6 is a protein called Ribosome biogenesis protein YTM1.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	CD	460	Total	C	N	O	S	0	0
			3468	2173	610	679	6		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
CD	88	ASP	GLU	conflict	UNP G0SFB5

- Molecule 7 is a protein called RNA helicase.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	CE	462	Total	C	N	O	S	0	0
			3669	2350	642	666	11		

There are 42 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
CE	543	LYS	-	insertion	UNP G0RYU9
CE	544	SER	-	insertion	UNP G0RYU9
CE	545	PHE	-	insertion	UNP G0RYU9
CE	546	GLY	-	insertion	UNP G0RYU9
CE	547	PHE	-	insertion	UNP G0RYU9
CE	548	SER	-	insertion	UNP G0RYU9
CE	549	THR	-	insertion	UNP G0RYU9
CE	550	PRO	-	insertion	UNP G0RYU9
CE	551	PRO	-	insertion	UNP G0RYU9
CE	552	ARG	-	insertion	UNP G0RYU9
CE	553	VAL	-	insertion	UNP G0RYU9
CE	554	ASP	-	insertion	UNP G0RYU9
CE	555	ILE	-	insertion	UNP G0RYU9
CE	556	THR	-	insertion	UNP G0RYU9
CE	557	LEU	-	insertion	UNP G0RYU9
CE	558	SER	-	insertion	UNP G0RYU9
CE	559	ALA	-	insertion	UNP G0RYU9
CE	560	SER	-	insertion	UNP G0RYU9
CE	561	LEU	-	insertion	UNP G0RYU9
CE	562	SER	-	insertion	UNP G0RYU9
CE	563	ARG	-	insertion	UNP G0RYU9
CE	564	ASP	-	insertion	UNP G0RYU9
CE	565	LYS	-	insertion	UNP G0RYU9
CE	566	LYS	-	insertion	UNP G0RYU9
CE	567	PRO	-	insertion	UNP G0RYU9
CE	568	GLN	-	insertion	UNP G0RYU9
CE	569	GLY	-	insertion	UNP G0RYU9
CE	570	ARG	-	insertion	UNP G0RYU9
CE	571	ARG	-	insertion	UNP G0RYU9
CE	572	ALA	-	insertion	UNP G0RYU9

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
CE	573	TYR	-	insertion	UNP G0RYU9
CE	574	GLY	-	insertion	UNP G0RYU9
CE	575	SER	-	insertion	UNP G0RYU9
CE	576	GLN	-	insertion	UNP G0RYU9
CE	577	PRO	-	insertion	UNP G0RYU9
CE	578	ARG	-	insertion	UNP G0RYU9
CE	579	GLN	-	insertion	UNP G0RYU9
CE	580	GLY	-	insertion	UNP G0RYU9
CE	581	GLY	-	insertion	UNP G0RYU9
CE	582	ARG	-	insertion	UNP G0RYU9
CE	583	TYR	-	insertion	UNP G0RYU9
CE	584	LYS	-	insertion	UNP G0RYU9

- Molecule 8 is a protein called Ribosome assembly factor mrt4.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	CF	245	Total	C	N	O	S	0	0
			1945	1222	352	362	9		

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
CF	13	ILE	THR	conflict	UNP G0S616
CF	139	THR	PRO	conflict	UNP G0S616
CF	228	ASN	SER	conflict	UNP G0S616
CF	259	ILE	MET	conflict	UNP G0S616

- Molecule 9 is a protein called 60S ribosome subunit biogenesis protein NIP7.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	CG	177	Total	C	N	O	S	0	0
			1396	884	247	253	12		

- Molecule 10 is a protein called Nucleolar GTP-binding protein 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	CH	542	Total	C	N	O	S	0	0
			4388	2784	770	818	16		

- Molecule 11 is a protein called Putative RNA-binding protein.



Mol	Chain	Residues	Atoms					AltConf	Trace
11	CI	146	Total	C	N	O	S	0	0
			1196	763	224	204	5		

- Molecule 12 is a protein called Pescadillo homolog.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	CJ	494	Total	C	N	O	S	0	0
			4040	2575	719	734	12		

- Molecule 13 is a protein called Ribosome biogenesis protein NSA2 homolog.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	CK	238	Total	C	N	O	S	0	0
			1908	1199	375	330	4		

- Molecule 14 is a protein called Putative GTP binding protein.

Mol	Chain	Residues	Atoms				AltConf	Trace
14	CL	397	Total	C	N	O	0	0
			2239	1350	459	430		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
CL	69	ARG	ILE	conflict	UNP G0SEW3

- Molecule 15 is a protein called 60S ribosomal protein l7-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	CM	223	Total	C	N	O	S	0	0
			1820	1169	340	308	3		
15	LF	247	Total	C	N	O	S	0	0
			2017	1294	376	344	3		

- Molecule 16 is a protein called Eukaryotic translation initiation factor 6.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	CN	246	Total	C	N	O	S	0	0
			1856	1158	322	369	7		

- Molecule 17 is a protein called DUF2423 domain-containing protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	CO	62	Total	C	N	O	S	0	0
			468	290	94	82	2		

- Molecule 18 is a protein called RNA methyltransferase nop2-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	CP	356	Total	C	N	O	S	0	0
			2798	1777	495	510	16		

- Molecule 19 is a protein called Ribosome biogenesis protein RLP24.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	CQ	179	Total	C	N	O	S	0	0
			1485	926	304	245	10		

- Molecule 20 is a protein called Nucleolar protein 16.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	CR	167	Total	C	N	O	S	0	0
			1354	827	278	247	2		

- Molecule 21 is a protein called AdoMet-dependent rRNA methyltransferase SPB1.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	CS	262	Total	C	N	O	S	0	0
			2105	1322	399	377	7		

- Molecule 22 is a protein called Nucleolar complex-associated protein 3.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	CT	488	Total	C	N	O	S	0	0
			3911	2486	690	719	16		

- Molecule 23 is a protein called rRNA-processing protein EBP2.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	CU	178	Total	C	N	O	S	0	0
			1415	876	265	271	3		

- Molecule 24 is a protein called Putative 60S ribosomal protein.

Mol	Chain	Residues	Atoms				AltConf	Trace
24	CV	139	Total	C	N	O		
			1073	672	213	188	0	0

- Molecule 25 is a protein called 60S ribosomal subunit-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	CX	88	Total	C	N	O	S		
			701	435	128	135	3	0	0

- Molecule 26 is a protein called Putative NOC2 family protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	CY	410	Total	C	N	O	S		
			3313	2127	597	577	12	0	0

- Molecule 27 is a protein called ATP-dependent RNA helicase DBP10.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	Cb	642	Total	C	N	O	S		
			5058	3216	918	911	13	0	0

- Molecule 28 is a protein called rRNA-processing protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	Cz	70	Total	C	N	O	S		
			592	368	120	101	3	0	0

- Molecule 29 is a protein called 60S ribosomal protein L3-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	LB	356	Total	C	N	O	S		
			2829	1798	518	501	12	0	0

- Molecule 30 is a protein called 60S ribosomal protein L4-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	LC	362	Total	C	N	O	S		
			2752	1738	526	479	9	0	0

- Molecule 31 is a protein called 60S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	LE	179	Total	C	N	O	S	0	0
			1403	898	255	247	3		

- Molecule 32 is a protein called 60S ribosomal protein L8.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	LG	204	Total	C	N	O	S	0	0
			1644	1060	297	282	5		

- Molecule 33 is a protein called 60S ribosomal protein l9-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	LH	190	Total	C	N	O	S	0	0
			1496	950	268	272	6		

There are 37 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
LH	?	-	GLY	deletion	UNP G0S0E5
LH	?	-	THR	deletion	UNP G0S0E5
LH	?	-	PHE	deletion	UNP G0S0E5
LH	?	-	ARG	deletion	UNP G0S0E5
LH	?	-	LYS	deletion	UNP G0S0E5
LH	?	-	PHE	deletion	UNP G0S0E5
LH	?	-	ARG	deletion	UNP G0S0E5
LH	?	-	ARG	deletion	UNP G0S0E5
LH	?	-	ASN	deletion	UNP G0S0E5
LH	?	-	ASP	deletion	UNP G0S0E5
LH	?	-	TYR	deletion	UNP G0S0E5
LH	?	-	THR	deletion	UNP G0S0E5
LH	?	-	PHE	deletion	UNP G0S0E5
LH	?	-	GLY	deletion	UNP G0S0E5
LH	?	-	ARG	deletion	UNP G0S0E5
LH	?	-	THR	deletion	UNP G0S0E5
LH	?	-	ARG	deletion	UNP G0S0E5
LH	?	-	GLY	deletion	UNP G0S0E5
LH	?	-	ARG	deletion	UNP G0S0E5
LH	?	-	GLU	deletion	UNP G0S0E5
LH	?	-	LYS	deletion	UNP G0S0E5
LH	?	-	LYS	deletion	UNP G0S0E5
LH	?	-	ARG	deletion	UNP G0S0E5
LH	?	-	GLY	deletion	UNP G0S0E5
LH	?	-	THR	deletion	UNP G0S0E5

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
LH	?	-	THR	deletion	UNP G0S0E5
LH	?	-	SER	deletion	UNP G0S0E5
LH	?	-	SER	deletion	UNP G0S0E5
LH	?	-	LYS	deletion	UNP G0S0E5
LH	?	-	ILE	deletion	UNP G0S0E5
LH	?	-	GLY	deletion	UNP G0S0E5
LH	?	-	GLU	deletion	UNP G0S0E5
LH	?	-	LEU	deletion	UNP G0S0E5
LH	?	-	ASP	deletion	UNP G0S0E5
LH	?	-	ILE	deletion	UNP G0S0E5
LH	?	-	ASN	deletion	UNP G0S0E5
LH	?	-	GLY	deletion	UNP G0S0E5

- Molecule 34 is a protein called 60S ribosomal protein L12-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	LK	145	Total	C	N	O	S	0	0
			1103	695	201	205	2		

- Molecule 35 is a protein called 60S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	LL	117	Total	C	N	O	S	0	0
			964	608	206	148	2		

- Molecule 36 is a protein called 60S ribosomal protein L14-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	LM	137	Total	C	N	O	S	0	0
			1101	699	211	190	1		

- Molecule 37 is a protein called Ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	LN	183	Total	C	N	O	S	0	0
			1563	974	332	253	4		

- Molecule 38 is a protein called 60S ribosomal protein L16-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	LO	204	Total	C	N	O	S	0	0
			1618	1039	306	267	6		

- Molecule 39 is a protein called 60S ribosomal protein l17-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	LP	169	Total	C	N	O	S	0	0
			1345	835	273	234	3		

- Molecule 40 is a protein called Ribosomal protein L18-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	LQ	129	Total	C	N	O	S	0	0
			1021	646	200	173	2		

- Molecule 41 is a protein called Ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	LR	118	Total	C	N	O	S	0	0
			964	607	195	158	4		

- Molecule 42 is a protein called 60S ribosomal protein L20.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	LS	174	Total	C	N	O	S	0	0
			1433	922	267	239	5		

- Molecule 43 is a protein called 60S ribosomal protein l21-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	LT	126	Total	C	N	O	S	0	0
			1014	643	196	173	2		

- Molecule 44 is a protein called 60S ribosomal protein L22-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	LU	105	Total	C	N	O	S	0	0
			850	551	147	151	1		

- Molecule 45 is a protein called 60S ribosomal protein l23-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	LV	135	Total	C	N	O	S	0	0
			995	633	185	170	7		

- Molecule 46 is a protein called 60S ribosomal protein L25-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	LX	137	Total	C	N	O	S	0	0
			1062	678	194	190			

- Molecule 47 is a protein called 60S ribosomal protein L26-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	LY	134	Total	C	N	O	S	0	0
			1065	664	215	184	2		

- Molecule 48 is a protein called 60S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	LZ	135	Total	C	N	O	S	0	0
			1112	713	207	188	4		

- Molecule 49 is a protein called 60S ribosomal protein l30-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	Lc	98	Total	C	N	O	S	0	0
			731	463	126	137	5		

- Molecule 50 is a protein called Putative 60S ribosomal protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	Ld	109	Total	C	N	O	S	0	0
			890	563	171	155	1		

- Molecule 51 is a protein called 60S ribosomal protein L32-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	Le	127	Total	C	N	O	S	0	0
			1025	645	209	164	7		

- Molecule 52 is a protein called 60S ribosomal protein l33-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	Lf	108	Total	C	N	O	S	0	0
			862	546	171	144	1		

- Molecule 53 is a protein called Ribosomal protein l34-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	Lg	117	Total	C	N	O	S	0	0
			930	578	189	159	4		

- Molecule 54 is a protein called dolichyl-diphosphooligosaccharide--protein glycotransferase.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	Lh	121	Total	C	N	O	S	0	0
			995	633	196	166			

- Molecule 55 is a protein called 60S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
55	Li	88	Total	C	N	O	S	0	0
			731	449	162	119	1		

- Molecule 56 is a protein called Ribosomal protein L37.

Mol	Chain	Residues	Atoms					AltConf	Trace
56	Lj	74	Total	C	N	O	S	0	0
			595	365	132	93	5		

- Molecule 57 is a protein called 60S ribosomal protein L38-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
57	Lk	75	Total	C	N	O	S	0	0
			620	394	117	107	2		

There are 13 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
Lk	?	-	SER	deletion	UNP G0SG89
Lk	?	-	LYS	deletion	UNP G0SG89
Lk	?	-	ILE	deletion	UNP G0SG89
Lk	?	-	LEU	deletion	UNP G0SG89
Lk	?	-	THR	deletion	UNP G0SG89
Lk	?	-	ILE	deletion	UNP G0SG89

*Continued on next page...*



Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
Lk	?	-	ALA	deletion	UNP G0SG89
Lk	?	-	PHE	deletion	UNP G0SG89
Lk	?	-	PRO	deletion	UNP G0SG89
Lk	?	-	PRO	deletion	UNP G0SG89
Lk	?	-	PRO	deletion	UNP G0SG89
Lk	?	-	LEU	deletion	UNP G0SG89
Lk	?	-	THR	deletion	UNP G0SG89


- Molecule 58 is a protein called 60S ribosomal protein L39.

Mol	Chain	Residues	Atoms				AltConf	Trace
58	Ll	38	Total	C	N	O	0	0
			322	204	68	50		

- Molecule 59 is a protein called Ribosomal protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
59	Lq	207	Total	C	N	O	S	0	0
			1600	1016	285	291	8		

- Molecule 60 is GUANOSINE-5'-TRIPHOSPHATE (three-letter code: GTP) (formula:  $C_{10}H_{16}N_5O_{14}P_3$ ).




- Molecule 61 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
61	CQ	1	Total 1	Zn 1	0
61	Lj	1	Total 1	Zn 1	0

### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: RNA (3341-MER)




C3205	A3087	U2893	A2759	U2546	G2355	A	C
U3209	U3088	A2894	A2760	A2551	G2356	A	U
U3210	A3098	A2898	A2761	G2560	A2359	A	G
A3213	A3099	A2899	C2767	G2564	A2360	A	G
U3217	C3100	U2802	C2775	U2570	A2361	A	G
G3226	G3111	G2909	U2776	U	G2362	A	U
G3228	C3112	G	A2777	U	A2363	A	A
G3229	C3113	U	A2778	U	A2364	A	A
G3230	C3117	U	G2782	U	U2396	A	G
C3244	A3118	U	C2783	U	G2397	A	G
U3253	C3119	U	U2784	U	U2398	A	G
A3256	C3120	A	U2785	U	G2399	A	G
U3257	U3121	G2915	G2786	U	A2407	A	U
G3258	U3122	A2916	U2800	U	U2408	A	U
U3259	U3123	C2917	U	U	A2409	A	U
G3280	U3124	A2925	C	U	G2414	A	U
U3281	A3125	G2926	A	U	U2415	A	U
A3282	G3126	U2936	U2817	U	G2419	A	U
G3285	A3127	U	U2818	U	U2422	A	U
U3291	U3130	U	U2819	U	A2423	A	U
U3292	A3131	U	U2820	U	G2424	A	U
G3293	U3132	A	G2821	U	G2425	A	U
U3294	A3133	C2941	A	U	G2428	A	U
U3295	G3146	C2942	U	U	G2429	A	U
G3296	G3147	G2948	C	U	A2430	A	U
U3297	U3153	C2954	U	U	G2431	A	U
U3298	A3154	C2955	C	U	U2432	A	U
G3309	C3161	C2956	U	U	U2433	A	U
A3315	A3162	A2969	G2829	U	C2435	A	U
C3318	G3163	A3005	G2832	U	G2436	A	U
C3322	C3170	A3006	C2834	U	G2437	A	U
C3323	C3171	G3016	A2845	U	G2438	A	U
U3324	G3178	G3035	U2846	U	G2439	A	U
U3330	C3181	A3043	C2847	U	G2443	A	U
A3331	U3162	C3049	U2856	U	U2444	A	U
A3332	C3183	C3050	C2857	U	U2449	A	U
A3333	A3185	A3070	U2862	U	C2452	A	U
C3337	U3188	C3074	A2869	U	A2453	A	U
C	C	U3078	U2874	U	A2456	A	U
A	A	A3079	G2875	U	U2464	A	U
G	G	A3084	G2876	U	U2466	A	U
		G3085	C	U	U2467	A	U
		A3086	A2757	U	G2484	A	U
			G2758	U	A		

• Molecule 2: RNA (319-MER)


Chain C2:  64% 17% 20%




- Molecule 7: RNA helicase




- Molecule 8: Ribosome assembly factor mrt4




- Molecule 9: 60S ribosome subunit biogenesis protein NIP7




- Molecule 10: Nucleolar GTP-binding protein 1






- Molecule 11: Putative RNA-binding protein









- Molecule 12: Pescadillo homolog



- Molecule 13: Ribosome biogenesis protein NSA2 homolog



- Molecule 14: Putative GTP binding protein



- Molecule 15: 60S ribosomal protein l7-like protein



- Molecule 15: 60S ribosomal protein l7-like protein

Chain LF: 

98%

..



- Molecule 16: Eukaryotic translation initiation factor 6

Chain CN: 

100%




- Molecule 17: DUF2423 domain-containing protein

Chain CO: 

52%

48%




- Molecule 18: RNA methyltransferase nop2-like protein

Chain CP: 

47%

.

53%



- Molecule 19: Ribosome biogenesis protein RLP24

Chain CQ: 


79%

20%




- Molecule 20: Nucleolar protein 16

Chain CR:  70% 30%




- Molecule 21: AdoMet-dependent rRNA methyltransferase SPB1


Chain CS: 



- Molecule 22: Nucleolar complex-associated protein 3


Chain CT: 






• Molecule 23: rRNA-processing protein EBP2

Chain CU: 39% 61%




• Molecule 24: Putative 60S ribosomal protein

Chain CV: 95% 5%




• Molecule 25: 60S ribosomal subunit-like protein


Chain CX: 43% 57%



• Molecule 26: Putative NOC2 family protein

Chain CY: 51% 48%







• Molecule 27: ATP-dependent RNA helicase DBP10



• Molecule 28: rRNA-processing protein



• Molecule 29: 60S ribosomal protein L3-like protein






- |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| SER | LEU | ILE | GLN | ASN | LEU | ALA | GLY | THR | SEU | LEU | TRP | GLU | LYS | CYS | SER | LYS | ASP | LEU | VAL | LEU | ALA | THR | ALA | ASP | ALA | LEU | GLY | LYS | SER | LEU | GLN | PRO | THR | ALA | ALA | ARG | GLY | SER | SER | VAL | GLY | HIS | SER | ALA | LEU | VAL | ILE | THR | ARG | GLY | PHE | ARG | ARG | LYS | VAL | GLN | VAL | ASP | TYN |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|










- Molecule 42: 60S ribosomal protein L20

Chain LS:  99%





- Molecule 43: 60S ribosomal protein l21-like protein

Chain LT:  78%




- Molecule 44: 60S ribosomal protein L22-like protein

Chain LU:  83%




- Molecule 45: 60S ribosomal protein l23-like protein

Chain LV:  96%



- Molecule 46: 60S ribosomal protein L25-like protein


Chain LX:  87%



- Molecule 47: 60S ribosomal protein L26-like protein

Chain LY:  97%






- Molecule 48: 60S ribosomal protein L27

Chain LZ: 100%

There are no outlier residues recorded for this chain.


- Molecule 49: 60S ribosomal protein l30-like protein

Chain Lc: 91%




- Molecule 50: Putative 60S ribosomal protein

Chain Ld: 91%



- Molecule 51: 60S ribosomal protein L32-like protein

Chain Le: 97%



- Molecule 52: 60S ribosomal protein l33-like protein

Chain Lf: 99%




- Molecule 53: Ribosomal protein l34-like protein

Chain Lg: 97%





- Molecule 54: dolichyl-diphosphooligosaccharide--protein glycotransferase

Chain Lh: 13%




[illegible]

- Molecule 55: 60S ribosomal protein L36




- Molecule 56: Ribosomal protein L37



- Molecule 57: 60S ribosomal protein L38-like protein





- Molecule 58: 60S ribosomal protein L39



- Molecule 59: Ribosomal protein



## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	77844	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	44	Depositor
Minimum defocus (nm)	800	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GTP, ZN, TPO, SEP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	C1	0.32	0/63619	0.81	28/99165 (0.0%)
2	C2	0.28	0/6097	0.77	0/9499
3	CA	0.43	0/2115	0.72	0/2840
4	CB	0.31	0/2109	0.57	0/2866
5	CC	0.32	0/5423	0.58	0/7380
6	CD	0.26	0/3543	0.58	0/4824
7	CE	0.28	0/3739	0.53	0/5040
8	CF	0.31	0/1982	0.56	0/2671
9	CG	0.31	0/1422	0.56	0/1920
10	CH	0.32	0/4468	0.57	1/6029 (0.0%)
11	CI	0.29	0/1225	0.57	0/1645
12	CJ	0.30	0/4125	0.58	2/5548 (0.0%)
13	CK	0.28	0/1940	0.58	0/2601
14	CL	0.26	0/2247	0.51	0/3076
15	CM	0.29	0/1851	0.55	0/2481
15	LF	0.31	0/2055	0.58	1/2758 (0.0%)
16	CN	0.32	0/1881	0.58	0/2560
17	CO	0.27	0/470	0.55	0/619
18	CP	0.33	0/2859	0.60	1/3870 (0.0%)
19	CQ	0.28	0/1507	0.60	0/1996
20	CR	0.29	0/1369	0.58	0/1828
21	CS	0.27	0/2127	0.53	0/2817
22	CT	0.28	0/3974	0.54	0/5357
23	CU	0.37	0/1428	0.59	1/1910 (0.1%)
24	CV	0.36	0/1091	0.62	0/1468
25	CX	0.27	0/705	0.53	0/938
26	CY	0.33	0/3368	0.62	0/4525
27	Cb	0.27	0/5150	0.57	1/6936 (0.0%)
28	Cz	0.27	0/598	0.56	0/785
29	LB	0.35	0/2885	0.60	0/3872
30	LC	0.28	0/2809	0.53	0/3787
31	LE	0.34	0/1428	0.57	0/1921

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
32	LG	0.32	0/1667	0.57	0/2230
33	LH	0.29	0/1516	0.58	0/2038
34	LK	0.37	0/1115	0.61	0/1496
35	LL	0.36	0/983	0.67	0/1318
36	LM	0.28	0/1120	0.55	0/1507
37	LN	0.33	0/1595	0.62	0/2132
38	LO	0.35	0/1652	0.57	0/2215
39	LP	0.25	0/1367	0.57	0/1838
40	LQ	0.29	0/1033	0.58	0/1391
41	LR	0.27	0/980	0.55	0/1311
42	LS	0.30	0/1468	0.58	0/1975
43	LT	0.24	0/1033	0.54	0/1389
44	LU	0.29	0/863	0.52	0/1155
45	LV	0.29	0/1013	0.52	0/1361
46	LX	0.25	0/1078	0.49	0/1451
47	LY	0.26	0/1079	0.55	0/1443
48	LZ	0.27	0/1135	0.57	0/1519
49	Lc	0.25	0/740	0.51	0/995
50	Ld	0.27	0/904	0.55	0/1209
51	Le	0.28	0/1043	0.54	0/1389
52	Lf	0.37	0/883	0.64	0/1187
53	Lg	0.33	0/943	0.58	0/1258
54	Lh	0.25	0/1006	0.55	1/1338 (0.1%)
55	Li	0.28	0/738	0.61	0/971
56	Lj	0.33	0/606	0.64	0/803
57	Lk	0.27	0/628	0.59	0/835
58	Ll	0.24	0/329	0.57	0/440
59	Lq	0.28	0/1621	0.62	0/2180
All	All	0.31	0/171747	0.69	36/245906 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
29	LB	0	1
59	Lq	0	1
All	All	0	2

There are no bond length outliers.

The worst 5 of 36 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C1	1050	C	N3-C2-O2	-12.22	113.34	121.90
1	C1	1050	C	N1-C2-O2	10.75	125.35	118.90
12	CJ	585	LEU	CA-CB-CG	8.98	135.96	115.30
1	C1	136	C	N3-C2-O2	-8.87	115.69	121.90
1	C1	2452	C	N3-C2-O2	-8.76	115.77	121.90

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
29	LB	17	LEU	Peptide
59	Lq	60	ARG	Peptide

## 5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	CA	247/316 (78%)	233 (94%)	14 (6%)	0	100	100
4	CB	256/391 (66%)	241 (94%)	15 (6%)	0	100	100
5	CC	648/801 (81%)	611 (94%)	35 (5%)	2 (0%)	37	67
6	CD	450/495 (91%)	426 (95%)	24 (5%)	0	100	100
7	CE	458/598 (77%)	441 (96%)	17 (4%)	0	100	100
8	CF	243/270 (90%)	232 (96%)	11 (4%)	0	100	100
9	CG	175/184 (95%)	168 (96%)	7 (4%)	0	100	100
10	CH	538/661 (81%)	514 (96%)	23 (4%)	1 (0%)	44	73
11	CI	144/414 (35%)	134 (93%)	10 (7%)	0	100	100

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
12	CJ	484/679 (71%)	470 (97%)	14 (3%)	0	100	100
13	CK	234/261 (90%)	222 (95%)	11 (5%)	1 (0%)	30	61
14	CL	393/558 (70%)	362 (92%)	28 (7%)	3 (1%)	16	44
15	CM	219/249 (88%)	209 (95%)	10 (5%)	0	100	100
15	LF	245/249 (98%)	239 (98%)	6 (2%)	0	100	100
16	CN	244/246 (99%)	230 (94%)	14 (6%)	0	100	100
17	CO	56/120 (47%)	54 (96%)	2 (4%)	0	100	100
18	CP	354/751 (47%)	336 (95%)	17 (5%)	1 (0%)	37	67
19	CQ	173/225 (77%)	165 (95%)	7 (4%)	1 (1%)	22	51
20	CR	159/237 (67%)	157 (99%)	2 (1%)	0	100	100
21	CS	246/834 (30%)	238 (97%)	8 (3%)	0	100	100
22	CT	478/688 (70%)	460 (96%)	18 (4%)	0	100	100
23	CU	174/451 (39%)	173 (99%)	1 (1%)	0	100	100
24	CV	137/147 (93%)	133 (97%)	4 (3%)	0	100	100
25	CX	86/203 (42%)	85 (99%)	1 (1%)	0	100	100
26	CY	396/788 (50%)	365 (92%)	29 (7%)	2 (0%)	25	56
27	Cb	630/924 (68%)	604 (96%)	25 (4%)	1 (0%)	44	73
28	Cz	68/123 (55%)	66 (97%)	2 (3%)	0	100	100
29	LB	352/392 (90%)	332 (94%)	18 (5%)	2 (1%)	22	51
30	LC	360/365 (99%)	342 (95%)	18 (5%)	0	100	100
31	LE	175/200 (88%)	165 (94%)	10 (6%)	0	100	100
32	LG	200/262 (76%)	191 (96%)	9 (4%)	0	100	100
33	LH	188/192 (98%)	183 (97%)	5 (3%)	0	100	100
34	LK	141/165 (86%)	127 (90%)	13 (9%)	1 (1%)	19	48
35	LL	115/213 (54%)	107 (93%)	7 (6%)	1 (1%)	14	42
36	LM	135/142 (95%)	127 (94%)	8 (6%)	0	100	100
37	LN	179/203 (88%)	171 (96%)	8 (4%)	0	100	100
38	LO	202/204 (99%)	198 (98%)	4 (2%)	0	100	100
39	LP	165/187 (88%)	161 (98%)	4 (2%)	0	100	100
40	LQ	127/213 (60%)	121 (95%)	6 (5%)	0	100	100
41	LR	114/2898 (4%)	114 (100%)	0	0	100	100

*Continued on next page...*



Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
42	LS	172/174 (99%)	167 (97%)	5 (3%)	0	100	100
43	LT	124/160 (78%)	118 (95%)	5 (4%)	1 (1%)	16	44
44	LU	103/127 (81%)	101 (98%)	2 (2%)	0	100	100
45	LV	133/139 (96%)	128 (96%)	5 (4%)	0	100	100
46	LX	133/156 (85%)	129 (97%)	4 (3%)	0	100	100
47	LY	132/138 (96%)	127 (96%)	5 (4%)	0	100	100
48	LZ	133/135 (98%)	128 (96%)	5 (4%)	0	100	100
49	Lc	96/108 (89%)	96 (100%)	0	0	100	100
50	Ld	107/120 (89%)	105 (98%)	2 (2%)	0	100	100
51	Le	125/131 (95%)	120 (96%)	5 (4%)	0	100	100
52	Lf	106/109 (97%)	103 (97%)	3 (3%)	0	100	100
53	Lg	115/119 (97%)	112 (97%)	3 (3%)	0	100	100
54	Lh	119/935 (13%)	114 (96%)	5 (4%)	0	100	100
55	Li	86/110 (78%)	85 (99%)	1 (1%)	0	100	100
56	Lj	72/95 (76%)	70 (97%)	2 (3%)	0	100	100
57	Lk	73/81 (90%)	68 (93%)	5 (7%)	0	100	100
58	Ll	36/51 (71%)	34 (94%)	2 (6%)	0	100	100
59	Lq	205/217 (94%)	179 (87%)	26 (13%)	0	100	100
All	All	12458/20604 (60%)	11891 (95%)	550 (4%)	17 (0%)	50	77

5 of 17 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
26	CY	523	PRO
27	Cb	85	THR
26	CY	508	GLU
14	CL	224	ASP
14	CL	439	ASP

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	CA	223/276 (81%)	217 (97%)	6 (3%)	40	74
4	CB	222/329 (68%)	218 (98%)	4 (2%)	54	83
5	CC	578/708 (82%)	570 (99%)	8 (1%)	62	87
6	CD	381/410 (93%)	380 (100%)	1 (0%)	91	97
7	CE	398/517 (77%)	395 (99%)	3 (1%)	79	93
8	CF	214/236 (91%)	214 (100%)	0	100	100
9	CG	150/155 (97%)	149 (99%)	1 (1%)	81	94
10	CH	481/575 (84%)	475 (99%)	6 (1%)	67	89
11	CI	121/336 (36%)	120 (99%)	1 (1%)	79	93
12	CJ	428/579 (74%)	426 (100%)	2 (0%)	86	95
13	CK	204/225 (91%)	203 (100%)	1 (0%)	86	95
14	CL	72/458 (16%)	69 (96%)	3 (4%)	25	58
15	CM	191/215 (89%)	190 (100%)	1 (0%)	86	95
15	LF	213/215 (99%)	212 (100%)	1 (0%)	86	95
16	CN	206/206 (100%)	205 (100%)	1 (0%)	86	95
17	CO	48/99 (48%)	48 (100%)	0	100	100
18	CP	302/632 (48%)	299 (99%)	3 (1%)	73	91
19	CQ	150/192 (78%)	150 (100%)	0	100	100
20	CR	144/206 (70%)	143 (99%)	1 (1%)	81	94
21	CS	209/716 (29%)	209 (100%)	0	100	100
22	CT	427/600 (71%)	426 (100%)	1 (0%)	92	97
23	CU	149/376 (40%)	148 (99%)	1 (1%)	81	94
24	CV	109/112 (97%)	109 (100%)	0	100	100
25	CX	76/172 (44%)	75 (99%)	1 (1%)	65	88
26	CY	355/686 (52%)	347 (98%)	8 (2%)	45	78
27	Cb	540/779 (69%)	536 (99%)	4 (1%)	81	94
28	Cz	60/107 (56%)	60 (100%)	0	100	100
29	LB	301/331 (91%)	298 (99%)	3 (1%)	73	91
30	LC	283/285 (99%)	283 (100%)	0	100	100
31	LE	151/166 (91%)	151 (100%)	0	100	100
32	LG	175/222 (79%)	173 (99%)	2 (1%)	70	90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
33	LH	167/169 (99%)	165 (99%)	2 (1%)	67	89
34	LK	120/136 (88%)	117 (98%)	3 (2%)	42	75
35	LL	99/176 (56%)	98 (99%)	1 (1%)	73	91
36	LM	115/117 (98%)	115 (100%)	0	100	100
37	LN	164/180 (91%)	162 (99%)	2 (1%)	67	89
38	LO	163/163 (100%)	162 (99%)	1 (1%)	84	95
39	LP	137/152 (90%)	137 (100%)	0	100	100
40	LQ	110/178 (62%)	109 (99%)	1 (1%)	75	92
41	LR	104/2396 (4%)	103 (99%)	1 (1%)	73	91
42	LS	154/154 (100%)	153 (99%)	1 (1%)	84	95
43	LT	109/135 (81%)	108 (99%)	1 (1%)	75	92
44	LU	93/108 (86%)	93 (100%)	0	100	100
45	LV	99/102 (97%)	98 (99%)	1 (1%)	73	91
46	LX	114/129 (88%)	113 (99%)	1 (1%)	75	92
47	LY	117/119 (98%)	117 (100%)	0	100	100
48	LZ	121/121 (100%)	121 (100%)	0	100	100
49	Lc	79/88 (90%)	79 (100%)	0	100	100
50	Ld	95/105 (90%)	95 (100%)	0	100	100
51	Le	110/114 (96%)	110 (100%)	0	100	100
52	Lf	89/90 (99%)	89 (100%)	0	100	100
53	Lg	101/102 (99%)	99 (98%)	2 (2%)	50	81
54	Lh	108/781 (14%)	108 (100%)	0	100	100
55	Li	75/93 (81%)	73 (97%)	2 (3%)	40	74
56	Lj	61/78 (78%)	59 (97%)	2 (3%)	33	67
57	Lk	71/76 (93%)	70 (99%)	1 (1%)	62	87
58	Ll	34/46 (74%)	34 (100%)	0	100	100
59	Lq	179/189 (95%)	174 (97%)	5 (3%)	38	72
All	All	10549/17418 (61%)	10459 (99%)	90 (1%)	74	92

5 of 90 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
29	LB	17	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
38	LO	102	GLU
29	LB	213	ASP
34	LK	32	ILE
43	LT	92	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 35 such sidechains are listed below:

Mol	Chain	Res	Type
39	LP	34	GLN
39	LP	118	GLN
42	LS	114	HIS
13	CK	186	HIS
10	CH	53	GLN

### 5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	C1	2640/3341 (79%)	535 (20%)	36 (1%)
2	C2	254/319 (79%)	52 (20%)	1 (0%)
All	All	2894/3660 (79%)	587 (20%)	37 (1%)

5 of 587 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	C1	14	U
1	C1	22	G
1	C1	26	A
1	C1	41	G
1	C1	49	A

5 of 37 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	C1	3125	A
1	C1	3297	U
1	C1	3131	A
1	C1	3209	U
1	C1	1085	A

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
5	SEP	CC	160	5	8,9,10	0.62	0	8,12,14	0.70	0
5	TPO	CC	163	5	8,10,11	0.67	0	10,14,16	1.03	1 (10%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	SEP	CC	160	5	-	0/5/8/10	-
5	TPO	CC	163	5	-	1/9/11/13	-

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	CC	163	TPO	O-C-CA	-2.51	118.19	124.78

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	CC	163	TPO	O-C-CA-CB

There are no ring outliers.

No monomer is involved in short contacts.

## 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 3 ligands modelled in this entry, 2 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
60	GTP	CH	1001	-	26,34,34	0.97	2 (7%)	32,54,54	0.86	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
60	GTP	CH	1001	-	-	3/18/38/38	0/3/3/3

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
60	CH	1001	GTP	C5-C6	-2.63	1.42	1.47
60	CH	1001	GTP	C8-N7	-2.11	1.31	1.35

There are no bond angle outliers.

There are no chirality outliers.


All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
60	CH	1001	GTP	PG-O3B-PB-O1B
60	CH	1001	GTP	PG-O3B-PB-O2B
60	CH	1001	GTP	C5'-O5'-PA-O1A

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.