



# Full wwPDB X-ray Structure Validation Report ⓘ

Apr 22, 2025 – 01:04 AM EDT

PDB ID : 6MD2 / pdb\_00006md2  
Title : Crystal Structure of Human PPARgamma Ligand Binding Domain in Complex with GW9662 and Arachidonic acid  
Authors : Shang, J.; Kojetin, D.J.  
Deposited on : 2018-09-03  
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 2022.3.0, CSD as543be (2022)  
Xtriage (Phenix) : 2.0rc1  
EDS : 3.0  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
CCP4 : 9.0.006 (Gargrove)  
Density-Fitness : 1.0.12  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.42


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	164625	5791 (2.20-2.20)
Clashscore	180529	6634 (2.20-2.20)
Ramachandran outliers	177936	6560 (2.20-2.20)
Sidechain outliers	177891	6561 (2.20-2.20)
RSRZ outliers	164620	5791 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	275	<div> <div>3%</div> <div>72%</div> <div>19%</div> <div>7%</div> </div>
1	B	275	<div> <div>9%</div> <div>75%</div> <div>18%</div> <div>7%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	GW9	B	501	-	-	X	-
3	ACD	A	502	-	-	X	-
3	ACD	B	502	-	-	X	-

## 2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 4426 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Peroxisome proliferator-activated receptor gamma.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	255	Total	C	N	O	S	0	0	0
			2040	1317	333	380	10			
1	B	257	Total	C	N	O	S	0	0	0
			2062	1337	337	379	9			

- Molecule 2 is 2-chloro-5-nitro-N-phenylbenzamide (CCD ID: GW9) (formula:  $C_{13}H_9ClN_2O_3$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			18	13	2	3		
2	B	1	Total	C	N	O	0	0
			18	13	2	3		

- Molecule 3 is ARACHIDONIC ACID (CCD ID: ACD) (formula:  $C_{20}H_{32}O_2$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			22	20	2		
3	B	1	Total	C	O	0	0
			22	20	2		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	120	Total	O	0	0
			120	120		
4	B	124	Total	O	0	0
			124	124		


### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Peroxisome proliferator-activated receptor gamma



- Molecule 1: Peroxisome proliferator-activated receptor gamma



## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	92.88Å 62.09Å 119.19Å 90.00° 101.90° 90.00°	Depositor
Resolution (Å)	39.66 – 2.20 39.66 – 2.20	Depositor EDS
% Data completeness (in resolution range)	98.4 (39.66-2.20) 98.4 (39.66-2.20)	Depositor EDS
$R_{merge}$	0.02	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.02 (at 2.20Å)	Xtriage
Refinement program	PHENIX 1.11.1_2575	Depositor
R, $R_{free}$	0.224 , 0.261 0.227 , 0.262	Depositor DCC
$R_{free}$ test set	31979 reflections (5.98%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	22.0	Xtriage
Anisotropy	0.000	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 46.0	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.92	EDS
Total number of atoms	4426	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	33.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.05% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ACD, GW9

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.44	0/2072	0.56	0/2788
1	B	0.42	0/2095	0.54	0/2816
All	All	0.43	0/4167	0.55	0/5604

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2040	0	2103	55	0
1	B	2062	0	2138	70	0
2	A	18	0	9	4	0
2	B	18	0	9	6	0
3	A	22	0	31	26	0
3	B	22	0	31	37	0
4	A	120	0	0	7	0
4	B	124	0	0	6	0
All	All	4426	0	4321	143	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.



All (143) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:285:CYS:SG	2:B:501:GW9:C9	2.28	1.22
1:B:288:ARG:HG2	3:B:502:ACD:H9	1.23	1.21
1:B:342:SER:HA	3:B:502:ACD:C13	1.70	1.20
1:B:342:SER:CA	3:B:502:ACD:H132	1.74	1.17
1:B:343:GLU:N	3:B:502:ACD:H131	1.57	1.17
1:A:343:GLU:H	3:A:502:ACD:H132	1.10	1.10
1:A:342:SER:N	3:A:502:ACD:H101	1.68	1.08
3:A:502:ACD:H8	3:A:502:ACD:H191	1.35	1.08
1:B:288:ARG:CG	3:B:502:ACD:H9	1.90	1.01
1:B:342:SER:HA	3:B:502:ACD:H132	1.03	1.01
1:B:291:GLU:OE1	3:B:502:ACD:H171	1.59	1.01
1:A:342:SER:H	3:A:502:ACD:H101	0.87	1.00
1:B:343:GLU:H	3:B:502:ACD:H131	1.15	0.98
1:A:342:SER:H	3:A:502:ACD:C10	1.80	0.95
1:A:359:PRO:HB2	1:A:452:LEU:HD21	1.48	0.94
3:A:502:ACD:H102	3:A:502:ACD:H14	1.48	0.94
1:B:343:GLU:H	3:B:502:ACD:C13	1.80	0.93
1:A:363:PHE:CZ	1:A:452:LEU:HD12	2.04	0.93
3:A:502:ACD:H12	4:A:617:HOH:O	1.69	0.93
3:B:502:ACD:H191	3:B:502:ACD:H102	1.50	0.91
1:A:343:GLU:H	3:A:502:ACD:C13	1.88	0.86
1:B:342:SER:CA	3:B:502:ACD:C13	2.43	0.85
1:B:265:LYS:HE2	3:B:502:ACD:H162	1.58	0.84
1:B:291:GLU:OE1	3:B:502:ACD:C17	2.27	0.83
1:A:285:CYS:SG	2:A:501:GW9:C8	2.67	0.82
3:B:502:ACD:H11	4:B:682:HOH:O	1.80	0.81
1:B:343:GLU:N	3:B:502:ACD:C13	2.41	0.80
3:A:502:ACD:H11	4:A:679:HOH:O	1.82	0.78
3:A:502:ACD:H8	3:A:502:ACD:C19	2.13	0.78
1:A:343:GLU:N	3:A:502:ACD:H132	1.95	0.76
1:A:291:GLU:OE1	3:A:502:ACD:H161	1.86	0.75
1:B:468:LEU:N	4:B:601:HOH:O	2.20	0.75
1:B:288:ARG:CB	3:B:502:ACD:H9	2.16	0.74
1:B:370:PHE:HB2	1:B:445:ILE:HD11	1.70	0.74
1:B:265:LYS:HE2	3:B:502:ACD:C16	2.20	0.72
1:B:342:SER:N	3:B:502:ACD:H132	2.06	0.70
1:B:288:ARG:HB2	3:B:502:ACD:H192	1.73	0.69
1:A:443:ARG:NH1	4:A:601:HOH:O	2.24	0.69
1:A:259:GLU:OE2	1:A:280:ARG:NH2	2.25	0.68
1:B:342:SER:C	3:B:502:ACD:H131	2.13	0.68

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:288:ARG:CB	3:B:502:ACD:C9	2.71	0.68
1:A:363:PHE:CE2	1:A:452:LEU:HD12	2.30	0.67
1:A:418:GLU:O	1:A:422:LYS:HE2	1.96	0.66
3:B:502:ACD:C8	3:B:502:ACD:H201	2.25	0.66
1:B:288:ARG:HB2	3:B:502:ACD:C9	2.25	0.66
1:B:357:ARG:NH1	1:B:358:LYS:O	2.28	0.65
1:A:343:GLU:HG2	3:A:502:ACD:H15	1.80	0.62
3:B:502:ACD:H191	3:B:502:ACD:C10	2.28	0.62
1:B:288:ARG:HB2	3:B:502:ACD:C19	2.30	0.62
3:A:502:ACD:C11	4:A:679:HOH:O	2.43	0.60
1:B:285:CYS:HB3	2:B:501:GW9:C10	2.32	0.60
3:B:502:ACD:C11	4:B:682:HOH:O	2.45	0.59
1:A:465:LEU:HD23	1:A:470:GLN:HG2	1.85	0.58
1:B:343:GLU:H	3:B:502:ACD:C12	2.17	0.58
1:B:402:ASN:O	1:B:405:PRO:HD2	2.04	0.58
1:A:363:PHE:CZ	1:A:452:LEU:CD1	2.85	0.58
1:B:458:LYS:N	1:B:458:LYS:HE2	2.19	0.58
1:A:286:GLN:NE2	1:A:465:LEU:HD12	2.18	0.57
1:B:285:CYS:CB	2:B:501:GW9:C9	2.81	0.57
1:B:343:GLU:OE2	3:B:502:ACD:H15	2.04	0.57
1:A:357:ARG:NH1	1:A:358:LYS:O	2.36	0.56
3:A:502:ACD:H191	3:A:502:ACD:C8	2.22	0.55
1:B:265:LYS:HE2	3:B:502:ACD:H172	1.88	0.55
1:B:457:LYS:C	1:B:458:LYS:HE2	2.27	0.55
1:A:350:ARG:NH2	1:A:365:GLU:OE2	2.33	0.54
3:A:502:ACD:H102	3:A:502:ACD:C14	2.23	0.54
1:B:265:LYS:HE2	3:B:502:ACD:C17	2.37	0.54
1:A:439:MET:HE3	4:A:649:HOH:O	2.07	0.54
1:A:438:LYS:C	1:A:440:THR:H	2.10	0.54
1:B:288:ARG:CG	3:B:502:ACD:C9	2.78	0.53
1:B:270:LEU:O	1:B:275:LYS:HG3	2.09	0.53
1:A:234:ARG:HD3	4:A:635:HOH:O	2.08	0.53
1:B:434:LYS:HA	1:B:437:GLN:HE21	1.74	0.53
1:A:343:GLU:HG2	3:A:502:ACD:C15	2.38	0.53
1:A:288:ARG:HG2	3:A:502:ACD:C11	2.39	0.52
1:B:411:ASP:O	1:B:415:GLN:HG3	2.09	0.52
1:B:319:LYS:NZ	4:B:619:HOH:O	2.42	0.52
1:B:455:VAL:HA	1:B:458:LYS:HE3	1.90	0.52
1:A:251:ASP:OD1	1:A:254:SER:OG	2.25	0.52
1:B:288:ARG:HD3	3:B:502:ACD:H14	1.92	0.51
3:A:502:ACD:C10	3:A:502:ACD:C14	2.87	0.51

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:359:PRO:CB	1:A:452:LEU:HD21	2.32	0.51
1:B:363:PHE:HE2	1:B:449:HIS:CE1	2.29	0.51
1:A:363:PHE:CE1	1:A:452:LEU:HD12	2.46	0.51
2:A:501:GW9:H3	3:A:502:ACD:O2	2.11	0.51
3:A:502:ACD:H14	3:A:502:ACD:C18	2.41	0.50
1:A:285:CYS:SG	2:A:501:GW9:C10	2.94	0.50
3:B:502:ACD:C14	3:B:502:ACD:C18	2.89	0.50
1:A:471:GLU:O	1:A:474:LYS:HE3	2.12	0.49
1:B:285:CYS:HB3	2:B:501:GW9:C9	2.41	0.49
1:A:287:PHE:HE2	3:A:502:ACD:H172	1.78	0.49
1:A:319:LYS:HZ1	1:A:474:LYS:HD2	1.76	0.49
1:B:285:CYS:HB3	2:B:501:GW9:H10	1.95	0.48
1:B:288:ARG:HG2	3:B:502:ACD:C9	2.16	0.48
1:A:394:SER:HB2	1:A:397:ARG:HE	1.78	0.47
1:B:370:PHE:CB	1:B:445:ILE:HD11	2.44	0.47
1:B:447:THR:HG23	4:B:685:HOH:O	2.14	0.47
1:A:285:CYS:SG	2:A:501:GW9:C1	3.02	0.46
1:B:323:HIS:HE1	2:B:501:GW9:O2	1.98	0.46
1:B:357:ARG:HH22	1:B:459:THR:HG21	1.80	0.46
1:B:405:PRO:O	1:B:409:ILE:HG13	2.16	0.46
1:B:265:LYS:CE	3:B:502:ACD:H162	2.40	0.46
1:A:440:THR:CA	4:A:604:HOH:O	2.63	0.46
1:A:255:LEU:HD12	1:A:352:PHE:HZ	1.81	0.45
1:B:342:SER:O	1:B:342:SER:OG	2.26	0.45
1:A:212:ARG:HA	1:A:212:ARG:HD2	1.61	0.45
1:B:288:ARG:HB2	3:B:502:ACD:C20	2.47	0.45
1:B:276:GLU:O	1:B:280:ARG:HG3	2.17	0.45
1:A:348:MET:HE2	1:A:353:LEU:HG	1.98	0.44
1:A:282:PHE:CE1	1:A:363:PHE:CE2	3.05	0.44
1:A:348:MET:CE	1:A:353:LEU:HG	2.48	0.44
1:A:288:ARG:HG2	3:A:502:ACD:H11	1.98	0.44
1:B:342:SER:OG	1:B:345:GLN:HB2	2.17	0.44
3:A:502:ACD:H191	3:A:502:ACD:H102	1.99	0.44
1:B:350:ARG:NH2	1:B:365:GLU:OE1	2.42	0.44
1:B:373:LYS:NZ	4:B:624:HOH:O	2.49	0.44
1:A:471:GLU:O	1:A:474:LYS:HG3	2.17	0.43
1:B:363:PHE:CE2	1:B:449:HIS:CE1	3.07	0.43
1:A:450:VAL:O	1:A:454:GLN:HG2	2.18	0.43
1:A:284:GLY:C	3:A:502:ACD:H72	2.39	0.43
1:A:296:ILE:HG12	1:A:325:ILE:HG21	2.01	0.43
1:B:262:ILE:HD11	1:B:345:GLN:CB	2.49	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:281:ILE:HG23	3:B:502:ACD:H42	2.02	0.42
1:B:307:VAL:O	1:B:314:GLN:NE2	2.52	0.42
1:A:303:ILE:HD11	1:A:392:ILE:HD12	2.01	0.42
1:A:255:LEU:HD12	1:A:352:PHE:CZ	2.52	0.42
1:A:422:LYS:NZ	1:A:432:PHE:HB2	2.35	0.41
1:A:438:LYS:HD3	1:A:438:LYS:HA	1.82	0.41
1:B:267:ILE:HD12	1:B:280:ARG:HH21	1.85	0.41
1:B:468:LEU:HA	1:B:468:LEU:HD12	1.75	0.41
1:A:290:VAL:HG21	1:A:466:HIS:CG	2.56	0.41
1:B:223:ILE:HD13	1:B:223:ILE:HA	1.87	0.41
1:A:286:GLN:HE22	1:A:465:LEU:HA	1.85	0.41
1:B:454:GLN:HA	1:B:454:GLN:OE1	2.21	0.41
1:B:455:VAL:O	1:B:458:LYS:HG2	2.21	0.41
1:B:342:SER:HG	1:B:345:GLN:HB2	1.86	0.41
1:A:283:GLN:HE21	1:A:463:MET:HG2	1.85	0.41
1:A:323:HIS:CE1	1:A:472:ILE:HG21	2.56	0.41
1:B:365:GLU:HB3	1:B:366:PRO:HD3	2.02	0.41
1:B:377:LEU:HD11	1:B:438:LYS:HZ3	1.86	0.41
1:A:283:GLN:NE2	1:A:463:MET:HG2	2.37	0.40
1:B:262:ILE:HG21	1:B:264:PHE:CZ	2.57	0.40
1:A:342:SER:HA	3:A:502:ACD:H182	2.04	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles ⓘ

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	249/275 (90%)	246 (99%)	1 (0%)	2 (1%)	16	16
1	B	249/275 (90%)	240 (96%)	9 (4%)	0	100	100
All	All	498/550 (90%)	486 (98%)	10 (2%)	2 (0%)	30	34

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	262	ILE
1	A	439	MET

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	228/248 (92%)	221 (97%)	7 (3%)	35	47
1	B	230/248 (93%)	225 (98%)	5 (2%)	47	61
All	All	458/496 (92%)	446 (97%)	12 (3%)	41	54

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	242	THR
1	A	244	LYS
1	A	363	PHE
1	A	402	ASN
1	A	422	LYS
1	A	441	ASP
1	A	474	LYS
1	B	234	ARG
1	B	276	GLU
1	B	330	LEU
1	B	441	ASP
1	B	444	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	402	ASN
1	B	323	HIS
1	B	437	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry ⓘ

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
2	GW9	B	501	-	19,19,20	1.33	3 (15%)	23,25,27	0.68	0
3	ACD	A	502	-	21,21,21	0.46	0	21,21,21	0.79	0
3	ACD	B	502	-	21,21,21	0.46	0	21,21,21	0.79	0
2	GW9	A	501	1	19,19,20	2.21	6 (31%)	23,25,27	2.38	8 (34%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GW9	B	501	-	-	6/10/12/12	0/2/2/2
3	ACD	A	502	-	-	5/19/19/19	-
3	ACD	B	502	-	-	7/19/19/19	-
2	GW9	A	501	1	-	8/10/12/12	0/2/2/2

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	501	GW9	C9-C8	5.23	1.47	1.39
2	A	501	GW9	C2-N1	-4.98	1.31	1.41
2	B	501	GW9	C1-N1	3.70	1.46	1.35
2	A	501	GW9	C12-N2	-3.18	1.37	1.45
2	A	501	GW9	C8-C1	-2.90	1.43	1.50
2	B	501	GW9	O2-N2	-2.78	1.18	1.22
2	A	501	GW9	C13-C8	-2.36	1.36	1.39
2	A	501	GW9	C13-C12	-2.13	1.35	1.39
2	B	501	GW9	C8-C1	2.06	1.54	1.50

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	501	GW9	C10-C9-C8	-4.86	115.59	120.36
2	A	501	GW9	C9-C8-C13	4.73	124.72	119.25
2	A	501	GW9	O2-N2-C12	3.58	123.74	118.82
2	A	501	GW9	O1-C1-N1	3.52	132.69	123.75
2	A	501	GW9	C10-C11-C12	3.38	123.95	119.40
2	A	501	GW9	O1-C1-C8	-3.26	114.44	120.90
2	A	501	GW9	C8-C13-C12	-3.04	116.28	119.79
2	A	501	GW9	C5-C6-C7	-2.61	117.02	120.24

There are no chirality outliers.

All (26) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	501	GW9	O1-C1-C8-C9
2	B	501	GW9	O1-C1-C8-C9
2	B	501	GW9	O1-C1-C8-C13
2	A	501	GW9	O1-C1-C8-C13
2	B	501	GW9	N1-C1-C8-C9
2	B	501	GW9	N1-C1-C8-C13
2	A	501	GW9	N1-C1-C8-C9
2	A	501	GW9	N1-C1-C8-C13
2	A	501	GW9	C7-C2-N1-C1
2	B	501	GW9	C3-C2-N1-C1
2	A	501	GW9	C3-C2-N1-C1
2	B	501	GW9	C7-C2-N1-C1
3	B	502	ACD	C1-C2-C3-C4
2	A	501	GW9	C13-C12-N2-O2
3	B	502	ACD	C16-C17-C18-C19

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
3	A	502	ACD	C3-C4-C5-C6
3	B	502	ACD	C14-C15-C16-C17
3	B	502	ACD	C17-C18-C19-C20
3	A	502	ACD	C9-C10-C11-C12
3	B	502	ACD	C11-C10-C9-C8
3	B	502	ACD	C12-C13-C14-C15
2	A	501	GW9	C11-C12-N2-O2
3	B	502	ACD	C15-C16-C17-C18
3	A	502	ACD	O2-C1-C2-C3
3	A	502	ACD	O1-C1-C2-C3
3	A	502	ACD	C2-C3-C4-C5


There are no ring outliers.


4 monomers are involved in 72 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	501	GW9	6	0
3	A	502	ACD	26	0
3	B	502	ACD	37	0
2	A	501	GW9	4	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	255/275 (92%)	0.33	9 (3%) 47 44	11, 28, 54, 68	0
1	B	257/275 (93%)	0.53	24 (9%) 16 13	10, 30, 65, 86	0
All	All	512/550 (93%)	0.43	33 (6%) 27 24	10, 29, 61, 86	0

All (33) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	270	LEU	5.5
1	B	267	ILE	4.1
1	B	474	LYS	3.9
1	B	456	ILE	3.7
1	B	459	THR	3.3
1	A	242	THR	3.2
1	B	245	SER	3.2
1	B	269	PRO	3.1
1	A	452	LEU	3.0
1	B	240	LYS	3.0
1	A	363	PHE	2.8
1	B	262	ILE	2.8
1	B	455	VAL	2.8
1	B	268	THR	2.7
1	B	256	MET	2.7
1	B	363	PHE	2.7
1	B	264	PHE	2.6
1	A	239	GLY	2.5
1	B	461	THR	2.5
1	B	263	LYS	2.5
1	B	454	GLN	2.4
1	A	253	ASN	2.4
1	A	256	MET	2.4
1	B	275	LYS	2.3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	243	ASP	2.3
1	A	262	ILE	2.3
1	B	260	ASP	2.3
1	B	238	THR	2.2
1	B	244	LYS	2.2
1	B	458	LYS	2.2
1	A	260	ASP	2.2
1	B	457	LYS	2.0
1	B	266	HIS	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
3	ACD	B	502	22/22	0.47	0.24	38,41,43,44	0
3	ACD	A	502	22/22	0.55	0.21	32,39,44,45	0
2	GW9	A	501	18/19	0.63	0.18	37,53,61,64	0
2	GW9	B	501	18/19	0.71	0.18	38,56,65,67	0



The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

**Electron density around ACD B 502:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around ACD A 502:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around GW9 A 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around GW9 B 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.5 Other polymers [i](#)

There are no such residues in this entry.