



## wwPDB EM Validation Summary Report ⓘ

Oct 19, 2024 – 07:54 PM EDT

PDB ID : 6N52  
EMDB ID : EMD-0346  
Title : Metabotropic Glutamate Receptor 5 Apo Form  
Authors : Koehl, A.; Hu, H.; Feng, D.; Sun, B.; Weis, W.I.; Skiniotis, G.S.; Mathiesen, J.M.; Kobilka, B.K.  
Deposited on : 2018-11-20  
Resolution : 4.00 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev113  
Mogul : 2022.3.0, CSD as543be (2022)  
MolProbity : 4.02b-467  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.39


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*

The reported resolution of this entry is 4.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	871	<div> <div>9%</div> <div>80%</div> <div>8%</div> <div>11%</div> </div>
1	B	871	<div> <div>9%</div> <div>80%</div> <div>8%</div> <div>11%</div> </div>

## 2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 11108 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Metabotropic glutamate receptor 5.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	774	Total	C	N	O	S	0	0
			5526	3532	937	1003	54		
1	B	774	Total	C	N	O	S	0	0
			5526	3532	937	1003	54		

There are 102 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-5	MET	-	initiating methionine	UNP P41594
A	-4	LYS	-	expression tag	UNP P41594
A	-3	THR	-	expression tag	UNP P41594
A	-2	ILE	-	expression tag	UNP P41594
A	-1	ILE	-	expression tag	UNP P41594
A	0	ALA	-	expression tag	UNP P41594
A	1	LEU	-	expression tag	UNP P41594
A	2	SER	-	expression tag	UNP P41594
A	3	TYR	-	expression tag	UNP P41594
A	4	ILE	-	expression tag	UNP P41594
A	5	PHE	-	expression tag	UNP P41594
A	6	CYS	-	expression tag	UNP P41594
A	7	LEU	-	expression tag	UNP P41594
A	8	VAL	-	expression tag	UNP P41594
A	9	PHE	-	expression tag	UNP P41594
A	10	ALA	-	expression tag	UNP P41594
A	11	ASP	-	expression tag	UNP P41594
A	12	TYR	-	expression tag	UNP P41594
A	13	LYS	-	expression tag	UNP P41594
A	14	ASP	-	expression tag	UNP P41594
A	15	ASP	-	expression tag	UNP P41594
A	16	ASP	-	expression tag	UNP P41594
A	17	ASP	-	expression tag	UNP P41594
A	18	ALA	-	expression tag	UNP P41594
A	19	ALA	-	expression tag	UNP P41594
A	840	SER	-	expression tag	UNP P41594

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
A	841	THR	-	expression tag	UNP P41594
A	842	VAL	-	expression tag	UNP P41594
A	843	VAL	-	expression tag	UNP P41594
A	844	ARG	-	expression tag	UNP P41594
A	845	MET	-	expression tag	UNP P41594
A	846	HIS	-	expression tag	UNP P41594
A	847	VAL	-	expression tag	UNP P41594
A	848	GLY	-	expression tag	UNP P41594
A	849	ASP	-	expression tag	UNP P41594
A	850	GLY	-	expression tag	UNP P41594
A	851	LYS	-	expression tag	UNP P41594
A	852	SER	-	expression tag	UNP P41594
A	853	SER	-	expression tag	UNP P41594
A	854	SER	-	expression tag	UNP P41594
A	855	ALA	-	expression tag	UNP P41594
A	856	ALA	-	expression tag	UNP P41594
A	857	SER	-	expression tag	UNP P41594
A	858	ARG	-	expression tag	UNP P41594
A	859	SER	-	expression tag	UNP P41594
A	860	SER	-	expression tag	UNP P41594
A	861	SER	-	expression tag	UNP P41594
A	862	LEU	-	expression tag	UNP P41594
A	863	VAL	-	expression tag	UNP P41594
A	864	ASN	-	expression tag	UNP P41594
A	865	LEU	-	expression tag	UNP P41594
B	-5	MET	-	initiating methionine	UNP P41594
B	-4	LYS	-	expression tag	UNP P41594
B	-3	THR	-	expression tag	UNP P41594
B	-2	ILE	-	expression tag	UNP P41594
B	-1	ILE	-	expression tag	UNP P41594
B	0	ALA	-	expression tag	UNP P41594
B	1	LEU	-	expression tag	UNP P41594
B	2	SER	-	expression tag	UNP P41594
B	3	TYR	-	expression tag	UNP P41594
B	4	ILE	-	expression tag	UNP P41594
B	5	PHE	-	expression tag	UNP P41594
B	6	CYS	-	expression tag	UNP P41594
B	7	LEU	-	expression tag	UNP P41594
B	8	VAL	-	expression tag	UNP P41594
B	9	PHE	-	expression tag	UNP P41594
B	10	ALA	-	expression tag	UNP P41594
B	11	ASP	-	expression tag	UNP P41594

*Continued on next page...*

*Continued from previous page...*


Chain	Residue	Modelled	Actual	Comment	Reference
B	12	TYR	-	expression tag	UNP P41594
B	13	LYS	-	expression tag	UNP P41594
B	14	ASP	-	expression tag	UNP P41594
B	15	ASP	-	expression tag	UNP P41594
B	16	ASP	-	expression tag	UNP P41594
B	17	ASP	-	expression tag	UNP P41594
B	18	ALA	-	expression tag	UNP P41594
B	19	ALA	-	expression tag	UNP P41594
B	840	SER	-	expression tag	UNP P41594
B	841	THR	-	expression tag	UNP P41594
B	842	VAL	-	expression tag	UNP P41594
B	843	VAL	-	expression tag	UNP P41594
B	844	ARG	-	expression tag	UNP P41594
B	845	MET	-	expression tag	UNP P41594
B	846	HIS	-	expression tag	UNP P41594
B	847	VAL	-	expression tag	UNP P41594
B	848	GLY	-	expression tag	UNP P41594
B	849	ASP	-	expression tag	UNP P41594
B	850	GLY	-	expression tag	UNP P41594
B	851	LYS	-	expression tag	UNP P41594
B	852	SER	-	expression tag	UNP P41594
B	853	SER	-	expression tag	UNP P41594
B	854	SER	-	expression tag	UNP P41594
B	855	ALA	-	expression tag	UNP P41594
B	856	ALA	-	expression tag	UNP P41594
B	857	SER	-	expression tag	UNP P41594
B	858	ARG	-	expression tag	UNP P41594
B	859	SER	-	expression tag	UNP P41594
B	860	SER	-	expression tag	UNP P41594
B	861	SER	-	expression tag	UNP P41594
B	862	LEU	-	expression tag	UNP P41594
B	863	VAL	-	expression tag	UNP P41594
B	864	ASN	-	expression tag	UNP P41594
B	865	LEU	-	expression tag	UNP P41594

- Molecule 2 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula:  $C_8H_{15}NO_6$ ).



Mol	Chain	Residues	Atoms				AltConf
2	A	1	Total	C	N	O	0
			14	8	1	5	
2	A	1	Total	C	N	O	0
			14	8	1	5	
2	B	1	Total	C	N	O	0
			14	8	1	5	
2	B	1	Total	C	N	O	0
			14	8	1	5	







## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	123096	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	50	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	47169	Depositor
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.132	Depositor
Minimum map value	-0.056	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.006	Depositor
Recommended contour level	0.031	Depositor
Map size (Å)	271.36, 271.36, 271.36	wwPDB
Map dimensions	256, 256, 256	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.06, 1.06, 1.06	Depositor

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.27	0/5651	0.47	0/7723
1	B	0.27	0/5651	0.47	0/7723
All	All	0.27	0/11302	0.47	0/15446

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5526	0	4968	40	0
1	B	5526	0	4968	40	0
2	A	28	0	26	0	0
2	B	28	0	26	0	0
All	All	11108	0	9988	78	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

The worst 5 of 78 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:163:GLN:NE2	1:B:184:LEU:O	2.34	0.61
1:A:159:GLN:HE22	1:A:169:GLN:HB3	1.65	0.60
1:B:625:ILE:HG23	1:B:810:ALA:HB1	1.82	0.60
1:A:625:ILE:HG23	1:A:810:ALA:HB1	1.82	0.60
1:B:159:GLN:HE22	1:B:169:GLN:HB3	1.66	0.60

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	768/871 (88%)	736 (96%)	32 (4%)	0	100	100
1	B	768/871 (88%)	737 (96%)	31 (4%)	0	100	100
All	All	1536/1742 (88%)	1473 (96%)	63 (4%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	512/757 (68%)	509 (99%)	3 (1%)	84	88
1	B	512/757 (68%)	509 (99%)	3 (1%)	84	88
All	All	1024/1514 (68%)	1018 (99%)	6 (1%)	82	88

5 of 6 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	362	ARG
1	B	436	LYS
1	B	615	ARG
1	A	436	LYS
1	A	362	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 12 such sidechains are listed below:

Mol	Chain	Res	Type
1	B	159	GLN
1	B	169	GLN
1	B	364	GLN
1	B	218	HIS
1	A	218	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	NAG	B	901	1	14,14,15	0.42	0	17,19,21	0.64	1 (5%)
2	NAG	A	901	1	14,14,15	0.36	0	17,19,21	0.53	0
2	NAG	B	902	1	14,14,15	0.34	0	17,19,21	0.54	0
2	NAG	A	902	1	14,14,15	0.35	0	17,19,21	0.54	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	B	901	1	-	2/6/23/26	0/1/1/1
2	NAG	A	901	1	-	1/6/23/26	0/1/1/1
2	NAG	B	902	1	-	2/6/23/26	0/1/1/1
2	NAG	A	902	1	-	2/6/23/26	0/1/1/1

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	901	NAG	C1-O5-C5	2.20	115.14	112.19

There are no chirality outliers.

5 of 7 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	901	NAG	C4-C5-C6-O6
2	A	902	NAG	O5-C5-C6-O6
2	B	902	NAG	O5-C5-C6-O6
2	B	901	NAG	O5-C5-C6-O6
2	A	902	NAG	C4-C5-C6-O6

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers ⓘ

There are no such residues in this entry.

## 5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-0346. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

### 6.2 Central slices [i](#)


#### 6.2.1 Primary map



X Index: 128



Y Index: 128



Z Index: 128


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 152



Y Index: 128




Z Index: 197


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)


### 6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.



## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.031. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


## 6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 123 nm<sup>3</sup>; this corresponds to an approximate mass of 111 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum ⓘ



\*Reported resolution corresponds to spatial frequency of 0.250 Å<sup>-1</sup>


## 8 Fourier-Shell correlation ⓘ

This section was not generated. No FSC curve or half-maps provided.


## 9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-0346 and PDB model 6N52. Per-residue inclusion information can be found in section [3](#) on page [7](#).


### 9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.031 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.031).

## 9.4 Atom inclusion [i](#)



At the recommended contour level, 92% of all backbone atoms, 77% of all non-hydrogen atoms, are inside the map.



9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.031) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	<div></div> 0.7660	<div></div> 0.3120
A	<div></div> 0.7660	<div></div> 0.3130
B	<div></div> 0.7670	<div></div> 0.3120

