



Full wwPDB X-ray Structure Validation Report ⓘ

Nov 13, 2024 – 06:38 AM EST

PDB ID : 4NA0
Title : Crystal structure of mouse poly(ADP-ribose) glycohydrolase (PARG) catalytic domain with ADPRibose
Authors : Wang, Z.; Cheng, Z.; Xu, W.
Deposited on : 2013-10-21
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	1.20.1
EDS	:	3.0
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4	:	9.0.003 (Gargrove)
Density-Fitness	:	1.0.11
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.39


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	4642 (2.40-2.40)
Clashscore	180529	5218 (2.40-2.40)
Ramachandran outliers	177936	5158 (2.40-2.40)
Sidechain outliers	177891	5159 (2.40-2.40)
RSRZ outliers	164620	4642 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	522	<div> <div>4%</div> <div>82%</div> <div>12%</div> <div>• •</div> </div>
1	B	522	<div> <div>10%</div> <div>78%</div> <div>18%</div> <div>• •</div> </div>
1	C	522	<div> <div>34%</div> <div>73%</div> <div>21%</div> <div>• •</div> </div>

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 12337 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Poly(ADP-ribose) glycohydrolase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	501	Total	C	N	O	S	Se	0	0	0
			4074	2603	710	738	14	9			
1	B	502	Total	C	N	O	S	Se	0	0	0
			4079	2605	710	741	14	9			
1	C	501	Total	C	N	O	S	Se	0	0	0
			4070	2598	709	741	13	9			


There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	438	GLY	-	expression tag	UNP O88622
B	438	GLY	-	expression tag	UNP O88622
C	438	GLY	-	expression tag	UNP O88622

- Molecule 2 is IODIDE ION (three-letter code: IOD) (formula: I).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	2	Total	I	0	0
			2	2		
2	B	2	Total	I	0	0
			2	2		
2	C	2	Total	I	0	0
			2	2		

- Molecule 3 is [(2R,3S,4R,5R)-5-(6-AMINOPURIN-9-YL)-3,4-DIHYDROXY-OXOLAN-2-YL]METHYL [HYDROXY-[(2R,3S,4R,5S)-3,4,5-TRIHYDROXYOXOLAN-2-YL]METHOXY]PHOSPHORYL] HYDROGEN PHOSPHATE (three-letter code: AR6) (formula: C₁₅H₂₃N₅O₁₄P₂).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			36	15	5	14	2		
3	B	1	Total	C	N	O	P	0	0
			36	15	5	14	2		
3	C	1	Total	C	N	O	P	0	0
			36	15	5	14	2		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Poly(ADP-ribose) glycohydrolase




- Molecule 1: Poly(ADP-ribose) glycohydrolase



- Molecule 1: Poly(ADP-ribose) glycohydrolase





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	188.30Å 55.66Å 166.15Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 2.40 50.00 – 2.40	Depositor EDS
% Data completeness (in resolution range)	97.7 (50.00-2.40) 97.6 (50.00-2.40)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.94 (at 2.39Å)	Xtriage
Refinement program	REFMAC 5.5.0110	Depositor
R, R_{free}	0.298 , 0.342 0.294 , 0.337	Depositor DCC
R_{free} test set	3419 reflections (5.06%)	wwPDB-VP
Wilson B-factor (Å ²)	50.2	Xtriage
Anisotropy	0.339	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 43.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	12337	wwPDB-VP
Average B, all atoms (Å ²)	70.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 70.75 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 2.9603e-06. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: AR6, IOD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.36	0/4165	0.55	0/5617
1	B	0.37	0/4170	0.53	0/5627
1	C	0.38	0/4159	0.55	1/5610 (0.0%)
All	All	0.37	0/12494	0.54	1/16854 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	1

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	796	ARG	NE-CZ-NH1	6.19	123.39	120.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	700	GLU	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4074	0	4042	59	0
1	B	4079	0	4042	66	0
1	C	4070	0	4030	103	0
2	A	2	0	0	2	0
2	B	2	0	0	0	0
2	C	2	0	0	1	0
3	A	36	0	20	2	0
3	B	36	0	20	2	0
3	C	36	0	21	6	0
All	All	12337	0	12175	229	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (229) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:907:MSE:HE1	1:A:949:ILE:HG21	1.22	1.09
1:C:447:LEU:CD2	1:C:713:VAL:HG23	1.86	1.05
1:B:726:MSE:HE3	1:B:859:ALA:HB2	1.39	1.04
1:C:711:LEU:HD21	1:C:713:VAL:HG13	1.41	1.00
1:A:618:MSE:HE3	1:A:623:ILE:CD1	1.94	0.98
1:A:907:MSE:HE3	1:A:911:LEU:HD11	1.49	0.93
1:C:713:VAL:HG12	1:C:892:TYR:HB3	1.51	0.92
1:C:447:LEU:HD23	1:C:713:VAL:HG23	1.54	0.90
1:C:447:LEU:HD22	1:C:447:LEU:N	1.87	0.90
1:C:447:LEU:HD21	1:C:713:VAL:HG23	1.52	0.89
1:C:911:LEU:HD21	1:C:921:VAL:HG22	1.55	0.88
1:B:447:LEU:HG	1:B:901:MSE:HE3	1.57	0.86
1:C:447:LEU:HD23	1:C:713:VAL:CG2	2.07	0.85
1:B:728:GLN:OE1	1:B:751:ARG:NH2	2.14	0.81
1:A:728:GLN:OE1	1:A:751:ARG:NH2	2.14	0.81
1:A:907:MSE:HE1	1:A:949:ILE:CG2	2.09	0.79
1:B:447:LEU:HG	1:B:901:MSE:CE	2.11	0.79
1:C:711:LEU:HD21	1:C:713:VAL:CG1	2.12	0.78
1:C:858:VAL:HG12	1:C:889:ASP:O	1.84	0.78
1:A:467:LEU:O	1:A:479:VAL:HG11	1.83	0.78
1:A:907:MSE:CE	1:A:949:ILE:HG21	2.11	0.77
1:B:726:MSE:CE	1:B:859:ALA:HB2	2.16	0.76

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:447:LEU:CD2	1:C:447:LEU:N	2.51	0.73
1:C:624:ALA:HB1	1:C:679:VAL:HG11	1.69	0.73
1:B:629:ASN:OD1	1:B:634:THR:HG21	1.90	0.72
1:C:711:LEU:CD2	1:C:713:VAL:HG13	2.18	0.72
1:C:447:LEU:HD21	1:C:901:MSE:HG2	1.73	0.71
1:C:514:TYR:CE2	1:C:531:LEU:HD22	2.26	0.71
1:C:746:VAL:HG13	1:C:788:TYR:OH	1.90	0.71
1:B:723:GLY:HA2	1:B:726:MSE:HE2	1.73	0.70
1:A:618:MSE:CE	1:A:623:ILE:CD1	2.70	0.70
1:A:746:VAL:HG13	1:A:747:GLN:H	1.56	0.70
1:C:447:LEU:CD2	1:C:713:VAL:CG2	2.65	0.70
1:B:746:VAL:HG22	1:B:788:TYR:OH	1.90	0.69
1:B:709:THR:HG21	1:B:888:ARG:O	1.91	0.69
1:A:618:MSE:HE3	1:A:623:ILE:HD13	1.72	0.69
1:B:692:ARG:NH2	1:B:766:GLU:O	2.26	0.68
1:A:820:LEU:HD11	1:A:836:ARG:HG2	1.76	0.67
1:C:746:VAL:HG11	3:C:1003:AR6:O2A	1.96	0.65
1:C:665:LYS:O	1:C:669:LEU:HD23	1.97	0.65
1:C:818:ASP:O	1:C:836:ARG:NH2	2.30	0.64
1:A:618:MSE:HE3	1:A:623:ILE:HD11	1.77	0.64
1:A:623:ILE:HD11	1:A:688:VAL:HG21	1.80	0.63
1:A:746:VAL:HG13	1:A:747:GLN:N	2.14	0.63
1:A:907:MSE:HE3	1:A:911:LEU:CD1	2.26	0.62
1:B:746:VAL:HG13	1:B:747:GLN:N	2.14	0.62
1:C:447:LEU:HD21	1:C:901:MSE:CG	2.29	0.62
1:C:781:GLN:N	1:C:800:ASP:OD2	2.32	0.62
1:B:657:LEU:HD21	1:B:672:LEU:HD12	1.81	0.62
1:C:715:TYR:H	1:C:901:MSE:HE2	1.63	0.62
1:B:838:LEU:HD23	1:B:878:ILE:HG23	1.82	0.62
1:C:824:ARG:HB3	1:C:827:ASP:HB2	1.82	0.61
1:C:668:LYS:NZ	1:C:742:GLY:O	2.34	0.61
1:A:618:MSE:CE	1:A:623:ILE:HD11	2.31	0.60
1:B:597:LEU:HD22	1:B:629:ASN:ND2	2.16	0.60
1:A:514:TYR:C	2:A:1002:IOD:I	3.10	0.60
1:A:687:LEU:HD12	1:A:807:TRP:O	2.00	0.60
1:A:618:MSE:HE2	1:A:690:PHE:CE1	2.37	0.59
1:A:704:CYS:HB3	1:A:918:VAL:HG23	1.83	0.59
1:A:657:LEU:HD12	1:A:669:LEU:HD21	1.85	0.59
1:C:715:TYR:N	1:C:901:MSE:HE2	2.18	0.59
1:C:784:GLU:O	1:C:795:ALA:HB3	2.01	0.59
1:B:487:VAL:HG21	1:B:683:LYS:HB2	1.84	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:618:MSE:HE3	1:A:623:ILE:CG1	2.33	0.58
1:C:858:VAL:CG1	1:C:889:ASP:O	2.51	0.58
1:C:911:LEU:HD21	1:C:921:VAL:CG2	2.30	0.58
1:A:746:VAL:HG22	1:A:788:TYR:OH	2.04	0.58
1:A:447:LEU:HD13	1:A:905:TYR:CD2	2.40	0.57
1:C:566:LEU:HD13	1:C:658:PHE:CD1	2.39	0.57
1:A:462:ILE:HD11	1:A:850:VAL:HG13	1.86	0.57
1:C:457:MSE:SE	1:C:461:GLY:HA2	2.54	0.57
1:B:867:ALA:HB3	3:B:1003:AR6:O5D	2.05	0.57
1:B:727:LEU:HD13	1:B:813:GLU:OE2	2.05	0.57
1:C:590:MSE:HE1	1:C:631:PHE:CG	2.40	0.56
1:B:746:VAL:HG13	1:B:747:GLN:H	1.69	0.56
1:C:624:ALA:CB	1:C:679:VAL:HG11	2.35	0.56
1:A:657:LEU:HD12	1:A:669:LEU:CD2	2.35	0.56
1:B:863:TRP:O	1:B:875:LYS:HG2	2.06	0.55
1:B:837:GLU:OE2	1:B:875:LYS:NZ	2.25	0.55
1:A:642:MET:HG2	1:A:643:LYS:N	2.22	0.55
1:C:480:ASP:OD2	1:C:481:LEU:HD12	2.06	0.55
1:A:638:ARG:NH2	1:A:763:LEU:O	2.39	0.55
1:C:598:PRO:O	1:C:602:THR:HG22	2.06	0.55
1:A:765:THR:HG21	1:A:774:LEU:HD22	1.89	0.55
1:C:446:TRP:C	1:C:447:LEU:HD22	2.28	0.55
1:C:863:TRP:O	1:C:875:LYS:HG2	2.07	0.54
1:C:851:PRO:HB2	1:C:854:ASN:HD22	1.72	0.54
1:C:937:SER:O	1:C:938:THR:HG23	2.07	0.54
1:A:746:VAL:HG13	3:A:1003:AR6:O2A	2.08	0.54
1:B:616:VAL:O	1:B:616:VAL:HG13	2.08	0.54
1:B:664:ARG:NH1	1:B:790:GLU:O	2.41	0.54
1:B:820:LEU:HD11	1:B:836:ARG:HD2	1.88	0.54
1:C:569:PHE:CE2	1:C:574:LEU:HD11	2.43	0.54
1:A:623:ILE:HD13	1:A:760:VAL:HG11	1.90	0.54
1:A:726:MSE:SE	1:A:891:VAL:HG21	2.58	0.54
1:C:728:GLN:OE1	1:C:751:ARG:NH2	2.40	0.54
1:B:485:GLY:O	1:B:685:THR:HG21	2.08	0.54
1:B:657:LEU:HD21	1:B:672:LEU:CD1	2.37	0.54
1:C:820:LEU:HD11	1:C:836:ARG:HG2	1.90	0.54
1:C:911:LEU:HD11	1:C:916:LEU:HD23	1.90	0.54
1:A:826:LEU:O	1:A:826:LEU:HD23	2.08	0.53
1:A:618:MSE:HE3	1:A:623:ILE:HG12	1.91	0.53
1:B:914:ARG:O	1:B:915:LYS:HG2	2.08	0.53
1:C:639:ASN:O	1:C:640:ALA:HB2	2.09	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:954:GLU:O	1:C:955:SER:C	2.46	0.53
1:C:513:LEU:O	1:C:514:TYR:CD2	2.62	0.52
1:C:866:GLY:HA3	3:C:1003:AR6:O1A	2.09	0.52
1:A:618:MSE:HE2	1:A:690:PHE:HE1	1.73	0.52
1:A:911:LEU:HD22	1:A:916:LEU:HD12	1.91	0.52
1:C:456:LYS:CE	1:C:726:MSE:HE2	2.40	0.52
1:A:704:CYS:SG	1:A:918:VAL:HG21	2.50	0.51
1:A:746:VAL:CG1	1:A:747:GLN:N	2.74	0.51
1:B:642:MET:O	1:B:644:SER:N	2.44	0.51
1:C:665:LYS:HE2	2:C:1001:IOD:I	2.81	0.51
1:B:507:PRO:CB	1:B:634:THR:HG23	2.41	0.50
1:B:551:LEU:HD22	1:B:558:SER:HA	1.93	0.50
1:C:784:GLU:HB3	1:C:796:ARG:HD3	1.93	0.50
1:A:564:THR:O	1:A:567:VAL:HG22	2.12	0.50
1:B:831:PRO:HG3	1:B:926:LEU:HD13	1.93	0.50
1:C:746:VAL:CG1	1:C:747:GLN:N	2.75	0.50
1:B:507:PRO:HB3	1:B:634:THR:HG23	1.94	0.50
1:C:500:ASP:O	1:C:505:LYS:NZ	2.44	0.50
1:C:449:THR:HG21	1:C:710:ARG:NE	2.27	0.49
1:A:754:ILE:HG13	1:A:755:ASN:HD22	1.78	0.49
1:C:454:MSE:HE1	1:C:889:ASP:HB3	1.93	0.49
1:A:566:LEU:HD13	1:A:658:PHE:CD1	2.46	0.49
1:A:543:PRO:HB2	1:A:567:VAL:HG12	1.94	0.49
1:C:610:GLN:HE21	1:C:767:VAL:HG13	1.78	0.49
1:B:652:ILE:HG12	1:B:763:LEU:HD13	1.93	0.49
1:C:922:TYR:CE2	1:C:926:LEU:HD11	2.48	0.49
1:C:746:VAL:HG12	1:C:747:GLN:N	2.28	0.49
1:C:866:GLY:HA3	3:C:1003:AR6:O3'	2.11	0.49
1:C:678:ARG:NH1	1:C:682:LYS:O	2.46	0.49
1:B:449:THR:HB	1:B:454:MSE:HE2	1.94	0.49
1:A:618:MSE:CE	1:A:623:ILE:HD13	2.38	0.49
1:C:462:ILE:HD12	1:C:462:ILE:C	2.33	0.49
3:C:1003:AR6:O1A	3:C:1003:AR6:C3'	2.60	0.48
1:B:938:THR:HG23	1:B:939:PRO:HD2	1.96	0.48
1:B:587:LEU:HB2	1:B:588:PRO:HD3	1.95	0.48
1:C:447:LEU:HD23	1:C:713:VAL:HG22	1.90	0.48
1:B:473:HIS:NE2	1:B:617:THR:OG1	2.36	0.48
1:B:752:PHE:O	1:B:756:PRO:HA	2.13	0.48
1:B:507:PRO:HG3	1:B:634:THR:CG2	2.44	0.48
1:A:574:LEU:CD1	1:A:582:LEU:HD22	2.44	0.47
1:A:746:VAL:HG22	1:A:788:TYR:CZ	2.49	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:700:GLU:CD	1:B:700:GLU:H	2.16	0.47
1:C:733:ASN:HD22	1:C:735:PHE:H	1.61	0.47
1:C:514:TYR:CZ	1:C:531:LEU:HD22	2.49	0.47
1:B:746:VAL:HG22	1:B:788:TYR:CZ	2.50	0.47
1:A:652:ILE:HG12	1:A:763:LEU:HD13	1.95	0.47
1:A:462:ILE:HG22	1:A:463:HIS:N	2.30	0.47
1:C:657:LEU:HD11	1:C:672:LEU:CD1	2.45	0.47
1:A:845:PHE:CE1	1:A:858:VAL:HG11	2.50	0.46
1:A:907:MSE:HE2	1:A:949:ILE:HD13	1.96	0.46
1:C:573:VAL:HG12	1:C:573:VAL:O	2.15	0.46
1:B:866:GLY:HA3	3:B:1003:AR6:O5'	2.16	0.46
1:C:776:ILE:N	1:C:776:ILE:HD12	2.29	0.46
1:A:864:GLY:HA2	3:A:1003:AR6:O2B	2.15	0.46
1:B:484:ALA:HB2	1:B:808:GLN:HE22	1.81	0.46
1:C:597:LEU:HD22	1:C:629:ASN:ND2	2.30	0.46
1:B:945:LEU:HD11	1:B:949:ILE:HD11	1.98	0.46
1:C:842:TYR:CZ	1:C:846:LEU:HD22	2.50	0.46
1:C:447:LEU:HD21	1:C:901:MSE:SE	2.66	0.46
1:B:675:TYR:CG	1:B:756:PRO:HG2	2.51	0.46
1:C:454:MSE:HE2	1:C:891:VAL:HG23	1.97	0.46
1:C:784:GLU:HB3	1:C:796:ARG:CD	2.45	0.45
1:C:597:LEU:N	1:C:598:PRO:HD2	2.32	0.45
1:A:704:CYS:SG	1:A:918:VAL:CG2	3.04	0.45
1:A:770:HIS:CD2	1:A:836:ARG:HE	2.35	0.45
1:B:727:LEU:HD11	1:B:815:VAL:CG1	2.46	0.45
1:C:456:LYS:HE2	1:C:726:MSE:HE2	1.97	0.45
1:C:467:LEU:HD12	1:C:468:ARG:N	2.32	0.45
1:B:542:ARG:HB2	1:B:543:PRO:HD2	1.99	0.45
1:A:665:LYS:HD2	2:A:1001:IOD:I	2.87	0.44
1:C:668:LYS:HE3	1:C:745:LEU:HG	1.99	0.44
1:C:745:LEU:HD22	1:C:792:TYR:CG	2.52	0.44
1:A:506:MSE:HE1	1:A:597:LEU:HD11	1.99	0.44
1:B:610:GLN:O	1:B:611:LYS:HB2	2.17	0.44
1:B:873:ARG:NH2	1:B:903:ASP:OD2	2.47	0.44
1:C:565:ALA:HB3	1:C:658:PHE:O	2.18	0.44
1:B:776:ILE:N	1:B:776:ILE:HD12	2.32	0.44
1:C:590:MSE:HE3	1:C:676:PHE:CD1	2.53	0.44
1:C:796:ARG:HG2	1:C:796:ARG:HH11	1.82	0.44
1:C:796:ARG:HH11	1:C:796:ARG:CG	2.30	0.44
1:C:727:LEU:HD13	1:C:813:GLU:HG2	2.00	0.43
1:C:569:PHE:CZ	1:C:574:LEU:HD11	2.53	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:701:TRP:O	1:B:919:GLY:HA2	2.17	0.43
1:B:819:ALA:HB2	1:B:863:TRP:CE2	2.52	0.43
1:C:656:ARG:NE	1:C:659:GLU:OE1	2.42	0.43
1:C:508:CYS:HA	1:C:529:TRP:CD2	2.54	0.43
1:C:955:SER:O	1:C:956:SER:CB	2.67	0.43
1:C:449:THR:HG21	1:C:710:ARG:CZ	2.49	0.43
1:A:730:ASP:OD2	1:A:730:ASP:C	2.56	0.43
1:C:500:ASP:HB3	1:C:502:LYS:H	1.83	0.43
1:C:574:LEU:HD22	1:C:578:GLU:HB3	2.01	0.43
1:B:838:LEU:CD2	1:B:878:ILE:HG23	2.48	0.42
1:C:911:LEU:CD1	1:C:916:LEU:HD23	2.49	0.42
1:B:597:LEU:N	1:B:598:PRO:HD2	2.35	0.42
1:C:609:LYS:HG2	1:C:649:TYR:OH	2.19	0.42
1:C:758:LEU:HD11	1:C:814:ILE:HD12	2.01	0.42
1:A:838:LEU:HD23	1:A:878:ILE:HG23	2.02	0.42
1:B:543:PRO:HG3	1:B:570:TRP:HB3	2.02	0.42
1:B:820:LEU:CD1	1:B:836:ARG:HD2	2.50	0.42
1:C:746:VAL:CG1	3:C:1003:AR6:O2A	2.65	0.42
1:B:563:PHE:O	1:B:567:VAL:HG23	2.19	0.42
1:B:726:MSE:HE3	1:B:859:ALA:CB	2.29	0.42
1:C:454:MSE:HE1	1:C:889:ASP:CB	2.50	0.42
1:C:456:LYS:NZ	1:C:726:MSE:HE2	2.35	0.42
1:C:711:LEU:C	1:C:711:LEU:HD23	2.40	0.42
1:A:922:TYR:CZ	1:A:926:LEU:HD11	2.55	0.41
1:C:868:PHE:CD1	3:C:1003:AR6:H5DA	2.55	0.41
1:C:454:MSE:HE2	1:C:891:VAL:CG2	2.50	0.41
1:A:483:ARG:HA	1:A:483:ARG:NE	2.35	0.41
1:B:546:LEU:HD22	1:B:550:ILE:CD1	2.51	0.41
1:A:505:LYS:NZ	1:A:645:GLU:OE1	2.52	0.41
1:B:457:MSE:SE	1:B:461:GLY:CA	3.18	0.41
1:B:765:THR:HG21	1:B:774:LEU:HD22	2.02	0.41
1:B:877:LEU:HD23	1:B:925:LEU:HD21	2.03	0.41
1:C:746:VAL:O	1:C:747:GLN:C	2.58	0.41
1:B:623:ILE:HG12	1:B:760:VAL:HG11	2.01	0.41
1:C:907:MSE:HE3	1:C:946:TYR:HA	2.02	0.41
1:B:746:VAL:CG1	1:B:747:GLN:N	2.83	0.41
1:C:448:GLY:HA3	1:C:711:LEU:O	2.21	0.41
1:C:454:MSE:CE	1:C:891:VAL:HG23	2.51	0.41
1:C:711:LEU:HD13	1:C:908:HIS:ND1	2.36	0.41
1:C:590:MSE:HE3	1:C:676:PHE:CE1	2.56	0.40
1:B:727:LEU:HD11	1:B:815:VAL:HB	2.03	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:831:PRO:CG	1:B:926:LEU:HD13	2.51	0.40
1:B:914:ARG:O	1:B:916:LEU:HD12	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	495/522 (95%)	473 (96%)	20 (4%)	2 (0%)	30	44
1	B	496/522 (95%)	482 (97%)	14 (3%)	0	100	100
1	C	493/522 (94%)	464 (94%)	25 (5%)	4 (1%)	16	26
All	All	1484/1566 (95%)	1419 (96%)	59 (4%)	6 (0%)	30	44

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	643	LYS
1	C	937	SER
1	C	954	GLU
1	C	747	GLN
1	C	955	SER
1	A	645	GLU

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	441/450 (98%)	429 (97%)	12 (3%)	40	60
1	B	442/450 (98%)	431 (98%)	11 (2%)	42	63
1	C	441/450 (98%)	421 (96%)	20 (4%)	23	40
All	All	1324/1350 (98%)	1281 (97%)	43 (3%)	34	54

All (43) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	468	ARG
1	A	546	LEU
1	A	623	ILE
1	A	642	MET
1	A	657	LEU
1	A	702	GLU
1	A	703	ARG
1	A	730	ASP
1	A	746	VAL
1	A	823	ARG
1	A	824	ARG
1	A	902	ARG
1	B	459	ARG
1	B	496	LYS
1	B	510	GLU
1	B	544	GLN
1	B	546	LEU
1	B	582	LEU
1	B	634	THR
1	B	700	GLU
1	B	746	VAL
1	B	821	HIS
1	B	942	ASP
1	C	445	LYS
1	C	447	LEU
1	C	459	ARG
1	C	482	LEU
1	C	500	ASP
1	C	514	TYR
1	C	544	GLN
1	C	546	LEU
1	C	664	ARG
1	C	702	GLU
1	C	714	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	734	ARG
1	C	760	VAL
1	C	796	ARG
1	C	800	ASP
1	C	824	ARG
1	C	836	ARG
1	C	853	GLU
1	C	934	ARG
1	C	938	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	544	GLN
1	A	545	ASN
1	A	755	ASN
1	A	770	HIS
1	B	545	ASN
1	B	614	HIS
1	B	770	HIS
1	C	544	GLN
1	C	610	GLN
1	C	629	ASN
1	C	733	ASN
1	C	808	GLN
1	C	854	ASN
1	C	879	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

Of 9 ligands modelled in this entry, 6 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	AR6	C	1003	-	35,39,39	2.58	7 (20%)	42,60,60	2.89	9 (21%)
3	AR6	B	1003	-	35,39,39	2.77	6 (17%)	42,60,60	2.35	9 (21%)
3	AR6	A	1003	-	35,39,39	2.72	8 (22%)	42,60,60	2.26	8 (19%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	AR6	C	1003	-	-	9/18/54/54	0/4/4/4
3	AR6	B	1003	-	-	9/18/54/54	0/4/4/4
3	AR6	A	1003	-	-	8/18/54/54	0/4/4/4

All (21) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	1003	AR6	PA-O3A	13.92	1.74	1.59
3	A	1003	AR6	PA-O3A	13.53	1.74	1.59
3	C	1003	AR6	PA-O3A	12.34	1.72	1.59
3	C	1003	AR6	PA-O2A	4.81	1.67	1.50
3	C	1003	AR6	C6-N6	4.74	1.51	1.34
3	B	1003	AR6	PA-O2A	4.46	1.66	1.50
3	B	1003	AR6	C6-N6	4.24	1.49	1.34
3	A	1003	AR6	PA-O2A	4.16	1.65	1.50
3	A	1003	AR6	C6-N6	4.11	1.48	1.34
3	C	1003	AR6	O4'-C1'	2.96	1.44	1.40
3	B	1003	AR6	PA-O5'	2.94	1.70	1.59
3	A	1003	AR6	PA-O5'	2.83	1.70	1.59
3	B	1003	AR6	PA-O1A	2.70	1.67	1.55

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	1003	AR6	C2-N3	2.52	1.36	1.32
3	C	1003	AR6	PA-O1A	2.51	1.67	1.55
3	A	1003	AR6	PA-O1A	2.50	1.66	1.55
3	B	1003	AR6	O4'-C1'	2.45	1.44	1.40
3	A	1003	AR6	O4'-C1'	2.28	1.43	1.40
3	C	1003	AR6	PA-O5'	2.21	1.68	1.59
3	A	1003	AR6	PB-O3A	2.17	1.61	1.59
3	C	1003	AR6	C2-N3	2.07	1.35	1.32

All (26) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	1003	AR6	O5'-C5'-C4'	10.26	143.91	108.99
3	A	1003	AR6	PA-O5'-C5'	-8.72	71.38	121.35
3	B	1003	AR6	PA-O5'-C5'	-8.68	71.64	121.35
3	C	1003	AR6	PA-O5'-C5'	-8.56	72.28	121.35
3	C	1003	AR6	O1A-PA-O5'	6.59	137.43	107.57
3	B	1003	AR6	O5'-C5'-C4'	-5.83	89.14	108.99
3	C	1003	AR6	N3-C2-N1	-5.37	121.38	128.67
3	B	1003	AR6	N3-C2-N1	-5.32	121.45	128.67
3	A	1003	AR6	N3-C2-N1	-5.08	121.78	128.67
3	C	1003	AR6	O1A-PA-O2A	-4.85	89.89	112.44
3	B	1003	AR6	O1A-PA-O5'	-4.70	86.25	107.57
3	A	1003	AR6	O5'-C5'-C4'	-4.62	93.25	108.99
3	A	1003	AR6	O1A-PA-O5'	-4.36	87.79	107.57
3	B	1003	AR6	O5'-PA-O2A	4.19	125.55	108.94
3	C	1003	AR6	O5'-PA-O2A	-3.77	93.99	108.94
3	A	1003	AR6	C4'-O4'-C1'	3.65	113.27	109.92
3	A	1003	AR6	O5'-PA-O2A	3.60	123.20	108.94
3	B	1003	AR6	C4'-O4'-C1'	3.53	113.16	109.92
3	A	1003	AR6	O1A-PA-O3A	-3.22	98.58	107.27
3	C	1003	AR6	O4'-C1'-N9	3.19	112.97	108.75
3	C	1003	AR6	O3A-PB-O2B	-2.80	102.27	110.70
3	B	1003	AR6	O1D-C1D-O4D	-2.60	107.81	111.12
3	B	1003	AR6	O1A-PA-O3A	-2.37	100.87	107.27
3	C	1003	AR6	O1A-PA-O3A	2.33	113.56	107.27
3	A	1003	AR6	O1A-PA-O2A	-2.29	101.80	112.44
3	B	1003	AR6	C4-C5-N7	-2.20	107.01	109.34

There are no chirality outliers.

All (26) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	1003	AR6	C5'-O5'-PA-O2A
3	B	1003	AR6	PB-O3A-PA-O5'
3	B	1003	AR6	C5'-O5'-PA-O2A
3	B	1003	AR6	C5D-O5D-PB-O2B
3	B	1003	AR6	C5D-O5D-PB-O3A
3	C	1003	AR6	C5'-O5'-PA-O3A
3	C	1003	AR6	C5D-O5D-PB-O2B
3	C	1003	AR6	O4D-C4D-C5D-O5D
3	C	1003	AR6	C4'-C5'-O5'-PA
3	A	1003	AR6	C3D-C4D-C5D-O5D
3	C	1003	AR6	C3'-C4'-C5'-O5'
3	C	1003	AR6	O4'-C4'-C5'-O5'
3	C	1003	AR6	C3D-C4D-C5D-O5D
3	B	1003	AR6	O4D-C4D-C5D-O5D
3	B	1003	AR6	C3D-C4D-C5D-O5D
3	A	1003	AR6	O4D-C4D-C5D-O5D
3	A	1003	AR6	PB-O3A-PA-O5'
3	C	1003	AR6	PA-O3A-PB-O5D
3	A	1003	AR6	C5D-O5D-PB-O2B
3	B	1003	AR6	C5D-O5D-PB-O1B
3	C	1003	AR6	C5'-O5'-PA-O2A
3	A	1003	AR6	O4'-C4'-C5'-O5'
3	A	1003	AR6	PA-O3A-PB-O2B
3	B	1003	AR6	PB-O3A-PA-O2A
3	A	1003	AR6	PA-O3A-PB-O1B
3	B	1003	AR6	O4'-C4'-C5'-O5'


There are no ring outliers.

3 monomers are involved in 10 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	C	1003	AR6	6	0
3	B	1003	AR6	2	0
3	A	1003	AR6	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the

average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å ²)	Q<0.9
1	A	492/522 (94%)	0.46	22 (4%)	39	36	24, 56, 106, 174	0
1	B	493/522 (94%)	0.76	51 (10%)	13	11	24, 61, 130, 194	0
1	C	492/522 (94%)	1.44	175 (35%)	1	1	20, 73, 159, 254	0
All	All	1477/1566 (94%)	0.88	248 (16%)	5	5	20, 62, 136, 254	0

All (248) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	587	LEU	6.6
1	C	857	ALA	6.4
1	C	916	LEU	5.9
1	B	811	CYS	5.5
1	C	884	ALA	5.5
1	C	849	GLY	5.5
1	C	658	PHE	5.4
1	C	524	THR	5.3
1	C	586	ILE	5.3
1	C	514	TYR	5.3
1	C	582	LEU	5.2
1	C	525	ALA	4.7
1	C	918	VAL	4.7
1	C	889	ASP	4.6
1	C	792	TYR	4.6
1	C	450	PRO	4.6
1	C	851	PRO	4.6
1	C	570	TRP	4.6
1	C	563	PHE	4.6
1	C	912	THR	4.6
1	C	566	LEU	4.5
1	C	540	PHE	4.5
1	B	567	VAL	4.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	782	TYR	4.2
1	C	559	LYS	4.1
1	C	710	ARG	4.1
1	C	811	CYS	4.1
1	C	717	GLY	4.0
1	A	573	VAL	4.0
1	C	794	TRP	4.0
1	C	571	ASP	4.0
1	C	446	TRP	4.0
1	C	513	LEU	4.0
1	C	787	GLY	3.9
1	C	486	GLU	3.9
1	C	547	LYS	3.8
1	C	888	ARG	3.8
1	C	660	GLY	3.8
1	C	561	TRP	3.7
1	C	636	PRO	3.7
1	C	741	THR	3.7
1	C	455	ARG	3.6
1	A	541	THR	3.6
1	C	725	GLY	3.6
1	A	582	LEU	3.5
1	C	449	THR	3.5
1	B	462	ILE	3.5
1	C	569	PHE	3.5
1	C	891	VAL	3.5
1	A	570	TRP	3.4
1	C	852	SER	3.4
1	C	745	LEU	3.4
1	C	902	ARG	3.4
1	C	784	GLU	3.4
1	C	853	GLU	3.4
1	C	812	THR	3.4
1	C	459	ARG	3.3
1	C	709	THR	3.3
1	C	591	VAL	3.3
1	C	574	LEU	3.3
1	C	666	PRO	3.3
1	B	545	ASN	3.3
1	C	679	VAL	3.3
1	C	541	THR	3.3
1	C	885	ALA	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	886	ALA	3.3
1	C	453	GLU	3.3
1	C	890	VAL	3.2
1	C	856	SER	3.2
1	C	584	GLN	3.2
1	B	464	LEU	3.2
1	C	573	VAL	3.2
1	C	800	ASP	3.2
1	C	859	ALA	3.2
1	C	458	PRO	3.2
1	C	567	VAL	3.2
1	B	570	TRP	3.2
1	B	560	LYS	3.2
1	C	911	LEU	3.1
1	C	893	PHE	3.1
1	A	586	ILE	3.1
1	A	935	ASN	3.1
1	B	935	ASN	3.1
1	C	633	CYS	3.1
1	C	905	TYR	3.1
1	B	459	ARG	3.1
1	C	750	ILE	3.1
1	A	939	PRO	3.1
1	C	953	VAL	3.1
1	C	900	LEU	3.1
1	C	854	ASN	3.1
1	C	557	TYR	3.0
1	C	447	LEU	3.0
1	C	448	GLY	3.0
1	C	644	SER	3.0
1	A	574	LEU	3.0
1	C	565	ALA	3.0
1	C	930	ASN	3.0
1	B	582	LEU	3.0
1	C	536	LEU	3.0
1	C	551	LEU	3.0
1	B	540	PHE	3.0
1	C	542	ARG	3.0
1	C	451	ILE	2.9
1	C	796	ARG	2.9
1	C	462	ILE	2.9
1	B	581	HIS	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	555	VAL	2.9
1	C	535	ALA	2.9
1	B	541	THR	2.9
1	C	714	THR	2.9
1	C	537	LEU	2.8
1	C	528	ARG	2.8
1	B	941	PRO	2.8
1	B	586	ILE	2.8
1	C	715	TYR	2.8
1	B	583	TYR	2.8
1	C	452	GLU	2.7
1	C	556	ALA	2.7
1	A	941	PRO	2.7
1	C	444	LYS	2.7
1	C	526	GLY	2.7
1	C	788	TYR	2.7
1	B	566	LEU	2.7
1	C	631	PHE	2.7
1	C	850	VAL	2.7
1	C	460	CYS	2.7
1	C	580	GLN	2.7
1	C	673	PHE	2.7
1	B	898	SER	2.7
1	B	660	GLY	2.6
1	B	574	LEU	2.6
1	C	783	SER	2.6
1	A	579	ALA	2.6
1	C	754	ILE	2.6
1	B	803	GLU	2.6
1	B	934	ARG	2.6
1	C	543	PRO	2.6
1	A	936	CYS	2.6
1	C	855	LEU	2.6
1	A	572	LYS	2.6
1	B	487	VAL	2.5
1	C	558	SER	2.5
1	B	702	GLU	2.5
1	C	742	GLY	2.5
1	C	456	LYS	2.5
1	C	915	LYS	2.5
1	B	536	LEU	2.5
1	C	464	LEU	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	482	LEU	2.5
1	C	577	ALA	2.5
1	C	585	SER	2.5
1	B	939	PRO	2.5
1	B	853	GLU	2.5
1	C	680	THR	2.5
1	A	697	ASP	2.5
1	C	935	ASN	2.5
1	C	539	LYS	2.5
1	C	621	GLU	2.5
1	C	534	THR	2.5
1	B	824	ARG	2.5
1	C	724	ARG	2.5
1	C	896	GLY	2.5
1	C	641	LYS	2.5
1	C	914	ARG	2.5
1	C	583	TYR	2.5
1	A	569	PHE	2.5
1	B	463	HIS	2.4
1	C	465	PRO	2.4
1	C	920	LYS	2.4
1	C	718	THR	2.4
1	C	739	GLY	2.4
1	B	571	ASP	2.4
1	C	545	ASN	2.4
1	C	546	LEU	2.4
1	C	716	GLU	2.4
1	C	746	VAL	2.4
1	C	858	VAL	2.4
1	C	802	SER	2.4
1	C	740	VAL	2.4
1	C	576	GLU	2.4
1	C	898	SER	2.4
1	A	571	ASP	2.3
1	A	703	ARG	2.3
1	B	524	THR	2.3
1	C	908	HIS	2.3
1	C	827	ASP	2.3
1	B	572	LYS	2.3
1	C	713	VAL	2.3
1	B	940	GLY	2.3
1	B	494	HIS	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	540	PHE	2.3
1	B	568	ASP	2.3
1	B	678	ARG	2.3
1	C	544	GLN	2.3
1	B	546	LEU	2.3
1	C	668	LYS	2.3
1	C	702	GLU	2.3
1	C	708	LEU	2.2
1	B	642	MET	2.2
1	B	561	TRP	2.2
1	C	917	ASP	2.2
1	C	795	ALA	2.2
1	A	657	LEU	2.2
1	A	911	LEU	2.2
1	C	723	GLY	2.2
1	C	630	ALA	2.2
1	C	909	THR	2.2
1	C	956	SER	2.2
1	A	580	GLN	2.2
1	B	573	VAL	2.2
1	B	759	ILE	2.2
1	C	531	LEU	2.2
1	C	887	GLU	2.2
1	B	539	LYS	2.2
1	B	915	LYS	2.2
1	C	581	HIS	2.2
1	A	940	GLY	2.1
1	C	548	ASP	2.1
1	C	781	GLN	2.1
1	C	572	LYS	2.1
1	C	719	ILE	2.1
1	A	525	ALA	2.1
1	B	884	ALA	2.1
1	C	579	ALA	2.1
1	C	743	ALA	2.1
1	C	461	GLY	2.1
1	C	664	ARG	2.1
1	B	937	SER	2.1
1	B	576	GLU	2.1
1	C	549	ALA	2.1
1	C	672	LEU	2.1
1	B	485	GLY	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	559	LYS	2.1
1	B	479	VAL	2.0
1	C	661	ARG	2.0
1	B	490	PRO	2.0
1	C	445	LYS	2.0
1	C	780	GLU	2.0
1	C	797	SER	2.0
1	C	593	ILE	2.0
1	C	949	ILE	2.0
1	C	669	LEU	2.0
1	C	677	ARG	2.0
1	C	793	ARG	2.0
1	C	634	THR	2.0
1	C	676	PHE	2.0
1	B	532	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	IOD	A	1002	1/1	0.80	0.19	139,139,139,139	0
2	IOD	C	1002	1/1	0.81	0.29	175,175,175,175	0
3	AR6	C	1003	36/36	0.87	0.12	23,40,50,51	0
3	AR6	B	1003	36/36	0.91	0.10	26,38,47,52	0
2	IOD	A	1001	1/1	0.92	0.08	78,78,78,78	0
2	IOD	C	1001	1/1	0.93	0.12	98,98,98,98	0
2	IOD	B	1001	1/1	0.94	0.11	75,75,75,75	0
3	AR6	A	1003	36/36	0.95	0.08	24,34,41,44	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	IOD	B	1002	1/1	0.96	0.17	93,93,93,93	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around AR6 B 1003:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around AR6 A 1003:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.