



# wwPDB X-ray Structure Validation Summary Report ⓘ

Jun 22, 2024 – 11:34 PM EDT

PDB ID : 5NHG  
Title : Crystal structure of the human dihydrolipoamide dehydrogenase  
Authors : Szabo, E.; Mizsei, R.; Wilk, P.; Zambo, Z.; Torocsik, B.; Weiss, M.S.; Adam-Vizi, V.; Ambrus, A.  
Deposited on : 2017-03-21  
Resolution : 2.27 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.37.1  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.37.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.27 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	6980 (2.30-2.26)
Clashscore	141614	7711 (2.30-2.26)
Ramachandran outliers	138981	7597 (2.30-2.26)
Sidechain outliers	138945	7598 (2.30-2.26)
RSRZ outliers	127900	6849 (2.30-2.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	495	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red 0%, red 1%, green 1%, green 88%, yellow 88%, yellow 95%, grey 95%);"></div> <div style="display: flex; justify-content: space-between; width: 90%; margin: 0 auto;"> <span>%</span> <span>88%</span> <span>7%</span> <span>5%</span> </div> </div>
1	B	495	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, green 0%, green 89%, yellow 89%, yellow 95%, grey 95%);"></div> <div style="display: flex; justify-content: space-between; width: 90%; margin: 0 auto;"> <span></span> <span>89%</span> <span>5%</span> <span>5%</span> </div> </div>
1	C	495	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, green 0%, green 88%, yellow 88%, yellow 95%, grey 95%);"></div> <div style="display: flex; justify-content: space-between; width: 90%; margin: 0 auto;"> <span></span> <span>88%</span> <span>7%</span> <span>5%</span> </div> </div>
1	D	495	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red 0%, red 4%, green 4%, green 81%, yellow 81%, yellow 94%, grey 94%);"></div> <div style="display: flex; justify-content: space-between; width: 90%; margin: 0 auto;"> <span>4%</span> <span>81%</span> <span>13%</span> <span>5%</span> </div> </div>
1	E	495	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red 0%, red 3%, green 3%, green 84%, yellow 84%, yellow 93%, grey 93%);"></div> <div style="display: flex; justify-content: space-between; width: 90%; margin: 0 auto;"> <span>3%</span> <span>84%</span> <span>9%</span> <span>5%</span> </div> </div>

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
1	F	495	
1	G	495	
1	H	495	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	BTB	C	503	-	-	X	-

## 2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 57485 atoms, of which 28705 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Dihydrolipoyl dehydrogenase, mitochondrial.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	471	Total	C	H	N	O	S	0	0	0
			7056	2205	3558	605	669	19			
1	B	472	Total	C	H	N	O	S	0	0	0
			7070	2210	3563	607	671	19			
1	C	472	Total	C	H	N	O	S	0	0	0
			7071	2210	3564	607	671	19			
1	D	472	Total	C	H	N	O	S	0	0	0
			7063	2210	3556	607	671	19			
1	E	471	Total	C	H	N	O	S	0	0	0
			7054	2205	3556	605	669	19			
1	F	471	Total	C	H	N	O	S	0	0	0
			7053	2205	3555	605	669	19			
1	G	471	Total	C	H	N	O	S	0	0	0
			7054	2205	3556	605	669	19			
1	H	471	Total	C	H	N	O	S	0	0	0
			7054	2205	3556	605	669	19			

There are 168 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-20	ALA	-	expression tag	UNP P09622
A	-19	SER	-	expression tag	UNP P09622
A	-18	TRP	-	expression tag	UNP P09622
A	-17	SER	-	expression tag	UNP P09622
A	-16	HIS	-	expression tag	UNP P09622
A	-15	PRO	-	expression tag	UNP P09622
A	-14	GLN	-	expression tag	UNP P09622
A	-13	PHE	-	expression tag	UNP P09622
A	-12	GLU	-	expression tag	UNP P09622
A	-11	LYS	-	expression tag	UNP P09622
A	-10	GLY	-	expression tag	UNP P09622
A	-9	ALA	-	expression tag	UNP P09622
A	-8	LEU	-	expression tag	UNP P09622

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
A	-7	GLU	-	expression tag	UNP P09622
A	-6	VAL	-	expression tag	UNP P09622
A	-5	LEU	-	expression tag	UNP P09622
A	-4	PHE	-	expression tag	UNP P09622
A	-3	GLN	-	expression tag	UNP P09622
A	-2	GLY	-	expression tag	UNP P09622
A	-1	PRO	-	expression tag	UNP P09622
A	0	GLY	-	expression tag	UNP P09622
B	-20	ALA	-	expression tag	UNP P09622
B	-19	SER	-	expression tag	UNP P09622
B	-18	TRP	-	expression tag	UNP P09622
B	-17	SER	-	expression tag	UNP P09622
B	-16	HIS	-	expression tag	UNP P09622
B	-15	PRO	-	expression tag	UNP P09622
B	-14	GLN	-	expression tag	UNP P09622
B	-13	PHE	-	expression tag	UNP P09622
B	-12	GLU	-	expression tag	UNP P09622
B	-11	LYS	-	expression tag	UNP P09622
B	-10	GLY	-	expression tag	UNP P09622
B	-9	ALA	-	expression tag	UNP P09622
B	-8	LEU	-	expression tag	UNP P09622
B	-7	GLU	-	expression tag	UNP P09622
B	-6	VAL	-	expression tag	UNP P09622
B	-5	LEU	-	expression tag	UNP P09622
B	-4	PHE	-	expression tag	UNP P09622
B	-3	GLN	-	expression tag	UNP P09622
B	-2	GLY	-	expression tag	UNP P09622
B	-1	PRO	-	expression tag	UNP P09622
B	0	GLY	-	expression tag	UNP P09622
C	-20	ALA	-	expression tag	UNP P09622
C	-19	SER	-	expression tag	UNP P09622
C	-18	TRP	-	expression tag	UNP P09622
C	-17	SER	-	expression tag	UNP P09622
C	-16	HIS	-	expression tag	UNP P09622
C	-15	PRO	-	expression tag	UNP P09622
C	-14	GLN	-	expression tag	UNP P09622
C	-13	PHE	-	expression tag	UNP P09622
C	-12	GLU	-	expression tag	UNP P09622
C	-11	LYS	-	expression tag	UNP P09622
C	-10	GLY	-	expression tag	UNP P09622
C	-9	ALA	-	expression tag	UNP P09622
C	-8	LEU	-	expression tag	UNP P09622

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
C	-7	GLU	-	expression tag	UNP P09622
C	-6	VAL	-	expression tag	UNP P09622
C	-5	LEU	-	expression tag	UNP P09622
C	-4	PHE	-	expression tag	UNP P09622
C	-3	GLN	-	expression tag	UNP P09622
C	-2	GLY	-	expression tag	UNP P09622
C	-1	PRO	-	expression tag	UNP P09622
C	0	GLY	-	expression tag	UNP P09622
D	-20	ALA	-	expression tag	UNP P09622
D	-19	SER	-	expression tag	UNP P09622
D	-18	TRP	-	expression tag	UNP P09622
D	-17	SER	-	expression tag	UNP P09622
D	-16	HIS	-	expression tag	UNP P09622
D	-15	PRO	-	expression tag	UNP P09622
D	-14	GLN	-	expression tag	UNP P09622
D	-13	PHE	-	expression tag	UNP P09622
D	-12	GLU	-	expression tag	UNP P09622
D	-11	LYS	-	expression tag	UNP P09622
D	-10	GLY	-	expression tag	UNP P09622
D	-9	ALA	-	expression tag	UNP P09622
D	-8	LEU	-	expression tag	UNP P09622
D	-7	GLU	-	expression tag	UNP P09622
D	-6	VAL	-	expression tag	UNP P09622
D	-5	LEU	-	expression tag	UNP P09622
D	-4	PHE	-	expression tag	UNP P09622
D	-3	GLN	-	expression tag	UNP P09622
D	-2	GLY	-	expression tag	UNP P09622
D	-1	PRO	-	expression tag	UNP P09622
D	0	GLY	-	expression tag	UNP P09622
E	-20	ALA	-	expression tag	UNP P09622
E	-19	SER	-	expression tag	UNP P09622
E	-18	TRP	-	expression tag	UNP P09622
E	-17	SER	-	expression tag	UNP P09622
E	-16	HIS	-	expression tag	UNP P09622
E	-15	PRO	-	expression tag	UNP P09622
E	-14	GLN	-	expression tag	UNP P09622
E	-13	PHE	-	expression tag	UNP P09622
E	-12	GLU	-	expression tag	UNP P09622
E	-11	LYS	-	expression tag	UNP P09622
E	-10	GLY	-	expression tag	UNP P09622
E	-9	ALA	-	expression tag	UNP P09622
E	-8	LEU	-	expression tag	UNP P09622

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
E	-7	GLU	-	expression tag	UNP P09622
E	-6	VAL	-	expression tag	UNP P09622
E	-5	LEU	-	expression tag	UNP P09622
E	-4	PHE	-	expression tag	UNP P09622
E	-3	GLN	-	expression tag	UNP P09622
E	-2	GLY	-	expression tag	UNP P09622
E	-1	PRO	-	expression tag	UNP P09622
E	0	GLY	-	expression tag	UNP P09622
F	-20	ALA	-	expression tag	UNP P09622
F	-19	SER	-	expression tag	UNP P09622
F	-18	TRP	-	expression tag	UNP P09622
F	-17	SER	-	expression tag	UNP P09622
F	-16	HIS	-	expression tag	UNP P09622
F	-15	PRO	-	expression tag	UNP P09622
F	-14	GLN	-	expression tag	UNP P09622
F	-13	PHE	-	expression tag	UNP P09622
F	-12	GLU	-	expression tag	UNP P09622
F	-11	LYS	-	expression tag	UNP P09622
F	-10	GLY	-	expression tag	UNP P09622
F	-9	ALA	-	expression tag	UNP P09622
F	-8	LEU	-	expression tag	UNP P09622
F	-7	GLU	-	expression tag	UNP P09622
F	-6	VAL	-	expression tag	UNP P09622
F	-5	LEU	-	expression tag	UNP P09622
F	-4	PHE	-	expression tag	UNP P09622
F	-3	GLN	-	expression tag	UNP P09622
F	-2	GLY	-	expression tag	UNP P09622
F	-1	PRO	-	expression tag	UNP P09622
F	0	GLY	-	expression tag	UNP P09622
G	-20	ALA	-	expression tag	UNP P09622
G	-19	SER	-	expression tag	UNP P09622
G	-18	TRP	-	expression tag	UNP P09622
G	-17	SER	-	expression tag	UNP P09622
G	-16	HIS	-	expression tag	UNP P09622
G	-15	PRO	-	expression tag	UNP P09622
G	-14	GLN	-	expression tag	UNP P09622
G	-13	PHE	-	expression tag	UNP P09622
G	-12	GLU	-	expression tag	UNP P09622
G	-11	LYS	-	expression tag	UNP P09622
G	-10	GLY	-	expression tag	UNP P09622
G	-9	ALA	-	expression tag	UNP P09622
G	-8	LEU	-	expression tag	UNP P09622


*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
G	-7	GLU	-	expression tag	UNP P09622
G	-6	VAL	-	expression tag	UNP P09622
G	-5	LEU	-	expression tag	UNP P09622
G	-4	PHE	-	expression tag	UNP P09622
G	-3	GLN	-	expression tag	UNP P09622
G	-2	GLY	-	expression tag	UNP P09622
G	-1	PRO	-	expression tag	UNP P09622
G	0	GLY	-	expression tag	UNP P09622
H	-20	ALA	-	expression tag	UNP P09622
H	-19	SER	-	expression tag	UNP P09622
H	-18	TRP	-	expression tag	UNP P09622
H	-17	SER	-	expression tag	UNP P09622
H	-16	HIS	-	expression tag	UNP P09622
H	-15	PRO	-	expression tag	UNP P09622
H	-14	GLN	-	expression tag	UNP P09622
H	-13	PHE	-	expression tag	UNP P09622
H	-12	GLU	-	expression tag	UNP P09622
H	-11	LYS	-	expression tag	UNP P09622
H	-10	GLY	-	expression tag	UNP P09622
H	-9	ALA	-	expression tag	UNP P09622
H	-8	LEU	-	expression tag	UNP P09622
H	-7	GLU	-	expression tag	UNP P09622
H	-6	VAL	-	expression tag	UNP P09622
H	-5	LEU	-	expression tag	UNP P09622
H	-4	PHE	-	expression tag	UNP P09622
H	-3	GLN	-	expression tag	UNP P09622
H	-2	GLY	-	expression tag	UNP P09622
H	-1	PRO	-	expression tag	UNP P09622
H	0	GLY	-	expression tag	UNP P09622


- Molecule 2 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: FAD) (formula:  $C_{27}H_{33}N_9O_{15}P_2$ ).






Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total 83	C 27	H 30	N 9	O 15	P 2	0	0
2	B	1	Total 83	C 27	H 30	N 9	O 15	P 2	0	0
2	C	1	Total 83	C 27	H 30	N 9	O 15	P 2	0	0
2	D	1	Total 83	C 27	H 30	N 9	O 15	P 2	0	0
2	E	1	Total 83	C 27	H 30	N 9	O 15	P 2	0	0
2	F	1	Total 83	C 27	H 30	N 9	O 15	P 2	0	0
2	G	1	Total 83	C 27	H 30	N 9	O 15	P 2	0	0
2	H	1	Total 84	C 27	H 31	N 9	O 15	P 2	0	0

- Molecule 3 is 2-AMINO-2-HYDROXYMETHYL-PROPANE-1,3-DIOL (three-letter code: TRS) (formula:  $C_4H_{12}NO_3$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			8	4	1	3		
3	A	1	Total	C	N	O	0	0
			8	4	1	3		
3	C	1	Total	C	N	O	0	0
			8	4	1	3		
3	E	1	Total	C	N	O	0	0
			8	4	1	3		
3	E	1	Total	C	N	O	0	0
			8	4	1	3		
3	F	1	Total	C	N	O	0	0
			8	4	1	3		
3	G	1	Total	C	N	O	0	0
			8	4	1	3		

- Molecule 4 is 2-[BIS-(2-HYDROXY-ETHYL)-AMINO]-2-HYDROXYMETHYL-PROPAN E-1,3-DIOL (three-letter code: BTB) (formula: C<sub>8</sub>H<sub>19</sub>NO<sub>5</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	C	1	Total	C	N	O	0	0
			14	8	1	5		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	58	Total	O	0	0
			58	58		
5	B	62	Total	O	0	0
			62	62		
5	C	48	Total	O	0	0
			48	48		
5	D	15	Total	O	0	0
			15	15		
5	E	35	Total	O	0	0
			35	35		
5	F	22	Total	O	0	0
			22	22		
5	G	21	Total	O	0	0
			21	21		
5	H	14	Total	O	0	0
			14	14		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Dihydrolipoyl dehydrogenase, mitochondrial




- Molecule 1: Dihydrolipoyl dehydrogenase, mitochondrial




- Molecule 1: Dihydrolipoyl dehydrogenase, mitochondrial





- Molecule 1: Dihydrolipoyl dehydrogenase, mitochondrial









• Molecule 1: Dihydrolipoyl dehydrogenase, mitochondrial





• Molecule 1: Dihydrolipoyl dehydrogenase, mitochondrial



• Molecule 1: Dihydrolipoyl dehydrogenase, mitochondrial



• Molecule 1: Dihydrolipoyl dehydrogenase, mitochondrial



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	60.06Å 113.54Å 136.88Å 83.18° 84.75° 81.09°	Depositor
Resolution (Å)	46.62 – 2.27 46.62 – 2.27	Depositor EDS
% Data completeness (in resolution range)	93.0 (46.62-2.27) 95.1 (46.62-2.27)	Depositor EDS
$R_{merge}$	0.06	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.54 (at 2.27Å)	Xtriage
Refinement program	PHENIX	Depositor
R, $R_{free}$	0.180 , 0.210 0.181 , 0.208	Depositor DCC
$R_{free}$ test set	2310 reflections (1.49%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	48.7	Xtriage
Anisotropy	0.286	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.37 , 44.7	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	57485	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	74.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 12.76% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: FAD, TRS, BTB

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.39	1/3553 (0.0%)	0.58	0/4797
1	B	0.39	1/3562 (0.0%)	0.58	0/4810
1	C	0.38	1/3562 (0.0%)	0.56	0/4810
1	D	0.35	0/3562	0.57	0/4810
1	E	0.38	0/3553	0.60	2/4797 (0.0%)
1	F	0.35	0/3553	0.57	0/4797
1	G	0.36	0/3553	0.57	0/4797
1	H	0.37	1/3553 (0.0%)	0.60	0/4797
All	All	0.37	4/28451 (0.0%)	0.58	2/38415 (0.0%)

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	277	CYS	CB-SG	-6.43	1.71	1.82
1	H	138	VAL	CB-CG1	-6.27	1.39	1.52
1	C	277	CYS	CB-SG	-5.93	1.72	1.81
1	B	277	CYS	CB-SG	-5.39	1.73	1.81

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	8	ASP	CB-CG-OD1	7.30	124.87	118.30
1	E	71	PHE	CB-CG-CD2	-5.00	117.30	120.80

There are no chirality outliers.

There are no planarity outliers.



## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3498	3558	3555	20	0
1	B	3507	3563	3562	17	2
1	C	3507	3564	3562	21	2
1	D	3507	3556	3562	40	2
1	E	3498	3556	3555	35	2
1	F	3498	3555	3555	26	0
1	G	3498	3556	3555	39	4
1	H	3498	3556	3555	50	0
2	A	53	30	31	1	0
2	B	53	30	31	0	0
2	C	53	30	31	0	0
2	D	53	30	31	2	0
2	E	53	30	31	0	0
2	F	53	30	31	2	0
2	G	53	30	31	0	0
2	H	53	31	31	3	0
3	A	16	0	24	4	0
3	C	8	0	12	0	0
3	E	16	0	24	1	0
3	F	8	0	12	1	0
3	G	8	0	12	0	0
4	C	14	0	19	15	0
5	A	58	0	0	0	0
5	B	62	0	0	3	0
5	C	48	0	0	0	0
5	D	15	0	0	1	0
5	E	35	0	0	0	0
5	F	22	0	0	3	0
5	G	21	0	0	1	0
5	H	14	0	0	2	0
All	All	28780	28705	28812	237	6

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

The worst 5 of 237 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:366:TRP:HE1	4:C:503:BTB:H42	1.27	0.97
4:C:503:BTB:H41	4:C:503:BTB:H82	1.43	0.96
1:F:293:GLY:O	1:F:311:LYS:NZ	2.01	0.93
1:E:291:GLU:N	1:E:291:GLU:OE2	2.07	0.88
1:B:203:ASP:OD1	1:B:236:LYS:NZ	2.09	0.85

The worst 5 of 6 symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:97:LYS:NZ	1:E:78:MET:O[1_554]	2.05	0.15
1:C:8:ASP:OD1	1:G:307:ARG:HH12[1_655]	1.48	0.12
1:D:90:GLU:OE1	1:E:69:LYS:HZ3[1_554]	1.48	0.12
1:B:78:MET:O	1:G:97:LYS:HZ1[1_645]	1.53	0.07
1:B:78:MET:O	1:G:97:LYS:NZ[1_645]	2.15	0.05

## 5.3 Torsion angles ⓘ

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	469/495 (95%)	460 (98%)	9 (2%)	0	100	100
1	B	470/495 (95%)	464 (99%)	6 (1%)	0	100	100
1	C	470/495 (95%)	462 (98%)	8 (2%)	0	100	100
1	D	470/495 (95%)	462 (98%)	7 (2%)	1 (0%)	47	57
1	E	469/495 (95%)	459 (98%)	10 (2%)	0	100	100
1	F	469/495 (95%)	460 (98%)	9 (2%)	0	100	100
1	G	469/495 (95%)	462 (98%)	7 (2%)	0	100	100
1	H	469/495 (95%)	461 (98%)	8 (2%)	0	100	100
All	All	3755/3960 (95%)	3690 (98%)	64 (2%)	1 (0%)	100	100

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	4	PRO

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	371/389 (95%)	363 (98%)	8 (2%)	52	66
1	B	372/389 (96%)	362 (97%)	10 (3%)	44	59
1	C	372/389 (96%)	365 (98%)	7 (2%)	57	71
1	D	372/389 (96%)	360 (97%)	12 (3%)	39	52
1	E	371/389 (95%)	360 (97%)	11 (3%)	41	54
1	F	371/389 (95%)	363 (98%)	8 (2%)	52	66
1	G	371/389 (95%)	362 (98%)	9 (2%)	49	63
1	H	371/389 (95%)	355 (96%)	16 (4%)	29	38
All	All	2971/3112 (96%)	2890 (97%)	81 (3%)	44	59

5 of 81 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	G	54	LYS
1	H	79	SER
1	G	179	GLU
1	H	14	SER
1	H	235	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	225	ASN
1	H	137	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no monosaccharides in this entry.

## 5.6 Ligand geometry ⓘ

16 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
3	TRS	A	503	-	7,7,7	0.20	0	9,9,9	0.48	0
3	TRS	E	503	-	7,7,7	0.24	0	9,9,9	0.51	0
2	FAD	H	500	-	53,58,58	0.44	0	68,89,89	0.64	2 (2%)
2	FAD	D	500	-	53,58,58	0.48	0	68,89,89	0.56	1 (1%)
3	TRS	C	502	-	7,7,7	0.25	0	9,9,9	0.62	0
3	TRS	E	502	-	7,7,7	0.28	0	9,9,9	0.39	0
2	FAD	A	501	-	53,58,58	0.47	0	68,89,89	0.55	2 (2%)
2	FAD	F	501	-	53,58,58	0.46	0	68,89,89	0.65	2 (2%)
2	FAD	B	500	-	53,58,58	0.52	0	68,89,89	0.55	1 (1%)
2	FAD	G	501	-	53,58,58	0.48	0	68,89,89	0.58	1 (1%)
2	FAD	C	501	-	53,58,58	0.50	0	68,89,89	0.57	1 (1%)
2	FAD	E	501	-	53,58,58	0.48	0	68,89,89	0.61	1 (1%)
3	TRS	F	502	-	7,7,7	0.33	0	9,9,9	0.90	0
3	TRS	A	502	-	7,7,7	0.30	0	9,9,9	0.41	0
3	TRS	G	502	-	7,7,7	0.26	0	9,9,9	0.45	0
4	BTB	C	503	-	13,13,13	0.67	0	7,16,16	1.01	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	TRS	A	503	-	-	7/9/9/9	-
3	TRS	E	503	-	-	9/9/9/9	-
2	FAD	H	500	-	-	5/30/50/50	0/6/6/6
2	FAD	D	500	-	-	5/30/50/50	0/6/6/6
3	TRS	C	502	-	-	9/9/9/9	-
3	TRS	E	502	-	-	0/9/9/9	-
2	FAD	A	501	-	-	2/30/50/50	0/6/6/6
2	FAD	F	501	-	-	3/30/50/50	0/6/6/6
2	FAD	B	500	-	-	2/30/50/50	0/6/6/6
2	FAD	G	501	-	-	5/30/50/50	0/6/6/6
2	FAD	C	501	-	-	3/30/50/50	0/6/6/6
2	FAD	E	501	-	-	3/30/50/50	0/6/6/6
3	TRS	F	502	-	-	0/9/9/9	-
3	TRS	A	502	-	-	7/9/9/9	-
3	TRS	G	502	-	-	5/9/9/9	-
4	BTB	C	503	-	-	8/21/21/21	-

There are no bond length outliers.

The worst 5 of 11 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	F	501	FAD	O2P-P-O1P	2.56	124.89	112.24
2	H	500	FAD	O2P-P-O1P	2.45	124.34	112.24
2	E	501	FAD	C5A-C6A-N6A	2.40	123.99	120.35
2	D	500	FAD	C5A-C6A-N6A	2.31	123.87	120.35
2	G	501	FAD	C5A-C6A-N6A	2.26	123.79	120.35

There are no chirality outliers.

5 of 73 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	501	FAD	O4B-C4B-C5B-O5B
2	B	500	FAD	O4B-C4B-C5B-O5B
2	C	501	FAD	PA-O3P-P-O5'

*Continued on next page...*

*Continued from previous page...*


Mol	Chain	Res	Type	Atoms
2	D	500	FAD	C5B-O5B-PA-O2A
2	E	501	FAD	O4B-C4B-C5B-O5B


There are no ring outliers.

9 monomers are involved in 29 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	503	TRS	2	0
3	E	503	TRS	1	0
2	H	500	FAD	3	0
2	D	500	FAD	2	0
2	A	501	FAD	1	0
2	F	501	FAD	2	0
3	F	502	TRS	1	0
3	A	502	TRS	2	0
4	C	503	BTB	15	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.























## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	471/495 (95%)	0.05	3 (0%) 89 91	34, 54, 87, 118	0
1	B	472/495 (95%)	0.01	1 (0%) 95 96	32, 52, 82, 125	0
1	C	472/495 (95%)	0.03	0 100 100	33, 54, 86, 102	0
1	D	472/495 (95%)	0.36	22 (4%) 31 37	39, 77, 114, 152	0
1	E	471/495 (95%)	0.24	14 (2%) 50 56	39, 65, 105, 133	0
1	F	471/495 (95%)	0.21	14 (2%) 50 56	42, 68, 106, 129	0
1	G	471/495 (95%)	0.20	13 (2%) 53 59	39, 69, 110, 142	0
1	H	471/495 (95%)	0.51	37 (7%) 12 16	39, 80, 125, 154	0
All	All	3771/3960 (95%)	0.20	104 (2%) 53 59	32, 64, 108, 154	0

The worst 5 of 104 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	H	5	ILE	6.5
1	H	121	ILE	5.9
1	H	287	LEU	5.4
1	H	127	VAL	5.3
1	H	139	ILE	5.0

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
3	TRS	A	502	8/8	0.68	0.23	58,66,70,70	0
3	TRS	C	502	8/8	0.76	0.24	58,65,70,70	0
3	TRS	G	502	8/8	0.79	0.22	78,83,84,84	0
3	TRS	E	503	8/8	0.80	0.20	71,76,80,80	0
3	TRS	F	502	8/8	0.81	0.24	64,67,69,70	0
4	BTB	C	503	14/14	0.82	0.28	75,83,86,86	0
3	TRS	A	503	8/8	0.84	0.37	71,78,80,81	0
3	TRS	E	502	8/8	0.86	0.21	75,80,83,84	0
2	FAD	D	500	53/53	0.94	0.14	51,68,87,87	0
2	FAD	H	500	53/53	0.94	0.12	40,65,90,94	0
2	FAD	F	501	53/53	0.95	0.11	40,61,88,91	0
2	FAD	G	501	53/53	0.96	0.13	49,64,81,86	0
2	FAD	E	501	53/53	0.97	0.13	42,58,70,81	0
2	FAD	C	501	53/53	0.97	0.14	34,46,55,59	0
2	FAD	A	501	53/53	0.98	0.13	36,49,59,65	0
2	FAD	B	500	53/53	0.98	0.14	37,46,55,63	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






**Electron density around FAD D 500:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around FAD H 500:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around FAD F 501:**

$2mF_o - DF_c$  (at 0.7 rmsd) in gray  
 $mF_o - DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around FAD G 501:**

$2mF_o - DF_c$  (at 0.7 rmsd) in gray  
 $mF_o - DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around FAD E 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around FAD C 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around FAD A 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around FAD B 500:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.5 Other polymers [i](#)

There are no such residues in this entry.