



wwPDB EM Validation Summary Report ⓘ

Mar 10, 2025 – 06:49 pm GMT

PDB ID : 5NP6
EMDB ID : EMD-3618
Title : 70S structure prior to bypassing
Authors : Agirrezabala, X.; Samatova, E.; Klimova, M.; Zamora, M.; Gil-Carton, D.;
Rodnina, M.; Valle, M.
Deposited on : 2017-04-13
Resolution : 3.60 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev117
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : 4.02b-467
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.41


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415
RNA backbone	6643	2191

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	29	<div> <div>14%</div> <div>28%</div> <div>55%</div> <div>14%</div> <div>.</div> </div>
2	B	76	<div> <div>74%</div> <div>26%</div> </div>
3	C	46	<div> <div>46%</div> <div>98%</div> <div>.</div> </div>
4	D	1539	<div> <div>76%</div> <div>23%</div> </div>
5	E	218	<div> <div>100%</div> </div>
6	F	206	<div> <div>100%</div> </div>
7	G	205	<div> <div>100%</div> </div>
8	H	157	<div> <div>98%</div> <div>.</div> </div>

























Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	I	100	
10	J	151	
11	K	129	
12	L	127	
13	M	98	
14	N	116	
15	O	123	
16	P	114	
17	Q	101	
18	R	88	
19	S	82	
20	T	80	
21	U	65	
22	V	79	
23	W	85	
24	X	65	
25	Y	2903	
26	Z	120	
27	a	271	
28	b	209	
29	c	201	
30	d	177	
31	e	176	
32	f	149	
33	g	141	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
34	h	142	 97%
35	i	122	 99%
36	j	143	 99%
37	k	136	 100%
38	l	120	 99%
39	m	116	 99%
40	n	114	 99%
41	o	117	 100%
42	p	103	 99%
43	q	110	 100%
44	r	93	 100%
45	s	102	 100%
46	t	94	 100%
47	u	75	 100%
48	v	77	 100%
49	w	63	 100%
50	x	58	 98%
51	y	56	 98%
52	z	50	 98%
53	0	46	 100%
54	1	64	 100%
55	2	38	 100%
56	3	131	 49% 95% 5%
57	4	66	 100%

2 Entry composition

There are 57 unique types of molecules in this entry. The entry contains 146883 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called mRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	29	Total	C	N	O	P	0	0
			621	277	111	204	29		

- Molecule 2 is a RNA chain called P-site tRNA-Gly.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	76	Total	C	N	O	P	0	0
			1623	722	291	534	76		

- Molecule 3 is a protein called DNA topoisomerase small subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	C	46	Total	C	N	O	S	0	0
			362	222	65	71	4		

- Molecule 4 is a RNA chain called 16S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	D	1539	Total	C	N	O	P	0	0
			33028	14738	6052	10699	1539		

- Molecule 5 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	E	218	Total	C	N	O	S	0	0
			1704	1081	305	311	7		

- Molecule 6 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	F	206	Total	C	N	O	S	0	0
			1624	1028	305	288	3		

- Molecule 7 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	G	205	Total	C	N	O	S	0	0
			1643	1026	315	298	4		

- Molecule 8 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	H	157	Total	C	N	O	S	0	0
			1141	709	218	208	6		

- Molecule 9 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	I	100	Total	C	N	O	S	0	0
			817	515	148	148	6		

- Molecule 10 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	J	151	Total	C	N	O	S	0	0
			1181	735	227	215	4		

- Molecule 11 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	K	129	Total	C	N	O	S	0	0
			979	616	173	184	6		

- Molecule 12 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	L	127	Total	C	N	O	S	0	0
			1022	634	206	179	3		

- Molecule 13 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	M	98	Total	C	N	O	S	0	0
			786	493	150	142	1		

- Molecule 14 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	N	116	Total	C	N	O	S	0	0
			869	535	173	158	3		

- Molecule 15 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	O	123	Total	C	N	O	S	0	0
			955	590	196	165	4		

- Molecule 16 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	P	114	Total	C	N	O	S	0	0
			883	546	178	156	3		

- Molecule 17 is a protein called 30S ribosomal protein S14.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	Q	101	Total	C	N	O	S	0	0
			799	498	165	133	3		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
Q	35	ALA	-	insertion	UNP P0AG59

- Molecule 18 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	R	88	Total	C	N	O	S	0	0
			714	439	144	130	1		

- Molecule 19 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	S	82	Total	C	N	O	S	0	0
			649	406	128	114	1		

- Molecule 20 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	T	80	Total	C	N	O	S	0	0
			648	411	121	113	3		

- Molecule 21 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	U	65	Total	C	N	O		0	0
			504	317	96	91			

- Molecule 22 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	V	79	Total	C	N	O	S	0	0
			637	408	120	107	2		

- Molecule 23 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	W	85	Total	C	N	O	S	0	0
			665	411	137	114	3		

- Molecule 24 is a protein called 30S ribosomal protein S21.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	X	65	Total	C	N	O	S	0	0
			495	307	100	87	1		

- Molecule 25 is a RNA chain called 23S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	Y	2903	Total	C	N	O	P	0	0
			62338	27816	11471	20148	2903		

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
Y	747	5MC	U	conflict	GB 802133627
Y	887	A	U	conflict	GB 802133627
Y	1847	G	A	conflict	GB 802133627

- Molecule 26 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	Z	120	Total	C	N	O	P	0	0
			2572	1145	471	836	120		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
Z	120	A	U	conflict	GB 1146054517

- Molecule 27 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	a	271	Total	C	N	O	S	0	0
			2082	1288	423	364	7		

- Molecule 28 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	b	209	Total	C	N	O	S	0	0
			1565	979	288	294	4		

- Molecule 29 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	c	201	Total	C	N	O	S	0	0
			1552	974	283	290	5		

- Molecule 30 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	d	177	Total	C	N	O	S	0	0
			1410	899	249	256	6		

- Molecule 31 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	e	176	Total	C	N	O	S	0	0
			1323	832	243	246	2		

- Molecule 32 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	f	149	Total	C	N	O	S	0	0
			1111	699	197	214	1		

- Molecule 33 is a protein called 50S ribosomal protein L11.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	g	141	Total	C	N	O	S	0	0
			1032	651	179	196	6		

- Molecule 34 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	h	142	Total	C	N	O	S	0	0
			1129	714	212	199	4		

- Molecule 35 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	i	122	Total	C	N	O	S	0	0
			938	587	180	165	6		

- Molecule 36 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	j	143	Total	C	N	O	S	0	0
			1045	649	206	189	1		

- Molecule 37 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	k	136	Total	C	N	O	S	0	0
			1074	686	205	177	6		

- Molecule 38 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	l	120	Total	C	N	O	S	0	0
			960	593	196	166	5		

- Molecule 39 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms				AltConf	Trace
39	m	116	Total	C	N	O	0	0
			892	552	178	162		

- Molecule 40 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	n	114	Total	C	N	O	S	0	0
			917	574	179	163	1		

- Molecule 41 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms				AltConf	Trace
41	o	117	Total	C	N	O	0	0
			947	604	192	151		

- Molecule 42 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	p	103	Total	C	N	O	S	0	0
			816	516	153	145	2		

- Molecule 43 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	q	110	Total	C	N	O	S	0	0
			857	532	166	156	3		

- Molecule 44 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	r	93	Total	C	N	O	S	0	0
			738	466	139	131	2		

- Molecule 45 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms				AltConf	Trace
45	s	102	Total	C	N	O	0	0
			779	492	146	141		

- Molecule 46 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	t	94	Total	C	N	O	S	0	0
			753	479	137	134	3		

- Molecule 47 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	u	75	Total	C	N	O	S	0	0
			575	356	116	102	1		

- Molecule 48 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	v	77	Total	C	N	O	S	0	0
			625	388	129	106	2		

- Molecule 49 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	w	63	Total	C	N	O	S	0	0
			509	313	99	95	2		

- Molecule 50 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	x	58	Total	C	N	O	S	0	0
			449	281	87	79	2		

- Molecule 51 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	y	56	Total	C	N	O	S	0	0
			444	269	94	80	1		

- Molecule 52 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms				AltConf	Trace
52	z	50	Total	C	N	O	0	0
			409	263	75	71		

- Molecule 53 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	0	46	Total	C	N	O	S	0	0
			377	228	90	57	2		

- Molecule 54 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	1	64	Total	C	N	O	S	0	0
			504	323	105	74	2		

- Molecule 55 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
55	2	38	Total	C	N	O	S	0	0
			302	185	65	48	4		

- Molecule 56 is a protein called 50S ribosomal protein L10.

Mol	Chain	Residues	Atoms					AltConf	Trace
56	3	131	Total	C	N	O	S	0	0
			988	625	175	183	5		

- Molecule 57 is a protein called 50S ribosomal protein L31.

Mol	Chain	Residues	Atoms					AltConf	Trace
57	4	66	Total	C	N	O	S	0	0
			522	323	99	94	6		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: mRNA





• Molecule 2: P-site tRNA-Gly




• Molecule 3: DNA topoisomerase small subunit




• Molecule 4: 16S ribosomal RNA





- Molecule 5: 30S ribosomal protein S2

Chain E: 100%




- Molecule 6: 30S ribosomal protein S3

Chain F: 100%

There are no outlier residues recorded for this chain.

- Molecule 7: 30S ribosomal protein S4

Chain G: 100%




- Molecule 8: 30S ribosomal protein S5

Chain H: 98%



- Molecule 9: 30S ribosomal protein S6

Chain I:  99%




- Molecule 10: 30S ribosomal protein S7

Chain J:  100%

There are no outlier residues recorded for this chain.


- Molecule 11: 30S ribosomal protein S8

Chain K:  98%




- Molecule 12: 30S ribosomal protein S9

Chain L:  99%




- Molecule 13: 30S ribosomal protein S10

Chain M:  98%




- Molecule 14: 30S ribosomal protein S11

Chain N:  98%



- Molecule 15: 30S ribosomal protein S12

Chain O:  100%

There are no outlier residues recorded for this chain.

- Molecule 16: 30S ribosomal protein S13

Chain P:  100%

There are no outlier residues recorded for this chain.

- Molecule 17: 30S ribosomal protein S14

Chain Q:  100%

There are no outlier residues recorded for this chain.


- Molecule 18: 30S ribosomal protein S15

Chain R:  100%

There are no outlier residues recorded for this chain.

- Molecule 19: 30S ribosomal protein S16

Chain S:  100%



- Molecule 20: 30S ribosomal protein S17

Chain T:  100%

There are no outlier residues recorded for this chain.

- Molecule 21: 30S ribosomal protein S18

Chain U:  98%




- Molecule 22: 30S ribosomal protein S19

Chain V:  100%

There are no outlier residues recorded for this chain.

- Molecule 23: 30S ribosomal protein S20

Chain W:  99%



- Molecule 24: 30S ribosomal protein S21

Chain X:  98%







- Molecule 30: 50S ribosomal protein L5

Chain d: 100%

There are no outlier residues recorded for this chain.


- Molecule 31: 50S ribosomal protein L6

Chain e: 100%





- Molecule 32: 50S ribosomal protein L9

Chain f: 23% 99%



- Molecule 33: 50S ribosomal protein L11

Chain g: 36% 98%



- Molecule 34: 50S ribosomal protein L13

Chain h: 97%



- Molecule 35: 50S ribosomal protein L14

Chain i: 99%



- Molecule 36: 50S ribosomal protein L15

Chain j:  99%




- Molecule 37: 50S ribosomal protein L16

Chain k:  100%

There are no outlier residues recorded for this chain.

- Molecule 38: 50S ribosomal protein L17

Chain l:  99%



- Molecule 39: 50S ribosomal protein L18

Chain m:  99%



- Molecule 40: 50S ribosomal protein L19

Chain n:  99%



- Molecule 41: 50S ribosomal protein L20

Chain o:  100%

There are no outlier residues recorded for this chain.

- Molecule 42: 50S ribosomal protein L21

Chain p:  99%



- Molecule 43: 50S ribosomal protein L22

Chain q:  100%

There are no outlier residues recorded for this chain.

- Molecule 44: 50S ribosomal protein L23

Chain r:  100%



- Molecule 45: 50S ribosomal protein L24

Chain s:  100%

There are no outlier residues recorded for this chain.

- Molecule 46: 50S ribosomal protein L25

Chain t:  100%

There are no outlier residues recorded for this chain.

- Molecule 47: 50S ribosomal protein L27

Chain u:  100%




- Molecule 48: 50S ribosomal protein L28

Chain v:  100%

There are no outlier residues recorded for this chain.


- Molecule 49: 50S ribosomal protein L29

Chain w:  100%



- Molecule 50: 50S ribosomal protein L30

Chain x:  98%



- Molecule 51: 50S ribosomal protein L32

Chain y: 98%



- Molecule 52: 50S ribosomal protein L33

Chain z: 98%



- Molecule 53: 50S ribosomal protein L34

Chain 0: 100%



- Molecule 54: 50S ribosomal protein L35

Chain 1: 100%

There are no outlier residues recorded for this chain.


- Molecule 55: 50S ribosomal protein L36

Chain 2: 100%

There are no outlier residues recorded for this chain.

- Molecule 56: 50S ribosomal protein L10

Chain 3: 49% 95% 5%



- Molecule 57: 50S ribosomal protein L31

Chain 4:  100%

There are no outlier residues recorded for this chain.

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	36983	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE; CTF correction inside Relion	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	2.66	Depositor
Minimum defocus (nm)	600	Depositor
Maximum defocus (nm)	3000	Depositor
Magnification	47170	Depositor
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.033	Depositor
Minimum map value	-0.014	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.003	Depositor
Recommended contour level	0.0045	Depositor
Map size (\AA)	360.4, 360.4, 360.4	wwPDB
Map dimensions	340, 340, 340	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	1.06, 1.06, 1.06	Depositor

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: 4OC, UR3, 7MG, 1MG, 6MZ, 2MG, MA6, 3TD, OMC, H2U, 5MU, 2MA, 5MC, OMG, PSU, OMU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.97	1/694 (0.1%)	1.52	15/1078 (1.4%)
2	B	0.38	1/1812 (0.1%)	0.83	0/2822
3	C	0.29	0/365	0.56	0/485
4	D	0.29	1/36700 (0.0%)	0.82	7/57246 (0.0%)
5	E	0.30	0/1735	0.46	0/2338
6	F	0.28	0/1651	0.49	0/2225
7	G	0.31	0/1665	0.48	0/2227
8	H	0.28	0/1154	0.51	0/1554
9	I	0.28	0/835	0.51	0/1128
10	J	0.26	0/1195	0.43	0/1602
11	K	0.37	1/989 (0.1%)	0.50	0/1326
12	L	0.30	0/1034	0.53	0/1375
13	M	0.37	1/796 (0.1%)	0.50	0/1077
14	N	0.35	1/885 (0.1%)	0.51	0/1195
15	O	0.30	0/969	0.50	0/1300
16	P	0.26	0/892	0.46	0/1193
17	Q	0.27	0/811	0.47	0/1081
18	R	0.27	0/722	0.46	0/964
19	S	0.30	0/659	0.49	0/884
20	T	0.29	0/657	0.52	0/881
21	U	0.29	0/511	0.49	0/689
22	V	0.27	0/652	0.46	0/877
23	W	0.29	0/671	0.45	0/888
24	X	0.30	0/500	0.53	0/668
25	Y	0.30	2/69244 (0.0%)	0.84	26/108021 (0.0%)
26	Z	0.32	1/2876 (0.0%)	0.81	2/4483 (0.0%)
27	a	0.36	0/2121	0.51	0/2852
28	b	0.28	0/1586	0.49	0/2134
29	c	0.40	1/1571 (0.1%)	0.45	0/2113
30	d	0.27	0/1434	0.46	0/1926
31	e	0.26	0/1343	0.47	0/1816
32	f	0.30	0/1122	0.47	0/1515

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
33	g	0.27	0/1046	0.50	0/1410
34	h	0.27	0/1152	0.46	0/1551
35	i	0.28	0/947	0.49	0/1268
36	j	0.34	0/1054	0.55	0/1403
37	k	0.29	0/1093	0.48	0/1460
38	l	0.27	0/973	0.45	0/1301
39	m	0.26	0/902	0.46	0/1209
40	n	0.34	0/929	0.49	0/1242
41	o	0.34	0/960	0.41	0/1278
42	p	0.28	0/829	0.51	0/1107
43	q	0.27	0/864	0.51	0/1156
44	r	0.26	0/744	0.45	0/994
45	s	0.32	0/787	0.49	0/1051
46	t	0.28	0/766	0.46	0/1025
47	u	0.29	0/582	0.47	0/769
48	v	0.27	0/635	0.45	0/848
49	w	0.35	0/510	0.44	0/677
50	x	0.25	0/453	0.45	0/605
51	y	0.25	0/450	0.46	0/599
52	z	0.26	0/416	0.48	0/554
53	0	0.27	0/380	0.46	0/498
54	1	0.26	0/513	0.56	0/676
55	2	0.28	0/303	0.51	0/397
56	3	0.28	0/1001	0.51	0/1350
57	4	0.27	0/531	0.47	0/709
All	All	0.30	10/158671 (0.0%)	0.76	50/237100 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	3	3
5	E	0	1
23	W	0	1
40	n	0	1
56	3	0	2
All	All	3	8

The worst 5 of 10 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	1	G	OP3-P	-11.91	1.46	1.61
25	Y	1	G	OP3-P	-10.62	1.48	1.61
26	Z	1	U	OP3-P	-10.58	1.48	1.61
2	B	1	C	OP3-P	-10.57	1.48	1.61
29	c	128	ALA	C-N	10.24	1.53	1.34

The worst 5 of 50 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	15	G	N1-C6-O6	-9.46	114.22	119.90
4	D	436	C	N3-C2-O2	-8.68	115.82	121.90
4	D	495	A	O4'-C1'-N9	8.13	114.71	108.20
25	Y	1941	C	C2-N1-C1'	7.93	127.53	118.80
4	D	492	C	N3-C2-O2	-7.78	116.45	121.90

All (3) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	A	15	G	C4',C2',C3'

5 of 8 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	13	U	Sidechain
1	A	17	G	Sidechain
1	A	18	C	Sidechain
5	E	87	ASP	Peptide
23	W	68	LYS	Peptide

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	C	44/46 (96%)	37 (84%)	6 (14%)	1 (2%)	5	31
5	E	216/218 (99%)	177 (82%)	39 (18%)	0	100	100
6	F	204/206 (99%)	178 (87%)	26 (13%)	0	100	100
7	G	203/205 (99%)	162 (80%)	41 (20%)	0	100	100
8	H	155/157 (99%)	128 (83%)	24 (16%)	3 (2%)	6	35
9	I	98/100 (98%)	79 (81%)	18 (18%)	1 (1%)	13	46
10	J	149/151 (99%)	124 (83%)	25 (17%)	0	100	100
11	K	127/129 (98%)	107 (84%)	19 (15%)	1 (1%)	16	51
12	L	125/127 (98%)	95 (76%)	29 (23%)	1 (1%)	16	51
13	M	96/98 (98%)	75 (78%)	20 (21%)	1 (1%)	13	46
14	N	114/116 (98%)	97 (85%)	16 (14%)	1 (1%)	14	48
15	O	121/123 (98%)	101 (84%)	20 (16%)	0	100	100
16	P	112/114 (98%)	91 (81%)	21 (19%)	0	100	100
17	Q	99/101 (98%)	75 (76%)	24 (24%)	0	100	100
18	R	86/88 (98%)	66 (77%)	20 (23%)	0	100	100
19	S	80/82 (98%)	66 (82%)	14 (18%)	0	100	100
20	T	78/80 (98%)	69 (88%)	9 (12%)	0	100	100
21	U	63/65 (97%)	52 (82%)	10 (16%)	1 (2%)	8	38
22	V	77/79 (98%)	66 (86%)	11 (14%)	0	100	100
23	W	83/85 (98%)	66 (80%)	17 (20%)	0	100	100
24	X	63/65 (97%)	41 (65%)	21 (33%)	1 (2%)	8	38
27	a	269/271 (99%)	241 (90%)	28 (10%)	0	100	100
28	b	207/209 (99%)	184 (89%)	23 (11%)	0	100	100
29	c	199/201 (99%)	172 (86%)	26 (13%)	1 (0%)	25	59
30	d	175/177 (99%)	151 (86%)	24 (14%)	0	100	100
31	e	174/176 (99%)	153 (88%)	21 (12%)	0	100	100
32	f	147/149 (99%)	121 (82%)	24 (16%)	2 (1%)	9	40
33	g	139/141 (99%)	114 (82%)	22 (16%)	3 (2%)	5	32
34	h	140/142 (99%)	129 (92%)	7 (5%)	4 (3%)	3	27
35	i	120/122 (98%)	108 (90%)	11 (9%)	1 (1%)	16	51

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
36	j	141/143 (99%)	121 (86%)	18 (13%)	2 (1%)	9	40
37	k	134/136 (98%)	116 (87%)	18 (13%)	0	100	100
38	l	118/120 (98%)	98 (83%)	19 (16%)	1 (1%)	16	51
39	m	114/116 (98%)	92 (81%)	21 (18%)	1 (1%)	14	48
40	n	112/114 (98%)	103 (92%)	9 (8%)	0	100	100
41	o	115/117 (98%)	92 (80%)	23 (20%)	0	100	100
42	p	101/103 (98%)	89 (88%)	11 (11%)	1 (1%)	13	46
43	q	108/110 (98%)	92 (85%)	16 (15%)	0	100	100
44	r	91/93 (98%)	74 (81%)	17 (19%)	0	100	100
45	s	100/102 (98%)	89 (89%)	11 (11%)	0	100	100
46	t	92/94 (98%)	85 (92%)	7 (8%)	0	100	100
47	u	73/75 (97%)	69 (94%)	4 (6%)	0	100	100
48	v	75/77 (97%)	67 (89%)	8 (11%)	0	100	100
49	w	61/63 (97%)	49 (80%)	12 (20%)	0	100	100
50	x	56/58 (97%)	49 (88%)	6 (11%)	1 (2%)	7	35
51	y	54/56 (96%)	49 (91%)	4 (7%)	1 (2%)	6	35
52	z	48/50 (96%)	42 (88%)	5 (10%)	1 (2%)	5	33
53	0	44/46 (96%)	35 (80%)	9 (20%)	0	100	100
54	1	62/64 (97%)	56 (90%)	6 (10%)	0	100	100
55	2	36/38 (95%)	32 (89%)	4 (11%)	0	100	100
56	3	129/131 (98%)	102 (79%)	23 (18%)	4 (3%)	3	26
57	4	64/66 (97%)	53 (83%)	11 (17%)	0	100	100
All	All	5891/5995 (98%)	4979 (84%)	878 (15%)	34 (1%)	24	55

5 of 34 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	C	45	ASP
34	h	81	ILE
52	z	4	ILE
8	H	122	VAL
39	m	35	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	C	42/42 (100%)	42 (100%)	0	100	100
5	E	180/180 (100%)	180 (100%)	0	100	100
6	F	170/170 (100%)	170 (100%)	0	100	100
7	G	172/172 (100%)	172 (100%)	0	100	100
8	H	114/119 (96%)	114 (100%)	0	100	100
9	I	87/87 (100%)	87 (100%)	0	100	100
10	J	124/124 (100%)	124 (100%)	0	100	100
11	K	104/104 (100%)	104 (100%)	0	100	100
12	L	105/105 (100%)	105 (100%)	0	100	100
13	M	86/86 (100%)	86 (100%)	0	100	100
14	N	89/89 (100%)	89 (100%)	0	100	100
15	O	103/103 (100%)	103 (100%)	0	100	100
16	P	92/92 (100%)	92 (100%)	0	100	100
17	Q	79/83 (95%)	79 (100%)	0	100	100
18	R	76/76 (100%)	76 (100%)	0	100	100
19	S	65/65 (100%)	65 (100%)	0	100	100
20	T	74/74 (100%)	74 (100%)	0	100	100
21	U	48/56 (86%)	48 (100%)	0	100	100
22	V	70/70 (100%)	70 (100%)	0	100	100
23	W	65/65 (100%)	65 (100%)	0	100	100
24	X	44/55 (80%)	44 (100%)	0	100	100
27	a	216/216 (100%)	214 (99%)	2 (1%)	75	87
28	b	164/164 (100%)	164 (100%)	0	100	100
29	c	165/165 (100%)	165 (100%)	0	100	100
30	d	148/148 (100%)	148 (100%)	0	100	100
31	e	137/137 (100%)	137 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
32	f	114/114 (100%)	114 (100%)	0	100	100
33	g	109/109 (100%)	109 (100%)	0	100	100
34	h	116/116 (100%)	116 (100%)	0	100	100
35	i	103/103 (100%)	103 (100%)	0	100	100
36	j	102/102 (100%)	102 (100%)	0	100	100
37	k	109/109 (100%)	109 (100%)	0	100	100
38	l	100/100 (100%)	100 (100%)	0	100	100
39	m	86/86 (100%)	86 (100%)	0	100	100
40	n	99/99 (100%)	99 (100%)	0	100	100
41	o	89/89 (100%)	89 (100%)	0	100	100
42	p	84/84 (100%)	84 (100%)	0	100	100
43	q	93/93 (100%)	93 (100%)	0	100	100
44	r	80/80 (100%)	80 (100%)	0	100	100
45	s	83/83 (100%)	83 (100%)	0	100	100
46	t	78/78 (100%)	78 (100%)	0	100	100
47	u	57/57 (100%)	57 (100%)	0	100	100
48	v	67/67 (100%)	67 (100%)	0	100	100
49	w	55/55 (100%)	55 (100%)	0	100	100
50	x	48/48 (100%)	48 (100%)	0	100	100
51	y	47/47 (100%)	47 (100%)	0	100	100
52	z	45/45 (100%)	45 (100%)	0	100	100
53	0	38/38 (100%)	38 (100%)	0	100	100
54	1	51/51 (100%)	51 (100%)	0	100	100
55	2	34/34 (100%)	34 (100%)	0	100	100
56	3	100/100 (100%)	100 (100%)	0	100	100
57	4	59/59 (100%)	59 (100%)	0	100	100
All	All	4865/4893 (99%)	4863 (100%)	2 (0%)	100	100

All (2) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
27	a	85	ASN
27	a	259	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	A	28/29 (96%)	14 (50%)	8 (28%)
2	B	75/76 (98%)	18 (24%)	3 (4%)
25	Y	2898/2903 (99%)	673 (23%)	123 (4%)
26	Z	119/120 (99%)	22 (18%)	6 (5%)
4	D	1535/1539 (99%)	327 (21%)	58 (3%)
All	All	4655/4667 (99%)	1054 (22%)	198 (4%)

5 of 1054 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	A	6	A
1	A	7	U
1	A	8	A
1	A	15	G
1	A	16	G

5 of 198 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
25	Y	1060	U
25	Y	1728	C
25	Y	1103	A
25	Y	1327	A
25	Y	1941	C

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

35 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
25	PSU	Y	2457	25	18,21,22	1.01	1 (5%)	22,30,33	1.84	4 (18%)
4	5MC	D	1407	4	18,22,23	3.74	7 (38%)	26,32,35	1.04	1 (3%)
25	5MU	Y	1939	25	19,22,23	4.76	7 (36%)	28,32,35	3.56	9 (32%)
25	PSU	Y	2604	25	18,21,22	1.05	1 (5%)	22,30,33	1.87	5 (22%)
25	PSU	Y	1917	25	18,21,22	1.05	1 (5%)	22,30,33	1.81	5 (22%)
4	PSU	D	516	4	18,21,22	1.09	1 (5%)	22,30,33	1.84	6 (27%)
25	5MC	Y	1962	25	18,22,23	3.81	7 (38%)	26,32,35	1.08	2 (7%)
25	PSU	Y	1911	25	18,21,22	1.03	1 (5%)	22,30,33	1.85	5 (22%)
25	OMC	Y	2498	25	19,22,23	3.01	7 (36%)	26,31,34	0.70	0
25	1MG	Y	745	25	18,26,27	2.73	5 (27%)	19,39,42	1.44	4 (21%)
25	2MG	Y	1835	25	18,26,27	2.62	7 (38%)	16,38,41	1.42	4 (25%)
25	PSU	Y	2504	25	18,21,22	1.02	2 (11%)	22,30,33	1.94	5 (22%)
4	7MG	D	527	4	22,26,27	3.82	10 (45%)	29,39,42	2.09	9 (31%)
25	OMG	Y	2251	2,25	18,26,27	2.62	8 (44%)	19,38,41	1.77	5 (26%)
4	MA6	D	1518	4	18,26,27	1.02	2 (11%)	19,38,41	2.53	2 (10%)
25	7MG	Y	2069	25	22,26,27	3.74	10 (45%)	29,39,42	1.98	8 (27%)
4	2MG	D	1207	4	18,26,27	2.64	7 (38%)	16,38,41	1.34	3 (18%)
25	2MA	Y	2503	25	19,25,26	3.29	6 (31%)	21,37,40	1.49	3 (14%)
4	UR3	D	1498	4	19,22,23	2.74	8 (42%)	26,32,35	1.23	1 (3%)
25	6MZ	Y	2030	25	18,25,26	2.14	3 (16%)	16,36,39	2.14	3 (18%)
25	5MC	Y	747	25	18,22,23	3.78	7 (38%)	26,32,35	1.05	2 (7%)
4	4OC	D	1402	4	20,23,24	0.79	0	26,32,35	1.15	2 (7%)
25	PSU	Y	2605	25	18,21,22	1.04	1 (5%)	22,30,33	1.85	5 (22%)
25	OMU	Y	2552	25	19,22,23	3.02	8 (42%)	26,31,34	1.66	4 (15%)
25	PSU	Y	955	25	18,21,22	1.07	1 (5%)	22,30,33	1.81	5 (22%)
25	PSU	Y	2580	25	18,21,22	0.98	1 (5%)	22,30,33	1.84	4 (18%)
25	6MZ	Y	1618	25	18,25,26	2.18	3 (16%)	16,36,39	1.75	3 (18%)
4	2MG	D	1516	4	18,26,27	2.65	7 (38%)	16,38,41	1.31	3 (18%)
4	MA6	D	1519	4	18,26,27	1.01	2 (11%)	19,38,41	2.56	2 (10%)
25	3TD	Y	1915	25	18,22,23	4.40	5 (27%)	22,32,35	1.61	3 (13%)
25	2MG	Y	2445	25	18,26,27	2.64	7 (38%)	16,38,41	1.37	4 (25%)
4	5MC	D	967	4	18,22,23	3.77	7 (38%)	26,32,35	1.09	2 (7%)
25	PSU	Y	746	25	18,21,22	1.04	1 (5%)	22,30,33	1.77	4 (18%)
25	H2U	Y	2449	25	18,21,22	3.00	5 (27%)	21,30,33	2.11	5 (23%)
4	2MG	D	966	4	18,26,27	2.66	7 (38%)	16,38,41	1.41	4 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
25	PSU	Y	2457	25	-	0/7/25/26	0/2/2/2
4	5MC	D	1407	4	-	1/7/25/26	0/2/2/2
25	5MU	Y	1939	25	-	2/7/25/26	0/2/2/2
25	PSU	Y	2604	25	-	0/7/25/26	0/2/2/2
25	PSU	Y	1917	25	-	0/7/25/26	0/2/2/2
4	PSU	D	516	4	-	0/7/25/26	0/2/2/2
25	5MC	Y	1962	25	-	3/7/25/26	0/2/2/2
25	PSU	Y	1911	25	-	1/7/25/26	0/2/2/2
25	OMC	Y	2498	25	-	2/9/27/28	0/2/2/2
25	1MG	Y	745	25	-	0/3/25/26	0/3/3/3
25	2MG	Y	1835	25	-	2/5/27/28	0/3/3/3
25	PSU	Y	2504	25	-	2/7/25/26	0/2/2/2
4	7MG	D	527	4	-	3/7/37/38	0/3/3/3
25	OMG	Y	2251	2,25	-	1/5/27/28	0/3/3/3
4	MA6	D	1518	4	-	4/7/29/30	0/3/3/3
25	7MG	Y	2069	25	-	2/7/37/38	0/3/3/3
4	2MG	D	1207	4	-	2/5/27/28	0/3/3/3
25	2MA	Y	2503	25	-	2/3/25/26	0/3/3/3
4	UR3	D	1498	4	-	2/7/25/26	0/2/2/2
25	6MZ	Y	2030	25	-	3/5/27/28	0/3/3/3
25	5MC	Y	747	25	-	3/7/25/26	0/2/2/2
4	4OC	D	1402	4	-	4/9/29/30	0/2/2/2
25	PSU	Y	2605	25	-	0/7/25/26	0/2/2/2
25	OMU	Y	2552	25	-	5/9/27/28	0/2/2/2
25	PSU	Y	955	25	-	2/7/25/26	0/2/2/2
25	PSU	Y	2580	25	-	0/7/25/26	0/2/2/2
25	6MZ	Y	1618	25	-	0/5/27/28	0/3/3/3
4	2MG	D	1516	4	-	2/5/27/28	0/3/3/3
4	MA6	D	1519	4	-	6/7/29/30	0/3/3/3
25	3TD	Y	1915	25	-	3/7/25/26	0/2/2/2
25	2MG	Y	2445	25	-	2/5/27/28	0/3/3/3
4	5MC	D	967	4	-	0/7/25/26	0/2/2/2
25	PSU	Y	746	25	-	4/7/25/26	0/2/2/2
25	H2U	Y	2449	25	-	2/7/38/39	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	2MG	D	966	4	-	2/5/27/28	0/3/3/3

The worst 5 of 163 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	Y	1915	3TD	C6-C5	13.21	1.50	1.35
25	Y	1939	5MU	C2-N1	11.02	1.56	1.38
25	Y	1939	5MU	C6-N1	10.16	1.55	1.38
25	Y	1939	5MU	C4-C5	9.99	1.61	1.44
4	D	527	7MG	C8-N9	9.93	1.51	1.46

The worst 5 of 136 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	Y	1939	5MU	C5-C4-N3	12.07	125.62	115.31
4	D	1519	MA6	N1-C6-N6	-9.48	107.08	117.06
25	Y	1939	5MU	C5-C6-N1	-9.27	113.80	123.34
4	D	1518	MA6	N1-C6-N6	-8.87	107.72	117.06
25	Y	2449	H2U	C4-N3-C2	-7.37	119.67	125.79

There are no chirality outliers.

5 of 67 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	D	527	7MG	C3'-C4'-C5'-O5'
4	D	1207	2MG	C3'-C4'-C5'-O5'
4	D	1402	4OC	O4'-C4'-C5'-O5'
4	D	1402	4OC	C1'-C2'-O2'-CM2
4	D	1498	UR3	O4'-C1'-N1-C2

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-3618. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 170




Y Index: 170




Z Index: 170


6.2.2 Raw map



X Index: 170



Y Index: 170




Z Index: 170


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 196




Y Index: 163




Z Index: 166


6.3.2 Raw map



X Index: 196



Y Index: 163




Z Index: 166


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.0045. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 1939 nm³; this corresponds to an approximate mass of 1751 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.278 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.278 \AA^{-1}

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.60	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	3.94	5.15	4.05

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-3618 and PDB model 5NP6. Per-residue inclusion information can be found in section [3](#) on page [14](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.0045 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.0045).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 98% of all backbone atoms, 96% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ















































The table lists the average atom inclusion at the recommended contour level (0.0045) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9570	 0.4240
0	 0.9210	 0.4360
1	 0.9330	 0.4710
2	 0.9210	 0.4480
3	 0.4620	 0.1670
4	 0.8920	 0.3630
A	 0.6960	 0.1820
B	 0.9690	 0.4010
C	 0.4410	 0.2550
D	 0.9950	 0.4470
E	 0.8690	 0.3620
F	 0.9000	 0.4290
G	 0.8910	 0.3960
H	 0.9250	 0.4340
I	 0.8930	 0.3920
J	 0.9110	 0.3840
K	 0.9180	 0.4360
L	 0.9120	 0.4000
M	 0.8560	 0.3880
N	 0.9290	 0.4190
O	 0.8960	 0.4470
P	 0.9240	 0.3940
Q	 0.9220	 0.4260
R	 0.9270	 0.4020
S	 0.9230	 0.4250
T	 0.9080	 0.4230
U	 0.9280	 0.4170
V	 0.9310	 0.4080
W	 0.9050	 0.3790
X	 0.8340	 0.3030
Y	 0.9920	 0.4310
Z	 0.9950	 0.4310
a	 0.9310	 0.4600
b	 0.9280	 0.4590
c	 0.9090	 0.4070



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
d	 0.9070	 0.3880
e	 0.9230	 0.4120
f	 0.6130	 0.3260
g	 0.5800	 0.1280
h	 0.9210	 0.4340
i	 0.8990	 0.4500
j	 0.9240	 0.4270
k	 0.9240	 0.4550
l	 0.9390	 0.4370
m	 0.9430	 0.4070
n	 0.9060	 0.4350
o	 0.9310	 0.4240
p	 0.9110	 0.4360
q	 0.8830	 0.4250
r	 0.9020	 0.4080
s	 0.9280	 0.3940
t	 0.9150	 0.4370
u	 0.9160	 0.4570
v	 0.9100	 0.4260
w	 0.8850	 0.3560
x	 0.9200	 0.4370
y	 0.9160	 0.4270
z	 0.8550	 0.4230