



Full wwPDB X-ray Structure Validation Report ⓘ

Jul 17, 2024 – 01:57 pm BST

PDB ID : 8OQP
Title : Structure of Mycobacterium tuberculosis beta-oxidation trifunctional enzyme in complex with Fragment-M-76
Authors : Dalwani, S.; Wierenga, R.K.; Venkatesan, R.
Deposited on : 2023-04-12
Resolution : 2.18 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.4, CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.37.1
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.37.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.18 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	6864 (2.20-2.16)
Clashscore	141614	7689 (2.20-2.16)
Ramachandran outliers	138981	7564 (2.20-2.16)
Sidechain outliers	138945	7564 (2.20-2.16)
RSRZ outliers	127900	6738 (2.20-2.16)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	736	
1	B	736	
2	C	403	
2	D	403	

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 17630 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 3-hydroxyacyl-CoA dehydrogenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	724	Total	C	N	O	S	0	0	0
			5387	3410	925	1031	21			
1	B	726	Total	C	N	O	S	0	0	0
			5403	3419	929	1034	21			

There are 32 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-15	MET	-	initiating methionine	UNP O53872
A	-14	GLY	-	expression tag	UNP O53872
A	-13	SER	-	expression tag	UNP O53872
A	-12	SER	-	expression tag	UNP O53872
A	-11	HIS	-	expression tag	UNP O53872
A	-10	HIS	-	expression tag	UNP O53872
A	-9	HIS	-	expression tag	UNP O53872
A	-8	HIS	-	expression tag	UNP O53872
A	-7	HIS	-	expression tag	UNP O53872
A	-6	HIS	-	expression tag	UNP O53872
A	-5	SER	-	expression tag	UNP O53872
A	-4	GLN	-	expression tag	UNP O53872
A	-3	ASP	-	expression tag	UNP O53872
A	-2	PRO	-	expression tag	UNP O53872
A	-1	ASN	-	expression tag	UNP O53872
A	0	SER	-	expression tag	UNP O53872
B	-15	MET	-	initiating methionine	UNP O53872
B	-14	GLY	-	expression tag	UNP O53872
B	-13	SER	-	expression tag	UNP O53872
B	-12	SER	-	expression tag	UNP O53872
B	-11	HIS	-	expression tag	UNP O53872
B	-10	HIS	-	expression tag	UNP O53872
B	-9	HIS	-	expression tag	UNP O53872
B	-8	HIS	-	expression tag	UNP O53872
B	-7	HIS	-	expression tag	UNP O53872

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-6	HIS	-	expression tag	UNP O53872
B	-5	SER	-	expression tag	UNP O53872
B	-4	GLN	-	expression tag	UNP O53872
B	-3	ASP	-	expression tag	UNP O53872
B	-2	PRO	-	expression tag	UNP O53872
B	-1	ASN	-	expression tag	UNP O53872
B	0	SER	-	expression tag	UNP O53872

- Molecule 2 is a protein called Putative acyltransferase Rv0859.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	C	402	Total	C	N	O	S	0	0	0
			2966	1853	525	573	15			
2	D	402	Total	C	N	O	S	0	0	0
			2966	1853	525	573	15			

- Molecule 3 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	D	1	Total	O	S	0	0
			5	4	1		
3	D	1	Total	O	S	0	0
			5	4	1		
3	D	1	Total	O	S	0	0
			5	4	1		
3	D	1	Total	O	S	0	0
			5	4	1		

- Molecule 4 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		
4	D	1	Total	C	O	0	0
			6	3	3		
4	D	1	Total	C	O	0	0
			6	3	3		

- Molecule 5 is 2-azanyl-5-sulfo-benzoic acid (three-letter code: VXZ) (formula: C₇H₇NO₅S) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total	C	N	O	S	0	0
			14	7	1	5	1		
5	A	1	Total	C	N	O	S	0	0
			14	7	1	5	1		
5	A	1	Total	C	N	O	S	0	0
			14	7	1	5	1		
5	A	1	Total	C	N	O	S	0	0
			14	7	1	5	1		
5	A	1	Total	C	N	O	S	0	0
			14	7	1	5	1		
5	B	1	Total	C	N	O	S	0	0
			14	7	1	5	1		
5	B	1	Total	C	N	O	S	0	0
			14	7	1	5	1		
5	B	1	Total	C	N	O	S	0	0
			14	7	1	5	1		
5	B	1	Total	C	N	O	S	0	0
			14	7	1	5	1		
5	C	1	Total	C	N	O	S	0	0
			14	7	1	5	1		
5	C	1	Total	C	N	O	S	0	0
			14	7	1	5	1		
5	D	1	Total	C	N	O	S	0	0
			14	7	1	5	1		
5	D	1	Total	C	N	O	S	0	0
			14	7	1	5	1		
5	D	1	Total	C	N	O	S	0	0
			14	7	1	5	1		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	152	Total 152	O 152	0	0
6	B	173	Total 173	O 173	0	0
6	C	143	Total 143	O 143	0	0
6	D	107	Total 107	O 107	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 3-hydroxyacyl-CoA dehydrogenase





- Molecule 1: 3-hydroxyacyl-CoA dehydrogenase



- Molecule 2: Putative acyltransferase Rv0859



- Molecule 2: Putative acyltransferase Rv0859



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	250.94Å 132.80Å 119.29Å 90.00° 110.46° 90.00°	Depositor
Resolution (Å)	69.73 – 2.18 117.55 – 2.18	Depositor EDS
% Data completeness (in resolution range)	76.3 (69.73-2.18) 76.4 (117.55-2.18)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.84 (at 2.18Å)	Xtriage
Refinement program	PHENIX 1.19.2_4158	Depositor
R, R_{free}	0.196 , 0.224 0.194 , 0.220	Depositor DCC
R_{free} test set	7114 reflections (4.90%)	wwPDB-VP
Wilson B-factor (Å ²)	46.5	Xtriage
Anisotropy	0.004	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 37.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	17630	wwPDB-VP
Average B, all atoms (Å ²)	52.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.87% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, SO4, VXZ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.25	0/5487	0.48	0/7425
1	B	0.25	0/5504	0.48	0/7448
2	C	0.25	0/3011	0.51	0/4077
2	D	0.25	0/3011	0.52	0/4077
All	All	0.25	0/17013	0.49	0/23027

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5387	0	5436	28	0
1	B	5403	0	5448	24	0
2	C	2966	0	2986	28	0
2	D	2966	0	2986	27	0
3	A	25	0	0	0	0
3	B	25	0	0	0	0
3	C	25	0	0	0	0
3	D	20	0	0	0	0
4	A	18	0	24	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	B	12	0	16	0	0
4	D	12	0	16	0	0
5	A	70	0	0	1	0
5	B	56	0	0	1	0
5	C	28	0	0	0	0
5	D	42	0	0	1	0
6	A	152	0	0	2	0
6	B	173	0	0	0	0
6	C	143	0	0	3	0
6	D	107	0	0	0	0
All	All	17630	0	16912	100	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (100) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:378:ARG:HD2	1:B:380:ARG:HH12	1.60	0.67
2:C:62:VAL:HG12	2:D:62:VAL:HG12	1.77	0.66
1:A:412:VAL:HG23	1:A:413:PHE:H	1.60	0.66
1:A:103:LYS:NZ	6:A:901:HOH:O	2.30	0.64
2:C:336:LYS:NZ	2:C:340:ASP:OD2	2.33	0.62
2:C:96:LEU:HD23	2:C:396:VAL:HG13	1.82	0.61
1:A:711:ARG:HB3	4:A:804:GOL:H2	1.81	0.60
2:C:110:TRP:CD1	2:D:313:ARG:HD3	2.36	0.60
1:A:462:HIS:HB3	1:A:474:GLU:HB3	1.85	0.59
2:C:296:PRO:HD3	2:D:81:VAL:HG21	1.84	0.59
2:C:313:ARG:HD3	2:D:110:TRP:CD1	2.38	0.59
1:B:532:PRO:HB2	1:B:615:LEU:HD13	1.87	0.57
1:B:5:THR:HG22	1:B:37:SER:HB2	1.85	0.57
1:A:345:ALA:O	1:A:392:ARG:NH1	2.38	0.57
1:A:376:LEU:HD11	1:A:386:SER:HB2	1.86	0.57
1:B:250:ARG:NH1	2:C:142:TYR:O	2.38	0.56
1:B:369:GLU:HG2	1:B:390:LEU:HD13	1.87	0.56
2:D:390:ILE:HB	2:D:394:MET:HB2	1.89	0.55
2:C:81:VAL:HG11	2:D:296:PRO:HD3	1.87	0.55
2:D:252:HIS:HE1	2:D:332:SER:H	1.54	0.55
2:D:46:LEU:HD12	2:D:280:LEU:HD21	1.89	0.55
1:B:462:HIS:HB3	1:B:474:GLU:HB3	1.89	0.54
1:B:331:LEU:HD11	1:B:426:ILE:HD13	1.90	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:241:LYS:HE2	2:D:295:ASP:OD1	2.09	0.52
1:A:416:GLN:HG3	1:A:448:LEU:HD23	1.91	0.52
1:B:520:ASN:HB3	1:B:581:HIS:CE1	2.44	0.52
2:C:239:LEU:HD21	2:C:248:ILE:HG13	1.91	0.52
1:A:423:PHE:HA	1:A:426:ILE:HG22	1.92	0.51
2:C:299:MET:HB3	2:C:300:LEU:HD22	1.91	0.51
1:A:62:LYS:HG3	1:A:63:THR:HG23	1.93	0.51
1:A:182:LYS:NZ	6:A:904:HOH:O	2.36	0.51
2:D:62:VAL:HG11	2:D:130:ASP:HA	1.94	0.50
2:D:326:LEU:HD13	2:D:387:THR:HG23	1.93	0.50
2:D:99:VAL:HG13	2:D:269:ILE:HD11	1.93	0.49
1:A:532:PRO:HB2	1:A:615:LEU:HD13	1.94	0.49
2:C:91:PHE:HB2	2:C:390:ILE:HG23	1.94	0.49
2:C:276:LYS:NZ	6:C:603:HOH:O	2.46	0.49
2:D:242:TYR:OH	2:D:298:ILE:HB	2.13	0.48
1:B:698:VAL:HG13	1:B:714:PRO:HG3	1.94	0.48
1:A:445:ILE:HD13	1:A:448:LEU:HD12	1.96	0.48
1:B:5:THR:HG23	1:B:6:ILE:HG13	1.96	0.48
1:B:5:THR:HG22	1:B:37:SER:CB	2.43	0.48
2:C:293:GLY:H	2:D:82:THR:HG22	1.79	0.47
2:C:170:TYR:O	2:C:173:ARG:HG3	2.15	0.47
1:B:55:VAL:HB	1:B:105:VAL:HG22	1.97	0.47
2:C:62:VAL:HG11	2:C:130:ASP:HA	1.96	0.47
1:A:65:PHE:O	1:A:117:GLY:HA3	2.15	0.47
1:A:510:PHE:CD1	1:A:656:LEU:HD11	2.50	0.47
1:A:253:LEU:HD13	1:A:258:MET:HB2	1.97	0.46
1:A:331:LEU:HB2	1:A:410:GLU:HA	1.98	0.46
2:C:45:ASP:N	2:C:45:ASP:OD1	2.45	0.46
1:A:711:ARG:HH11	4:A:804:GOL:H12	1.80	0.46
2:C:110:TRP:CZ2	2:D:288:ALA:HA	2.50	0.46
2:D:252:HIS:CE1	2:D:332:SER:H	2.32	0.46
1:B:415:ASN:OD1	1:B:417:GLU:HG2	2.16	0.46
1:B:569:LYS:HA	1:B:572:GLU:HG2	1.98	0.45
1:A:36:GLU:HG3	1:A:40:LYS:HE3	1.98	0.45
1:A:130:ALA:O	1:A:132:VAL:N	2.47	0.45
1:B:459:ILE:HD11	1:B:486:LEU:HD12	1.99	0.45
1:B:632:LEU:HD12	1:B:635:MET:HE3	1.99	0.45
2:C:134:MET:SD	2:D:75:LEU:HD12	2.57	0.44
1:A:126:HIS:NE2	1:A:189:GLU:OE2	2.34	0.44
1:A:402:PHE:CB	1:A:426:ILE:HD11	2.47	0.44
1:B:564:ALA:HB1	1:B:584:GLU:OE2	2.17	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:173:ARG:NH2	2:D:177:LYS:HE3	2.32	0.44
1:A:363:LYS:HE2	1:A:363:LYS:HB3	1.82	0.43
2:C:205:HIS:HB2	6:C:734:HOH:O	2.18	0.43
2:C:59:VAL:HG21	2:C:361:LEU:HB3	2.01	0.43
1:B:687:SER:HA	1:B:691:GLY:O	2.17	0.43
1:B:140:PRO:HA	1:B:173:GLY:HA3	2.01	0.43
1:A:471:PRO:HG2	1:A:668:MET:HB3	2.00	0.43
1:A:355:ASP:OD1	1:A:356:VAL:HG22	2.19	0.42
2:C:203:LEU:HD11	2:C:207:GLU:HG3	2.01	0.42
2:D:390:ILE:HD12	2:D:394:MET:HB2	2.01	0.42
1:B:5:THR:HG21	1:B:34:TYR:HA	2.01	0.42
2:C:266:LEU:HD23	2:C:266:LEU:HA	1.88	0.42
2:C:390:ILE:HD12	2:C:394:MET:HB2	2.00	0.42
2:D:2:SER:HB3	2:D:107:ARG:O	2.20	0.42
2:D:170:TYR:O	2:D:173:ARG:HG2	2.20	0.42
1:B:515:ILE:HD12	1:B:670:ILE:HB	2.02	0.42
2:C:300:LEU:HD12	2:C:389:CYS:SG	2.59	0.42
1:A:126:HIS:HE2	1:A:189:GLU:CD	2.20	0.42
1:A:376:LEU:HD11	1:A:386:SER:CB	2.48	0.42
5:A:807:VXZ:O4	5:A:807:VXZ:N	2.53	0.42
2:D:3:GLU:O	2:D:107:ARG:HG2	2.19	0.42
1:B:416:GLN:HE21	1:B:416:GLN:HB2	1.62	0.42
5:B:809:VXZ:O4	5:B:809:VXZ:N	2.53	0.41
2:C:210:ARG:NH1	6:C:609:HOH:O	2.52	0.41
1:A:542:ALA:HB2	1:A:636:ILE:HG23	2.03	0.41
5:D:507:VXZ:O4	5:D:507:VXZ:N	2.52	0.41
1:A:52:ILE:O	1:A:103:LYS:HD3	2.21	0.41
2:D:170:TYR:CD1	2:D:173:ARG:HD3	2.55	0.41
2:C:91:PHE:HB2	2:C:390:ILE:CG2	2.50	0.41
1:B:656:LEU:HD13	1:B:662:ALA:HB2	2.02	0.41
1:B:578:TYR:OH	1:B:584:GLU:OE2	2.35	0.41
2:D:91:PHE:HB2	2:D:390:ILE:CG2	2.51	0.41
2:C:390:ILE:HD12	2:C:395:GLY:N	2.36	0.40
2:D:354:ALA:HB1	2:D:359:HIS:HB2	2.02	0.40
2:C:394:MET:HG2	2:D:71:ARG:CZ	2.51	0.40
2:D:91:PHE:HB2	2:D:390:ILE:HG23	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	720/736 (98%)	694 (96%)	25 (4%)	1 (0%)	51	58
1	B	722/736 (98%)	700 (97%)	21 (3%)	1 (0%)	51	58
2	C	400/403 (99%)	390 (98%)	9 (2%)	1 (0%)	41	43
2	D	400/403 (99%)	386 (96%)	13 (3%)	1 (0%)	41	43
All	All	2242/2278 (98%)	2170 (97%)	68 (3%)	4 (0%)	47	52

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	C	361	LEU
2	D	361	LEU
1	A	131	ASP
1	B	556	ASN

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	555/566 (98%)	551 (99%)	4 (1%)	84	91
1	B	557/566 (98%)	553 (99%)	4 (1%)	84	91
2	C	309/310 (100%)	307 (99%)	2 (1%)	86	92
2	D	309/310 (100%)	309 (100%)	0	100	100
All	All	1730/1752 (99%)	1720 (99%)	10 (1%)	86	92

All (10) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	-9	HIS
1	A	3	ASP
1	A	307	LEU
1	A	378	ARG
1	B	-13	SER
1	B	5	THR
1	B	258	MET
1	B	416	GLN
2	C	173	ARG
2	C	245	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

40 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	VXZ	B	808	-	14,14,14	1.02	2 (14%)	21,21,21	0.89	2 (9%)
5	VXZ	A	807	-	14,14,14	1.04	2 (14%)	21,21,21	0.86	2 (9%)
3	SO4	D	503	-	4,4,4	0.13	0	6,6,6	0.06	0
5	VXZ	C	506	-	14,14,14	1.04	2 (14%)	21,21,21	0.84	2 (9%)
5	VXZ	D	508	-	14,14,14	1.03	2 (14%)	21,21,21	0.86	2 (9%)
3	SO4	A	801	-	4,4,4	0.15	0	6,6,6	0.08	0
3	SO4	B	803	-	4,4,4	0.14	0	6,6,6	0.04	0
3	SO4	D	502	-	4,4,4	0.14	0	6,6,6	0.06	0
3	SO4	C	507	-	4,4,4	0.15	0	6,6,6	0.12	0
4	GOL	B	805	-	5,5,5	0.88	0	5,5,5	1.03	0
5	VXZ	B	807	-	14,14,14	1.02	2 (14%)	21,21,21	0.87	2 (9%)
3	SO4	B	811	-	4,4,4	0.14	0	6,6,6	0.09	0
5	VXZ	D	507	-	14,14,14	1.03	2 (14%)	21,21,21	0.85	2 (9%)
3	SO4	D	501	-	4,4,4	0.14	0	6,6,6	0.06	0
3	SO4	B	810	-	4,4,4	0.17	0	6,6,6	0.24	0
3	SO4	A	803	-	4,4,4	0.14	0	6,6,6	0.05	0
3	SO4	C	503	-	4,4,4	0.14	0	6,6,6	0.05	0
4	GOL	B	804	-	5,5,5	0.90	0	5,5,5	0.93	0
4	GOL	D	505	-	5,5,5	0.86	0	5,5,5	0.98	0
3	SO4	D	509	-	4,4,4	0.17	0	6,6,6	0.11	0
5	VXZ	B	809	-	14,14,14	1.19	3 (21%)	21,21,21	0.80	2 (9%)
3	SO4	B	802	-	4,4,4	0.14	0	6,6,6	0.06	0
5	VXZ	A	808	-	14,14,14	1.02	2 (14%)	21,21,21	0.88	2 (9%)
5	VXZ	A	810	-	14,14,14	1.03	2 (14%)	21,21,21	0.86	2 (9%)
3	SO4	A	812	-	4,4,4	0.18	0	6,6,6	0.26	0
5	VXZ	D	506	-	14,14,14	1.04	2 (14%)	21,21,21	0.86	2 (9%)
4	GOL	A	806	-	5,5,5	0.84	0	5,5,5	1.04	0
3	SO4	A	802	-	4,4,4	0.14	0	6,6,6	0.05	0
3	SO4	B	801	-	4,4,4	0.13	0	6,6,6	0.09	0
4	GOL	A	804	-	5,5,5	0.88	0	5,5,5	1.00	0
5	VXZ	A	811	-	14,14,14	1.20	3 (21%)	21,21,21	0.88	2 (9%)
3	SO4	A	813	-	4,4,4	0.15	0	6,6,6	0.08	0
3	SO4	C	502	-	4,4,4	0.14	0	6,6,6	0.05	0
5	VXZ	A	809	-	14,14,14	1.04	2 (14%)	21,21,21	0.86	2 (9%)
3	SO4	C	501	-	4,4,4	0.13	0	6,6,6	0.07	0
3	SO4	C	504	-	4,4,4	0.14	0	6,6,6	0.04	0
4	GOL	A	805	-	5,5,5	0.85	0	5,5,5	1.03	0
5	VXZ	C	505	-	14,14,14	1.05	2 (14%)	21,21,21	0.85	2 (9%)
4	GOL	D	504	-	5,5,5	0.91	0	5,5,5	1.06	0
5	VXZ	B	806	-	14,14,14	1.04	2 (14%)	21,21,21	0.85	2 (9%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	VXZ	B	808	-	-	0/10/10/10	0/1/1/1
5	VXZ	A	807	-	-	0/10/10/10	0/1/1/1
5	VXZ	C	506	-	-	0/10/10/10	0/1/1/1
5	VXZ	D	508	-	-	0/10/10/10	0/1/1/1
4	GOL	B	805	-	-	0/4/4/4	-
5	VXZ	B	807	-	-	0/10/10/10	0/1/1/1
5	VXZ	D	507	-	-	0/10/10/10	0/1/1/1
4	GOL	D	505	-	-	4/4/4/4	-
4	GOL	B	804	-	-	2/4/4/4	-
5	VXZ	B	809	-	-	0/10/10/10	0/1/1/1
5	VXZ	A	808	-	-	0/10/10/10	0/1/1/1
5	VXZ	A	810	-	-	0/10/10/10	0/1/1/1
5	VXZ	D	506	-	-	2/10/10/10	0/1/1/1
4	GOL	A	806	-	-	2/4/4/4	-
4	GOL	A	804	-	-	4/4/4/4	-
5	VXZ	A	811	-	-	0/10/10/10	0/1/1/1
5	VXZ	A	809	-	-	0/10/10/10	0/1/1/1
4	GOL	A	805	-	-	1/4/4/4	-
5	VXZ	C	505	-	-	0/10/10/10	0/1/1/1
4	GOL	D	504	-	-	0/4/4/4	-
5	VXZ	B	806	-	-	0/10/10/10	0/1/1/1

All (30) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	B	809	VXZ	O4-C6	2.88	1.31	1.22
5	B	808	VXZ	O4-C6	2.84	1.31	1.22
5	C	506	VXZ	O4-C6	2.83	1.31	1.22
5	D	506	VXZ	O4-C6	2.83	1.31	1.22
5	C	505	VXZ	O4-C6	2.83	1.31	1.22
5	A	809	VXZ	O4-C6	2.82	1.31	1.22
5	B	806	VXZ	O4-C6	2.81	1.31	1.22
5	D	507	VXZ	O4-C6	2.79	1.31	1.22
5	A	811	VXZ	O4-C6	2.79	1.31	1.22
5	A	810	VXZ	O4-C6	2.79	1.31	1.22
5	B	807	VXZ	O4-C6	2.79	1.31	1.22
5	A	807	VXZ	O4-C6	2.78	1.31	1.22
5	D	508	VXZ	O4-C6	2.78	1.31	1.22

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	808	VXZ	O4-C6	2.78	1.31	1.22
5	C	505	VXZ	O3-C6	-2.53	1.22	1.30
5	B	806	VXZ	O3-C6	-2.53	1.22	1.30
5	A	809	VXZ	O3-C6	-2.51	1.22	1.30
5	D	506	VXZ	O3-C6	-2.51	1.22	1.30
5	C	506	VXZ	O3-C6	-2.51	1.22	1.30
5	B	809	VXZ	O3-C6	-2.50	1.22	1.30
5	A	807	VXZ	O3-C6	-2.50	1.22	1.30
5	A	810	VXZ	O3-C6	-2.50	1.22	1.30
5	D	507	VXZ	O3-C6	-2.50	1.22	1.30
5	B	807	VXZ	O3-C6	-2.49	1.22	1.30
5	D	508	VXZ	O3-C6	-2.49	1.22	1.30
5	B	808	VXZ	O3-C6	-2.49	1.22	1.30
5	A	808	VXZ	O3-C6	-2.48	1.23	1.30
5	A	811	VXZ	O2-S	2.46	1.56	1.43
5	A	811	VXZ	O3-C6	-2.45	1.23	1.30
5	B	809	VXZ	O2-S	2.23	1.54	1.43

All (28) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	808	VXZ	O4-C6-C5	-3.07	114.47	121.94
5	A	808	VXZ	O4-C6-C5	-3.06	114.50	121.94
5	A	811	VXZ	O4-C6-C5	-3.05	114.52	121.94
5	B	807	VXZ	O4-C6-C5	-3.03	114.58	121.94
5	A	807	VXZ	O4-C6-C5	-3.00	114.66	121.94
5	A	810	VXZ	O4-C6-C5	-2.99	114.67	121.94
5	D	506	VXZ	O4-C6-C5	-2.98	114.70	121.94
5	D	508	VXZ	O4-C6-C5	-2.98	114.71	121.94
5	A	809	VXZ	O4-C6-C5	-2.96	114.75	121.94
5	C	505	VXZ	O4-C6-C5	-2.96	114.75	121.94
5	B	806	VXZ	O4-C6-C5	-2.93	114.81	121.94
5	D	507	VXZ	O4-C6-C5	-2.93	114.83	121.94
5	C	506	VXZ	O4-C6-C5	-2.92	114.85	121.94
5	B	809	VXZ	O4-C6-C5	-2.72	115.33	121.94
5	A	811	VXZ	O3-C6-C5	2.47	122.41	115.31
5	B	808	VXZ	O3-C6-C5	2.41	122.24	115.31
5	A	808	VXZ	O3-C6-C5	2.39	122.19	115.31
5	B	807	VXZ	O3-C6-C5	2.37	122.13	115.31
5	A	809	VXZ	O3-C6-C5	2.34	122.05	115.31
5	D	506	VXZ	O3-C6-C5	2.34	122.04	115.31
5	A	810	VXZ	O3-C6-C5	2.34	122.03	115.31

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	D	508	VXZ	O3-C6-C5	2.32	122.00	115.31
5	C	505	VXZ	O3-C6-C5	2.32	121.97	115.31
5	A	807	VXZ	O3-C6-C5	2.31	121.95	115.31
5	D	507	VXZ	O3-C6-C5	2.30	121.92	115.31
5	B	806	VXZ	O3-C6-C5	2.27	121.85	115.31
5	C	506	VXZ	O3-C6-C5	2.27	121.85	115.31
5	B	809	VXZ	O3-C6-C5	2.22	121.71	115.31

There are no chirality outliers.

All (15) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	804	GOL	O1-C1-C2-C3
4	A	804	GOL	C1-C2-C3-O3
4	A	806	GOL	O1-C1-C2-C3
4	D	505	GOL	O1-C1-C2-C3
4	D	505	GOL	C1-C2-C3-O3
4	A	804	GOL	O2-C2-C3-O3
4	B	804	GOL	O1-C1-C2-C3
4	A	806	GOL	O1-C1-C2-O2
4	D	505	GOL	O2-C2-C3-O3
4	B	804	GOL	O1-C1-C2-O2
4	D	505	GOL	O1-C1-C2-O2
4	A	804	GOL	O1-C1-C2-O2
4	A	805	GOL	O2-C2-C3-O3
5	D	506	VXZ	C-C5-C6-O3
5	D	506	VXZ	C-C5-C6-O4


There are no ring outliers.


4 monomers are involved in 5 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	807	VXZ	1	0
5	D	507	VXZ	1	0
5	B	809	VXZ	1	0
4	A	804	GOL	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier.


Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.






































5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	724/736 (98%)	0.57	19 (2%) 56 56	32, 51, 87, 137	0
1	B	726/736 (98%)	0.52	14 (1%) 66 67	32, 48, 79, 135	0
2	C	402/403 (99%)	0.59	16 (3%) 38 39	33, 45, 77, 113	0
2	D	402/403 (99%)	0.68	21 (5%) 27 28	30, 46, 80, 140	0
All	All	2254/2278 (98%)	0.58	70 (3%) 49 50	30, 48, 82, 140	0

All (70) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	D	294	ALA	8.9
1	B	577	THR	7.9
2	D	297	VAL	7.0
1	A	575	GLY	6.7
1	A	576	GLY	6.6
2	C	225	PHE	6.6
2	D	301	THR	6.4
2	D	296	PRO	6.4
1	A	2	PRO	5.8
2	C	300	LEU	5.8
2	C	297	VAL	5.2
2	D	300	LEU	4.8
1	B	576	GLY	4.5
1	A	571	VAL	4.4
2	D	298	ILE	4.4
2	D	390	ILE	4.2
2	D	226	GLU	4.1
2	C	390	ILE	4.1
1	B	1	MET	3.7
2	C	294	ALA	3.7
1	A	577	THR	3.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	D	133	ALA	3.5
2	C	293	GLY	3.5
2	D	293	GLY	3.5
2	D	391	GLY	3.4
2	C	298	ILE	3.4
1	A	579	GLN	3.4
1	A	574	ALA	3.3
1	B	720	SER	3.3
2	C	226	GLU	3.2
1	A	1	MET	3.2
2	D	136	LEU	3.2
1	A	720	SER	3.0
2	C	292	SER	2.9
2	D	231	LEU	2.9
1	B	689	PRO	2.9
2	D	225	PHE	2.8
2	D	228	LEU	2.8
1	B	578	TYR	2.8
1	B	573	ASP	2.7
1	B	568	ARG	2.7
2	D	295	ASP	2.7
1	A	570	GLY	2.6
2	C	134	MET	2.6
2	C	228	LEU	2.6
1	A	-9	HIS	2.5
1	B	571	VAL	2.4
1	B	2	PRO	2.4
1	B	377	GLU	2.4
1	A	3	ASP	2.4
2	C	299	MET	2.4
2	C	296	PRO	2.4
1	A	450	THR	2.4
2	D	229	ALA	2.4
2	D	299	MET	2.3
2	C	227	GLY	2.3
1	B	692	THR	2.3
2	D	276	LYS	2.2
1	A	367	TYR	2.2
1	B	569	LYS	2.2
2	C	301	THR	2.2
1	A	412	VAL	2.1
1	A	426	ILE	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	C	295	ASP	2.1
1	A	423	PHE	2.1
1	A	325	ILE	2.0
1	B	579	GLN	2.0
2	D	50	LEU	2.0
2	D	227	GLY	2.0
1	A	421	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	SO4	A	802	5/5	0.75	0.18	62,83,97,99	5
4	GOL	B	804	6/6	0.79	0.29	76,84,90,96	0
5	VXZ	A	810	14/14	0.79	0.25	66,82,125,138	0
3	SO4	B	803	5/5	0.81	0.19	55,59,80,81	5
4	GOL	D	505	6/6	0.82	0.12	55,61,63,68	0
3	SO4	C	501	5/5	0.82	0.18	102,108,121,130	0
3	SO4	C	507	5/5	0.86	0.18	75,81,107,118	0
4	GOL	D	504	6/6	0.86	0.12	64,67,70,71	0
3	SO4	C	503	5/5	0.88	0.15	87,91,97,124	0
3	SO4	B	811	5/5	0.88	0.19	65,85,100,128	0
5	VXZ	B	808	14/14	0.88	0.20	66,80,98,99	0
5	VXZ	D	508	14/14	0.88	0.18	62,73,95,95	0
4	GOL	A	804	6/6	0.90	0.18	50,59,67,75	0
4	GOL	A	805	6/6	0.90	0.12	42,44,54,54	0
5	VXZ	C	506	14/14	0.90	0.18	57,68,107,108	0
4	GOL	A	806	6/6	0.90	0.27	71,72,82,87	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	SO4	C	504	5/5	0.91	0.14	81,86,98,103	0
3	SO4	A	813	5/5	0.91	0.16	61,70,104,137	0
3	SO4	B	801	5/5	0.91	0.19	58,67,77,78	0
3	SO4	A	812	5/5	0.93	0.17	72,80,97,100	0
3	SO4	D	502	5/5	0.93	0.15	73,83,110,113	0
3	SO4	B	810	5/5	0.94	0.14	78,78,94,95	0
5	VXZ	B	809	14/14	0.94	0.21	53,68,82,85	0
5	VXZ	C	505	14/14	0.94	0.21	65,79,87,90	0
3	SO4	D	509	5/5	0.94	0.12	96,100,105,109	5
4	GOL	B	805	6/6	0.94	0.15	37,45,58,61	0
3	SO4	A	801	5/5	0.95	0.15	56,66,76,85	0
5	VXZ	A	807	14/14	0.95	0.17	55,69,82,84	0
5	VXZ	A	809	14/14	0.95	0.14	45,62,74,76	0
3	SO4	A	803	5/5	0.95	0.15	73,91,94,96	0
5	VXZ	D	506	14/14	0.95	0.20	63,78,83,94	0
5	VXZ	D	507	14/14	0.95	0.21	60,76,107,112	0
5	VXZ	A	811	14/14	0.95	0.20	64,72,85,92	0
5	VXZ	B	807	14/14	0.96	0.17	57,71,82,83	0
3	SO4	D	501	5/5	0.97	0.12	71,76,84,91	0
3	SO4	B	802	5/5	0.97	0.19	73,80,83,85	0
3	SO4	D	503	5/5	0.98	0.12	64,64,71,75	0
3	SO4	C	502	5/5	0.98	0.10	63,65,73,76	0
5	VXZ	A	808	14/14	0.98	0.14	47,54,62,65	0
5	VXZ	B	806	14/14	0.98	0.14	53,62,69,71	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around VXZ A 810:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around VXZ B 808:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around VXZ D 508:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around VXZ C 506:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around VXZ B 809:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around VXZ C 505:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around VXZ A 807:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around VXZ A 809:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around VXZ D 506:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around VXZ D 507:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around VXZ A 811:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around VXZ B 807:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around VXZ A 808:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers ⓘ

There are no such residues in this entry.