



# Full wwPDB X-ray Structure Validation Report i

Jun 15, 2024 – 04:37 PM EDT

PDB ID : 4PK1  
Title : Structure of BamB fused to a BamA POTRA domain fragment  
Authors : Jansen, K.B.; Sousa, M.C.  
Deposited on : 2014-05-13  
Resolution : 3.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>  
with specific help available everywhere you see the i symbol.

The types of validation reports are described at  
<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity : 4.02b-467  
Xtriage (Phenix) : 1.13  
EDS : 2.37.1  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.37.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*


The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1094 (3.10-3.10)
Clashscore	141614	1184 (3.10-3.10)
Ramachandran outliers	138981	1141 (3.10-3.10)
Sidechain outliers	138945	1141 (3.10-3.10)
RSRZ outliers	127900	1067 (3.10-3.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



## 2 Entry composition [\(i\)](#)

There is only 1 type of molecule in this entry. The entry contains 7451 atoms, of which 3689 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Chimera protein of Outer membrane protein assembly factors BamA and BamB.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	H	N	O	S			
1	A	494	7451	2357	3689	648	749	8	0	0	0


There are 23 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	171	GLY	-	expression tag	UNP P0A940
A	172	ALA	-	expression tag	UNP P0A940
A	173	MET	-	expression tag	UNP P0A940
A	174	GLU	-	expression tag	UNP P0A940
A	1002	PRO	-	linker	UNP P0A940
A	1003	GLY	-	linker	UNP P0A940
A	1004	ALA	-	linker	UNP P0A940
A	1005	SER	-	linker	UNP P0A940
A	1006	GLY	-	linker	UNP P0A940
A	1007	GLY	-	linker	UNP P0A940
A	1008	SER	-	linker	UNP P0A940
A	1009	GLY	-	linker	UNP P0A940
A	1010	GLY	-	linker	UNP P0A940
A	1011	GLY	-	linker	UNP P0A940
A	1012	SER	-	linker	UNP P0A940
A	1013	GLY	-	linker	UNP P0A940
A	1014	GLY	-	linker	UNP P0A940
A	1015	GLY	-	linker	UNP P0A940
A	1016	SER	-	linker	UNP P0A940
A	1017	GLY	-	linker	UNP P0A940
A	1018	GLY	-	linker	UNP P0A940
A	1019	THR	-	linker	UNP P0A940
A	1020	ALA	-	linker	UNP P0A940

### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Chimera protein of Outer membrane protein assembly factors BamA and BamB



## 4 Data and refinement statistics i

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	49.27Å 91.41Å 61.21Å 90.00° 92.85° 90.00°	Depositor
Resolution (Å)	19.89 – 3.10 19.89 – 3.10	Depositor EDS
% Data completeness (in resolution range)	98.9 (19.89-3.10) 99.1 (19.89-3.10)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$< I/\sigma(I) >$ <sup>1</sup>	2.07 (at 3.09Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.9_1692)	Depositor
$R$ , $R_{free}$	0.251 , 0.281 0.254 , 0.284	Depositor DCC
$R_{free}$ test set	519 reflections (5.30%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	68.2	Xtriage
Anisotropy	0.961	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.44 , 63.3	EDS
L-test for twinning <sup>2</sup>	$<  L  > = 0.46$ , $< L^2 > = 0.28$	Xtriage
Estimated twinning fraction	0.062 for h,-k,-l	Xtriage
$F_o, F_c$ correlation	0.89	EDS
Total number of atoms	7451	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	87.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.54% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $< |L| >$ ,  $< L^2 >$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality i

### 5.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.50	0/3822	0.71	8/5192 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	4

There are no bond length outliers.

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
1	A	1194	LEU	CA-CB-CG	8.03	133.76	115.30
1	A	1035	LEU	C-N-CD	5.94	140.87	128.40
1	A	1043	THR	C-N-CD	5.79	140.55	128.40
1	A	1194	LEU	N-CA-C	-5.56	95.98	111.00
1	A	1190	PRO	CA-N-CD	-5.47	103.84	111.50
1	A	1041	GLN	N-CA-C	-5.42	96.36	111.00
1	A	1189	MET	C-N-CD	5.32	139.56	128.40
1	A	1298	LEU	CB-CG-CD2	-5.28	102.02	111.00

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	1040	ASN	Peptide
1	A	1194	LEU	Peptide
1	A	1195	ARG	Peptide
1	A	1284	GLY	Peptide

## 5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3762	3689	3690	154	0
All	All	3762	3689	3690	154	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 21.

All (154) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1035:LEU:HD12	1:A:1325:ARG:NH2	1.54	1.22
1:A:1261:LEU:CD2	1:A:1284:GLY:HA2	1.95	0.96
1:A:1158:SER:CB	1:A:1202:THR:HG21	1.96	0.95
1:A:1327:LEU:HD23	1:A:1341:ASP:HB3	1.48	0.94
1:A:1271:ASP:OD1	1:A:1274:SER:OG	1.84	0.94
1:A:1248:ASP:OD1	1:A:1249:THR:N	2.04	0.90
1:A:1158:SER:HB3	1:A:1202:THR:HG21	1.57	0.86
1:A:1225:GLN:N	1:A:1225:GLN:OE1	2.09	0.84
1:A:1035:LEU:CD1	1:A:1325:ARG:NH2	2.42	0.81
1:A:1188:ASP:OD1	1:A:1189:MET:N	2.13	0.80
1:A:1035:LEU:HD12	1:A:1325:ARG:HH22	1.44	0.79
1:A:1261:LEU:HD22	1:A:1284:GLY:HA2	1.66	0.77
1:A:1158:SER:HB2	1:A:1202:THR:HG21	1.67	0.77
1:A:1311:ASP:OD1	1:A:1312:GLY:N	2.20	0.74
1:A:1071:VAL:CG2	1:A:1073:TYR:CZ	2.72	0.73
1:A:1341:ASP:OD2	1:A:1347:HIS:NE2	2.22	0.71
1:A:1040:ASN:HB3	1:A:1358:ALA:HA	1.72	0.71
1:A:1283:LEU:HD11	1:A:1298:LEU:HD21	1.71	0.71
1:A:1161:LEU:CD1	1:A:1173:ALA:HB1	2.20	0.71
1:A:1220:LEU:CD2	1:A:1227:ILE:HD11	2.21	0.71
1:A:1138:ASP:OD2	1:A:1140:THR:OG1	2.07	0.70
1:A:1261:LEU:HD21	1:A:1284:GLY:HA2	1.73	0.70
1:A:198:GLN:HB2	1:A:218:LYS:HE3	1.74	0.69
1:A:1327:LEU:CD2	1:A:1341:ASP:HB3	2.22	0.69
1:A:1220:LEU:HD21	1:A:1227:ILE:HD11	1.76	0.68
1:A:1283:LEU:CD1	1:A:1298:LEU:HD21	2.24	0.68

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1294:ASN:OD1	1:A:1294:ASN:N	2.26	0.68
1:A:1183:TRP:NE1	1:A:1221:MET:O	2.27	0.67
1:A:1182:LYS:NZ	1:A:1222:GLU:OE2	2.23	0.67
1:A:1062:ASN:O	1:A:1062:ASN:ND2	2.28	0.67
1:A:1353:ASP:OD1	1:A:1354:GLY:N	2.28	0.66
1:A:1230:GLN:NE2	1:A:1275:GLY:O	2.28	0.66
1:A:1291:VAL:CG1	1:A:1310:ILE:HD11	2.27	0.65
1:A:1264:ASN:N	1:A:1301:GLN:OE1	2.26	0.65
1:A:1290:ILE:HD12	1:A:1332:LEU:HD13	1.79	0.65
1:A:1245:SER:O	1:A:1264:ASN:OD1	2.15	0.65
1:A:1161:LEU:HD13	1:A:1173:ALA:HB1	1.78	0.65
1:A:1035:LEU:HD12	1:A:1325:ARG:HH21	1.56	0.64
1:A:266:TYR:HB3	1:A:335:VAL:HG23	1.78	0.64
1:A:1284:GLY:O	1:A:1301:GLN:HG3	1.97	0.64
1:A:1246:ASP:OD2	1:A:1246:ASP:N	2.31	0.63
1:A:1135:ASN:ND2	1:A:1140:THR:O	2.32	0.63
1:A:1071:VAL:HG22	1:A:1073:TYR:CZ	2.33	0.63
1:A:1353:ASP:OD2	1:A:1355:ARG:NH1	2.32	0.62
1:A:1071:VAL:CG2	1:A:1073:TYR:CE1	2.82	0.62
1:A:197:PHE:HA	1:A:222:ASP:OD2	2.03	0.58
1:A:1257:VAL:CG1	1:A:1278:MET:HE1	2.34	0.58
1:A:1305:VAL:HG12	1:A:1317:TRP:CZ3	2.38	0.58
1:A:1307:ALA:C	1:A:1308:LEU:HD23	2.24	0.58
1:A:232:ASP:OD1	1:A:299:THR:HG23	2.04	0.58
1:A:1085:ASN:O	1:A:1089:GLY:N	2.33	0.58
1:A:1212:ASP:N	1:A:1212:ASP:OD1	2.34	0.57
1:A:1268:THR:HG21	1:A:1270:LEU:HD21	1.86	0.57
1:A:1330:PRO:HA	1:A:1339:VAL:HG12	1.88	0.56
1:A:277:LEU:HB2	1:A:278:ALA:HA	1.88	0.56
1:A:1340:GLY:CA	1:A:1346:LEU:HD23	2.36	0.55
1:A:201:ASP:N	1:A:201:ASP:OD1	2.39	0.55
1:A:1303:ASP:OD2	1:A:1325:ARG:N	2.40	0.53
1:A:1035:LEU:CD1	1:A:1325:ARG:HH21	2.16	0.53
1:A:294:GLU:N	1:A:294:GLU:OE1	2.42	0.53
1:A:1303:ASP:OD2	1:A:1324:HIS:CA	2.58	0.52
1:A:1076:ASP:OD1	1:A:1077:ARG:N	2.43	0.52
1:A:1040:ASN:CB	1:A:1358:ALA:HA	2.37	0.52
1:A:1199:ALA:O	1:A:1250:THR:HG23	2.09	0.52
1:A:1283:LEU:HD11	1:A:1298:LEU:CD2	2.40	0.51
1:A:198:GLN:CB	1:A:218:LYS:HE3	2.40	0.51
1:A:1220:LEU:HD21	1:A:1227:ILE:CG1	2.41	0.50

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1257:VAL:CG1	1:A:1278:MET:CE	2.89	0.50
1:A:1205:GLY:HA2	1:A:1221:MET:HG3	1.94	0.50
1:A:1345:TYR:HB2	1:A:1347:HIS:CE1	2.46	0.50
1:A:199:LEU:HD23	1:A:222:ASP:OD2	2.13	0.49
1:A:1268:THR:HG23	1:A:1277:ILE:CG2	2.42	0.49
1:A:1291:VAL:HG13	1:A:1310:ILE:HD11	1.95	0.49
1:A:1085:ASN:CG	1:A:1088:ASP:HB2	2.33	0.49
1:A:1257:VAL:HG11	1:A:1278:MET:HE1	1.95	0.49
1:A:1145:THR:OG1	1:A:1179:GLY:O	2.20	0.48
1:A:1270:LEU:HD21	1:A:1277:ILE:HG23	1.96	0.48
1:A:1251:PRO:HB3	1:A:1258:VAL:CG1	2.43	0.48
1:A:1309:THR:OG1	1:A:1311:ASP:OD1	2.23	0.48
1:A:1319:GLN:OE1	1:A:1320:SER:N	2.47	0.48
1:A:1170:GLN:OE1	1:A:1186:ASN:OD1	2.32	0.48
1:A:1224:GLY:N	1:A:1225:GLN:OE1	2.46	0.48
1:A:1291:VAL:HG22	1:A:1296:ILE:HG12	1.95	0.48
1:A:1143:TRP:CE3	1:A:1179:GLY:HA3	2.49	0.48
1:A:1220:LEU:HD21	1:A:1227:ILE:CD1	2.42	0.48
1:A:1032:MET:HG2	1:A:1324:HIS:O	2.14	0.47
1:A:1060:TYR:HD2	1:A:1195:ARG:HB3	1.79	0.47
1:A:1261:LEU:HD22	1:A:1284:GLY:CA	2.41	0.47
1:A:1286:VAL:HG23	1:A:1286:VAL:O	2.15	0.47
1:A:1322:LEU:O	1:A:1325:ARG:HB2	2.15	0.47
1:A:1345:TYR:HB3	1:A:1360:GLN:O	2.14	0.47
1:A:1268:THR:CG2	1:A:1270:LEU:HD21	2.45	0.47
1:A:185:ASN:HD22	1:A:185:ASN:H	1.62	0.46
1:A:1163:LEU:HA	1:A:1172:GLN:O	2.15	0.46
1:A:199:LEU:C	1:A:201:ASP:H	2.18	0.46
1:A:1353:ASP:OD1	1:A:1355:ARG:N	2.27	0.46
1:A:1256:GLY:HA2	1:A:1272:LEU:HD23	1.97	0.46
1:A:1168:ASN:OD1	1:A:1168:ASN:N	2.39	0.46
1:A:1116:THR:HG22	1:A:1117:VAL:N	2.30	0.46
1:A:1328:THR:HB	1:A:1371:PRO:HD3	1.98	0.46
1:A:1353:ASP:OD1	1:A:1355:ARG:HG2	2.15	0.46
1:A:1163:LEU:O	1:A:1164:ILE:HD13	2.15	0.46
1:A:1212:ASP:HA	1:A:1214:GLY:N	2.31	0.45
1:A:1138:ASP:OD1	1:A:1138:ASP:N	2.49	0.45
1:A:1212:ASP:HA	1:A:1213:ASN:C	2.37	0.45
1:A:1308:LEU:CD2	1:A:1315:THR:HG23	2.47	0.45
1:A:183:VAL:CG1	1:A:1129:ALA:HB2	2.47	0.45
1:A:1360:GLN:HE21	1:A:1362:VAL:HG13	1.81	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1156:VAL:CG2	1:A:1200:PRO:HD2	2.47	0.45
1:A:1203:ALA:O	1:A:1204:PHE:CG	2.70	0.45
1:A:198:GLN:CG	1:A:218:LYS:HE3	2.47	0.44
1:A:199:LEU:CD2	1:A:222:ASP:CG	2.85	0.44
1:A:1222:GLU:HA	1:A:1223:GLN:HA	1.81	0.44
1:A:1290:ILE:HD13	1:A:1331:VAL:HA	1.99	0.44
1:A:1196:GLY:HA3	1:A:1197:GLU:HG2	1.98	0.44
1:A:197:PHE:CA	1:A:222:ASP:OD2	2.65	0.44
1:A:1071:VAL:HG21	1:A:1073:TYR:CE1	2.52	0.44
1:A:1308:LEU:HB3	1:A:1313:GLY:HA2	1.98	0.44
1:A:1073:TYR:HD2	1:A:1117:VAL:HG21	1.82	0.44
1:A:1046:THR:HG21	1:A:1388:TYR:CD1	2.52	0.44
1:A:1268:THR:CG2	1:A:1277:ILE:CG2	2.96	0.43
1:A:1223:GLN:H	1:A:1225:GLN:NE2	2.17	0.43
1:A:1268:THR:CG2	1:A:1277:ILE:HG23	2.48	0.43
1:A:1345:TYR:CE1	1:A:1361:LYS:CD	3.02	0.43
1:A:1194:LEU:HB2	1:A:1247:VAL:HB	2.01	0.43
1:A:1291:VAL:HG13	1:A:1310:ILE:CD1	2.49	0.42
1:A:199:LEU:C	1:A:201:ASP:N	2.73	0.42
1:A:1284:GLY:O	1:A:1301:GLN:CG	2.67	0.42
1:A:1085:ASN:ND2	1:A:1088:ASP:HB2	2.34	0.42
1:A:1182:LYS:HE2	1:A:1222:GLU:OE1	2.19	0.42
1:A:1291:VAL:HG11	1:A:1310:ILE:HD11	2.00	0.42
1:A:1156:VAL:HG21	1:A:1200:PRO:HD2	2.01	0.42
1:A:1228:TRP:NE1	1:A:1272:LEU:O	2.46	0.42
1:A:1155:PRO:HB3	1:A:1164:ILE:HD11	2.02	0.42
1:A:1270:LEU:CD2	1:A:1277:ILE:HG23	2.50	0.42
1:A:1156:VAL:CG2	1:A:1163:LEU:HB2	2.51	0.41
1:A:1265:GLY:CA	1:A:1266:ASN:HB3	2.50	0.41
1:A:1345:TYR:CE1	1:A:1361:LYS:HB2	2.56	0.41
1:A:1050:THR:HG21	1:A:1084:LEU:HD21	2.03	0.41
1:A:1187:LEU:O	1:A:1188:ASP:CB	2.69	0.41
1:A:1290:ILE:CD1	1:A:1332:LEU:HD13	2.49	0.41
1:A:1249:THR:CG2	1:A:1250:THR:N	2.83	0.41
1:A:1133:ALA:HB2	1:A:1143:TRP:CE2	2.56	0.41
1:A:1281:ARG:CZ	1:A:1313:GLY:O	2.69	0.41
1:A:1283:LEU:CD1	1:A:1298:LEU:CD2	2.96	0.41
1:A:1307:ALA:O	1:A:1308:LEU:HD23	2.20	0.41
1:A:1303:ASP:OD2	1:A:1324:HIS:HA	2.20	0.40
1:A:305:GLU:HA	1:A:308:ILE:HD12	2.02	0.40
1:A:1251:PRO:HA	1:A:1259:PHE:O	2.22	0.40

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1345:TYR:CE1	1:A:1361:LYS:HD3	2.56	0.40
1:A:1281:ARG:HD2	1:A:1313:GLY:HA3	2.03	0.40
1:A:1173:ALA:HB2	1:A:1183:TRP:CZ2	2.57	0.40
1:A:1046:THR:HG21	1:A:1388:TYR:HD1	1.87	0.40
1:A:1300:ASP:HB3	1:A:1304:ARG:CB	2.52	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [\(i\)](#)

### 5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	482/645 (75%)	430 (89%)	50 (10%)	2 (0%)	34 69

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	1188	ASP
1	A	1286	VAL

### 5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	406/529 (77%)	344 (85%)	62 (15%)	2 12

All (62) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	182	ILE
1	A	185	ASN
1	A	188	PHE
1	A	193	LEU
1	A	198	GLN
1	A	201	ASP
1	A	219	LEU
1	A	226	LEU
1	A	228	SER
1	A	238	PHE
1	A	245	VAL
1	A	261	THR
1	A	274	SER
1	A	277	LEU
1	A	297	ASN
1	A	337	LEU
1	A	345	ASN
1	A	346	ARG
1	A	1032	MET
1	A	1035	LEU
1	A	1036	PRO
1	A	1046	THR
1	A	1061	SER
1	A	1062	ASN
1	A	1063	LEU
1	A	1067	LEU
1	A	1070	ASN
1	A	1071	VAL
1	A	1088	ASP
1	A	1126	SER
1	A	1144	GLN
1	A	1154	ARG
1	A	1161	LEU
1	A	1168	ASN
1	A	1170	GLN
1	A	1174	LEU
1	A	1185	VAL
1	A	1189	MET
1	A	1190	PRO
1	A	1191	SER
1	A	1195	ARG
1	A	1198	SER

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	1201	THR
1	A	1212	ASP
1	A	1220	LEU
1	A	1246	ASP
1	A	1255	ASN
1	A	1257	VAL
1	A	1261	LEU
1	A	1277	ILE
1	A	1294	ASN
1	A	1295	ARG
1	A	1298	LEU
1	A	1300	ASP
1	A	1310	ILE
1	A	1325	ARG
1	A	1328	THR
1	A	1364	SER
1	A	1368	GLN
1	A	1379	LEU
1	A	1381	GLN
1	A	1384	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	1070	ASN
1	A	1186	ASN

### 5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [\(i\)](#)

There are no ligands in this entry.

## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

## 6 Fit of model and data i

### 6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	494/645 (76%)	0.54	46 (9%) <span style="background-color: red; color: white; border: 1px solid black; padding: 2px;">8</span> <span style="background-color: red; color: white; border: 1px solid black; padding: 2px;">3</span>	46, 76, 111, 141	0

All (46) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	281	SER	5.6
1	A	286	GLN	3.8
1	A	1032	MET	3.8
1	A	282	ALA	3.6
1	A	318	ALA	3.6
1	A	1072	VAL	3.6
1	A	269	SER	3.6
1	A	1364	SER	3.5
1	A	217	GLN	3.2
1	A	1107	GLU	3.2
1	A	1292	ASP	3.2
1	A	1073	TYR	3.2
1	A	1188	ASP	3.1
1	A	215	GLN	3.0
1	A	314	ARG	2.8
1	A	1213	ASN	2.8
1	A	1196	GLY	2.8
1	A	1365	SER	2.8
1	A	279	GLY	2.8
1	A	1212	ASP	2.7
1	A	1375	ASP	2.7
1	A	261	THR	2.7
1	A	1223	GLN	2.7
1	A	1066	ALA	2.6
1	A	1182	LYS	2.6
1	A	241	ASP	2.6
1	A	332	ASP	2.6

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	1119	GLY	2.5
1	A	1352	GLU	2.5
1	A	1276	GLN	2.5
1	A	1074	ALA	2.4
1	A	242	SER	2.4
1	A	251	LYS	2.4
1	A	192	GLU	2.4
1	A	257	THR	2.4
1	A	239	ASN	2.3
1	A	325	MET	2.3
1	A	316	GLY	2.3
1	A	345	ASN	2.3
1	A	1058	ASN	2.2
1	A	201	ASP	2.2
1	A	1215	ARG	2.2
1	A	315	TYR	2.2
1	A	277	LEU	2.1
1	A	346	ARG	2.1
1	A	280	HIS	2.1

## 6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [\(i\)](#)

There are no ligands in this entry.

## 6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.