



# Full wwPDB X-ray Structure Validation Report ⓘ

Jun 20, 2024 – 09:19 PM EDT

PDB ID : 5QEM  
Title : PanDDA analysis group deposition – Crystal structure of PTP1B in complex with compound\_XST00000217b  
Authors : Keedy, D.A.; Hill, Z.B.; Biel, J.T.; Kang, E.; Rettenmaier, T.J.; Brandao-Neto, J.; von Delft, F.; Wells, J.A.; Fraser, J.S.  
Deposited on : 2018-08-30  
Resolution : 1.75 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.37.1
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.37.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.75 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	2340 (1.76-1.76)
Clashscore	141614	2466 (1.76-1.76)
Ramachandran outliers	138981	2437 (1.76-1.76)
Sidechain outliers	138945	2437 (1.76-1.76)
RSRZ outliers	127900	2298 (1.76-1.76)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	321	<div> <div>7%</div> <div>62%</div> <div>25%</div> <div>12%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	JLG	A	401[C]	-	-	-	X

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	JLG	A	401[D]	-	-	-	X

## 2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 15541 atoms, of which 7609 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Tyrosine-protein phosphatase non-receptor type 1.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	284	Total	C	H	N	O	S	0	212	0
			15164	4810	7573	1307	1423	51			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	32	SER	CYS	engineered mutation	UNP P18031
A	92	VAL	CYS	engineered mutation	UNP P18031

- Molecule 2 is 2-(thiophen-2-yl)-1,3-thiazole-4-carboxylic acid (three-letter code: JLG) (formula: C<sub>8</sub>H<sub>5</sub>NO<sub>2</sub>S<sub>2</sub>).




Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total	C	H	N	O	S	0	1
			34	16	8	2	4	4		
2	A	1	Total	C	H	N	O	S	0	1
			34	16	8	2	4	4		

*Continued on next page...*

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	H	N	O	0	1
			34	16	8	2	4		

- Molecule 3 is 2-AMINO-2-HYDROXYMETHYL-PROPANE-1,3-DIOL (three-letter code: TRS) (formula:  $C_4H_{12}NO_3$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	H	N	O	0	0
			20	4	12	1	3		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	255	Total	O	0	0
			255	255		



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	89.65Å 89.65Å 106.44Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	62.73 – 1.75 62.73 – 1.75	Depositor EDS
% Data completeness (in resolution range)	99.9 (62.73-1.75) 99.9 (62.73-1.75)	Depositor EDS
$R_{merge}$	0.07	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.40 (at 1.75Å)	Xtriage
Refinement program	PHENIX 1.10.1_2155	Depositor
R, $R_{free}$	0.190 , 0.216 0.191 , 0.214	Depositor DCC
$R_{free}$ test set	1968 reflections (3.93%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	30.5	Xtriage
Anisotropy	0.246	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.36 , 61.8	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.024 for -h,-k,l	Xtriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	15541	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	41.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.13% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: TRS, JLG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.51	4/7743 (0.1%)	0.67	4/10390 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	155[A]	VAL	CB-CG2	-5.45	1.41	1.52
1	A	155[B]	VAL	CB-CG2	-5.45	1.41	1.52
1	A	155[C]	VAL	CB-CG2	-5.45	1.41	1.52
1	A	155[D]	VAL	CB-CG2	-5.45	1.41	1.52

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	121[A]	CYS	CA-CB-SG	6.22	125.19	114.00
1	A	121[B]	CYS	CA-CB-SG	6.22	125.19	114.00
1	A	121[C]	CYS	CA-CB-SG	6.22	125.19	114.00
1	A	121[D]	CYS	CA-CB-SG	6.22	125.19	114.00

There are no chirality outliers.

All (2) planarity outliers are listed below:



Mol	Chain	Res	Type	Group
1	A	188	PRO	Mainchain

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	7591	7573	7508	219	0
2	A	78	24	0	8	0
3	A	8	12	12	0	0
4	A	255	0	0	57	2
All	All	7932	7609	7520	223	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (223) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:252[C]:GLU:OE1	4:A:502:HOH:O	1.52	1.25
1:A:252[D]:GLU:OE1	4:A:502:HOH:O	1.52	1.25
1:A:245[C]:ASP:OD1	4:A:503:HOH:O	1.57	1.21
1:A:245[D]:ASP:OD1	4:A:503:HOH:O	1.57	1.21
1:A:128[C]:LYS:NZ	4:A:504:HOH:O	1.81	1.12
1:A:128[D]:LYS:NZ	4:A:504:HOH:O	1.81	1.12
1:A:279[C]:LYS:O	1:A:284[C]:ASP:HB2	1.50	1.08
1:A:279[D]:LYS:O	1:A:284[D]:ASP:HB2	1.50	1.08
1:A:24[A]:ARG:NH1	4:A:506:HOH:O	1.93	1.00
1:A:24[B]:ARG:NH1	4:A:506:HOH:O	1.93	1.00
1:A:73[C]:LYS:HD3	4:A:647:HOH:O	1.63	0.96
1:A:73[D]:LYS:HD3	4:A:647:HOH:O	1.63	0.96
1:A:262[A]:GLN:OE1	4:A:505:HOH:O	1.82	0.95
1:A:262[B]:GLN:OE1	4:A:505:HOH:O	1.82	0.95
1:A:24[C]:ARG:NH2	4:A:506:HOH:O	2.02	0.93
1:A:24[D]:ARG:NH2	4:A:506:HOH:O	2.02	0.93
1:A:219:ILE:HD11	1:A:262[C]:GLN:HE21	1.38	0.88
1:A:219:ILE:HD11	1:A:262[D]:GLN:HE21	1.38	0.88
1:A:278[C]:ALA:O	1:A:282[C]:MET:HG2	1.77	0.84

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:278[D]:ALA:O	1:A:282[D]:MET:HG2	1.77	0.84
1:A:245[A]:ASP:OD1	4:A:503:HOH:O	1.96	0.83
1:A:245[B]:ASP:OD1	4:A:503:HOH:O	1.96	0.83
1:A:200[A]:GLU:OE2	4:A:507:HOH:O	1.94	0.83
1:A:200[B]:GLU:OE2	4:A:507:HOH:O	1.94	0.83
1:A:24[C]:ARG:HH11	1:A:24[C]:ARG:HG2	1.47	0.80
1:A:24[D]:ARG:HG2	1:A:24[D]:ARG:HH11	1.47	0.80
1:A:247[C]:LYS:HG3	4:A:503:HOH:O	1.83	0.79
1:A:247[D]:LYS:HG3	4:A:503:HOH:O	1.83	0.79
1:A:105[C]:ARG:HG2	1:A:105[C]:ARG:HH11	1.46	0.78
1:A:105[D]:ARG:HH11	1:A:105[D]:ARG:HG2	1.46	0.78
1:A:45[C]:ARG:HG3	1:A:88[C]:LEU:HD21	1.68	0.75
1:A:45[D]:ARG:HG3	1:A:88[D]:LEU:HD21	1.68	0.75
1:A:24[C]:ARG:HG2	1:A:24[C]:ARG:NH1	2.01	0.74
1:A:24[D]:ARG:HG2	1:A:24[D]:ARG:NH1	2.01	0.74
1:A:2[C]:GLU:HA	1:A:2[C]:GLU:OE2	1.86	0.73
1:A:2[D]:GLU:HA	1:A:2[D]:GLU:OE2	1.86	0.73
1:A:24[A]:ARG:NH1	4:A:514:HOH:O	2.20	0.73
1:A:24[B]:ARG:NH1	4:A:514:HOH:O	2.20	0.73
1:A:29[C]:ASP:OD1	4:A:508:HOH:O	2.03	0.72
1:A:29[D]:ASP:OD1	4:A:508:HOH:O	2.03	0.72
1:A:105[C]:ARG:HH11	1:A:105[C]:ARG:CG	2.03	0.72
1:A:105[D]:ARG:HH11	1:A:105[D]:ARG:CG	2.03	0.72
1:A:159[C]:GLU:OE2	4:A:511:HOH:O	2.07	0.71
1:A:159[D]:GLU:OE2	4:A:511:HOH:O	2.07	0.71
1:A:140[C]:LEU:HD23	1:A:161[C]:GLU:O	1.89	0.71
1:A:140[D]:LEU:HD23	1:A:161[D]:GLU:O	1.89	0.71
1:A:4[C]:GLU:O	1:A:8[C]:GLU:HG2	1.89	0.71
1:A:4[D]:GLU:O	1:A:8[D]:GLU:HG2	1.89	0.71
1:A:33[C]:ARG:NH1	4:A:515:HOH:O	2.23	0.71
1:A:33[D]:ARG:NH1	4:A:515:HOH:O	2.23	0.71
1:A:9[C]:GLN:HA	1:A:12[C]:LYS:HG2	1.73	0.70
1:A:9[D]:GLN:HA	1:A:12[D]:LYS:HG2	1.73	0.70
1:A:18[C]:ALA:HB2	4:A:582:HOH:O	1.92	0.70
1:A:18[D]:ALA:HB2	4:A:582:HOH:O	1.92	0.70
1:A:21[C]:GLN:HE22	1:A:24[C]:ARG:HH21	1.37	0.69
1:A:21[D]:GLN:HE22	1:A:24[D]:ARG:HH21	1.37	0.69
1:A:22[A]:ASP:OD1	4:A:509:HOH:O	2.03	0.69
1:A:235[C]:MET:CE	1:A:278[C]:ALA:HB2	2.22	0.69
1:A:235[D]:MET:CE	1:A:278[D]:ALA:HB2	2.22	0.69
2:A:403[C]:JLG:O03	4:A:512:HOH:O	2.11	0.68

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:403[D]:JLG:O03	4:A:512:HOH:O	2.11	0.68
1:A:2[A]:GLU:HG2	1:A:3[A]:MET:N	2.09	0.68
1:A:2[B]:GLU:HG2	1:A:3[B]:MET:N	2.09	0.68
1:A:153[B]:TYR:HE1	1:A:155[B]:VAL:CG2	2.06	0.68
1:A:1[C]:MET:HA	2:A:401[C]:JLG:O03	1.94	0.67
1:A:1[D]:MET:HA	2:A:401[D]:JLG:O03	1.94	0.67
1:A:1[D]:MET:HG3	2:A:401[D]:JLG:O03	1.95	0.67
1:A:1[C]:MET:HG3	2:A:401[C]:JLG:O03	1.95	0.66
1:A:88[C]:LEU:HB3	1:A:89[C]:PRO:HD2	1.76	0.66
1:A:88[D]:LEU:HB3	1:A:89[D]:PRO:HD2	1.76	0.66
2:A:402[C]:JLG:O01	4:A:513:HOH:O	2.14	0.65
2:A:402[D]:JLG:O01	4:A:513:HOH:O	2.14	0.65
1:A:92[C]:VAL:HG12	1:A:135[C]:PHE:CE1	2.32	0.64
1:A:92[D]:VAL:HG12	1:A:135[D]:PHE:CE1	2.32	0.64
1:A:34[C]:VAL:HG23	1:A:53[C]:ASP:OD1	1.97	0.64
1:A:34[D]:VAL:HG23	1:A:53[D]:ASP:OD1	1.97	0.64
1:A:78[C]:GLN:OE1	1:A:237[C]:LYS:NZ	2.30	0.64
1:A:78[D]:GLN:OE1	1:A:237[D]:LYS:NZ	2.30	0.64
1:A:235[C]:MET:HE1	1:A:278[C]:ALA:HB2	1.78	0.64
1:A:235[D]:MET:HE1	1:A:278[D]:ALA:HB2	1.78	0.64
1:A:2[A]:GLU:HG2	1:A:3[A]:MET:H	1.63	0.63
1:A:2[B]:GLU:HG2	1:A:3[B]:MET:H	1.63	0.63
1:A:219:ILE:HD11	1:A:262[D]:GLN:NE2	2.09	0.63
1:A:61[C]:GLN:NE2	4:A:518:HOH:O	2.33	0.62
1:A:61[D]:GLN:NE2	4:A:518:HOH:O	2.33	0.62
1:A:153[C]:TYR:OH	1:A:197[C]:LYS:HE3	2.01	0.61
1:A:153[D]:TYR:OH	1:A:197[D]:LYS:HE3	2.01	0.61
1:A:83:LEU:HD11	1:A:226[B]:CYS:SG	2.41	0.60
1:A:41[C]:LYS:O	1:A:41[C]:LYS:HG3	2.02	0.59
1:A:41[D]:LYS:O	1:A:41[D]:LYS:HG3	2.02	0.59
1:A:123[C]:GLN:O	1:A:123[C]:GLN:HG3	2.02	0.59
1:A:123[D]:GLN:O	1:A:123[D]:GLN:HG3	2.02	0.59
1:A:73[C]:LYS:CD	4:A:647:HOH:O	2.35	0.57
1:A:73[D]:LYS:CD	4:A:647:HOH:O	2.35	0.57
1:A:250[C]:LEU:HD12	1:A:250[C]:LEU:O	2.04	0.57
1:A:250[D]:LEU:O	1:A:250[D]:LEU:HD12	2.04	0.57
1:A:200[C]:GLU:OE1	4:A:510:HOH:O	2.05	0.57
1:A:200[D]:GLU:OE1	4:A:510:HOH:O	2.05	0.57
1:A:153[B]:TYR:HE1	1:A:155[B]:VAL:HG23	1.69	0.57
1:A:196[C]:PHE:O	1:A:200[C]:GLU:HG3	2.04	0.57
1:A:196[D]:PHE:O	1:A:200[D]:GLU:HG3	2.04	0.57

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:9[C]:GLN:CA	1:A:12[C]:LYS:HG2	2.34	0.56
1:A:9[D]:GLN:CA	1:A:12[D]:LYS:HG2	2.34	0.56
1:A:200[A]:GLU:CG	4:A:507:HOH:O	2.54	0.56
1:A:200[B]:GLU:CG	4:A:507:HOH:O	2.54	0.56
1:A:76[C]:GLU:OE1	1:A:238[C]:ARG:NH2	2.31	0.55
1:A:76[D]:GLU:OE1	1:A:238[D]:ARG:NH2	2.31	0.55
1:A:9[C]:GLN:O	1:A:12[C]:LYS:HG2	2.07	0.54
1:A:9[D]:GLN:O	1:A:12[D]:LYS:HG2	2.07	0.54
1:A:4[C]:GLU:O	1:A:8[C]:GLU:CG	2.56	0.54
1:A:4[D]:GLU:O	1:A:8[D]:GLU:CG	2.56	0.54
1:A:76[C]:GLU:CD	1:A:238[C]:ARG:HH21	2.10	0.53
1:A:76[D]:GLU:CD	1:A:238[D]:ARG:HH21	2.10	0.53
1:A:9[C]:GLN:HG3	1:A:12[C]:LYS:NZ	2.22	0.53
1:A:9[D]:GLN:HG3	1:A:12[D]:LYS:NZ	2.22	0.53
1:A:153[B]:TYR:CE1	1:A:155[B]:VAL:HG23	2.43	0.53
1:A:219:ILE:HD11	1:A:262[C]:GLN:NE2	2.09	0.53
1:A:9[C]:GLN:O	1:A:9[C]:GLN:HG2	2.09	0.52
1:A:9[D]:GLN:O	1:A:9[D]:GLN:HG2	2.09	0.52
1:A:92[A]:VAL:HG12	1:A:135[A]:PHE:CE1	2.45	0.52
1:A:92[B]:VAL:HG12	1:A:135[B]:PHE:CE1	2.45	0.52
1:A:3[A]:MET:HE1	1:A:274[A]:VAL:HG12	1.92	0.51
1:A:3[B]:MET:HE1	1:A:274[B]:VAL:HG12	1.92	0.51
1:A:235[C]:MET:HE3	1:A:278[C]:ALA:HB2	1.93	0.51
1:A:235[D]:MET:HE3	1:A:278[D]:ALA:HB2	1.93	0.51
1:A:77[C]:ALA:O	1:A:78[C]:GLN:HB2	2.10	0.50
1:A:77[D]:ALA:O	1:A:78[D]:GLN:HB2	2.10	0.50
1:A:247[C]:LYS:NZ	4:A:503:HOH:O	2.44	0.50
1:A:247[D]:LYS:NZ	4:A:503:HOH:O	2.44	0.50
1:A:92[C]:VAL:CG1	1:A:135[C]:PHE:CE1	2.94	0.50
1:A:92[D]:VAL:CG1	1:A:135[D]:PHE:CE1	2.94	0.50
1:A:235[C]:MET:HE3	1:A:278[C]:ALA:CB	2.42	0.50
1:A:235[D]:MET:HE3	1:A:278[D]:ALA:CB	2.42	0.50
1:A:116[C]:LYS:HD3	1:A:182[C]:PHE:CZ	2.47	0.49
1:A:116[D]:LYS:HD3	1:A:182[D]:PHE:CZ	2.47	0.49
1:A:1[C]:MET:CE	1:A:278[C]:ALA:HB3	2.42	0.49
1:A:1[D]:MET:CE	1:A:278[D]:ALA:HB3	2.42	0.49
1:A:131[C]:LYS:HE3	4:A:723:HOH:O	2.12	0.49
1:A:131[D]:LYS:HE3	4:A:723:HOH:O	2.12	0.49
1:A:73[C]:LYS:HE2	4:A:653:HOH:O	2.12	0.49
1:A:73[D]:LYS:HE2	4:A:653:HOH:O	2.12	0.49
1:A:1[C]:MET:HE3	1:A:278[C]:ALA:CB	2.44	0.48

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1[D]:MET:HE3	1:A:278[D]:ALA:CB	2.44	0.48
1:A:21[C]:GLN:NE2	1:A:24[C]:ARG:HH21	2.09	0.48
1:A:21[D]:GLN:NE2	1:A:24[D]:ARG:HH21	2.09	0.48
1:A:92[C]:VAL:CG1	1:A:135[C]:PHE:HE1	2.26	0.48
1:A:92[D]:VAL:CG1	1:A:135[D]:PHE:HE1	2.26	0.48
1:A:6[A]:GLU:OE2	1:A:247[A]:LYS:HE3	2.14	0.48
1:A:6[B]:GLU:OE2	1:A:247[B]:LYS:HE3	2.14	0.48
1:A:279[C]:LYS:HD3	1:A:279[C]:LYS:H	1.79	0.47
1:A:279[D]:LYS:HD3	1:A:279[D]:LYS:H	1.79	0.47
1:A:140[C]:LEU:HD22	1:A:160[C]:LEU:HG	1.96	0.47
1:A:140[D]:LEU:HD22	1:A:160[D]:LEU:HG	1.96	0.47
1:A:1[C]:MET:CE	1:A:278[C]:ALA:CB	2.93	0.47
1:A:1[D]:MET:CE	1:A:278[D]:ALA:CB	2.93	0.47
1:A:105[C]:ARG:HG2	1:A:105[C]:ARG:NH1	2.22	0.47
1:A:105[D]:ARG:HG2	1:A:105[D]:ARG:NH1	2.22	0.47
1:A:9[C]:GLN:C	1:A:12[C]:LYS:HG2	2.34	0.47
1:A:9[D]:GLN:C	1:A:12[D]:LYS:HG2	2.34	0.47
1:A:50[C]:SER:HB3	1:A:51:PRO:HD2	1.97	0.47
1:A:50[D]:SER:HB3	1:A:51:PRO:HD2	1.97	0.47
1:A:109[C]:MET:HG2	1:A:175:HIS:CD2	2.50	0.47
1:A:109[D]:MET:HG2	1:A:175:HIS:CD2	2.50	0.47
1:A:279[C]:LYS:HD3	1:A:279[C]:LYS:N	2.29	0.47
1:A:279[D]:LYS:HD3	1:A:279[D]:LYS:N	2.29	0.47
1:A:239[C]:LYS:HB2	4:A:513:HOH:O	2.15	0.46
1:A:239[D]:LYS:HB2	4:A:513:HOH:O	2.15	0.46
1:A:100[C]:TRP:CZ2	1:A:162[C]:ASN:HB2	2.50	0.46
1:A:100[D]:TRP:CZ2	1:A:162[D]:ASN:HB2	2.50	0.46
1:A:200[A]:GLU:HG3	4:A:507:HOH:O	2.15	0.46
1:A:200[B]:GLU:HG3	4:A:507:HOH:O	2.15	0.46
1:A:9[C]:GLN:HG3	1:A:12[C]:LYS:HZ2	1.80	0.46
1:A:9[D]:GLN:HG3	1:A:12[D]:LYS:HZ2	1.80	0.46
1:A:165[C]:THR:O	1:A:166[C]:GLN:HB2	2.15	0.46
1:A:165[D]:THR:O	1:A:166[D]:GLN:HB2	2.15	0.46
1:A:241[C]:PRO:HG3	4:A:572:HOH:O	2.16	0.45
1:A:241[D]:PRO:HG3	4:A:572:HOH:O	2.16	0.45
1:A:76[C]:GLU:O	1:A:237[C]:LYS:HE2	2.17	0.45
1:A:76[D]:GLU:O	1:A:237[D]:LYS:HE2	2.17	0.45
1:A:47[C]:ARG:HE	1:A:47[C]:ARG:HB3	1.58	0.45
1:A:47[D]:ARG:HE	1:A:47[D]:ARG:HB3	1.58	0.45
1:A:73[C]:LYS:HE3	1:A:73[C]:LYS:HB2	1.77	0.44
1:A:73[D]:LYS:HB2	1:A:73[D]:LYS:HE3	1.77	0.44

Continued on next page...

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:45[C]:ARG:NH2	1:A:121[C]:CYS:HA	2.33	0.44
1:A:45[D]:ARG:NH2	1:A:121[D]:CYS:HA	2.33	0.44
1:A:281[C]:ILE:HD12	1:A:281[C]:ILE:HA	1.88	0.44
1:A:281[D]:ILE:HD12	1:A:281[D]:ILE:HA	1.88	0.44
1:A:24[C]:ARG:HH11	1:A:24[C]:ARG:CG	2.17	0.44
1:A:24[D]:ARG:HH11	1:A:24[D]:ARG:CG	2.17	0.44
1:A:153[B]:TYR:CE1	1:A:155[B]:VAL:CG2	2.95	0.43
1:A:45[A]:ARG:NH2	1:A:121[A]:CYS:HA	2.33	0.43
1:A:45[B]:ARG:NH2	1:A:121[B]:CYS:HA	2.33	0.43
1:A:105[C]:ARG:CG	1:A:105[C]:ARG:NH1	2.73	0.42
1:A:105[D]:ARG:CG	1:A:105[D]:ARG:NH1	2.73	0.42
1:A:260:LEU:O	1:A:261[C]:ILE:HB	2.20	0.41
1:A:260:LEU:O	1:A:261[D]:ILE:HB	2.20	0.41
1:A:2[A]:GLU:CG	1:A:3[A]:MET:N	2.81	0.41
1:A:2[B]:GLU:CG	1:A:3[B]:MET:N	2.81	0.41
1:A:235[C]:MET:CE	1:A:278[C]:ALA:CB	2.96	0.41
1:A:235[D]:MET:CE	1:A:278[D]:ALA:CB	2.96	0.41
1:A:184[C]:VAL:HB	1:A:185[C]:PRO:CD	2.50	0.41
1:A:184[D]:VAL:HB	1:A:185[D]:PRO:CD	2.50	0.41
1:A:73[C]:LYS:CE	4:A:653:HOH:O	2.68	0.41
1:A:73[D]:LYS:CE	4:A:653:HOH:O	2.68	0.41
1:A:105[C]:ARG:HD2	1:A:105[C]:ARG:O	2.21	0.41
1:A:105[D]:ARG:HD2	1:A:105[D]:ARG:O	2.21	0.41
1:A:20:TYR:CZ	1:A:24[D]:ARG:HD2	2.56	0.41
1:A:71[C]:LEU:HD12	1:A:71[C]:LEU:HA	1.74	0.41
1:A:71[D]:LEU:HD12	1:A:71[D]:LEU:HA	1.74	0.41
1:A:1[C]:MET:HE1	1:A:278[C]:ALA:HB3	2.03	0.40
1:A:1[D]:MET:HE1	1:A:278[D]:ALA:HB3	2.03	0.40
1:A:20:TYR:CZ	1:A:24[C]:ARG:HD2	2.56	0.40
1:A:153[A]:TYR:OH	1:A:197[A]:LYS:HG3	2.20	0.40
1:A:1[C]:MET:HE3	1:A:278[C]:ALA:HB3	2.03	0.40
1:A:1[D]:MET:HE3	1:A:278[D]:ALA:HB3	2.03	0.40
1:A:2[A]:GLU:CG	1:A:3[A]:MET:H	2.32	0.40
1:A:2[B]:GLU:CG	1:A:3[B]:MET:H	2.32	0.40
1:A:41[C]:LYS:HB2	1:A:41[C]:LYS:HE3	1.42	0.40
1:A:41[D]:LYS:HB2	1:A:41[D]:LYS:HE3	1.42	0.40
1:A:71[C]:LEU:HD21	1:A:73[C]:LYS:HG3	2.03	0.40
1:A:71[D]:LEU:HD21	1:A:73[D]:LYS:HG3	2.03	0.40
1:A:205[C]:SER:HA	1:A:206[C]:PRO:HD3	1.90	0.40
1:A:205[D]:SER:HA	1:A:206[D]:PRO:HD3	1.90	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the sym-

metry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:A:673:HOH:O	4:A:695:HOH:O[2_565]	1.87	0.33
4:A:628:HOH:O	4:A:730:HOH:O[4_455]	1.93	0.27

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	910/321 (284%)	856 (94%)	46 (5%)	8 (1%)	17 5

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	261[A]	ILE
1	A	261[B]	ILE
1	A	261[C]	ILE
1	A	261[D]	ILE
1	A	220[A]	GLY
1	A	220[B]	GLY
1	A	220[C]	GLY
1	A	220[D]	GLY

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	846/294 (288%)	822 (97%)	24 (3%)	43 20



All (24) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	61[A]	GLN
1	A	61[B]	GLN
1	A	61[C]	GLN
1	A	61[D]	GLN
1	A	72[A]	ILE
1	A	72[B]	ILE
1	A	72[C]	ILE
1	A	72[D]	ILE
1	A	79[A]	ARG
1	A	79[B]	ARG
1	A	79[C]	ARG
1	A	79[D]	ARG
1	A	121[A]	CYS
1	A	121[B]	CYS
1	A	121[C]	CYS
1	A	121[D]	CYS
1	A	265[A]	ASP
1	A	265[B]	ASP
1	A	265[C]	ASP
1	A	265[D]	ASP
1	A	281[A]	ILE
1	A	281[B]	ILE
1	A	281[C]	ILE
1	A	281[D]	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	68	ASN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.



## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

7 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	JLG	A	402[D]	-	12,14,14	2.96	4 (33%)	7,19,19	2.57	4 (57%)
2	JLG	A	401[D]	-	12,14,14	2.64	5 (41%)	7,19,19	2.03	4 (57%)
2	JLG	A	402[C]	-	12,14,14	2.96	4 (33%)	7,19,19	2.57	4 (57%)
2	JLG	A	403[D]	-	12,14,14	2.74	6 (50%)	7,19,19	3.27	4 (57%)
2	JLG	A	403[C]	-	12,14,14	2.74	6 (50%)	7,19,19	3.27	4 (57%)
2	JLG	A	401[C]	-	12,14,14	2.62	5 (41%)	7,19,19	2.04	4 (57%)
3	TRS	A	404	-	7,7,7	0.79	0	9,9,9	0.98	1 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	JLG	A	402[D]	-	-	1/2/8/8	0/2/2/2
2	JLG	A	401[D]	-	-	2/2/8/8	0/2/2/2
2	JLG	A	402[C]	-	-	1/2/8/8	0/2/2/2
2	JLG	A	403[D]	-	-	0/2/8/8	0/2/2/2
2	JLG	A	403[C]	-	-	0/2/8/8	0/2/2/2
2	JLG	A	401[C]	-	-	2/2/8/8	0/2/2/2
3	TRS	A	404	-	-	3/9/9/9	-

All (30) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	401[D]	JLG	C09-S13	6.63	1.79	1.72
2	A	401[C]	JLG	C09-S13	6.54	1.79	1.72
2	A	403[C]	JLG	C09-S13	-6.30	1.66	1.72
2	A	403[D]	JLG	C09-S13	-6.30	1.66	1.72
2	A	402[C]	JLG	C04-C02	-6.18	1.42	1.50
2	A	402[D]	JLG	C04-C02	-6.18	1.42	1.50
2	A	402[C]	JLG	C09-S13	-5.79	1.67	1.72
2	A	402[D]	JLG	C09-S13	-5.79	1.67	1.72
2	A	402[C]	JLG	C07-S06	-3.95	1.68	1.73
2	A	402[D]	JLG	C07-S06	-3.95	1.68	1.73
2	A	403[C]	JLG	C04-C02	3.91	1.56	1.50
2	A	403[D]	JLG	C04-C02	3.91	1.56	1.50
2	A	401[C]	JLG	C04-C02	3.78	1.56	1.50
2	A	401[D]	JLG	C04-C02	3.77	1.56	1.50
2	A	403[C]	JLG	O03-C02	-3.30	1.20	1.30
2	A	403[D]	JLG	O03-C02	-3.30	1.20	1.30
2	A	403[C]	JLG	C07-S06	3.22	1.78	1.73
2	A	403[D]	JLG	C07-S06	3.22	1.78	1.73
2	A	402[C]	JLG	O03-C02	-3.21	1.20	1.30
2	A	402[D]	JLG	O03-C02	-3.21	1.20	1.30
2	A	401[D]	JLG	O03-C02	-2.78	1.22	1.30
2	A	401[C]	JLG	O03-C02	-2.77	1.22	1.30
2	A	401[C]	JLG	C07-N08	-2.53	1.27	1.31
2	A	401[D]	JLG	C07-N08	-2.53	1.27	1.31
2	A	403[C]	JLG	O01-C02	-2.35	1.16	1.22
2	A	403[D]	JLG	O01-C02	-2.35	1.16	1.22
2	A	401[C]	JLG	C04-N08	2.31	1.44	1.37
2	A	401[D]	JLG	C04-N08	2.31	1.44	1.37
2	A	403[C]	JLG	C07-N08	-2.18	1.28	1.31
2	A	403[D]	JLG	C07-N08	-2.18	1.28	1.31

All (25) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	403[C]	JLG	C11-C12-S13	-5.97	108.13	112.98
2	A	403[D]	JLG	C11-C12-S13	-5.97	108.13	112.98
2	A	402[C]	JLG	C11-C12-S13	-4.99	108.93	112.98
2	A	402[D]	JLG	C11-C12-S13	-4.99	108.93	112.98
2	A	403[C]	JLG	O01-C02-C04	-4.36	112.39	121.24
2	A	403[D]	JLG	O01-C02-C04	-4.36	112.39	121.24
2	A	401[C]	JLG	C11-C12-S13	-3.29	110.31	112.98
2	A	401[D]	JLG	C11-C12-S13	-3.26	110.34	112.98
2	A	401[C]	JLG	C04-C05-S06	-2.85	108.29	111.79

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	401[D]	JLG	C04-C05-S06	-2.82	108.32	111.79
2	A	403[C]	JLG	C04-C05-S06	-2.72	108.45	111.79
2	A	403[D]	JLG	C04-C05-S06	-2.72	108.45	111.79
2	A	402[C]	JLG	C04-C05-S06	-2.66	108.53	111.79
2	A	402[D]	JLG	C04-C05-S06	-2.66	108.53	111.79
2	A	403[C]	JLG	O03-C02-C04	2.46	120.28	114.69
2	A	403[D]	JLG	O03-C02-C04	2.46	120.28	114.69
2	A	402[C]	JLG	C05-C04-C02	-2.35	121.50	128.42
2	A	402[D]	JLG	C05-C04-C02	-2.35	121.50	128.42
2	A	401[D]	JLG	O03-C02-O01	2.25	128.34	123.35
2	A	402[C]	JLG	O03-C02-C04	-2.25	109.56	114.69
2	A	402[D]	JLG	O03-C02-C04	-2.25	109.56	114.69
2	A	401[C]	JLG	O03-C02-O01	2.22	128.26	123.35
2	A	401[D]	JLG	O01-C02-C04	-2.13	116.92	121.24
3	A	404	TRS	O3-C3-C	-2.12	104.27	111.00
2	A	401[C]	JLG	O01-C02-C04	-2.09	117.00	121.24

There are no chirality outliers.

All (9) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	401[C]	JLG	O01-C02-C04-C05
2	A	401[C]	JLG	O01-C02-C04-N08
2	A	401[D]	JLG	O01-C02-C04-C05
2	A	401[D]	JLG	O01-C02-C04-N08
2	A	402[C]	JLG	O01-C02-C04-N08
2	A	402[D]	JLG	O01-C02-C04-N08
3	A	404	TRS	C2-C-C1-O1
3	A	404	TRS	C3-C-C1-O1
3	A	404	TRS	N-C-C1-O1

There are no ring outliers.

6 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	402[D]	JLG	1	0
2	A	401[D]	JLG	2	0
2	A	402[C]	JLG	1	0
2	A	403[D]	JLG	1	0
2	A	403[C]	JLG	1	0
2	A	401[C]	JLG	2	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	A	8

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	A	59[C]:LEU	C	60:HIS	N	1.20
1	A	59[D]:LEU	C	60:HIS	N	1.20
1	A	179[C]:TRP	C	180:PRO	N	1.20
1	A	179[D]:TRP	C	180:PRO	N	1.20
1	A	229[C]:ASP	C	230:THR	N	1.18
1	A	229[D]:ASP	C	230:THR	N	1.18
1	A	198:VAL	C	199[C]:ARG	N	1.16
1	A	198:VAL	C	199[D]:ARG	N	1.16

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	284/321 (88%)	0.53	23 (8%) <b>12</b> <b>16</b>	21, 33, 59, 75	2 (0%)

All (23) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	284[C]	ASP	9.8
1	A	281[A]	ILE	6.8
1	A	282[A]	MET	6.2
1	A	280[A]	PHE	5.8
1	A	5[A]	LYS	4.9
1	A	63[A]	ASP	4.7
1	A	2[A]	GLU	4.7
1	A	1[A]	MET	4.4
1	A	12[A]	LYS	4.0
1	A	152[A]	TYR	4.0
1	A	62[A]	GLU	3.3
1	A	9[A]	GLN	2.8
1	A	165[A]	THR	2.5
1	A	283[C]	GLY	2.5
1	A	7[A]	PHE	2.4
1	A	47[A]	ARG	2.4
1	A	114	MET	2.4
1	A	3[A]	MET	2.3
1	A	134[A]	ILE	2.3
1	A	139[A]	ASN	2.2
1	A	41[A]	LYS	2.2
1	A	61[A]	GLN	2.1
1	A	10[A]	ILE	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	JLG	A	401[C]	13/13	0.44	0.55	30,48,66,69	17
2	JLG	A	401[D]	13/13	0.44	0.55	30,48,66,69	17
2	JLG	A	402[C]	13/13	0.59	0.35	25,46,66,67	17
2	JLG	A	402[D]	13/13	0.59	0.35	25,46,66,67	17
2	JLG	A	403[C]	13/13	0.65	0.38	23,36,46,49	17
2	JLG	A	403[D]	13/13	0.65	0.38	23,36,46,49	17
3	TRS	A	404	8/8	0.83	0.17	21,84,115,138	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.