



wwPDB EM Validation Summary Report ⓘ

Jul 7, 2024 – 09:43 pm BST

PDB ID : 7QWR
EMDB ID : EMD-14192
Title : Structure of the ribosome-nascent chain containing an ER signal sequence in complex with NAC
Authors : Jomaa, A.; Gamerdinger, M.; Hsieh, H.; Wallisch, A.; Chandrasekaran, V.; Ulusoy, Z.; Scaiola, A.; Hegde, R.; Shan, S.; Ban, N.; Deuerling, E.
Deposited on : 2022-01-25
Resolution : 2.90 Å (reported)
Based on initial model : 7OBR

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev92
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.37.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	s	24	
2	t	215	
3	u	162	
4	A	245	
5	b	223	
6	B	403	
7	c	115	
8	C	413	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	d	125	
10	D	297	
11	e	157	
12	E	291	
13	f	110	
14	F	225	
15	g	129	
16	G	319	
17	h	123	
18	H	192	
19	i	102	
20	I	214	
21	j	97	
22	J	178	
23	k	69	
24	L	211	
25	l	51	
26	M	218	
27	m	128	
28	N	204	
29	n	25	
30	O	500	
31	o	141	
32	P	153	
33	p	92	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
34	Q	187	
35	r	137	
36	R	196	
37	S	175	
38	T	160	
39	U	105	
40	V	140	
41	W	157	
42	5	4754	
43	X	156	
44	7	120	
45	Y	145	
46	8	156	
47	Z	136	
48	a	148	

2 Entry composition

There are 50 unique types of molecules in this entry. The entry contains 134576 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Nascent chain pre-prolactin.

Mol	Chain	Residues	Atoms				AltConf	Trace
1	s	24	Total	C	N	O	0	0
			120	72	24	24		

- Molecule 2 is a protein called Nascent polypeptide-associated complex subunit alpha.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	t	67	Total	C	N	O	S	0	0
			531	335	97	98	1		

- Molecule 3 is a protein called Isoform 2 of Transcription factor BTF3.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	u	108	Total	C	N	O	S	0	0
			837	523	155	156	3		

- Molecule 4 is a protein called 60S ribosomal protein L8.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	A	244	Total	C	N	O	S	0	0
			1868	1171	382	309	6		

There are 24 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	46	LYS	-	insertion	UNP A0A5F9D5B2
A	47	ASP	-	insertion	UNP A0A5F9D5B2
A	48	ILE	-	insertion	UNP A0A5F9D5B2
A	49	ILE	-	insertion	UNP A0A5F9D5B2
A	50	HIS	-	insertion	UNP A0A5F9D5B2
A	51	ASP	-	insertion	UNP A0A5F9D5B2
A	52	PRO	-	insertion	UNP A0A5F9D5B2
A	53	GLY	-	insertion	UNP A0A5F9D5B2
A	54	ARG	-	insertion	UNP A0A5F9D5B2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	55	GLY	-	insertion	UNP A0A5F9D5B2
A	56	ALA	-	insertion	UNP A0A5F9D5B2
A	57	PRO	-	insertion	UNP A0A5F9D5B2
A	58	LEU	-	insertion	UNP A0A5F9D5B2
A	59	ALA	-	insertion	UNP A0A5F9D5B2
A	60	LYS	-	insertion	UNP A0A5F9D5B2
A	61	VAL	-	insertion	UNP A0A5F9D5B2
A	62	VAL	-	insertion	UNP A0A5F9D5B2
A	63	PHE	-	insertion	UNP A0A5F9D5B2
A	64	ARG	-	insertion	UNP A0A5F9D5B2
A	65	ASP	-	insertion	UNP A0A5F9D5B2
A	66	PRO	-	insertion	UNP A0A5F9D5B2
A	67	TYR	-	insertion	UNP A0A5F9D5B2
A	68	ARG	-	insertion	UNP A0A5F9D5B2
A	69	PHE	-	insertion	UNP A0A5F9D5B2

- Molecule 5 is a protein called 60S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	b	75	Total	C	N	O	S	0	0
			609	378	130	98	3		

- Molecule 6 is a protein called Ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	B	394	Total	C	N	O	S	0	0
			3148	2007	591	537	13		

- Molecule 7 is a protein called 60S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	c	94	Total	C	N	O	S	0	0
			732	465	130	131	6		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
c	34	THR	SER	conflict	UNP G1TDL2

- Molecule 8 is a protein called 60S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	C	362	Total	C	N	O	S	0	0
			2883	1812	577	480	14		

- Molecule 9 is a protein called Ribosomal protein L31.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	d	107	Total	C	N	O	S	0	0
			888	560	171	155	2		

- Molecule 10 is a protein called Ribosomal_L18_c domain-containing protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	D	292	Total	C	N	O	S	0	0
			2386	1509	437	426	14		

- Molecule 11 is a protein called Ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	e	128	Total	C	N	O	S	0	0
			1053	667	216	165	5		

- Molecule 12 is a protein called 60S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	E	236	Total	C	N	O	S	0	0
			1898	1215	362	318	3		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
E	126	ARG	LYS	conflict	UNP G1SKF7
E	217	GLN	LYS	conflict	UNP G1SKF7

- Molecule 13 is a protein called 60S ribosomal protein L35a.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	f	109	Total	C	N	O	S	0	0
			876	555	174	143	4		

- Molecule 14 is a protein called uL30.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	F	225	Total	C	N	O	S	0	0
			1870	1202	358	301	9		

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
F	175	ALA	THR	conflict	UNP G1SV32
F	185	GLY	ASN	conflict	UNP G1SV32
F	202	ARG	HIS	conflict	UNP G1SV32
F	233	GLU	GLY	conflict	UNP G1SV32

- Molecule 15 is a protein called 60S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	g	114	Total	C	N	O	S	0	0
			906	566	187	147	6		

- Molecule 16 is a protein called 60S ribosomal protein L7a.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	G	241	Total	C	N	O	S	0	0
			1934	1233	371	326	4		

- Molecule 17 is a protein called 60S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	h	122	Total	C	N	O	S	0	0
			1013	640	204	168	1		

- Molecule 18 is a protein called 60S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	H	190	Total	C	N	O	S	0	0
			1516	954	284	272	6		

- Molecule 19 is a protein called 60S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	i	102	Total	C	N	O	S	0	0
			830	520	176	129	5		

- Molecule 20 is a protein called 60S ribosomal protein L10.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	I	204	Total	C	N	O	S	0	0
			1655	1051	319	272	13		

- Molecule 21 is a protein called Ribosomal protein L37.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	j	86	Total	C	N	O	S	0	0
			705	434	155	111	5		

- Molecule 22 is a protein called Ribosomal protein L11.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	J	169	Total	C	N	O	S	0	0
			1353	855	252	240	6		

- Molecule 23 is a protein called 60S ribosomal protein L38.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	k	69	Total	C	N	O	S	0	0
			569	366	103	99	1		

- Molecule 24 is a protein called L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	L	210	Total	C	N	O	S	0	0
			1703	1065	354	280	4		

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
L	52	SER	ALA	conflict	UNP G1TKB3
L	55	LEU	ILE	conflict	UNP G1TKB3
L	74	ARG	HIS	conflict	UNP G1TKB3
L	190	ARG	HIS	conflict	UNP G1TKB3

- Molecule 25 is a protein called Ribosomal protein L39.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	l	50	Total	C	N	O	S	0	0
			444	281	98	64	1		

- Molecule 26 is a protein called 60S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	M	138	Total	C	N	O	S	0	0
			1137	727	221	182	7		

- Molecule 27 is a protein called 60S ribosomal protein L40.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	m	52	Total	C	N	O	S	0	0
			429	266	90	67	6		

- Molecule 28 is a protein called Ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	N	203	Total	C	N	O	S	0	0
			1701	1072	359	266	4		

- Molecule 29 is a protein called 60s ribosomal protein l41.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	n	23	Total	C	N	O	S	0	0
			222	134	61	25	2		

- Molecule 30 is a protein called 60S ribosomal protein L13a.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	O	199	Total	C	N	O	S	0	0
			1638	1056	321	256	5		

- Molecule 31 is a protein called eL42.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	o	104	Total	C	N	O	S	0	0
			851	533	174	138	6		

- Molecule 32 is a protein called 60S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	P	153	Total	C	N	O	S	0	0
			1242	777	241	215	9		

- Molecule 33 is a protein called eL43.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	p	91	Total	C	N	O	S	0	0
			708	445	136	120	7		

- Molecule 34 is a protein called eL18.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	Q	187	Total	C	N	O	S	0	0
			1506	941	311	249	5		

There are 18 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
Q	6	ARG	LEU	conflict	UNP G1TX70
Q	14	ARG	TRP	conflict	UNP G1TX70
Q	23	ILE	MET	conflict	UNP G1TX70
Q	24	TYR	CYS	conflict	UNP G1TX70
Q	38	ARG	HIS	conflict	UNP G1TX70
Q	57	ASN	LYS	conflict	UNP G1TX70
Q	66	MET	VAL	conflict	UNP G1TX70
Q	74	GLY	ASP	conflict	UNP G1TX70
Q	75	ARG	PRO	conflict	UNP G1TX70
Q	77	GLY	ASN	conflict	UNP G1TX70
Q	106	SER	THR	conflict	UNP G1TX70
Q	110	ARG	HIS	conflict	UNP G1TX70
Q	117	GLY	GLU	conflict	UNP G1TX70
Q	124	ASP	HIS	conflict	UNP G1TX70
Q	134	CYS	ARG	conflict	UNP G1TX70
Q	150	ARG	GLN	conflict	UNP G1TX70
Q	172	ARG	GLY	conflict	UNP G1TX70
Q	184	ARG	TRP	conflict	UNP G1TX70

- Molecule 35 is a protein called 60S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	r	125	Total	C	N	O	S	0	0
			1001	621	206	168	6		

- Molecule 36 is a protein called 60S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	R	180	Total	C	N	O	S	0	0
			1508	933	328	238	9		

- Molecule 37 is a protein called 60S ribosomal protein L18a.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	S	175	Total	C	N	O	S	0	0
			1454	925	284	235	10		

- Molecule 38 is a protein called 60S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	T	159	Total	C	N	O	S	0	0
			1298	823	252	217	6		

- Molecule 39 is a protein called 60S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	U	105	Total	C	N	O	S	0	0
			859	547	150	160	2		

- Molecule 40 is a protein called Ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	V	131	Total	C	N	O	S	0	0
			979	618	184	172	5		

- Molecule 41 is a protein called Ribosomal protein L24.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	W	63	Total	C	N	O	S	0	0
			528	337	103	85	3		

- Molecule 42 is a RNA chain called 28S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	5	3493	Total	C	N	O	P	0	0
			74854	33335	13681	24346	3492		

- Molecule 43 is a protein called Ribosomal_L23eN domain-containing protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	X	119	Total	C	N	O	S	0	0
			976	624	183	168	1		

- Molecule 44 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	7	120	Total	C	N	O	P	0	0
			2558	1141	456	842	119		

- Molecule 45 is a protein called Ribosomal protein L26.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	Y	134	Total	C	N	O	S	0	0
			1115	700	226	186	3		

- Molecule 46 is a RNA chain called 5.8S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	8	156	Total	C	N	O	P	0	0
			3314	1480	585	1094	155		

- Molecule 47 is a protein called 60S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	Z	135	Total	C	N	O	S	0	0
			1107	714	208	182	3		

- Molecule 48 is a protein called 60S ribosomal protein L27a.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	a	147	Total	C	N	O	S	0	0
			1162	734	239	185	4		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
a	1	MET	-	initiating methionine	UNP G1SNY0

- Molecule 49 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
49	g	1	Total	Zn	0
			1	1	
49	j	1	Total	Zn	0
			1	1	
49	m	1	Total	Zn	0
			1	1	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
49	o	1	Total 1	Zn 1	0
49	p	1	Total 1	Zn 1	0

- Molecule 50 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
50	Q	1	Total 1	Mg 1	0
50	5	96	Total 96	Mg 96	0





3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.




- Molecule 1: Nascent chain pre-prolactin




- Molecule 2: Nascent polypeptide-associated complex subunit alpha




- Molecule 3: Isoform 2 of Transcription factor BTF3




- Molecule 4: 60S ribosomal protein L8




- Molecule 5: 60S ribosomal protein L29




- Molecule 6: Ribosomal protein L3





- Molecule 7: 60S ribosomal protein L30





- Molecule 8: 60S ribosomal protein L4





- Molecule 9: Ribosomal protein L31





- Molecule 10: Ribosomal_L18_c domain-containing protein




- Molecule 11: Ribosomal protein L32




- Molecule 12: 60S ribosomal protein L6






- Molecule 13: 60S ribosomal protein L35a

Chain f: 98%




- Molecule 14: uL30

Chain F: 100%






- Molecule 15: 60S ribosomal protein L34


Chain g: 88%




- Molecule 16: 60S ribosomal protein L7a

Chain G: 76%







- Molecule 17: 60S ribosomal protein L35




- Molecule 18: 60S ribosomal protein L9





- Molecule 19: 60S ribosomal protein L36




- Molecule 20: 60S ribosomal protein L10



- Molecule 21: Ribosomal protein L37




- Molecule 22: Ribosomal protein L11




- Molecule 32: 60S ribosomal protein L17

Chain P: 100%




- Molecule 33: eL43

Chain p: 14% 98% ..




- Molecule 34: eL18

Chain Q: 6% 99% .




- Molecule 35: 60S ribosomal protein L28

Chain r: 12% 91% . 9%




- Molecule 36: 60S ribosomal protein L19


Chain R: 25% 91% . 8%




- Molecule 37: 60S ribosomal protein L18a




• Molecule 38: 60S ribosomal protein L21




• Molecule 39: 60S ribosomal protein L22




• Molecule 40: Ribosomal protein L23



• Molecule 41: Ribosomal protein L24




• Molecule 42: 28S rRNA







G2910	G2716	G2562	G2475	C2258	G2089	G	G1842	A1723	A1523	C1409	U1285
C	A2725	C2563	G2476	G2259	U2090	U	C1848	G1724	A1534	U1410	C1286
C	G2726	G2564	A2477	C2260	C2091	C	G1855	G1741	A1547	C1411	G1287
C	G2735	A2565	C2478	G2261	G2092	A	G1869	A1742	G1547	G1412	G1288
C	U2740	G2566	G2479	G2262	A2093	A	G1882	G1752	A1553	C1413	G1293
C	A2743	G2567	G2480	G2263	G2094	U	U1882	G1753	A1294	C1414	A1294
C	A2744	G2568	C2481	G2264	A2095	C	U1892	U1754	A1563	G1415	C1295
C	G2753	G2569	G2482	G2265	G2096	C	A1892	U1755	A1564	G1416	C1296
C	G2754	G2570	G2483	G2266	U2097	C	A1897	U1756	U1567	C1417	U1297
C	A2755	C2571	A2484	G2267	U2098	U	U1916	U1757	C1568	G1418	C1301
C	G2756	G2572	U2485	C2268	G2099	A	G1917	G1758	G1574	U1419	U1302
C	G2757	A2573	G2486	G2269	A2100	A	A1917	G1759	A1303	A1303	A1303
C	U2574	U2575	G2487	G2270	C2101	G	G1918	G1760	C1304	C1304	C1304
C	G2576	G2275	C2488	G2271	G2102	G	G1919	G1761	U1326	A1326	A1326
C	A2582	G2289	C2489	G2289	G2103	U	C1920	C1762	U1591	G1329	G1329
C	C2583	A2300	U2490	A2300	G2104	U	G1921	G1763	U1596	A1330	A1330
C	G2586	G2301	C2491	G2301	A2105	U	A1922	G1764	U1602	C1344	C1344
C	A2587	G2306	G2492	G2306	G2106	U	C1931	A1765	G1612	A1354	A1354
C	C2588	A2313	G2493	A2313	C2107	A	G1940	A1766	A1613	C1357	C1357
C	G2589	G2314	U2494	G2314	G	C	G1945	A1767	G1613	G1358	G1358
C	C2590	G2322	U2495	G2322	G	C	G1946	C1768	G1625	C1442	C1442
C	G2595	G2331	G2496	G2331	A	U	U1947	G1769	G1625	A1443	G1359
C	C2596	A2332	C2497	A2332	U	C	A1956	U1770	A1631	G1444	U1364
C	G2598	G2333	C2498	G2333	U	C	U1957	A1771	A1632	U1445	C1365
C	C2599	G2348	C2499	G2348	C	C	A1958	C1772	A1634	U1446	G1366
C	A2512	C2351	U2500	C2351	C	U	U1959	A1773	A1638	C1447	C1367
C	A2513	A2360	C2501	A2360	C	C	A1960	C1774	G1654	A1368	A1368
C	A2517	A2395	G2502	A2395	G	C	A1962	A1775	C1661	G1449	G1370
C	A2529	A2396	C2503	A2396	G	C	C	A1776	C1676	C1450	A1371
C	A2537	G2410	C2504	G2410	G	C	A	C1777	U1677	G1453	G1377
C	A2543	G2416	C2505	G2416	G	C	U2027	C1778	G1691	G1454	C1378
C	G2544	C2422	C2506	C2422	U	C	G2046	U1779	G1695	G1455	C1379
C	U2545	U2425	C2507	U2425	C	C	U2047	A1780	U1696	G1456	G1380
C	G2546	U2432	C2508	U2432	C	C	U2048	G1803	C1697	G1475	A1387
C	G2547	G2432	C2509	G2432	C	C	G2055	A1804	G1697	C1476	G1394
C	C2548	G2441	C2510	G2441	C	C	G2056	A1805	C1698	C1477	G1397
C	A2551	G2442	C2511	G2442	C	C	C2062	G1815	A1699	G1479	A1397
C	U2552	G2443	C2512	G2443	C	C	G2063	G1819	A	C1480	A1398
C	U2553	C2469	C2513	C2469	C	C	G2064	U1822	C	G1481	G1399
C	G2554	G2470	C2514	G2470	C	C	A2068	C1827	C1718	G1482	G1400
C	G2555	G2471	C2515	G2471	C	C	A2069	C1828	A1719	C1401	C1401
C	G2556	C2250	C2516	C2250	C	C	C2083	G1831	C1720	G1483	C1402
C	G2557	G2251	C2517	G2251	C	C	C2084	G1832	G1497	A1497	G1403
C	G2558	G2252	C2518	G2252	C	C	C	G1833	G1721	C1501	G1404
C	G2559	G2253	C2519	G2253	C	C	C	U1834	C1722	G1504	C1405
C	G2560	G2254	C2520	G2254	C	C	C	G1835	C1722	G1504	G1406
C	G2561	G2255	C2521	G2255	C	C	C	G1836	C1722	U1514	C1407
C	G2562	G2256	C2522	G2256	C	C	C	G1840	C1722	A1515	G1408
C	G2563	C2257	C2523	C2257	C	C	C	C	C	G1516	G1516
C	G2564	C2258	C2524	C2258	C	C	C	C	C	C	C
C	G2565	C2259	C2525	C2259	C	C	C	C	C	C	C
C	G2566	C2260	C2526	C2260	C	C	C	C	C	C	C
C	G2567	C2261	C2527	C2261	C	C	C	C	C	C	C
C	G2568	C2262	C2528	C2262	C	C	C	C	C	C	C
C	G2569	C2263	C2529	C2263	C	C	C	C	C	C	C
C	G2570	C2264	C2530	C2264	C	C	C	C	C	C	C
C	G2571	C2265	C2531	C2265	C	C	C	C	C	C	C
C	G2572	C2266	C2532	C2266	C	C	C	C	C	C	C
C	G2573	C2267	C2533	C2267	C	C	C	C	C	C	C
C	G2574	C2268	C2534	C2268	C	C	C	C	C	C	C
C	G2575	C2269	C2535	C2269	C	C	C	C	C	C	C
C	G2576	C2270	C2536	C2270	C	C	C	C	C	C	C
C	G2577	C2271	C2537	C2271	C	C	C	C	C	C	C
C	G2578	C2272	C2538	C2272	C	C	C	C	C	C	C
C	G2579	C2273	C2539	C2273	C	C	C	C	C	C	C
C	G2580	C2274	C2540	C2274	C	C	C	C	C	C	C
C	G2581	C2275	C2541	C2275	C	C	C	C	C	C	C
C	G2582	C2276	C2542	C2276	C	C	C	C	C	C	C
C	G2583	C2277	C2543	C2277	C	C	C	C	C	C	C
C	G2584	C2278	C2544	C2278	C	C	C	C	C	C	C
C	G2585	C2279	C2545	C2279	C	C	C	C	C	C	C
C	G2586	C2280	C2546	C2280	C	C	C	C	C	C	C
C	G2587	C2281	C2547	C2281	C	C	C	C	C	C	C
C	G2588	C2282	C2548	C2282	C	C	C	C	C	C	C
C	G2589	C2283	C2549	C2283	C	C	C	C	C	C	C
C	G2590	C2284	C2550	C2284	C	C	C	C	C	C	C
C	G2591	C2285	C2551	C2285	C	C	C	C	C	C	C
C	G2592	C2286	C2552	C2286	C	C	C	C	C	C	C
C	G2593	C2287	C2553	C2287	C	C	C	C	C	C	C
C	G2594	C2288	C2554	C2288	C	C	C	C	C	C	C
C	G2595	C2289	C2555	C2289	C	C	C	C	C	C	C
C	G2596	C2290	C2556	C2290	C	C	C	C	C	C	C
C	G2597	C2291	C2557	C2291	C	C	C	C	C	C	C
C	G2598	C2292	C2558	C2292	C	C	C	C	C	C	C
C	G2599	C2293	C2559	C2293	C	C	C	C	C	C	C
C	G2600	C2294	C2560	C2294	C	C	C	C	C	C	C
C	G2601	C2295	C2561	C2295	C	C	C	C	C	C	C
C	G2602	C2296	C2562	C2296	C	C	C	C	C	C	C
C	G2603	C2297	C2563	C2297	C	C	C	C	C	C	C
C	G2604	C2298	C2564	C2298	C	C	C	C	C	C	C
C	G2605	C2299	C2565	C2299	C	C	C	C	C	C	C
C	G2606	C2300	C2566	C2300	C	C	C	C	C	C	C
C	G2607	C2301	C2567	C2301	C	C	C	C	C	C	C
C	G2608	C2302	C2568	C2302	C	C	C	C	C	C	C
C	G2609	C2303	C2569	C2303	C	C	C	C	C	C	C
C	G2610	C2304	C2570	C2304	C	C	C	C	C	C	C
C	G2611	C2305	C2571	C2305	C	C	C	C	C	C	C
C	G2612	C2306	C2572	C2306	C	C	C	C	C	C	C
C	G2613	C2307	C2573	C2307	C	C	C	C	C	C	C
C	G2614	C2308	C2574	C2308	C	C	C	C	C	C	C
C	G2615	C2309	C2575	C2309	C	C	C	C	C	C	C
C	G2616	C2310	C2576	C2310	C	C	C	C	C	C	C
C	G2617	C2311	C2577	C2311	C	C	C	C	C	C	C
C	G2618	C2312	C2578	C2312	C	C	C	C	C	C	C
C	G2619	C2313	C2579	C2313	C	C	C	C	C	C	C
C	G2620	C2314	C2580	C2314	C	C	C	C	C	C	C
C	G2621	C2315	C2581	C2315	C	C	C	C	C	C	C
C	G2622	C2316	C2582	C2316	C	C	C	C	C	C	C
C	G2623	C2317	C2583	C2317	C	C	C	C	C	C	C
C	G2624	C2318	C2584	C2318	C	C	C	C	C	C	C
C	G2625	C2319	C2585	C2319	C	C	C	C	C	C	C
C	G2626	C2320	C2586	C2320	C	C	C	C	C	C	C
C	G2627	C2321	C2587	C2321	C	C	C	C	C	C	C
C	G2628	C2322	C2588	C2322	C	C	C	C	C	C	C
C	G2629	C2323	C2589	C2323	C	C	C	C	C	C	C
C	G2630	C2324	C2590	C2324	C	C	C	C	C	C	C
C	G2631	C2325	C2591	C2325	C	C	C	C	C	C	C
C	G2632	C2326	C2592	C2326	C	C	C	C	C	C	C
C	G2633	C2327	C2593	C2327	C	C	C	C	C	C	C
C	G2634	C2328	C2594	C2328	C	C	C	C	C	C	C
C	G2635	C2329	C2595	C2329	C	C	C	C	C	C	C
C	G2636	C2330	C2596	C2330	C	C	C	C	C	C	C
C	G2637	C2331	C2597	C2331	C	C	C	C	C	C	C
C	G2638	C2332	C2598	C2332	C	C	C	C	C	C	C
C	G2639	C2333	C2599	C2333	C	C	C	C	C	C	C
C	G2640	C2334	C2600	C2334	C	C	C	C	C	C	C
C	G2641	C2335	C2601	C2335	C	C	C	C	C	C	C
C	G2642	C2336	C2602	C2336	C	C	C	C	C	C	C
C	G2643	C2337	C2603	C2337	C	C	C	C	C	C	C
C	G2644	C2338	C2604	C2338	C	C	C	C	C	C	C
C	G2645	C2339	C2605	C2339	C	C	C	C	C	C	C
C	G2646	C2340	C2606	C2340	C	C	C	C	C	C	C
C	G2647	C2341	C2607	C2341	C	C	C	C	C	C	C
C	G2648	C2342	C2608	C2342	C	C	C	C	C	C	C
C	G2649	C2343	C2609	C2343	C	C	C	C	C	C	C
C	G2650	C2344	C2610	C2344	C	C	C	C	C	C	C
C	G2651	C2345	C2611	C2345	C	C	C	C	C	C	C
C	G2652	C2346	C2612	C2346	C	C	C	C	C	C	C
C	G2653	C2347	C2613	C2347	C	C	C	C	C	C	C
C	G2654	C2348	C2614	C2348	C	C					








- Molecule 43: Ribosomal_L23eN domain-containing protein





- Molecule 44: 5S ribosomal RNA




- Molecule 45: Ribosomal protein L26




- Molecule 46: 5.8S ribosomal RNA




- Molecule 47: 60S ribosomal protein L27





• Molecule 48: 60S ribosomal protein L27a



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	44040	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	3000	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	0.181	Depositor
Minimum map value	-0.088	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.010	Depositor
Recommended contour level	0.028	Depositor
Map size (Å)	483.84003, 483.84003, 483.84003	wwPDB
Map dimensions	448, 448, 448	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.08, 1.08, 1.08	Depositor

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
2	t	0.24	0/536	0.48	0/715
3	u	0.25	0/845	0.46	0/1134
4	A	0.24	0/1906	0.54	0/2556
5	b	0.23	0/619	0.46	0/818
6	B	0.24	0/3216	0.50	0/4311
7	c	0.23	0/742	0.44	0/996
8	C	0.23	0/2937	0.51	0/3946
9	d	0.24	0/903	0.52	0/1216
10	D	0.24	0/2432	0.49	0/3257
11	e	0.23	0/1071	0.51	0/1429
12	E	0.25	0/1936	0.54	0/2600
13	f	0.24	0/895	0.56	0/1198
14	F	0.24	0/1905	0.50	0/2539
15	g	0.23	0/916	0.54	0/1220
16	G	0.24	0/1967	0.50	0/2647
17	h	0.22	0/1021	0.50	0/1348
18	H	0.24	0/1535	0.51	0/2063
19	i	0.23	0/841	0.53	0/1112
20	I	0.24	0/1693	0.50	0/2260
21	j	0.23	0/720	0.57	0/952
22	J	0.24	0/1376	0.51	0/1841
23	k	0.28	0/575	0.55	1/761 (0.1%)
24	L	0.24	0/1734	0.54	0/2317
25	l	0.23	0/454	0.54	0/599
26	M	0.24	0/1158	0.49	0/1547
27	m	0.23	0/435	0.51	0/575
28	N	0.23	0/1746	0.55	0/2338
29	n	0.22	0/223	0.69	0/284
30	O	0.24	0/1671	0.50	0/2234
31	o	0.25	0/864	0.52	0/1140
32	P	0.23	0/1268	0.48	0/1700
33	p	0.25	0/718	0.50	0/953

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
34	Q	0.23	0/1530	0.55	0/2041
35	r	0.23	0/1017	0.54	0/1364
36	R	0.22	0/1524	0.54	0/2013
37	S	0.24	0/1493	0.53	0/2002
38	T	0.24	0/1326	0.49	0/1770
39	U	0.24	0/873	0.49	0/1172
40	V	0.25	0/993	0.49	0/1332
41	W	0.24	0/541	0.50	0/720
42	5	0.18	0/83726	0.77	28/130593 (0.0%)
43	X	0.23	0/993	0.49	0/1334
44	7	0.16	0/2858	0.74	0/4455
45	Y	0.23	0/1132	0.51	0/1504
46	8	0.16	0/3701	0.74	0/5766
47	Z	0.25	0/1130	0.50	0/1507
48	a	0.24	0/1191	0.51	0/1590
All	All	0.20	0/144886	0.69	29/213769 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
13	f	0	1
37	S	0	1
All	All	0	2

There are no bond length outliers.

The worst 5 of 29 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
42	5	931	C	C2-N1-C1'	9.02	128.72	118.80
42	5	931	C	N1-C2-O2	8.93	124.26	118.90
42	5	1072	C	N1-C2-O2	8.17	123.80	118.90
42	5	1072	C	C2-N1-C1'	7.90	127.49	118.80
42	5	1236	C	N3-C2-O2	-7.40	116.72	121.90

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
37	S	164	LYS	Peptide
13	f	106	TYR	Peptide

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	t	65/215 (30%)	62 (95%)	3 (5%)	0	100	100
3	u	106/162 (65%)	101 (95%)	5 (5%)	0	100	100
4	A	242/245 (99%)	220 (91%)	20 (8%)	2 (1%)	19	51
5	b	73/223 (33%)	70 (96%)	3 (4%)	0	100	100
6	B	392/403 (97%)	377 (96%)	15 (4%)	0	100	100
7	c	92/115 (80%)	90 (98%)	2 (2%)	0	100	100
8	C	360/413 (87%)	344 (96%)	16 (4%)	0	100	100
9	d	105/125 (84%)	99 (94%)	6 (6%)	0	100	100
10	D	290/297 (98%)	275 (95%)	15 (5%)	0	100	100
11	e	126/157 (80%)	122 (97%)	4 (3%)	0	100	100
12	E	232/291 (80%)	201 (87%)	31 (13%)	0	100	100
13	f	107/110 (97%)	100 (94%)	7 (6%)	0	100	100
14	F	223/225 (99%)	217 (97%)	6 (3%)	0	100	100
15	g	112/129 (87%)	110 (98%)	2 (2%)	0	100	100
16	G	239/319 (75%)	220 (92%)	19 (8%)	0	100	100
17	h	120/123 (98%)	117 (98%)	3 (2%)	0	100	100
18	H	188/192 (98%)	176 (94%)	12 (6%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
19	i	100/102 (98%)	91 (91%)	8 (8%)	1 (1%)	15	45
20	I	200/214 (94%)	192 (96%)	8 (4%)	0	100	100
21	j	84/97 (87%)	82 (98%)	2 (2%)	0	100	100
22	J	167/178 (94%)	161 (96%)	6 (4%)	0	100	100
23	k	67/69 (97%)	61 (91%)	6 (9%)	0	100	100
24	L	208/211 (99%)	195 (94%)	12 (6%)	1 (0%)	29	61
25	l	48/51 (94%)	44 (92%)	4 (8%)	0	100	100
26	M	136/218 (62%)	127 (93%)	9 (7%)	0	100	100
27	m	50/128 (39%)	48 (96%)	2 (4%)	0	100	100
28	N	201/204 (98%)	190 (94%)	11 (6%)	0	100	100
29	n	21/25 (84%)	21 (100%)	0	0	100	100
30	O	197/500 (39%)	194 (98%)	3 (2%)	0	100	100
31	o	102/141 (72%)	93 (91%)	9 (9%)	0	100	100
32	P	151/153 (99%)	148 (98%)	3 (2%)	0	100	100
33	p	89/92 (97%)	87 (98%)	2 (2%)	0	100	100
34	Q	185/187 (99%)	178 (96%)	7 (4%)	0	100	100
35	r	123/137 (90%)	112 (91%)	11 (9%)	0	100	100
36	R	178/196 (91%)	174 (98%)	4 (2%)	0	100	100
37	S	173/175 (99%)	164 (95%)	9 (5%)	0	100	100
38	T	157/160 (98%)	149 (95%)	7 (4%)	1 (1%)	25	58
39	U	103/105 (98%)	98 (95%)	5 (5%)	0	100	100
40	V	129/140 (92%)	124 (96%)	5 (4%)	0	100	100
41	W	61/157 (39%)	61 (100%)	0	0	100	100
43	X	117/156 (75%)	113 (97%)	4 (3%)	0	100	100
45	Y	132/145 (91%)	128 (97%)	4 (3%)	0	100	100
47	Z	133/136 (98%)	120 (90%)	13 (10%)	0	100	100
48	a	145/148 (98%)	134 (92%)	11 (8%)	0	100	100
All	All	6529/7969 (82%)	6190 (95%)	334 (5%)	5 (0%)	54	82

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
4	A	14	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	A	180	LEU
19	i	11	LEU
24	L	63	THR
38	T	137	GLU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	t	60/183 (33%)	59 (98%)	1 (2%)	60	86
3	u	92/136 (68%)	90 (98%)	2 (2%)	52	81
4	A	187/188 (100%)	185 (99%)	2 (1%)	73	92
5	b	62/170 (36%)	61 (98%)	1 (2%)	62	86
6	B	336/348 (97%)	334 (99%)	2 (1%)	86	96
7	c	79/98 (81%)	79 (100%)	0	100	100
8	C	302/337 (90%)	300 (99%)	2 (1%)	84	95
9	d	98/110 (89%)	97 (99%)	1 (1%)	76	92
10	D	247/250 (99%)	245 (99%)	2 (1%)	81	94
11	e	114/141 (81%)	114 (100%)	0	100	100
12	E	208/251 (83%)	206 (99%)	2 (1%)	76	92
13	f	88/89 (99%)	88 (100%)	0	100	100
14	F	194/195 (100%)	193 (100%)	1 (0%)	88	96
15	g	98/109 (90%)	97 (99%)	1 (1%)	76	92
16	G	206/273 (76%)	206 (100%)	0	100	100
17	h	109/110 (99%)	107 (98%)	2 (2%)	59	85
18	H	169/171 (99%)	167 (99%)	2 (1%)	71	91
19	i	86/86 (100%)	86 (100%)	0	100	100
20	I	174/181 (96%)	173 (99%)	1 (1%)	86	96
21	j	73/80 (91%)	73 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
22	J	142/149 (95%)	141 (99%)	1 (1%)	84	95
23	k	64/64 (100%)	64 (100%)	0	100	100
24	L	176/177 (99%)	176 (100%)	0	100	100
25	l	47/48 (98%)	45 (96%)	2 (4%)	29	62
26	M	117/160 (73%)	116 (99%)	1 (1%)	78	93
27	m	48/116 (41%)	48 (100%)	0	100	100
28	N	171/172 (99%)	171 (100%)	0	100	100
29	n	22/24 (92%)	21 (96%)	1 (4%)	27	61
30	O	171/433 (40%)	171 (100%)	0	100	100
31	o	92/121 (76%)	92 (100%)	0	100	100
32	P	134/134 (100%)	134 (100%)	0	100	100
33	p	74/75 (99%)	73 (99%)	1 (1%)	67	89
34	Q	163/163 (100%)	162 (99%)	1 (1%)	86	96
35	r	109/121 (90%)	108 (99%)	1 (1%)	78	93
36	R	159/175 (91%)	158 (99%)	1 (1%)	86	96
37	S	156/156 (100%)	153 (98%)	3 (2%)	57	84
38	T	139/140 (99%)	138 (99%)	1 (1%)	84	95
39	U	95/95 (100%)	93 (98%)	2 (2%)	53	81
40	V	101/107 (94%)	100 (99%)	1 (1%)	76	92
41	W	55/126 (44%)	55 (100%)	0	100	100
43	X	107/134 (80%)	107 (100%)	0	100	100
45	Y	124/135 (92%)	124 (100%)	0	100	100
47	Z	117/118 (99%)	116 (99%)	1 (1%)	78	93
48	a	119/120 (99%)	119 (100%)	0	100	100
All	All	5684/6769 (84%)	5645 (99%)	39 (1%)	84	95

5 of 39 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
34	Q	14	ARG
39	U	96	LEU
35	r	28	GLU
37	S	90	THR
40	V	48	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 79 such sidechains are listed below:

Mol	Chain	Res	Type
32	P	130	ASN
40	V	77	HIS
33	p	72	ASN
36	R	130	ASN
45	Y	65	GLN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
42	5	3477/4754 (73%)	687 (19%)	71 (2%)
44	7	119/120 (99%)	12 (10%)	0
46	8	155/156 (99%)	33 (21%)	1 (0%)
All	All	3751/5030 (74%)	732 (19%)	72 (1%)

5 of 732 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
42	5	2	G
42	5	8	U
42	5	12	A
42	5	13	U
42	5	21	G

5 of 72 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
42	5	4656	A
46	8	124	U
42	5	4719	G
42	5	4965	U
42	5	1236	C

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 102 ligands modelled in this entry, 102 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-14192. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 224



Y Index: 224




Z Index: 224


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 258



Y Index: 226




Z Index: 228


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.028. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 1739 nm^3 ; this corresponds to an approximate mass of 1571 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.345 Å⁻¹


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-14192 and PDB model 7QWR. Per-residue inclusion information can be found in [section 3](#) on [page 15](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.028 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.028).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 68% of all backbone atoms, 64% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ





























The table lists the average atom inclusion at the recommended contour level (0.028) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.6390	 0.4540
5	 0.6640	 0.4480
7	 0.7060	 0.4490
8	 0.7110	 0.4850
A	 0.7390	 0.5580
B	 0.7020	 0.5300
C	 0.6930	 0.5190
D	 0.4420	 0.3270
E	 0.4700	 0.3630
F	 0.7030	 0.5180
G	 0.4070	 0.3530
H	 0.5030	 0.4000
I	 0.6300	 0.4890
J	 0.3130	 0.2550
L	 0.5550	 0.4390
M	 0.5520	 0.4110
N	 0.7460	 0.5440
O	 0.7040	 0.5290
P	 0.7500	 0.5610
Q	 0.7490	 0.5570
R	 0.5770	 0.4270
S	 0.6850	 0.5200
T	 0.6270	 0.4840
U	 0.3710	 0.4050
V	 0.6820	 0.5320
W	 0.6210	 0.4980
X	 0.6330	 0.5130
Y	 0.6550	 0.4990
Z	 0.4400	 0.3300
a	 0.7450	 0.5420
b	 0.5260	 0.4290
c	 0.4740	 0.3630
d	 0.6650	 0.5340
e	 0.7480	 0.5690
f	 0.7790	 0.5750



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
g	 0.5710	 0.4410
h	 0.5890	 0.4830
i	 0.5110	 0.4210
j	 0.7830	 0.5680
k	 0.3140	 0.2810
l	 0.6640	 0.5190
m	 0.5910	 0.4550
n	 0.4380	 0.3940
o	 0.6190	 0.4930
p	 0.6410	 0.4920
r	 0.6840	 0.4990
s	 0.0250	 0.2410
t	 0.0060	 0.0620
u	 0.1060	 0.1580