



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 20, 2024 – 02:33 AM EDT

PDB ID : 2RIM
Title : Crystal structure of Rtt109
Authors : Yuan, Y.A.
Deposited on : 2007-10-12
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 1.20.1
EDS : 3.0
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.003 (Gargrove)
Density-Fitness : 1.0.11
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	5791 (2.20-2.20)
Clashscore	180529	6634 (2.20-2.20)
Ramachandran outliers	177936	6560 (2.20-2.20)
Sidechain outliers	177891	6561 (2.20-2.20)
RSRZ outliers	164620	5791 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	457	<div> <div>10%</div> <div>64%</div> <div>16%</div> <div>•</div> <div>18%</div> </div>

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 3151 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Regulator of Ty1 transposition protein 109.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	374	Total	C	N	O	S	Se	2	0	0
			3039	1965	504	560	4	6			

There are 21 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-18	MET	-	expression tag	UNP Q07794
A	-17	GLY	-	expression tag	UNP Q07794
A	-16	SER	-	expression tag	UNP Q07794
A	-15	SER	-	expression tag	UNP Q07794
A	-14	HIS	-	expression tag	UNP Q07794
A	-13	HIS	-	expression tag	UNP Q07794
A	-12	HIS	-	expression tag	UNP Q07794
A	-11	HIS	-	expression tag	UNP Q07794
A	-10	HIS	-	expression tag	UNP Q07794
A	-9	HIS	-	expression tag	UNP Q07794
A	-8	SER	-	expression tag	UNP Q07794
A	-7	SER	-	expression tag	UNP Q07794
A	-6	GLY	-	expression tag	UNP Q07794
A	-5	LEU	-	expression tag	UNP Q07794
A	-4	VAL	-	expression tag	UNP Q07794
A	-3	PRO	-	expression tag	UNP Q07794
A	-2	ARG	-	expression tag	UNP Q07794
A	-1	GLY	-	expression tag	UNP Q07794
A	0	SER	-	expression tag	UNP Q07794
A	1B	HIS	-	expression tag	UNP Q07794
A	1A	MSE	-	expression tag	UNP Q07794


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	112	Total	O	0	0
			112	112		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Regulator of Ty1 transposition protein 109



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	147.40Å 69.23Å 55.66Å 90.00° 94.93° 90.00°	Depositor
Resolution (Å)	46.20 – 2.20 46.20 – 2.20	Depositor EDS
% Data completeness (in resolution range)	94.5 (46.20-2.20) 99.8 (46.20-2.20)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.10	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.99 (at 2.08Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.216 , 0.259 0.227 , 0.266	Depositor DCC
R_{free} test set	1464 reflections (5.15%)	wwPDB-VP
Wilson B-factor (Å ²)	37.5	Xtriage
Anisotropy	0.134	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 45.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	3151	wwPDB-VP
Average B, all atoms (Å ²)	44.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.43% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.84	8/3104 (0.3%)	0.81	6/4190 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	134	SER	C-O	17.14	1.55	1.23
1	A	134	SER	CA-C	15.22	1.92	1.52
1	A	139	SER	CB-OG	10.65	1.56	1.42
1	A	136	GLU	CD-OE2	9.64	1.36	1.25
1	A	134	SER	C-N	-7.12	1.20	1.34
1	A	136	GLU	CD-OE1	6.94	1.33	1.25
1	A	137	LEU	C-O	6.77	1.36	1.23
1	A	134	SER	CB-OG	5.29	1.49	1.42

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	134	SER	CB-CA-C	-18.56	74.84	110.10
1	A	134	SER	N-CA-C	-6.21	94.24	111.00
1	A	275	ASN	CA-C-N	-6.16	103.64	117.20
1	A	42	VAL	N-CA-C	-5.81	95.31	111.00
1	A	274	GLU	CA-C-N	5.59	129.50	117.20
1	A	243	ARG	NE-CZ-NH2	-5.04	117.78	120.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	134	SER	Mainchain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3039	0	3066	106	2
2	A	112	0	0	0	2
All	All	3151	0	3066	106	3

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.

All (106) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:317:GLU:O	1:A:321:PHE:CD1	1.70	1.43
1:A:324:SER:O	1:A:325:VAL:HG23	1.19	1.30
1:A:274:GLU:O	1:A:275:ASN:CB	1.79	1.21
1:A:317:GLU:HA	1:A:321:PHE:CE1	1.82	1.14
1:A:324:SER:O	1:A:325:VAL:CG2	1.93	1.14
1:A:317:GLU:O	1:A:321:PHE:HD1	0.79	1.13
1:A:388:LEU:HD21	1:A:394:ASN:OD1	1.47	1.13
1:A:316:GLN:HG3	1:A:320:GLU:CD	1.68	1.12
1:A:274:GLU:O	1:A:275:ASN:HB2	1.41	1.12
1:A:318:ARG:O	1:A:322:LYS:HG3	1.49	1.09
1:A:274:GLU:O	1:A:275:ASN:CG	1.98	1.02
1:A:323:LEU:O	1:A:325:VAL:HG23	1.63	0.98
1:A:317:GLU:C	1:A:321:PHE:HD1	1.68	0.95
1:A:317:GLU:CA	1:A:321:PHE:CE1	2.51	0.93
1:A:322:LYS:O	1:A:323:LEU:HG	1.69	0.92
1:A:317:GLU:HA	1:A:321:PHE:HE1	1.27	0.90
1:A:1(A):MSE:CE	1:A:6:PHE:HA	2.02	0.89
1:A:324:SER:C	1:A:325:VAL:HG23	1.93	0.89
1:A:315:LEU:HD11	1:A:319:GLN:NE2	1.86	0.89

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:317:GLU:CA	1:A:321:PHE:HE1	1.85	0.87
1:A:195:PRO:HG2	1:A:325:VAL:HG11	1.57	0.86
1:A:316:GLN:O	1:A:320:GLU:HG3	1.76	0.85
1:A:315:LEU:CD1	1:A:319:GLN:NE2	2.39	0.85
1:A:134:SER:OG	1:A:135:PRO:N	2.10	0.84
1:A:322:LYS:O	1:A:323:LEU:CG	2.25	0.84
1:A:322:LYS:O	1:A:323:LEU:CD2	2.26	0.83
1:A:274:GLU:O	1:A:275:ASN:ND2	2.10	0.83
1:A:245:PRO:O	1:A:316:GLN:OE1	1.99	0.81
1:A:315:LEU:HD11	1:A:319:GLN:HE22	1.43	0.81
1:A:296:GLN:NE2	1:A:318:ARG:NH1	2.30	0.80
1:A:296:GLN:NE2	1:A:318:ARG:HH11	1.79	0.79
1:A:317:GLU:C	1:A:321:PHE:CD1	2.51	0.77
1:A:322:LYS:O	1:A:323:LEU:HD23	1.86	0.76
1:A:194:ARG:NH2	1:A:319:GLN:HB3	2.02	0.75
1:A:317:GLU:CB	1:A:321:PHE:HE1	1.98	0.75
1:A:246:GLY:HA3	1:A:316:GLN:HG2	1.69	0.74
1:A:195:PRO:CG	1:A:325:VAL:HG11	2.19	0.72
1:A:245:PRO:O	1:A:316:GLN:CD	2.29	0.71
1:A:317:GLU:CA	1:A:321:PHE:CD1	2.75	0.70
1:A:317:GLU:HA	1:A:321:PHE:CD1	2.25	0.69
1:A:1(A):MSE:HE2	1:A:6:PHE:HA	1.74	0.68
1:A:323:LEU:O	1:A:324:SER:O	2.12	0.68
1:A:322:LYS:C	1:A:323:LEU:HG	2.14	0.68
1:A:317:GLU:CB	1:A:321:PHE:CE1	2.77	0.67
1:A:30:HIS:HD2	1:A:31:ALA:O	1.77	0.67
1:A:274:GLU:C	1:A:275:ASN:CG	2.54	0.67
1:A:323:LEU:O	1:A:325:VAL:CG2	2.42	0.66
1:A:316:GLN:O	1:A:320:GLU:CG	2.43	0.66
1:A:195:PRO:CG	1:A:325:VAL:CG1	2.74	0.66
1:A:242:LEU:HD13	1:A:330:MSE:HE2	1.78	0.66
1:A:194:ARG:NH2	1:A:319:GLN:CB	2.58	0.65
1:A:391:MSE:HB2	1:A:393:THR:HG22	1.79	0.65
1:A:247:GLU:OE2	1:A:251:ARG:HB2	1.97	0.64
1:A:1(A):MSE:HE1	1:A:6:PHE:HA	1.79	0.64
1:A:134:SER:CA	1:A:135:PRO:N	2.61	0.63
1:A:246:GLY:HA3	1:A:316:GLN:CG	2.29	0.62
1:A:293:PHE:HE1	1:A:318:ARG:CZ	2.13	0.62
1:A:388:LEU:CD2	1:A:394:ASN:OD1	2.37	0.60
1:A:320:GLU:O	1:A:324:SER:N	2.35	0.59
1:A:117:ASN:HD21	1:A:181:CYS:H	1.51	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:296:GLN:HE21	1:A:318:ARG:NH1	1.98	0.59
1:A:51:HIS:HE1	1:A:119:TYR:OH	1.85	0.58
1:A:115:ASP:OD2	1:A:183:ARG:HD3	2.04	0.57
1:A:293:PHE:HE1	1:A:318:ARG:NH1	2.02	0.57
1:A:317:GLU:HB3	1:A:321:PHE:CE1	2.41	0.55
1:A:36:ASN:ND2	1:A:274:GLU:OE2	2.39	0.55
1:A:18:GLU:HA	1:A:396:GLN:O	2.07	0.54
1:A:355:ARG:NH2	1:A:359:ARG:NH2	2.55	0.54
1:A:41:ARG:HD3	1:A:74:TRP:CE3	2.44	0.53
1:A:194:ARG:CZ	1:A:319:GLN:HB3	2.39	0.53
1:A:41:ARG:HB3	1:A:74:TRP:CE3	2.44	0.52
1:A:13:VAL:CG2	1:A:403:GLU:HA	2.40	0.52
1:A:41:ARG:HB3	1:A:74:TRP:HE3	1.75	0.51
1:A:244:ILE:HD12	1:A:252:VAL:HG22	1.93	0.50
1:A:102:ASP:OD2	1:A:402:ARG:NH1	2.40	0.50
1:A:296:GLN:HG2	1:A:318:ARG:HH12	1.78	0.49
1:A:387:LEU:HB3	1:A:393:THR:HG23	1.95	0.48
1:A:134:SER:OG	1:A:135:PRO:CD	2.62	0.48
1:A:323:LEU:O	1:A:324:SER:C	2.51	0.48
1:A:315:LEU:CG	1:A:319:GLN:NE2	2.76	0.48
1:A:19:TYR:HB3	1:A:55:LEU:HD12	1.96	0.47
1:A:192:PHE:CE2	1:A:327:SER:HB3	2.49	0.47
1:A:57:HIS:CE1	1:A:58:GLN:HG3	2.50	0.47
1:A:315:LEU:HG	1:A:319:GLN:NE2	2.31	0.46
1:A:322:LYS:C	1:A:323:LEU:CG	2.81	0.46
1:A:51:HIS:CE1	1:A:119:TYR:OH	2.69	0.45
1:A:133:ILE:HG23	1:A:137:LEU:HD12	1.98	0.45
1:A:316:GLN:O	1:A:320:GLU:CB	2.65	0.45
1:A:195:PRO:HG2	1:A:325:VAL:CG1	2.34	0.45
1:A:274:GLU:HG3	1:A:280:TYR:CD2	2.52	0.44
1:A:365:ILE:HD13	1:A:379:ALA:HB1	2.00	0.44
1:A:50:GLN:HE22	1:A:362:LYS:NZ	2.16	0.44
1:A:13:VAL:HG22	1:A:403:GLU:HA	2.00	0.43
1:A:36:ASN:O	1:A:39:ASP:HB2	2.19	0.43
1:A:275:ASN:HB2	1:A:277:LEU:HD13	2.00	0.43
1:A:315:LEU:O	1:A:319:GLN:HG3	2.19	0.43
1:A:324:SER:O	1:A:325:VAL:HG22	2.07	0.43
1:A:134:SER:CB	1:A:135:PRO:N	2.78	0.42
1:A:219:MSE:O	1:A:330:MSE:HE1	2.20	0.42
1:A:193:THR:O	1:A:327:SER:HA	2.20	0.41
1:A:293:PHE:CE1	1:A:318:ARG:NH1	2.86	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:13:VAL:HG22	1:A:402:ARG:O	2.19	0.41
1:A:67:VAL:HG11	1:A:111:ILE:HD13	2.02	0.41
1:A:43:PRO:HB3	1:A:72:THR:HG23	2.02	0.41
1:A:219:MSE:SE	1:A:244:ILE:HD11	2.72	0.40
1:A:296:GLN:CD	1:A:318:ARG:HH11	2.23	0.40

All (3) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:251:ARG:NH2	2:A:497:HOH:O[4_546]	1.93	0.27
1:A:317:GLU:OE2	1:A:389:LEU:O[1_556]	1.97	0.23
2:A:496:HOH:O	2:A:498:HOH:O[4_556]	2.17	0.03

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	370/457 (81%)	355 (96%)	11 (3%)	4 (1%)	12 10

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	324	SER
1	A	275	ASN
1	A	325	VAL
1	A	323	LEU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	342/410 (83%)	335 (98%)	7 (2%)	50 65

All (7) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	13	VAL
1	A	128	ARG
1	A	134	SER
1	A	276	SER
1	A	277	LEU
1	A	287	ASP
1	A	398	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	30	HIS
1	A	50	GLN
1	A	51	HIS
1	A	57	HIS
1	A	117	ASN
1	A	239	GLN
1	A	275	ASN
1	A	296	GLN
1	A	319	GLN
1	A	357	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	368/457 (80%)	1.00	45 (12%) 10 8	28, 43, 60, 82	3 (0%)

All (45) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	321	PHE	8.9
1	A	323	LEU	8.5
1	A	319	GLN	8.0
1	A	320	GLU	7.7
1	A	322	LYS	7.5
1	A	275	ASN	6.8
1	A	316	GLN	6.7
1	A	41	ARG	5.2
1	A	134	SER	5.0
1	A	135	PRO	5.0
1	A	318	ARG	4.3
1	A	133	ILE	4.1
1	A	175	LEU	4.0
1	A	404	HIS	3.9
1	A	317	GLU	3.8
1	A	324	SER	3.8
1	A	76	GLU	3.8
1	A	130	TYR	3.5
1	A	325	VAL	3.4
1	A	251	ARG	3.4
1	A	40	LYS	3.3
1	A	139	SER	3.2
1	A	274	GLU	3.1
1	A	77	ALA	2.9
1	A	1(B)	HIS	2.9
1	A	142	SER	2.8
1	A	301	ASP	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	42	VAL	2.8
1	A	394	ASN	2.7
1	A	353	LYS	2.7
1	A	389	LEU	2.7
1	A	127	ILE	2.6
1	A	138	ILE	2.6
1	A	292	ARG	2.5
1	A	196	ALA	2.5
1	A	96	THR	2.5
1	A	384	ARG	2.4
1	A	137	LEU	2.4
1	A	355	ARG	2.3
1	A	98	VAL	2.3
1	A	315	LEU	2.2
1	A	128	ARG	2.2
1	A	248	ASP	2.2
1	A	249	PRO	2.1
1	A	252	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.