



Full wwPDB EM Validation Report ⓘ

Jul 25, 2026 – 07:32 am BST

PDB ID : 9SPV / pdb_00009spv
EMDB ID : EMD-55097
Title : focused structure of regulatory domains of cis-basal conformer of human CBS induced by non-activating allosteric SAO ligand - by Helical approach
Authors : Inayathulla, M.; Tomas, M.
Deposited on : 2025-09-18
Resolution : 4.04 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:



EMDB validation analysis : 0.0.1.dev133
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.50

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 4.04 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	6625 (3.54 - 4.54)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	B	551	23% 25% 75%
1	C	551	13% 23% 75%
1	D	551	9% 23% 75%
1	E	551	6% 22% 75%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	551	6%23%75% .
1	G	551	6%23%75% .
1	H	551	6%24%75% .
1	I	551	9%21%75% .
1	J	551	13%21%75% .
1	K	551	23%23%75% .

2 Entry composition


There are 2 unique types of molecules in this entry. The entry contains 10836 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cystathionine beta-synthase.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	B	139	Total	C	N	O	S	0	0
			1062	677	186	194	5		
1	C	139	Total	C	N	O	S	0	0
			1062	677	186	194	5		
1	D	139	Total	C	N	O	S	0	0
			1062	677	186	194	5		
1	E	139	Total	C	N	O	S	0	0
			1062	677	186	194	5		
1	F	139	Total	C	N	O	S	0	0
			1062	677	186	194	5		
1	G	139	Total	C	N	O	S	0	0
			1062	677	186	194	5		
1	H	139	Total	C	N	O	S	0	0
			1062	677	186	194	5		
1	I	139	Total	C	N	O	S	0	0
			1062	677	186	194	5		
1	J	139	Total	C	N	O	S	0	0
			1062	677	186	194	5		
1	K	139	Total	C	N	O	S	0	0
			1062	677	186	194	5		

- Molecule 2 is SINEFUNGIN (CCD ID: SFG) (formula: $C_{15}H_{23}N_7O_5$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				AltConf
2	C	1	Total 27	C 15	N 7	O 5	0
2	D	1	Total 27	C 15	N 7	O 5	0
2	E	1	Total 27	C 15	N 7	O 5	0
2	F	1	Total 27	C 15	N 7	O 5	0
2	G	1	Total 27	C 15	N 7	O 5	0
2	H	1	Total 27	C 15	N 7	O 5	0
2	I	1	Total 27	C 15	N 7	O 5	0
2	J	1	Total 27	C 15	N 7	O 5	0

3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Cystathionine beta-synthase




• Molecule 1: Cystathionine beta-synthase










● Molecule 1: Cystathionine beta-synthase



E547	R548	D549	Q550	LYS	K481	V482	I483	V484	K485	Q486	F487	K488	Q489	T490	R491	L492	T493	D494	T495	L496	Q497	R498	L499	S500	H501	T502	L503	E504	M505	D506	H507	F508	A509	L510	T516	H519	S520	T521	G522	K523	S524	S525	Q526	T527	Q528	F531	G532	V533	V534	T535	A536	T537	D538	L539	L540	N541	F542	V543	A544	A545	Q546	A421	P422	L423	T424	V425	L426	P427	T428	I429	T430	C431	G432	H433	T434	I435	E436	I437	L438	R439	E440	K441	G442	F443	D444	Q445	A446	P447	V448	V449	D450	E451	A452	G453	V454	L455	L456	G457	M458	V459	T460	L461	G462	M463	M464	L465	S466	S467	L468	L469	A470	G471	K472	V473	Q474	P475	S476	D477	Q478	V479	G480
------	------	------	------	-----	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------

4 Experimental information

Property	Value	Source
EM reconstruction method	HELICAL	Depositor
Imposed symmetry	HELICAL, twist=-172.188°, rise=50.297 Å, axial sym=D1	Depositor
Number of segments used	211125	Depositor
Resolution determination method	FSC 0.33 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{Å}^2$)	50	Depositor
Minimum defocus (nm)	1200	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	Not provided	
Image detector	FEI FALCON IV (4k x 4k)	Depositor
Maximum map value	0.582	Depositor
Minimum map value	-0.345	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.019	Depositor
Recommended contour level	0.12	Depositor
Map size (Å)	266.24, 266.24, 266.24	wwPDB
Map dimensions	256, 256, 256	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.04, 1.04, 1.04	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SFG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	B	0.22	0/1076	0.63	0/1454
1	C	0.21	0/1076	0.66	0/1454
1	D	0.23	0/1076	0.67	2/1454 (0.1%)
1	E	0.25	0/1076	0.75	1/1454 (0.1%)
1	F	0.25	0/1076	0.68	1/1454 (0.1%)
1	G	0.25	0/1076	0.72	0/1454
1	H	0.24	0/1076	0.65	0/1454
1	I	0.24	0/1076	0.65	0/1454
1	J	0.27	0/1076	0.76	2/1454 (0.1%)
1	K	0.23	0/1076	0.63	0/1454
All	All	0.24	0/10760	0.68	6/14540 (0.0%)

There are no bond length outliers.

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	486	GLN	CA-CB-CG	7.07	128.24	114.10
1	J	440	GLU	CA-CB-CG	5.54	125.18	114.10
1	D	473	VAL	CA-C-N	5.41	137.74	122.21
1	D	473	VAL	C-N-CA	5.41	137.74	122.21
1	F	416	GLU	CA-CB-CG	5.27	124.63	114.10
1	J	504	GLU	N-CA-CB	5.12	118.05	110.53

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	1062	0	1096	2	0
1	C	1062	0	1096	10	0
1	D	1062	0	1096	9	0
1	E	1062	0	1096	14	0
1	F	1062	0	1096	9	0
1	G	1062	0	1096	8	0
1	H	1062	0	1096	7	0
1	I	1062	0	1096	15	0
1	J	1062	0	1096	16	0
1	K	1062	0	1096	8	0
2	C	27	0	22	2	0
2	D	27	0	22	3	0
2	E	27	0	22	3	0
2	F	27	0	22	2	0
2	G	27	0	22	3	0
2	H	27	0	22	2	0
2	I	27	0	22	0	0
2	J	27	0	22	0	0
All	All	10836	0	11136	89	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (89) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:J:435:ILE:O	1:J:439:ARG:HB2	1.82	0.79
1:F:537:ILE:HD13	2:F:601:SFG:H4'	1.69	0.74
1:F:423:LEU:HB2	2:F:601:SFG:HN62	1.54	0.71
1:E:439:ARG:HH12	1:F:537:ILE:HA	1.61	0.65
1:K:474:GLN:HG2	1:K:476:SER:H	1.64	0.63
1:G:537:ILE:HD11	2:G:601:SFG:H2'	1.79	0.62
1:C:537:ILE:HA	1:D:439:ARG:HH12	1.65	0.61
2:G:601:SFG:HG1	2:G:601:SFG:H8	1.81	0.61
1:J:437:ILE:O	1:J:441:LYS:HB2	2.00	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:478:GLN:HG3	1:D:480:GLY:H	1.68	0.58
1:I:478:GLN:HG3	1:I:480:GLY:H	1.66	0.58
1:J:478:GLN:HG3	1:J:480:GLY:H	1.68	0.58
1:I:490:ILE:HD11	1:I:502:ILE:HD11	1.87	0.56
1:I:428:THR:HA	1:I:478:GLN:HE22	1.70	0.56
1:B:449:VAL:HG12	1:B:455:ILE:HA	1.88	0.56
1:J:422:PRO:HG3	1:J:532:GLY:HA2	1.88	0.55
1:C:517:GLN:HB2	1:C:525:SER:HB3	1.88	0.54
1:C:537:ILE:HD13	2:C:601:SFG:H4'	1.90	0.54
1:J:516:ILE:HG22	1:J:526:GLN:HG2	1.89	0.53
1:I:516:ILE:HG12	1:I:526:GLN:HG2	1.91	0.52
1:J:437:ILE:O	1:J:441:LYS:CB	2.57	0.52
1:E:448:VAL:HG12	1:E:458:MET:HA	1.90	0.51
1:G:422:PRO:HG3	1:G:532:GLY:HA2	1.92	0.51
1:E:443:PHE:HD1	2:E:601:SFG:H2'	1.76	0.51
1:C:478:GLN:HG3	1:C:480:GLY:H	1.76	0.51
1:K:422:PRO:HG3	1:K:532:GLY:HA2	1.94	0.50
2:G:601:SFG:H8	2:G:601:SFG:HA	1.93	0.50
1:C:443:PHE:CE1	2:C:601:SFG:H2'	2.47	0.50
1:J:449:VAL:HG12	1:J:455:ILE:HA	1.92	0.50
1:D:537:ILE:HD13	2:D:601:SFG:H4'	1.94	0.49
1:I:422:PRO:HG3	1:I:532:GLY:HA2	1.93	0.49
1:E:503:LEU:HD21	1:E:536:ALA:HB2	1.94	0.49
1:I:435:ILE:O	1:I:439:ARG:HB2	2.11	0.49
1:D:428:THR:HA	1:D:478:GLN:HE22	1.76	0.49
1:D:529:MET:HE1	1:E:529:MET:HG3	1.94	0.49
2:D:601:SFG:H2'	2:D:601:SFG:N3	2.27	0.48
1:E:502:ILE:HG22	1:E:505:MET:HE2	1.97	0.47
1:F:516:ILE:HG22	1:F:526:GLN:HG2	1.95	0.47
1:B:414:VAL:HG13	1:B:492:LEU:HD12	1.96	0.47
1:J:502:ILE:HG22	1:J:505:MET:HE2	1.97	0.47
1:J:512:VAL:HG23	1:J:530:VAL:HA	1.96	0.47
1:E:490:ILE:HD11	1:E:502:ILE:HD11	1.97	0.47
1:E:490:ILE:HD13	1:E:499:LEU:HD12	1.98	0.46
1:H:516:ILE:HG22	1:H:526:GLN:HG2	1.97	0.46
1:F:437:ILE:HD12	1:G:518:TYR:HD1	1.81	0.46
1:C:447:PRO:HA	1:C:458:MET:HA	1.98	0.45
1:K:500:SER:HA	1:K:503:LEU:HG	1.98	0.45
1:D:443:PHE:HE1	2:D:601:SFG:H3'	1.82	0.45
1:I:434:THR:HA	1:I:437:ILE:HG12	1.98	0.45
1:H:543:VAL:HA	1:H:546:GLN:HB3	1.98	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:J:500:SER:HA	1:J:503:LEU:HG	1.98	0.45
1:I:490:ILE:HB	1:I:511:VAL:HG12	1.99	0.44
1:E:545:ALA:O	1:E:548:ARG:HG3	2.17	0.44
1:I:537:ILE:HA	1:J:439:ARG:NH2	2.32	0.44
1:J:474:GLN:HG2	1:J:475:PRO:HD2	2.00	0.44
2:H:601:SFG:H4'	2:H:601:SFG:HG2	1.80	0.44
1:I:474:GLN:HG3	1:I:476:SER:H	1.83	0.44
1:J:439:ARG:HA	1:J:439:ARG:HD2	1.68	0.44
1:K:503:LEU:HD21	1:K:539:LEU:HD12	1.98	0.44
1:E:537:ILE:HD11	2:E:601:SFG:H4'	1.99	0.44
1:G:439:ARG:HH12	1:H:537:ILE:HA	1.83	0.44
1:G:437:ILE:HA	1:G:440:GLU:HG2	1.99	0.44
1:D:491:ARG:HH12	1:D:528:GLN:HE22	1.66	0.43
1:I:443:PHE:HE2	1:I:446:ALA:H	1.65	0.43
1:C:538:ASP:HA	1:C:541:ASN:HB2	2.00	0.43
1:I:490:ILE:HD13	1:I:499:LEU:HD12	2.01	0.43
1:H:499:LEU:HA	1:H:502:ILE:HG12	2.00	0.43
1:C:474:GLN:HG2	1:C:475:PRO:HD2	2.00	0.43
1:F:439:ARG:HD3	1:F:439:ARG:HA	1.88	0.43
1:F:447:PRO:HB3	1:F:458:MET:HG2	2.00	0.43
1:K:516:ILE:HG12	1:K:526:GLN:HG2	2.01	0.42
1:C:449:VAL:HG12	1:C:455:ILE:HA	2.01	0.41
1:E:443:PHE:CD1	2:E:601:SFG:H2'	2.55	0.41
1:C:439:ARG:NH2	1:D:537:ILE:HA	2.34	0.41
1:I:421:ALA:HA	1:I:422:PRO:HD3	1.92	0.41
1:G:516:ILE:HG22	1:G:526:GLN:HG2	2.02	0.41
1:K:433:HIS:O	1:K:437:ILE:HG12	2.20	0.41
1:E:540:LEU:HG	1:F:465:LEU:HD12	2.03	0.41
1:I:439:ARG:NH2	1:J:537:ILE:HA	2.35	0.41
1:F:422:PRO:HG3	1:F:532:GLY:HA2	2.03	0.41
1:G:465:LEU:HD12	1:H:540:LEU:HG	2.02	0.41
1:H:443:PHE:CD1	2:H:601:SFG:H2'	2.56	0.41
1:J:515:GLN:HB2	1:K:422:PRO:HD2	2.01	0.41
1:E:421:ALA:HA	1:E:422:PRO:HD3	1.95	0.41
1:K:543:VAL:HA	1:K:546:GLN:HB3	2.03	0.41
1:G:465:LEU:HB2	1:H:540:LEU:HD11	2.02	0.40
1:I:537:ILE:HD12	1:J:439:ARG:HH21	1.86	0.40
1:D:443:PHE:HE2	1:D:446:ALA:H	1.70	0.40
1:E:498:ARG:HE	1:E:498:ARG:HB2	1.62	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	135/551 (24%)	125 (93%)	10 (7%)	0	100	100
1	C	135/551 (24%)	123 (91%)	12 (9%)	0	100	100
1	D	135/551 (24%)	121 (90%)	13 (10%)	1 (1%)	18	54
1	E	135/551 (24%)	124 (92%)	11 (8%)	0	100	100
1	F	135/551 (24%)	124 (92%)	11 (8%)	0	100	100
1	G	135/551 (24%)	126 (93%)	9 (7%)	0	100	100
1	H	135/551 (24%)	127 (94%)	8 (6%)	0	100	100
1	I	135/551 (24%)	123 (91%)	12 (9%)	0	100	100
1	J	135/551 (24%)	126 (93%)	9 (7%)	0	100	100
1	K	135/551 (24%)	125 (93%)	10 (7%)	0	100	100
All	All	1350/5510 (24%)	1244 (92%)	105 (8%)	1 (0%)	49	80

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	521	THR

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	116/465 (25%)	116 (100%)	0	100	100
1	C	116/465 (25%)	116 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	D	116/465 (25%)	116 (100%)	0	100	100
1	E	116/465 (25%)	116 (100%)	0	100	100
1	F	116/465 (25%)	116 (100%)	0	100	100
1	G	116/465 (25%)	116 (100%)	0	100	100
1	H	116/465 (25%)	116 (100%)	0	100	100
1	I	116/465 (25%)	116 (100%)	0	100	100
1	J	116/465 (25%)	116 (100%)	0	100	100
1	K	116/465 (25%)	116 (100%)	0	100	100
All	All	1160/4650 (25%)	1160 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	546	GLN
1	D	507	HIS
1	D	515	GLN
1	D	519	HIS
1	F	526	GLN
1	G	515	GLN
1	G	519	HIS
1	I	415	GLN
1	I	489	GLN
1	I	526	GLN
1	I	528	GLN
1	J	445	GLN
1	J	519	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	SFG	H	601	-	28,29,29	2.96	10 (35%)	36,42,42	2.59	13 (36%)
2	SFG	I	601	-	28,29,29	2.95	10 (35%)	36,42,42	2.60	14 (38%)
2	SFG	E	601	-	28,29,29	2.96	10 (35%)	36,42,42	2.58	14 (38%)
2	SFG	F	601	-	28,29,29	2.93	10 (35%)	36,42,42	2.74	10 (27%)
2	SFG	D	601	-	28,29,29	2.94	10 (35%)	36,42,42	2.60	11 (30%)
2	SFG	C	601	-	28,29,29	2.94	10 (35%)	36,42,42	2.61	11 (30%)
2	SFG	J	601	-	28,29,29	2.96	10 (35%)	36,42,42	2.59	13 (36%)
2	SFG	G	601	-	28,29,29	2.97	10 (35%)	36,42,42	2.58	13 (36%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	SFG	H	601	-	-	5/17/33/33	0/3/3/3
2	SFG	I	601	-	-	14/17/33/33	0/3/3/3
2	SFG	E	601	-	-	6/17/33/33	0/3/3/3
2	SFG	F	601	-	-	9/17/33/33	0/3/3/3
2	SFG	D	601	-	-	10/17/33/33	0/3/3/3
2	SFG	C	601	-	-	7/17/33/33	0/3/3/3
2	SFG	J	601	-	-	5/17/33/33	0/3/3/3
2	SFG	G	601	-	-	8/17/33/33	0/3/3/3

All (80) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	601	SFG	O4'-C1'	7.96	1.60	1.42
2	E	601	SFG	O4'-C1'	7.94	1.60	1.42
2	F	601	SFG	O4'-C1'	7.93	1.60	1.42
2	H	601	SFG	O4'-C1'	7.92	1.60	1.42
2	G	601	SFG	O4'-C1'	7.89	1.60	1.42
2	I	601	SFG	O4'-C1'	7.83	1.60	1.42
2	D	601	SFG	O4'-C1'	7.83	1.60	1.42
2	J	601	SFG	O4'-C1'	7.78	1.60	1.42
2	D	601	SFG	O4'-C4'	-6.67	1.30	1.45
2	I	601	SFG	O4'-C4'	-6.61	1.30	1.45
2	J	601	SFG	O4'-C4'	-6.58	1.30	1.45
2	C	601	SFG	O4'-C4'	-6.54	1.30	1.45
2	H	601	SFG	O4'-C4'	-6.51	1.30	1.45
2	E	601	SFG	O4'-C4'	-6.50	1.30	1.45
2	F	601	SFG	O4'-C4'	-6.49	1.30	1.45
2	J	601	SFG	C2'-C1'	-6.48	1.32	1.53
2	G	601	SFG	C2'-C1'	-6.47	1.32	1.53
2	G	601	SFG	O4'-C4'	-6.46	1.30	1.45
2	H	601	SFG	C2'-C1'	-6.44	1.32	1.53
2	E	601	SFG	C2'-C1'	-6.42	1.33	1.53
2	F	601	SFG	C2'-C1'	-6.39	1.33	1.53
2	I	601	SFG	C2'-C1'	-6.39	1.33	1.53
2	C	601	SFG	C2'-C1'	-6.39	1.33	1.53
2	D	601	SFG	C2'-C1'	-6.24	1.33	1.53
2	J	601	SFG	C6-N6	5.15	1.47	1.34
2	D	601	SFG	C6-N6	5.15	1.47	1.34
2	I	601	SFG	C6-N6	5.15	1.47	1.34
2	H	601	SFG	C6-N6	5.14	1.47	1.34
2	E	601	SFG	C6-N6	5.13	1.47	1.34
2	G	601	SFG	C6-N6	5.12	1.47	1.34
2	C	601	SFG	C6-N6	5.11	1.47	1.34
2	F	601	SFG	C6-N6	4.98	1.46	1.34
2	G	601	SFG	C5'-C4'	4.43	1.60	1.52
2	H	601	SFG	C5'-C4'	4.31	1.60	1.52
2	E	601	SFG	C5'-C4'	4.29	1.60	1.52
2	J	601	SFG	C5'-C4'	4.29	1.60	1.52
2	F	601	SFG	C5'-C4'	4.28	1.60	1.52
2	C	601	SFG	C5'-C4'	4.27	1.60	1.52
2	D	601	SFG	C5'-C4'	4.23	1.60	1.52
2	I	601	SFG	C5'-C4'	4.22	1.60	1.52
2	F	601	SFG	C8-N9	-3.36	1.31	1.37
2	G	601	SFG	C8-N9	-3.14	1.31	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	I	601	SFG	C8-N9	-3.14	1.31	1.37
2	J	601	SFG	C8-N9	-3.11	1.32	1.37
2	E	601	SFG	C8-N9	-3.11	1.32	1.37
2	H	601	SFG	C8-N9	-3.10	1.32	1.37
2	D	601	SFG	C8-N9	-3.10	1.32	1.37
2	C	601	SFG	C8-N9	-3.10	1.32	1.37
2	E	601	SFG	O2'-C2'	3.07	1.50	1.43
2	H	601	SFG	O2'-C2'	3.05	1.50	1.43
2	G	601	SFG	O2'-C2'	3.04	1.50	1.43
2	D	601	SFG	O2'-C2'	3.02	1.50	1.43
2	J	601	SFG	O2'-C2'	3.01	1.50	1.43
2	I	601	SFG	O2'-C2'	3.01	1.50	1.43
2	D	601	SFG	C5-N7	-3.00	1.33	1.39
2	C	601	SFG	O2'-C2'	2.96	1.50	1.43
2	F	601	SFG	O2'-C2'	2.95	1.49	1.43
2	C	601	SFG	C5-N7	-2.94	1.33	1.39
2	G	601	SFG	C5-N7	-2.86	1.33	1.39
2	E	601	SFG	C5-N7	-2.85	1.33	1.39
2	H	601	SFG	C5-N7	-2.84	1.33	1.39
2	I	601	SFG	C5-N7	-2.82	1.33	1.39
2	J	601	SFG	C5-C4	-2.82	1.33	1.39
2	F	601	SFG	C5-N7	-2.78	1.33	1.39
2	J	601	SFG	C5-N7	-2.76	1.33	1.39
2	G	601	SFG	C5-C4	-2.75	1.33	1.39
2	I	601	SFG	C5-C4	-2.74	1.33	1.39
2	F	601	SFG	C5-C4	-2.73	1.33	1.39
2	H	601	SFG	C5-C4	-2.71	1.34	1.39
2	E	601	SFG	C5-C4	-2.70	1.34	1.39
2	C	601	SFG	C5-C4	-2.61	1.34	1.39
2	D	601	SFG	C5-C4	-2.53	1.34	1.39
2	J	601	SFG	C8-N7	2.33	1.36	1.31
2	H	601	SFG	C8-N7	2.30	1.35	1.31
2	G	601	SFG	C8-N7	2.28	1.35	1.31
2	E	601	SFG	C8-N7	2.28	1.35	1.31
2	I	601	SFG	C8-N7	2.28	1.35	1.31
2	C	601	SFG	C8-N7	2.15	1.35	1.31
2	D	601	SFG	C8-N7	2.11	1.35	1.31
2	F	601	SFG	C8-N7	2.10	1.35	1.31

All (99) bond angle outliers are listed below:

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
-----	-------	-----	------	-------	---	-------------	----------

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	F	601	SFG	N6-C6-N1	-6.90	103.24	118.35
2	F	601	SFG	C5-C4-N3	-6.57	118.18	126.75
2	D	601	SFG	C5-C4-N3	-6.45	118.34	126.75
2	D	601	SFG	N6-C6-N1	-6.42	104.29	118.35
2	I	601	SFG	N6-C6-N1	-6.36	104.41	118.35
2	C	601	SFG	N6-C6-N1	-6.35	104.44	118.35
2	J	601	SFG	N6-C6-N1	-6.34	104.45	118.35
2	G	601	SFG	N6-C6-N1	-6.34	104.47	118.35
2	H	601	SFG	N6-C6-N1	-6.33	104.50	118.35
2	E	601	SFG	N6-C6-N1	-6.32	104.52	118.35
2	C	601	SFG	C5-C4-N3	-6.12	118.76	126.75
2	C	601	SFG	N3-C2-N1	-5.79	119.54	128.60
2	J	601	SFG	N3-C2-N1	-5.67	119.73	128.60
2	F	601	SFG	N3-C2-N1	-5.67	119.73	128.60
2	F	601	SFG	C5-C6-N6	5.65	135.73	123.43
2	H	601	SFG	N3-C2-N1	-5.65	119.77	128.60
2	I	601	SFG	N3-C2-N1	-5.64	119.78	128.60
2	G	601	SFG	N3-C2-N1	-5.64	119.78	128.60
2	E	601	SFG	N3-C2-N1	-5.61	119.82	128.60
2	I	601	SFG	C5-C6-N6	5.60	135.62	123.43
2	H	601	SFG	C5-C6-N6	5.60	135.61	123.43
2	D	601	SFG	N3-C2-N1	-5.58	119.88	128.60
2	J	601	SFG	C5-C6-N6	5.55	135.51	123.43
2	G	601	SFG	C5-C6-N6	5.55	135.51	123.43
2	E	601	SFG	C5-C6-N6	5.54	135.48	123.43
2	D	601	SFG	C5-C6-N6	5.49	135.37	123.43
2	C	601	SFG	C5-C6-N6	5.44	135.27	123.43
2	E	601	SFG	C5-C4-N3	-5.26	119.89	126.75
2	I	601	SFG	C5-C4-N3	-5.13	120.06	126.75
2	G	601	SFG	C5-C4-N3	-5.10	120.10	126.75
2	H	601	SFG	C5-C4-N3	-5.09	120.10	126.75
2	J	601	SFG	C5-C4-N3	-5.03	120.18	126.75
2	F	601	SFG	C2-N3-C4	4.44	122.24	111.75
2	J	601	SFG	N9-C8-N7	-4.36	107.95	113.91
2	I	601	SFG	N9-C8-N7	-4.25	108.09	113.91
2	G	601	SFG	N9-C8-N7	-4.18	108.19	113.91
2	D	601	SFG	N3-C4-N9	4.17	133.96	127.08
2	H	601	SFG	N9-C8-N7	-4.17	108.21	113.91
2	D	601	SFG	C2-N3-C4	4.14	121.53	111.75
2	E	601	SFG	N9-C8-N7	-4.13	108.27	113.91
2	C	601	SFG	C2-N3-C4	4.09	121.42	111.75

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	F	601	SFG	N3-C4-N9	4.08	133.80	127.08
2	F	601	SFG	N9-C8-N7	-4.00	108.44	113.91
2	C	601	SFG	N3-C4-N9	4.00	133.67	127.08
2	F	601	SFG	C3'-C2'-C1'	3.97	108.97	101.43
2	C	601	SFG	N9-C8-N7	-3.77	108.75	113.91
2	C	601	SFG	C3'-C2'-C1'	3.71	108.47	101.43
2	E	601	SFG	C2-N3-C4	3.70	120.49	111.75
2	I	601	SFG	C2-N3-C4	3.67	120.42	111.75
2	J	601	SFG	C2-N3-C4	3.66	120.40	111.75
2	G	601	SFG	C2-N3-C4	3.65	120.37	111.75
2	H	601	SFG	C2-N3-C4	3.64	120.34	111.75
2	J	601	SFG	C4-N9-C1'	-3.64	117.93	126.59
2	D	601	SFG	N9-C8-N7	-3.51	109.11	113.91
2	F	601	SFG	C5-N7-C8	3.48	108.46	103.51
2	E	601	SFG	C3'-C2'-C1'	3.40	107.88	101.43
2	I	601	SFG	C4-N9-C1'	-3.39	118.52	126.59
2	H	601	SFG	C3'-C2'-C1'	3.33	107.76	101.43
2	G	601	SFG	C4-N9-C1'	-3.28	118.77	126.59
2	I	601	SFG	C5-N7-C8	3.18	108.03	103.51
2	H	601	SFG	C4-N9-C1'	-3.17	119.03	126.59
2	E	601	SFG	N3-C4-N9	3.13	132.24	127.08
2	J	601	SFG	C5-N7-C8	3.12	107.94	103.51
2	G	601	SFG	C5-N7-C8	3.07	107.87	103.51
2	E	601	SFG	C5-N7-C8	3.07	107.86	103.51
2	H	601	SFG	C5-N7-C8	3.05	107.84	103.51
2	E	601	SFG	C4-N9-C1'	-3.03	119.38	126.59
2	G	601	SFG	C3'-C2'-C1'	3.03	107.18	101.43
2	H	601	SFG	N3-C4-N9	2.99	132.01	127.08
2	C	601	SFG	C5-N7-C8	2.99	107.75	103.51
2	I	601	SFG	N3-C4-N9	2.96	131.96	127.08
2	J	601	SFG	C1'-N9-C8	2.95	133.81	127.14
2	G	601	SFG	N3-C4-N9	2.95	131.94	127.08
2	J	601	SFG	N3-C4-N9	2.93	131.91	127.08
2	D	601	SFG	C5-N7-C8	2.92	107.66	103.51
2	I	601	SFG	C1'-N9-C8	2.78	133.42	127.14
2	G	601	SFG	C1'-N9-C8	2.69	133.20	127.14
2	D	601	SFG	C4'-O4'-C1'	-2.67	103.59	109.47
2	H	601	SFG	C1'-N9-C8	2.56	132.92	127.14
2	F	601	SFG	C4-C5-N7	-2.55	107.52	110.62
2	I	601	SFG	C3'-C2'-C1'	2.50	106.17	101.43
2	E	601	SFG	C1'-N9-C8	2.44	132.65	127.14
2	D	601	SFG	C6-C5-C4	2.36	120.36	117.18

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	J	601	SFG	C4-N9-C8	2.34	108.26	105.73
2	I	601	SFG	C4-C5-N7	-2.29	107.83	110.62
2	J	601	SFG	C4-C5-N7	-2.19	107.95	110.62
2	G	601	SFG	C4-C5-N7	-2.19	107.95	110.62
2	I	601	SFG	C4-N9-C8	2.15	108.06	105.73
2	C	601	SFG	C6-C5-C4	2.14	120.07	117.18
2	H	601	SFG	C4-N9-C8	2.13	108.04	105.73
2	H	601	SFG	C4-C5-N7	-2.13	108.02	110.62
2	E	601	SFG	C4-C5-N7	-2.13	108.02	110.62
2	D	601	SFG	C3'-C2'-C1'	2.13	105.47	101.43
2	G	601	SFG	C4-N9-C8	2.12	108.02	105.73
2	J	601	SFG	C3'-C2'-C1'	2.10	105.42	101.43
2	C	601	SFG	OXT-C-CA	2.08	120.46	113.38
2	E	601	SFG	C4-N9-C8	2.07	107.97	105.73
2	E	601	SFG	OXT-C-CA	2.06	120.40	113.38
2	I	601	SFG	OXT-C-CA	2.01	120.22	113.38

There are no chirality outliers.

All (64) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	C	601	SFG	N-CA-CB-CG
2	C	601	SFG	C-CA-CB-CG
2	C	601	SFG	O4'-C4'-C5'-CD
2	D	601	SFG	N-CA-CB-CG
2	D	601	SFG	C-CA-CB-CG
2	D	601	SFG	NE-CD-CG-CB
2	E	601	SFG	C-CA-CB-CG
2	E	601	SFG	O4'-C4'-C5'-CD
2	E	601	SFG	C3'-C4'-C5'-CD
2	F	601	SFG	N-CA-CB-CG
2	F	601	SFG	C4'-C5'-CD-NE
2	F	601	SFG	O4'-C4'-C5'-CD
2	F	601	SFG	C3'-C4'-C5'-CD
2	G	601	SFG	O-C-CA-N
2	G	601	SFG	C5'-CD-CG-CB
2	G	601	SFG	O4'-C4'-C5'-CD
2	H	601	SFG	O4'-C4'-C5'-CD
2	H	601	SFG	C3'-C4'-C5'-CD
2	I	601	SFG	C-CA-CB-CG
2	I	601	SFG	NE-CD-CG-CB
2	I	601	SFG	C5'-CD-CG-CB

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	I	601	SFG	C4'-C5'-CD-NE
2	J	601	SFG	N-CA-CB-CG
2	J	601	SFG	CA-CB-CG-CD
2	J	601	SFG	NE-CD-CG-CB
2	D	601	SFG	OXT-C-CA-CB
2	G	601	SFG	OXT-C-CA-N
2	I	601	SFG	OXT-C-CA-N
2	D	601	SFG	O-C-CA-CB
2	E	601	SFG	OXT-C-CA-N
2	I	601	SFG	OXT-C-CA-CB
2	C	601	SFG	C4'-C5'-CD-CG
2	I	601	SFG	C2'-C1'-N9-C8
2	D	601	SFG	OXT-C-CA-N
2	I	601	SFG	O-C-CA-CB
2	I	601	SFG	C2'-C1'-N9-C4
2	D	601	SFG	O-C-CA-N
2	E	601	SFG	O-C-CA-N
2	I	601	SFG	O-C-CA-N
2	I	601	SFG	C3'-C4'-C5'-CD
2	I	601	SFG	CA-CB-CG-CD
2	F	601	SFG	C4'-C5'-CD-CG
2	F	601	SFG	C-CA-CB-CG
2	J	601	SFG	C-CA-CB-CG
2	C	601	SFG	C4'-C5'-CD-NE
2	G	601	SFG	OXT-C-CA-CB
2	F	601	SFG	OXT-C-CA-N
2	I	601	SFG	N-CA-CB-CG
2	D	601	SFG	C5'-CD-CG-CB
2	J	601	SFG	C5'-CD-CG-CB
2	G	601	SFG	O-C-CA-CB
2	G	601	SFG	C4'-C5'-CD-CG
2	H	601	SFG	O-C-CA-CB
2	H	601	SFG	OXT-C-CA-CB
2	F	601	SFG	O-C-CA-N
2	D	601	SFG	O4'-C1'-N9-C8
2	I	601	SFG	O4'-C1'-N9-C8
2	H	601	SFG	CA-CB-CG-CD
2	D	601	SFG	C2'-C1'-N9-C8
2	F	601	SFG	C2'-C1'-N9-C8
2	G	601	SFG	C4'-C5'-CD-NE
2	C	601	SFG	OXT-C-CA-CB
2	E	601	SFG	N-CA-CB-CG

Continued on next page...

Continued from previous page...



Mol	Chain	Res	Type	Atoms
2	C	601	SFG	O-C-CA-CB



There are no ring outliers.



6 monomers are involved in 15 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	H	601	SFG	2	0
2	E	601	SFG	3	0
2	F	601	SFG	2	0
2	D	601	SFG	3	0
2	C	601	SFG	2	0
2	G	601	SFG	3	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-55097. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 128




Y Index: 128




Z Index: 128


6.2.2 Raw map



X Index: 128



Y Index: 128




Z Index: 128


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 128




Y Index: 124




Z Index: 116


6.3.2 Raw map



X Index: 128



Y Index: 120




Z Index: 104


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) ⓘ


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.12. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_55097_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 66 nm^3 ; this corresponds to an approximate mass of 60 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.248 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.248 $\text{\AA}^{-1}$

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)			
	0.143	0.5	Half-bit	0.333
Reported by author	-	-	-	4.04
Author-provided FSC curve	4.04	4.60	4.08	4.22
Unmasked-calculated*	4.28	6.38	4.40	5.69

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.33 CUT-OFF 5.69 differs from the reported value 4.04 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-55097 and PDB model 9SPV. Per-residue inclusion information can be found in section [3](#) on page [6](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.12 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.12).

9.4 Atom inclusion [i](#)



At the recommended contour level, 53% of all backbone atoms, 44% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.12) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.4360	0.3570
B	0.0820	0.3100
C	0.3820	0.3490
D	0.5100	0.3750
E	0.5820	0.3710
F	0.6250	0.3810
G	0.6190	0.3780
H	0.5850	0.3810
I	0.4990	0.3720
J	0.3810	0.3470
K	0.0750	0.3020

1.0

0.0

<0.0