



Full wwPDB X-ray Structure Validation Report i

Apr 7, 2022 – 01:04 PM EDT

PDB ID : 3T5P
Title : Crystal structure of a putative diacylglycerol kinase from *Bacillus anthracis* str. Sterne
Authors : Hou, J.; Zheng, H.; Chruszcz, M.; Cooper, D.R.; Onopriyenko, O.; Grimshaw, S.; Savchenko, A.; Anderson, W.F.; Minor, W.; Center for Structural Genomics of Infectious Diseases (CSGID)
Deposited on : 2011-07-27
Resolution : 2.50 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the i symbol.

The following versions of software and data (see [references](#) i) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.27
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.27


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4661 (2.50-2.50)
Clashscore	141614	5346 (2.50-2.50)
Ramachandran outliers	138981	5231 (2.50-2.50)
Sidechain outliers	138945	5233 (2.50-2.50)
RSRZ outliers	127900	4559 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



Continued on next page...

Continued from previous page...



2 Entry composition i

There are 3 unique types of molecules in this entry. The entry contains 26322 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called BmrU protein.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	287	Total 2159	C 1389	N 353	O 410	S 5	Se 2	0	0	0
1	B	299	Total 2267	C 1453	N 368	O 439	S 5	Se 2	0	0	0
1	C	292	Total 2173	C 1397	N 355	O 413	S 5	Se 3	0	0	0
1	D	293	Total 2216	C 1425	N 359	O 425	S 5	Se 2	0	0	0
1	E	295	Total 2202	C 1411	N 362	O 422	S 5	Se 2	0	0	0
1	F	273	Total 2036	C 1315	N 330	O 384	S 5	Se 2	0	0	0
1	G	291	Total 2179	C 1403	N 354	O 415	S 5	Se 2	0	0	0
1	H	272	Total 1970	C 1267	N 323	O 373	S 5	Se 2	0	0	0
1	I	277	Total 2078	C 1338	N 338	O 395	S 5	Se 2	0	0	0
1	J	278	Total 2070	C 1336	N 336	O 391	S 5	Se 2	0	0	0
1	K	289	Total 2169	C 1393	N 349	O 420	S 5	Se 2	0	0	0
1	L	302	Total 2286	C 1469	N 371	O 439	S 5	Se 2	0	0	0

There are 72 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-5	TYR	-	expression tag	UNP Q81KC6
A	-4	PHE	-	expression tag	UNP Q81KC6
A	-3	GLN	-	expression tag	UNP Q81KC6
A	-2	ASN	-	expression tag	UNP Q81KC6
A	-1	SER	-	expression tag	UNP Q81KC6

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	0	ALA	-	expression tag	UNP Q81KC6
B	-5	TYR	-	expression tag	UNP Q81KC6
B	-4	PHE	-	expression tag	UNP Q81KC6
B	-3	GLN	-	expression tag	UNP Q81KC6
B	-2	ASN	-	expression tag	UNP Q81KC6
B	-1	SER	-	expression tag	UNP Q81KC6
B	0	ALA	-	expression tag	UNP Q81KC6
C	-5	TYR	-	expression tag	UNP Q81KC6
C	-4	PHE	-	expression tag	UNP Q81KC6
C	-3	GLN	-	expression tag	UNP Q81KC6
C	-2	ASN	-	expression tag	UNP Q81KC6
C	-1	SER	-	expression tag	UNP Q81KC6
C	0	ALA	-	expression tag	UNP Q81KC6
D	-5	TYR	-	expression tag	UNP Q81KC6
D	-4	PHE	-	expression tag	UNP Q81KC6
D	-3	GLN	-	expression tag	UNP Q81KC6
D	-2	ASN	-	expression tag	UNP Q81KC6
D	-1	SER	-	expression tag	UNP Q81KC6
D	0	ALA	-	expression tag	UNP Q81KC6
E	-5	TYR	-	expression tag	UNP Q81KC6
E	-4	PHE	-	expression tag	UNP Q81KC6
E	-3	GLN	-	expression tag	UNP Q81KC6
E	-2	ASN	-	expression tag	UNP Q81KC6
E	-1	SER	-	expression tag	UNP Q81KC6
E	0	ALA	-	expression tag	UNP Q81KC6
F	-5	TYR	-	expression tag	UNP Q81KC6
F	-4	PHE	-	expression tag	UNP Q81KC6
F	-3	GLN	-	expression tag	UNP Q81KC6
F	-2	ASN	-	expression tag	UNP Q81KC6
F	-1	SER	-	expression tag	UNP Q81KC6
F	0	ALA	-	expression tag	UNP Q81KC6
G	-5	TYR	-	expression tag	UNP Q81KC6
G	-4	PHE	-	expression tag	UNP Q81KC6
G	-3	GLN	-	expression tag	UNP Q81KC6
G	-2	ASN	-	expression tag	UNP Q81KC6
G	-1	SER	-	expression tag	UNP Q81KC6
G	0	ALA	-	expression tag	UNP Q81KC6
H	-5	TYR	-	expression tag	UNP Q81KC6
H	-4	PHE	-	expression tag	UNP Q81KC6
H	-3	GLN	-	expression tag	UNP Q81KC6
H	-2	ASN	-	expression tag	UNP Q81KC6
H	-1	SER	-	expression tag	UNP Q81KC6

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
H	0	ALA	-	expression tag	UNP Q81KC6
I	-5	TYR	-	expression tag	UNP Q81KC6
I	-4	PHE	-	expression tag	UNP Q81KC6
I	-3	GLN	-	expression tag	UNP Q81KC6
I	-2	ASN	-	expression tag	UNP Q81KC6
I	-1	SER	-	expression tag	UNP Q81KC6
I	0	ALA	-	expression tag	UNP Q81KC6
J	-5	TYR	-	expression tag	UNP Q81KC6
J	-4	PHE	-	expression tag	UNP Q81KC6
J	-3	GLN	-	expression tag	UNP Q81KC6
J	-2	ASN	-	expression tag	UNP Q81KC6
J	-1	SER	-	expression tag	UNP Q81KC6
J	0	ALA	-	expression tag	UNP Q81KC6
K	-5	TYR	-	expression tag	UNP Q81KC6
K	-4	PHE	-	expression tag	UNP Q81KC6
K	-3	GLN	-	expression tag	UNP Q81KC6
K	-2	ASN	-	expression tag	UNP Q81KC6
K	-1	SER	-	expression tag	UNP Q81KC6
K	0	ALA	-	expression tag	UNP Q81KC6
L	-5	TYR	-	expression tag	UNP Q81KC6
L	-4	PHE	-	expression tag	UNP Q81KC6
L	-3	GLN	-	expression tag	UNP Q81KC6
L	-2	ASN	-	expression tag	UNP Q81KC6
L	-1	SER	-	expression tag	UNP Q81KC6
L	0	ALA	-	expression tag	UNP Q81KC6

- Molecule 2 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total Mg 1 1	0	0
2	B	1	Total Mg 1 1	0	0
2	C	1	Total Mg 1 1	0	0
2	D	1	Total Mg 1 1	0	0
2	E	1	Total Mg 1 1	0	0
2	F	1	Total Mg 1 1	0	0
2	G	1	Total Mg 1 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	H	1	Total Mg 1 1	0	0
2	I	1	Total Mg 1 1	0	0
2	J	1	Total Mg 1 1	0	0
2	K	1	Total Mg 1 1	0	0
2	L	1	Total Mg 1 1	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	28	Total O 28 28	0	0
3	B	66	Total O 66 66	0	0
3	C	43	Total O 43 43	0	0
3	D	61	Total O 61 61	0	0
3	E	32	Total O 32 32	0	0
3	F	36	Total O 36 36	0	0
3	G	45	Total O 45 45	0	0
3	H	10	Total O 10 10	0	0
3	I	38	Total O 38 38	0	0
3	J	35	Total O 35 35	0	0
3	K	49	Total O 49 49	0	0
3	L	62	Total O 62 62	0	0


3 Residue-property plots [\(i\)](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: BmrU protein




- Molecule 1: BmrU protein



- Molecule 1: BmrU protein



- Molecule 1: BmrU protein





- Molecule 1: BmrU protein


Chain E: 5% • 91% • 5% •



- Molecule 1: BmrU protein

A horizontal bar chart titled "Chain F" showing its distribution across four categories. The categories are represented by colored segments: red (8%), green (82%), yellow (7%), and grey (11%).

Category	Percentage
Red	8%
Green	82%
Yellow	7%
Grey	11%



- Molecule 1: BmrU protein

Chain G: 95%


A horizontal progress bar for 'Chain G' is shown. The bar is mostly green, with a small red segment at the beginning representing 5% and a grey segment at the end representing 5%. The total length of the bar corresponds to 87% completion.




- Molecule 1: BmrU protein

A horizontal bar chart titled "Chain H" showing its distribution across four categories. The categories are represented by colored segments: red (8%), green (84%), yellow (5%), and grey (11%).


Category	Percentage
Red	8%
Green	84%
Yellow	5%
Grey	11%




- Molecule 1: BmrU protein




- Molecule 1: BmrU protein



- Molecule 1: BmrU protein



- Molecule 1: BmrU protein



4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	78.02Å 115.10Å 208.02Å 90.00° 92.34° 90.00°	Depositor
Resolution (Å)	29.56 – 2.50 29.56 – 2.50	Depositor EDS
% Data completeness (in resolution range)	98.5 (29.56-2.50) 98.6 (29.56-2.50)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	0.09	Depositor
$\langle I/\sigma(I) \rangle^1$	2.79 (at 2.51Å)	Xtriage
Refinement program	REFMAC	Depositor
R , R_{free}	0.205 , 0.241 0.216 , 0.254	Depositor DCC
R_{free} test set	6264 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å ²)	50.1	Xtriage
Anisotropy	0.431	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , 52.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.019 for h,-k,-l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	26322	wwPDB-VP
Average B, all atoms (Å ²)	66.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 12.37% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.57	0/2203	0.67	2/2994 (0.1%)
1	B	0.63	0/2312	0.65	0/3142
1	C	0.56	0/2215	0.62	0/3011
1	D	0.60	0/2259	0.63	0/3066
1	E	0.56	0/2246	0.60	0/3056
1	F	0.55	0/2077	0.61	0/2823
1	G	0.59	0/2222	0.65	0/3021
1	H	0.48	0/2008	0.60	0/2736
1	I	0.55	0/2119	0.62	0/2878
1	J	0.54	0/2111	0.60	0/2869
1	K	0.57	0/2212	0.63	1/3007 (0.0%)
1	L	0.59	0/2331	0.62	0/3166
All	All	0.57	0/26315	0.63	3/35769 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	159	LYS	C-N-CA	5.70	135.94	121.70
1	A	144	LEU	CB-CG-CD1	5.68	120.66	111.00
1	K	144	LEU	CB-CG-CD1	5.35	120.09	111.00

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	159	LYS	Peptide

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2159	0	2094	24	0
1	B	2267	0	2226	14	0
1	C	2173	0	2110	12	0
1	D	2216	0	2171	28	0
1	E	2202	0	2122	9	0
1	F	2036	0	1966	12	0
1	G	2179	0	2114	12	0
1	H	1970	0	1841	7	0
1	I	2078	0	2022	12	0
1	J	2070	0	2011	10	0
1	K	2169	0	2087	11	0
1	L	2286	0	2228	15	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
2	E	1	0	0	0	0
2	F	1	0	0	0	0
2	G	1	0	0	0	0
2	H	1	0	0	0	0
2	I	1	0	0	0	0
2	J	1	0	0	0	0
2	K	1	0	0	0	0
2	L	1	0	0	0	0
3	A	28	0	0	2	0
3	B	66	0	0	1	0
3	C	43	0	0	0	0
3	D	61	0	0	4	0
3	E	32	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	F	36	0	0	0	0
3	G	45	0	0	0	0
3	H	10	0	0	0	0
3	I	38	0	0	0	0
3	J	35	0	0	1	0
3	K	49	0	0	1	0
3	L	62	0	0	0	0
All	All	26322	0	24992	163	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (163) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:I:222:LEU:HG	1:I:286:LEU:HD13	1.49	0.94
1:L:297:PRO:HA	1:L:300:VAL:HG23	1.57	0.86
1:D:222:LEU:HG	1:D:286:LEU:HD13	1.56	0.85
1:H:222:LEU:HG	1:H:286:LEU:HD13	1.62	0.82
1:D:226:VAL:O	1:D:252:ILE:HG22	1.84	0.77
1:A:222:LEU:HG	1:A:286:LEU:HD13	1.67	0.76
1:E:222:LEU:HG	1:E:286:LEU:HD13	1.68	0.75
1:K:226:VAL:HG22	1:K:253:PHE:HB3	1.68	0.75
1:D:148:VAL:HG21	1:D:154:ALA:HB2	1.69	0.74
1:K:222:LEU:HG	1:K:286:LEU:HD13	1.69	0.74
1:L:222:LEU:HG	1:L:286:LEU:HD13	1.71	0.72
1:A:163:ILE:HD11	1:A:198:MSE:HE1	1.72	0.70
1:A:176:ALA:HB3	1:A:232:ILE:HD11	1.74	0.68
1:B:222:LEU:HG	1:B:286:LEU:HD13	1.76	0.68
1:C:222:LEU:HG	1:C:286:LEU:HD13	1.77	0.67
1:I:222:LEU:CG	1:I:286:LEU:HD13	2.24	0.66
1:G:163:ILE:HD13	1:G:205:LEU:HB3	1.78	0.66
1:D:226:VAL:O	1:D:252:ILE:CG2	2.44	0.65
1:J:163:ILE:HD11	1:J:198:MSE:HE1	1.79	0.65
1:J:222:LEU:HG	1:J:286:LEU:HD13	1.78	0.65
1:C:235:PHE:CE1	1:C:239:ILE:HD11	2.32	0.65
1:F:222:LEU:HG	1:F:286:LEU:HD13	1.78	0.65
1:G:222:LEU:HG	1:G:286:LEU:HD13	1.79	0.64
1:J:163:ILE:HD12	1:J:205:LEU:HB3	1.79	0.63
1:B:299:VAL:HG12	1:B:300:VAL:HG13	1.78	0.63
1:I:21:ASP:HB3	1:I:24:THR:H	1.64	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:246:ASP:O	1:G:248:ASN:N	2.32	0.63
1:F:21:ASP:OD1	1:F:23:HIS:N	2.32	0.62
1:A:144:LEU:HD13	1:A:196:LEU:HD11	1.81	0.62
1:C:235:PHE:CE1	1:C:239:ILE:CD1	2.82	0.62
1:F:159:LYS:O	1:F:160:LEU:CB	2.48	0.61
1:D:75:PHE:CD1	1:D:273:ASP:HB2	2.37	0.60
1:L:75:PHE:CD1	1:L:273:ASP:HB2	2.36	0.59
1:A:144:LEU:HD13	1:A:196:LEU:CD1	2.33	0.59
1:L:235:PHE:CZ	1:L:239:ILE:HD11	2.37	0.59
1:F:75:PHE:CD1	1:F:273:ASP:HB2	2.38	0.58
1:C:75:PHE:CD1	1:C:273:ASP:HB2	2.39	0.57
1:A:243:LEU:O	1:A:245:GLU:N	2.37	0.57
1:K:75:PHE:CD1	1:K:273:ASP:HB2	2.38	0.57
1:F:21:ASP:OD1	1:F:21:ASP:C	2.43	0.56
1:L:300:VAL:CG1	1:L:300:VAL:O	2.53	0.56
1:I:75:PHE:CD1	1:I:273:ASP:HB2	2.40	0.56
1:K:153:ASP:N	3:K:565:HOH:O	2.38	0.55
1:E:75:PHE:CD1	1:E:273:ASP:HB2	2.41	0.55
1:H:75:PHE:CD1	1:H:273:ASP:HB2	2.41	0.55
1:A:18:GLY:C	1:A:20:GLY:N	2.58	0.55
1:B:169:THR:O	1:B:173:VAL:HG23	2.07	0.55
1:B:248:ASN:O	1:B:251:ASP:N	2.39	0.55
1:K:144:LEU:HD13	1:K:196:LEU:HD11	1.88	0.55
1:A:213:PRO:HG3	1:A:238:TYR:OH	2.07	0.54
1:H:140:TRP:NE1	1:H:270:VAL:HG11	2.23	0.54
1:D:163:ILE:HG21	1:D:205:LEU:HB3	1.90	0.53
1:L:145:VAL:O	1:L:145:VAL:HG13	2.08	0.53
1:A:138:ASN:HB2	1:A:273:ASP:OD1	2.07	0.53
1:A:82:ALA:HB1	1:A:135:HIS:ND1	2.23	0.53
1:D:222:LEU:CG	1:D:286:LEU:HD13	2.33	0.53
1:D:180:PRO:HG2	1:D:265:GLU:CG	2.39	0.53
1:F:167:LEU:O	1:F:170:ILE:HG22	2.08	0.53
1:L:297:PRO:HA	1:L:300:VAL:CG2	2.35	0.52
1:D:223:ASP:OD1	1:D:256:LYS:NZ	2.41	0.52
1:A:195:VAL:HG23	1:A:229:SER:HA	1.91	0.52
1:L:300:VAL:O	1:L:300:VAL:HG12	2.10	0.51
1:B:283:GLN:OE1	1:D:281:PRO:HG2	2.10	0.51
1:A:18:GLY:C	1:A:20:GLY:H	2.13	0.51
1:C:142:ILE:HG21	1:C:268:LYS:HG2	1.92	0.51
1:J:75:PHE:CD1	1:J:273:ASP:HB2	2.45	0.51
1:K:144:LEU:HD13	1:K:196:LEU:CD1	2.41	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:225:PHE:CZ	1:C:252:ILE:HG21	2.46	0.50
1:G:75:PHE:CD1	1:G:273:ASP:HB2	2.48	0.49
1:K:222:LEU:CG	1:K:286:LEU:HD13	2.39	0.49
1:L:232:ILE:HG22	1:L:236:LYS:HE3	1.94	0.49
1:B:75:PHE:CD1	1:B:273:ASP:HB2	2.48	0.48
1:A:220:GLY:C	1:A:286:LEU:CD2	2.81	0.48
1:H:222:LEU:CG	1:H:286:LEU:HD13	2.38	0.48
1:E:222:LEU:CG	1:E:286:LEU:HD13	2.42	0.47
1:L:222:LEU:CG	1:L:286:LEU:HD13	2.43	0.47
1:B:61:LYS:HG2	3:D:515:HOH:O	2.15	0.47
1:B:165:TYR:CZ	1:B:169:THR:HG21	2.49	0.47
1:C:227:VAL:HG21	1:C:235:PHE:CD2	2.50	0.47
1:D:135:HIS:HD2	3:D:467:HOH:O	1.98	0.47
1:J:195:VAL:HG23	1:J:229:SER:HA	1.97	0.47
1:A:288:GLN:HG3	3:A:345:HOH:O	2.14	0.47
1:I:130:LYS:O	1:I:284:ILE:HA	2.15	0.47
1:D:235:PHE:CE1	1:D:239:ILE:HD11	2.50	0.47
1:I:184:THR:HB	1:I:261:HIS:HB3	1.97	0.46
1:A:82:ALA:CB	1:A:135:HIS:CG	2.99	0.46
1:A:144:LEU:CD1	1:A:196:LEU:HD11	2.44	0.46
1:G:175:ASN:HD21	1:G:232:ILE:HD12	1.80	0.46
1:F:22:LEU:HD11	1:F:26:LEU:HD11	1.98	0.46
1:D:82:ALA:HB1	1:D:135:HIS:CG	2.50	0.46
1:G:75:PHE:CE1	1:G:273:ASP:HB2	2.51	0.46
1:G:224:ILE:CG1	1:G:260:ILE:HD13	2.46	0.46
1:A:131:ALA:HA	1:A:283:GLN:O	2.16	0.45
1:G:163:ILE:HG21	1:G:205:LEU:HB3	1.97	0.45
1:D:82:ALA:CB	1:D:135:HIS:CG	2.99	0.45
1:D:170:ILE:CD1	1:D:235:PHE:CE2	2.98	0.45
1:A:129:ALA:HB2	1:A:222:LEU:HD21	1.99	0.45
1:A:130:LYS:O	1:A:284:ILE:HA	2.16	0.45
1:E:223:ASP:OD1	1:E:256:LYS:NZ	2.46	0.45
1:I:223:ASP:OD1	1:I:256:LYS:NZ	2.47	0.45
1:D:148:VAL:HG11	1:D:154:ALA:HA	1.99	0.45
1:G:195:VAL:HG23	1:G:229:SER:HA	1.99	0.45
1:I:46:LYS:HG3	1:I:50:ASP:OD2	2.17	0.45
1:I:182:LYS:HB3	1:I:263:GLU:HB2	1.99	0.45
1:L:235:PHE:O	1:L:239:ILE:HD12	2.16	0.45
1:A:163:ILE:HD13	1:A:205:LEU:HB3	1.98	0.45
1:E:195:VAL:HG12	1:E:227:VAL:O	2.17	0.45
1:J:170:ILE:HD12	1:J:171:ARG:N	2.32	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:225:PHE:CE1	1:C:252:ILE:HG21	2.51	0.45
1:C:142:ILE:CG2	1:C:268:LYS:HG2	2.47	0.44
1:A:82:ALA:HB1	1:A:135:HIS:CE1	2.53	0.44
1:D:170:ILE:HD11	1:D:235:PHE:CD2	2.51	0.44
1:B:163:ILE:HG21	1:B:205:LEU:HB3	2.00	0.44
1:D:195:VAL:HG12	1:D:227:VAL:O	2.17	0.44
1:I:166:TYR:CZ	1:I:170:ILE:HD13	2.52	0.44
1:I:204:TYR:O	1:I:205:LEU:HD23	2.18	0.44
1:C:222:LEU:CG	1:C:286:LEU:HD13	2.47	0.44
1:J:201:ASN:HA	3:J:324:HOH:O	2.17	0.44
1:D:201:ASN:HA	3:D:303:HOH:O	2.17	0.44
1:G:129:ALA:O	1:G:135:HIS:HA	2.18	0.44
1:H:223:ASP:OD1	1:H:256:LYS:NZ	2.50	0.44
1:D:82:ALA:HB1	1:D:135:HIS:ND1	2.33	0.44
1:H:130:LYS:HE3	1:H:287:LEU:HD11	2.00	0.43
1:H:132:ASN:HB2	1:H:278:LEU:HD11	1.99	0.43
1:A:18:GLY:O	1:A:20:GLY:N	2.52	0.43
1:J:170:ILE:HD12	1:J:171:ARG:H	1.82	0.43
1:E:281:PRO:HG2	1:K:261:HIS:CD2	2.54	0.43
1:F:21:ASP:OD1	1:F:22:LEU:N	2.52	0.43
1:B:201:ASN:HA	3:B:302:HOH:O	2.18	0.43
1:L:243:LEU:HD12	1:L:243:LEU:HA	1.83	0.42
1:D:180:PRO:HG2	1:D:265:GLU:HG2	2.01	0.42
1:L:140:TRP:NE1	1:L:270:VAL:HG11	2.34	0.42
1:D:135:HIS:HE1	3:D:315:HOH:O	2.01	0.42
1:D:170:ILE:HD11	1:D:235:PHE:CE2	2.54	0.42
1:D:235:PHE:CZ	1:D:239:ILE:HD11	2.55	0.42
1:C:227:VAL:HG21	1:C:235:PHE:CE2	2.55	0.42
1:E:166:TYR:CZ	1:E:170:ILE:CD1	3.02	0.42
1:B:223:ASP:OD1	1:B:256:LYS:NZ	2.52	0.42
1:F:227:VAL:HG21	1:F:235:PHE:CD1	2.55	0.42
1:B:82:ALA:N	1:B:83:PRO:CD	2.83	0.42
1:D:138:ASN:HB2	1:D:273:ASP:OD1	2.19	0.42
1:D:224:ILE:O	1:D:254:HIS:HD2	2.03	0.42
1:B:145:VAL:HG12	1:B:145:VAL:O	2.19	0.41
1:I:138:ASN:HB2	1:I:273:ASP:OD1	2.20	0.41
1:K:144:LEU:CD1	1:K:196:LEU:HD11	2.50	0.41
1:K:163:ILE:HG21	1:K:205:LEU:HB3	2.03	0.41
1:F:223:ASP:OD1	1:F:256:LYS:NZ	2.52	0.41
1:G:140:TRP:NE1	1:G:270:VAL:HG11	2.35	0.41
1:J:15:PRO:HA	1:J:22:LEU:HD13	2.01	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:170:ILE:HD12	1:E:170:ILE:HA	1.95	0.41
1:A:221:THR:N	1:A:286:LEU:HD22	2.35	0.41
1:C:140:TRP:NE1	1:C:270:VAL:HG11	2.34	0.41
1:F:140:TRP:NE1	1:F:270:VAL:HG11	2.35	0.41
1:G:225:PHE:CE1	1:G:252:ILE:HG21	2.55	0.41
1:L:223:ASP:OD1	1:L:256:LYS:NZ	2.51	0.41
1:A:163:ILE:HG21	1:A:205:LEU:HB3	2.02	0.41
1:B:222:LEU:CG	1:B:286:LEU:HD13	2.49	0.41
1:D:224:ILE:HD12	1:D:255:VAL:HG13	2.03	0.41
3:A:311:HOH:O	1:J:61:LYS:HG2	2.21	0.41
1:L:149:SER:HA	1:L:152:ILE:HD11	2.03	0.40
1:F:140:TRP:CD1	1:F:270:VAL:HG11	2.55	0.40
1:D:142:ILE:HG21	1:D:268:LYS:HD3	2.03	0.40
1:E:261:HIS:HE2	1:K:261:HIS:CE1	2.39	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	283/306 (92%)	270 (95%)	12 (4%)	1 (0%)	34 54
1	B	297/306 (97%)	288 (97%)	9 (3%)	0	100 100
1	C	288/306 (94%)	277 (96%)	11 (4%)	0	100 100
1	D	287/306 (94%)	278 (97%)	8 (3%)	1 (0%)	41 61
1	E	291/306 (95%)	280 (96%)	11 (4%)	0	100 100
1	F	263/306 (86%)	257 (98%)	6 (2%)	0	100 100
1	G	285/306 (93%)	276 (97%)	8 (3%)	1 (0%)	34 54
1	H	262/306 (86%)	256 (98%)	6 (2%)	0	100 100
1	I	269/306 (88%)	259 (96%)	10 (4%)	0	100 100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	J	270/306 (88%)	262 (97%)	8 (3%)	0	100 100
1	K	283/306 (92%)	274 (97%)	9 (3%)	0	100 100
1	L	296/306 (97%)	284 (96%)	12 (4%)	0	100 100
All	All	3374/3672 (92%)	3261 (97%)	110 (3%)	3 (0%)	51 73

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	19	GLN
1	G	152	ILE
1	D	173	VAL

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	224/257 (87%)	218 (97%)	6 (3%)	44 71
1	B	244/257 (95%)	241 (99%)	3 (1%)	71 88
1	C	225/257 (88%)	220 (98%)	5 (2%)	52 77
1	D	235/257 (91%)	232 (99%)	3 (1%)	69 87
1	E	229/257 (89%)	225 (98%)	4 (2%)	60 82
1	F	210/257 (82%)	206 (98%)	4 (2%)	57 80
1	G	227/257 (88%)	222 (98%)	5 (2%)	52 77
1	H	194/257 (76%)	191 (98%)	3 (2%)	65 85
1	I	217/257 (84%)	212 (98%)	5 (2%)	50 76
1	J	215/257 (84%)	211 (98%)	4 (2%)	57 80
1	K	226/257 (88%)	218 (96%)	8 (4%)	36 62
1	L	242/257 (94%)	238 (98%)	4 (2%)	60 82
All	All	2688/3084 (87%)	2634 (98%)	54 (2%)	55 79

All (54) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	62	VAL
1	A	142	ILE
1	A	163	ILE
1	A	248	ASN
1	A	249	GLU
1	A	300	VAL
1	B	62	VAL
1	B	142	ILE
1	B	189	VAL
1	C	2	THR
1	C	62	VAL
1	C	142	ILE
1	C	269	GLU
1	C	300	VAL
1	D	62	VAL
1	D	142	ILE
1	D	251	ASP
1	E	19	GLN
1	E	62	VAL
1	E	142	ILE
1	E	178	THR
1	F	21	ASP
1	F	62	VAL
1	F	142	ILE
1	F	300	VAL
1	G	62	VAL
1	G	142	ILE
1	G	252	ILE
1	G	265	GLU
1	G	277	SER
1	H	21	ASP
1	H	62	VAL
1	H	142	ILE
1	I	46	LYS
1	I	62	VAL
1	I	142	ILE
1	I	177	GLU
1	I	230	THR
1	J	62	VAL
1	J	142	ILE
1	J	160	LEU
1	J	163	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	K	62	VAL
1	K	142	ILE
1	K	144	LEU
1	K	160	LEU
1	K	170	ILE
1	K	195	VAL
1	K	226	VAL
1	K	285	GLU
1	L	62	VAL
1	L	142	ILE
1	L	195	VAL
1	L	242	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	79	ASN
1	D	135	HIS
1	D	175	ASN
1	D	188	GLN
1	F	135	HIS
1	G	23	HIS
1	G	135	HIS
1	G	261	HIS
1	K	135	HIS

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [\(i\)](#)

Of 12 ligands modelled in this entry, 12 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	285/306 (93%)	0.35	27 (9%) 8 8	38, 63, 97, 125	0
1	B	297/306 (97%)	0.24	17 (5%) 23 25	30, 53, 98, 109	0
1	C	289/306 (94%)	0.20	18 (6%) 20 21	38, 64, 111, 126	0
1	D	291/306 (95%)	0.28	17 (5%) 23 24	33, 57, 109, 130	0
1	E	293/306 (95%)	0.11	14 (4%) 30 32	37, 62, 103, 112	0
1	F	271/306 (88%)	0.49	26 (9%) 8 7	35, 66, 133, 166	0
1	G	289/306 (94%)	0.32	14 (4%) 30 32	34, 59, 102, 139	0
1	H	270/306 (88%)	0.48	25 (9%) 8 8	44, 78, 127, 139	0
1	I	275/306 (89%)	0.35	26 (9%) 8 8	36, 62, 109, 130	0
1	J	276/306 (90%)	0.63	34 (12%) 4 3	36, 73, 115, 141	2 (0%)
1	K	287/306 (93%)	0.08	13 (4%) 33 36	33, 56, 106, 124	0
1	L	300/306 (98%)	0.29	21 (7%) 16 16	34, 58, 100, 111	0
All	All	3423/3672 (93%)	0.32	252 (7%) 14 15	30, 63, 110, 166	2 (0%)

All (252) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	I	154	ALA	7.7
1	H	299	VAL	7.0
1	F	232	ILE	6.8
1	L	-5	TYR	5.8
1	G	153	ASP	5.7
1	J	253	PHE	5.5
1	I	169	THR	5.4
1	F	172	THR	5.4
1	D	299	VAL	5.3
1	C	172	THR	5.3
1	B	148	VAL	5.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	H	165	TYR	5.1
1	I	171	ARG	5.1
1	G	151	ASN	4.9
1	F	169	THR	4.9
1	H	2	THR	4.8
1	L	187	GLY	4.7
1	J	145	VAL	4.7
1	D	149	SER	4.7
1	G	299	VAL	4.7
1	F	235	PHE	4.7
1	L	0	ALA	4.6
1	J	252	ILE	4.4
1	A	160	LEU	4.4
1	H	160	LEU	4.4
1	L	148	VAL	4.4
1	G	152	ILE	4.3
1	F	168	SER	4.3
1	A	172	THR	4.3
1	H	234	ALA	4.3
1	F	165	TYR	4.2
1	F	237	ASP	4.2
1	I	165	TYR	4.2
1	B	2	THR	4.1
1	E	173	VAL	4.0
1	C	158	ALA	4.0
1	J	254	HIS	4.0
1	F	178	THR	3.9
1	F	233	GLN	3.8
1	I	174	LYS	3.8
1	D	148	VAL	3.8
1	H	235	PHE	3.8
1	J	176	ALA	3.8
1	F	240	GLY	3.8
1	I	170	ILE	3.8
1	A	248	ASN	3.7
1	B	197	VAL	3.7
1	I	238	TYR	3.6
1	B	149	SER	3.6
1	K	160	LEU	3.6
1	C	171	ARG	3.5
1	D	173	VAL	3.5
1	G	168	SER	3.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	L	300	VAL	3.5
1	K	3	LYS	3.5
1	J	237	ASP	3.5
1	D	174	LYS	3.5
1	J	199	VAL	3.5
1	I	237	ASP	3.5
1	A	199	VAL	3.5
1	K	194	ALA	3.5
1	F	187	GLY	3.4
1	L	171	ARG	3.4
1	D	172	THR	3.4
1	J	299	VAL	3.4
1	L	147	GLU	3.4
1	A	174	LYS	3.4
1	C	175	ASN	3.4
1	E	187	GLY	3.3
1	J	277	SER	3.3
1	B	199	VAL	3.3
1	F	177	GLU	3.3
1	E	151	ASN	3.3
1	H	145	VAL	3.2
1	I	240	GLY	3.2
1	I	3	LYS	3.2
1	A	19	GLN	3.2
1	E	230	THR	3.2
1	H	11	LEU	3.2
1	B	147	GLU	3.2
1	D	153	ASP	3.2
1	G	265	GLU	3.2
1	L	150	ASN	3.1
1	K	243	LEU	3.1
1	J	158	ALA	3.1
1	I	155	GLU	3.1
1	J	235	PHE	3.1
1	K	172	THR	3.0
1	L	154	ALA	3.0
1	J	228	LYS	3.0
1	L	269	GLU	3.0
1	H	187	GLY	3.0
1	A	229	SER	3.0
1	C	194	ALA	3.0
1	H	139	PHE	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	I	158	ALA	3.0
1	J	229	SER	3.0
1	F	199	VAL	2.9
1	B	146	SER	2.9
1	L	-1	SER	2.9
1	F	158	ALA	2.9
1	H	19	GLN	2.9
1	L	151	ASN	2.9
1	D	97	THR	2.9
1	H	243	LEU	2.9
1	A	299	VAL	2.9
1	A	265	GLU	2.9
1	I	4	THR	2.8
1	I	277	SER	2.8
1	I	175	ASN	2.8
1	I	239	ILE	2.8
1	A	175	ASN	2.8
1	J	275	GLU	2.8
1	I	157	LYS	2.8
1	F	244	PHE	2.8
1	L	-2	ASN	2.8
1	C	243	LEU	2.7
1	C	181	VAL	2.7
1	I	160	LEU	2.7
1	C	188	GLN	2.7
1	I	189	VAL	2.7
1	J	208	ILE	2.7
1	B	175	ASN	2.7
1	D	150	ASN	2.7
1	F	42	ILE	2.7
1	A	197	VAL	2.7
1	D	151	ASN	2.7
1	B	174	LYS	2.6
1	G	172	THR	2.6
1	D	298	ALA	2.6
1	C	160	LEU	2.6
1	F	282	CYS	2.6
1	F	189	VAL	2.6
1	A	300	VAL	2.6
1	B	140	TRP	2.6
1	K	266	GLU	2.6
1	A	157	LYS	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	169	THR	2.6
1	H	265	GLU	2.6
1	A	20	GLY	2.6
1	B	154	ALA	2.5
1	L	250	ASN	2.5
1	J	137	LEU	2.5
1	J	160	LEU	2.5
1	A	140	TRP	2.5
1	L	266	GLU	2.5
1	H	137	LEU	2.5
1	C	168	SER	2.5
1	D	246	ASP	2.5
1	H	180	PRO	2.5
1	J	172	THR	2.5
1	A	187	GLY	2.5
1	H	166	TYR	2.5
1	I	159	LYS	2.5
1	B	172	THR	2.5
1	F	272	THR	2.5
1	J	3	LYS	2.4
1	E	300	VAL	2.4
1	H	199	VAL	2.4
1	A	161	GLY	2.4
1	A	158	ALA	2.4
1	B	173	VAL	2.4
1	J	30	VAL	2.4
1	C	176	ALA	2.4
1	J	186	ASP	2.4
1	H	138	ASN	2.4
1	A	269	GLU	2.4
1	E	233	GLN	2.4
1	F	19	GLN	2.4
1	E	265	GLU	2.4
1	A	165	TYR	2.4
1	L	251	ASP	2.4
1	K	234	ALA	2.4
1	C	193	GLU	2.4
1	J	20	GLY	2.3
1	J	227	VAL	2.3
1	J	239	ILE	2.3
1	J	140	TRP	2.3
1	F	268	LYS	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	J	91	ALA	2.3
1	C	269	GLU	2.3
1	G	249	GLU	2.3
1	H	182	LYS	2.3
1	G	248	ASN	2.3
1	K	175	ASN	2.3
1	K	229	SER	2.3
1	L	249	GLU	2.3
1	G	160	LEU	2.3
1	C	195	VAL	2.3
1	D	189	VAL	2.3
1	C	265	GLU	2.3
1	G	3	LYS	2.3
1	D	19	GLN	2.3
1	J	168	SER	2.3
1	H	136	PHE	2.3
1	H	66	ILE	2.2
1	F	254	HIS	2.2
1	A	298	ALA	2.2
1	B	176	ALA	2.2
1	F	137	LEU	2.2
1	K	265	GLU	2.2
1	J	272	THR	2.2
1	I	186	ASP	2.2
1	C	190	TYR	2.2
1	H	253	PHE	2.2
1	J	230	THR	2.2
1	I	156	GLU	2.2
1	A	40	LEU	2.2
1	K	20	GLY	2.2
1	E	176	ALA	2.2
1	A	97	THR	2.2
1	E	178	THR	2.2
1	I	233	GLN	2.2
1	B	248	ASN	2.2
1	E	146	SER	2.2
1	A	42	ILE	2.1
1	G	174	LYS	2.1
1	H	3	LYS	2.1
1	J	233	GLN	2.1
1	E	237	ASP	2.1
1	F	270	VAL	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	L	139	PHE	2.1
1	G	277	SER	2.1
1	L	149	SER	2.1
1	L	-3	GLN	2.1
1	F	185	TYR	2.1
1	J	232	ILE	2.1
1	L	152	ILE	2.1
1	A	138	ASN	2.1
1	A	141	GLY	2.1
1	A	48	GLN	2.1
1	D	147	GLU	2.1
1	K	91	ALA	2.1
1	H	97	THR	2.1
1	I	172	THR	2.1
1	C	20	GLY	2.1
1	E	298	ALA	2.0
1	H	42	ILE	2.0
1	J	19	GLN	2.0
1	J	42	ILE	2.0
1	K	155	GLU	2.0
1	J	258	LYS	2.0
1	G	199	VAL	2.0
1	F	188	GLN	2.0
1	B	243	LEU	2.0
1	D	154	ALA	2.0
1	I	19	GLN	2.0
1	B	247	SER	2.0
1	I	173	VAL	2.0
1	E	66	ILE	2.0
1	E	232	ILE	2.0
1	D	155	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	MG	J	301	1/1	0.72	0.08	69,69,69,69	0
2	MG	H	301	1/1	0.79	0.16	73,73,73,73	0
2	MG	F	301	1/1	0.79	0.12	58,58,58,58	0
2	MG	G	301	1/1	0.82	0.10	43,43,43,43	0
2	MG	E	301	1/1	0.85	0.03	59,59,59,59	0
2	MG	I	301	1/1	0.88	0.05	59,59,59,59	0
2	MG	L	301	1/1	0.91	0.08	44,44,44,44	0
2	MG	A	301	1/1	0.92	0.07	48,48,48,48	0
2	MG	C	301	1/1	0.93	0.07	56,56,56,56	0
2	MG	D	301	1/1	0.95	0.12	39,39,39,39	0
2	MG	K	301	1/1	0.97	0.08	53,53,53,53	0
2	MG	B	301	1/1	0.98	0.08	36,36,36,36	0

6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.