



wwPDB EM Validation Summary Report ⓘ

Dec 17, 2024 – 02:58 PM EST

PDB ID : 8UGH
EMDB ID : EMD-42225
Title : In-situ structure of typeA supercomplex with lipids in respiratory chain (composite)
Authors : Zheng, W.; Zhang, K.; Zhu, J.
Deposited on : 2023-10-05
Resolution : 2.10 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev113
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.40


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	1A	115	91% 8% .
2	1B	258	55% 5% 40%
3	1C	264	77% . 21%
4	1D	466	88% . 8%
5	1E	249	83% . 14%
6	1F	464	88% 5% 7%
7	1G	727	89% 7% .
8	1H	318	95% 5%
9	1I	239	71% . 26%


























Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
10	1J	175	 90% 9%
11	1K	98	 91% 9%
12	1L	606	 91% 9%
13	1M	459	 95% 5%
14	1N	347	 95% 5%
15	1O	357	 81% 9% 10%
16	1P	377	 85% 5% 9%
17	1Q	175	 66% 7% 26%
18	1R	123	 72% 6% 22%
19	1S	99	 79% 9% 12%
20	1T	156	 48% 6% 46%
20	1U	156	 52% 45%
21	1V	116	 95% 5%
22	1W	128	 88% 10%
23	1X	172	 92% 7%
24	1Y	141	 92% 6%
25	1Z	144	 95% 5%
26	1a	70	 97%
27	1b	84	 89% 10%
28	1c	76	 58% 7% 36%
29	1d	122	 91% 7%
30	1e	106	 89% 5% 7%
31	1f	135	 36% 6% 58%
32	1g	154	 58% 7% 35%
33	1h	189	 69% 27%























Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
34	1i	128	
35	1j	105	
36	1k	98	
37	1l	186	
38	1m	129	
39	1n	179	
40	1o	137	
41	1p	176	
42	1q	145	
43	1r	113	
44	1s	471	
45	3A	480	
45	3N	480	
46	3B	453	
46	3O	453	
47	3C	379	
47	3P	379	
48	3D	326	
48	3Q	326	
49	3E	274	
49	3I	274	
49	3R	274	
49	3V	274	
50	3F	111	
50	3S	111	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
51	3G	82	
51	3T	82	
52	3H	91	
52	3U	91	
53	3J	64	
53	3W	64	
54	3X	56	
54	3Y	56	
55	4A	514	
56	4B	229	
57	4C	261	
58	4D	169	
59	4E	152	
60	4F	129	
61	4G	97	
62	4H	86	
63	4I	75	
64	4J	80	
65	4K	80	
66	4L	63	
67	4M	70	
68	4N	82	

2 Entry composition

There are 94 unique types of molecules in this entry. The entry contains 124052 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called NADH-ubiquinone oxidoreductase chain 3.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	1A	115	Total	C	N	O	S	0	0
			916	616	134	159	7		

- Molecule 2 is a protein called NADH dehydrogenase [ubiquinone] iron-sulfur protein 7, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	1B	155	Total	C	N	O	S	0	0
			1242	791	226	211	14		

- Molecule 3 is a protein called NADH dehydrogenase [ubiquinone] iron-sulfur protein 3, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	1C	209	Total	C	N	O	S	0	0
			1740	1125	297	316	2		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
1C	104	GLN	ARG	conflict	UNP A0A286ZNN4
1C	154	GLY	ASP	conflict	UNP A0A286ZNN4

- Molecule 4 is a protein called NADH dehydrogenase [ubiquinone] iron-sulfur protein 2, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	1D	429	Total	C	N	O	S	0	0
			3452	2207	593	628	24		

- Molecule 5 is a protein called NADH dehydrogenase [ubiquinone] flavoprotein 2, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	1E	214	Total	C	N	O	S	0	0
			1658	1058	278	312	10		

- Molecule 6 is a protein called NADH dehydrogenase [ubiquinone] flavoprotein 1, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	1F	432	Total	C	N	O	S	0	0
			3325	2100	592	613	20		

- Molecule 7 is a protein called NADH-ubiquinone oxidoreductase 75 kDa subunit, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	1G	699	Total	C	N	O	S	0	0
			5362	3360	933	1029	40		

- Molecule 8 is a protein called NADH-ubiquinone oxidoreductase chain 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	1H	318	Total	C	N	O	S	0	0
			2504	1673	385	425	21		

- Molecule 9 is a protein called NADH dehydrogenase [ubiquinone] iron-sulfur protein 8, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	1I	176	Total	C	N	O	S	0	0
			1412	887	243	269	13		

- Molecule 10 is a protein called NADH-ubiquinone oxidoreductase chain 6.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	1J	174	Total	C	N	O	S	0	0
			1329	892	189	236	12		

- Molecule 11 is a protein called NADH-ubiquinone oxidoreductase chain 4L.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	1K	98	Total	C	N	O	S	0	0
			750	494	113	129	14		

- Molecule 12 is a protein called NADH-ubiquinone oxidoreductase chain 5.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	1L	606	Total	C	N	O	S	0	0
			4818	3195	746	826	51		

- Molecule 13 is a protein called NADH-ubiquinone oxidoreductase chain 4.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	1M	459	Total	C	N	O	S	0	0
			3632	2411	572	610	39		

- Molecule 14 is a protein called NADH-ubiquinone oxidoreductase chain 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	1N	347	Total	C	N	O	S	0	0
			2712	1783	420	463	46		

- Molecule 15 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 10, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	1O	320	Total	C	N	O	S	0	0
			2590	1649	440	491	10		

- Molecule 16 is a protein called NADH:ubiquinone oxidoreductase subunit A9.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	1P	342	Total	C	N	O	S	0	0
			2751	1783	481	478	9		

- Molecule 17 is a protein called NADH dehydrogenase [ubiquinone] iron-sulfur protein 4, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	1Q	129	Total	C	N	O	S	0	0
			1047	659	186	199	3		

- Molecule 18 is a protein called NADH dehydrogenase [ubiquinone] iron-sulfur protein 6, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	1R	96	Total	C	N	O	S	0	0
			741	452	140	146	3		

- Molecule 19 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex sub-

unit 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	1S	87	Total	C	N	O	S	0	0
			700	440	131	127	2		

- Molecule 20 is a protein called NADH:ubiquinone oxidoreductase subunit AB1.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	1T	85	Total	C	N	O	S	0	0
			689	445	101	138	5		
20	1U	86	Total	C	N	O	S	0	0
			694	448	102	139	5		

- Molecule 21 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 5 isoform X1.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	1V	115	Total	C	N	O	S	0	0
			927	599	157	168	3		

- Molecule 22 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 6.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	1W	115	Total	C	N	O	S	0	0
			971	619	179	168	5		

- Molecule 23 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 8.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	1X	171	Total	C	N	O	S	0	0
			1398	887	250	251	10		

- Molecule 24 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 11.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	1Y	139	Total	C	N	O	S	0	0
			1016	648	173	189	6		

- Molecule 25 is a protein called NADH:ubiquinone oxidoreductase subunit A13.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	1Z	141	Total	C	N	O	S	0	0
			1168	752	202	205	9		

- Molecule 26 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	1a	70	Total	C	N	O	S	0	0
			562	361	101	94	6		

- Molecule 27 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 3.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	1b	83	Total	C	N	O	S	0	0
			643	417	110	115	1		

- Molecule 28 is a protein called NADH dehydrogenase [ubiquinone] 1 subunit C1, mitochondrial.

Mol	Chain	Residues	Atoms				AltConf	Trace
28	1c	49	Total	C	N	O	0	0
			417	276	71	70		

- Molecule 29 is a protein called NADH dehydrogenase [ubiquinone] 1 subunit C2.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	1d	119	Total	C	N	O	S	0	0
			985	641	171	168	5		

- Molecule 30 is a protein called NADH dehydrogenase [ubiquinone] iron-sulfur protein 5.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	1e	99	Total	C	N	O	S	0	0
			816	519	151	140	6		

- Molecule 31 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 1 [Sus scrofa].

Mol	Chain	Residues	Atoms					AltConf	Trace
31	1f	57	Total	C	N	O	S	0	0
			487	316	89	80	2		

There are 29 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
1f	-77	MET	-	initiating methionine	UNP A0A8D1IZ33
1f	-76	ALA	-	expression tag	UNP A0A8D1IZ33
1f	-75	ALA	-	expression tag	UNP A0A8D1IZ33
1f	-74	ALA	-	expression tag	UNP A0A8D1IZ33
1f	-73	ILE	-	expression tag	UNP A0A8D1IZ33
1f	-72	LEU	-	expression tag	UNP A0A8D1IZ33
1f	-71	LYS	-	expression tag	UNP A0A8D1IZ33
1f	-70	LEU	-	expression tag	UNP A0A8D1IZ33
1f	-69	GLU	-	expression tag	UNP A0A8D1IZ33
1f	-68	GLU	-	expression tag	UNP A0A8D1IZ33
1f	-67	THR	-	expression tag	UNP A0A8D1IZ33
1f	-66	ARG	-	expression tag	UNP A0A8D1IZ33
1f	-65	GLY	-	expression tag	UNP A0A8D1IZ33
1f	-64	GLY	-	expression tag	UNP A0A8D1IZ33
1f	-63	GLY	-	expression tag	UNP A0A8D1IZ33
1f	-62	GLU	-	expression tag	UNP A0A8D1IZ33
1f	-61	LYS	-	expression tag	UNP A0A8D1IZ33
1f	-60	CYS	-	expression tag	UNP A0A8D1IZ33
1f	-59	ASP	-	expression tag	UNP A0A8D1IZ33
1f	-58	LYS	-	expression tag	UNP A0A8D1IZ33
1f	-57	ASN	-	expression tag	UNP A0A8D1IZ33
1f	-56	GLN	-	expression tag	UNP A0A8D1IZ33
1f	-55	GLY	-	expression tag	UNP A0A8D1IZ33
1f	-54	VAL	-	expression tag	UNP A0A8D1IZ33
1f	-53	LYS	-	expression tag	UNP A0A8D1IZ33
1f	-52	GLY	-	expression tag	UNP A0A8D1IZ33
1f	-51	ARG	-	expression tag	UNP A0A8D1IZ33
1f	-50	ARG	-	expression tag	UNP A0A8D1IZ33
1f	-49	PHE	-	expression tag	UNP A0A8D1IZ33

- Molecule 32 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 11, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	1g	100	Total	C	N	O	S	0	0
			835	535	138	158	4		

- Molecule 33 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 5, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	1h	138	Total	C	N	O	S	0	0
			1151	754	195	199	3		

- Molecule 34 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 6.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	1i	128	Total	C	N	O	S	0	0
			1100	723	194	181	2		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
1i	0	ACE	-	acetylation	UNP A0A4X1UIV8

- Molecule 35 is a protein called NADH:ubiquinone oxidoreductase subunit B2.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	1j	71	Total	C	N	O	S	0	0
			601	394	99	107	1		

- Molecule 36 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 3.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	1k	81	Total	C	N	O	S	0	0
			649	422	110	116	1		

- Molecule 37 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 8, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	1l	156	Total	C	N	O	S	0	0
			1310	847	213	242	8		

- Molecule 38 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 4.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	1m	128	Total	C	N	O		0	0
			1062	691	182	189			

- Molecule 39 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit

9.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	1n	172	Total	C	N	O	S	0	0
			1495	956	273	258	8		

- Molecule 40 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 7.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	1o	122	Total	C	N	O	S	0	0
			1045	650	198	187	10		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
1o	0	MYR	-	insertion	UNP F1SCH1

- Molecule 41 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 10.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	1p	173	Total	C	N	O	S	0	0
			1449	908	263	270	8		

- Molecule 42 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 12.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	1q	145	Total	C	N	O	S	0	0
			1212	775	219	213	5		

- Molecule 43 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 7.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	1r	94	Total	C	N	O	S	0	0
			759	478	143	135	3		

- Molecule 44 is a protein called NADH dehydrogenase [ubiquinone] flavoprotein 3, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	1s	45	Total	C	N	O	S	0	0
			382	238	70	73	1		

- Molecule 45 is a protein called Cytochrome b-c1 complex subunit 1, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	3A	440	Total	C	N	O	S	0	0
			3411	2131	599	662	19		
45	3N	445	Total	C	N	O	S	1	0
			3424	2162	606	637	19		

- Molecule 46 is a protein called Cytochrome b-c1 complex subunit 2, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	3B	418	Total	C	N	O	S	0	0
			3138	1965	555	610	8		
46	3O	417	Total	C	N	O	S	0	0
			3124	1960	554	602	8		

- Molecule 47 is a protein called Cytochrome b.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	3C	379	Total	C	N	O	S	0	0
			3025	2031	471	502	21		
47	3P	379	Total	C	N	O	S	0	0
			3024	2031	471	501	21		

- Molecule 48 is a protein called Cytochrome c1.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	3D	237	Total	C	N	O	S	0	0
			1888	1205	325	342	16		
48	3Q	239	Total	C	N	O	S	0	0
			1904	1215	327	346	16		

- Molecule 49 is a protein called Cytochrome b-c1 complex subunit Rieske, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	3E	196	Total	C	N	O	S	0	0
			1518	955	265	291	7		
49	3I	47	Total	C	N	O	S	0	0
			337	210	62	64	1		
49	3R	196	Total	C	N	O	S	0	0
			1518	955	265	291	7		
49	3V	31	Total	C	N	O	S	0	0
			223	137	45	40	1		

- Molecule 50 is a protein called Cytochrome b-c1 complex subunit 7.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	3F	98	Total	C	N	O	S	0	0
			868	557	152	157	2		
50	3S	98	Total	C	N	O	S	0	0
			868	557	152	157	2		

- Molecule 51 is a protein called Cytochrome b-c1 complex subunit 8.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	3G	74	Total	C	N	O	S	0	0
			628	411	116	99	2		
51	3T	74	Total	C	N	O	S	0	0
			628	411	116	99	2		

- Molecule 52 is a protein called Cytochrome b-c1 complex subunit 6, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	3H	65	Total	C	N	O	S	0	0
			533	325	97	106	5		
52	3U	65	Total	C	N	O	S	0	0
			533	325	97	106	5		

- Molecule 53 is a protein called Ubiquinol-cytochrome c reductase complex 7.2 kDa protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	3J	56	Total	C	N	O	S	0	0
			464	305	82	77			
53	3W	56	Total	C	N	O	S	0	0
			464	305	82	77			

- Molecule 54 is a protein called Cytochrome b-c1 complex subunit 10.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	3X	52	Total	C	N	O	S	0	0
			429	286	75	66	2		
54	3Y	51	Total	C	N	O	S	0	0
			421	281	74	65	1		

- Molecule 55 is a protein called Cytochrome c oxidase subunit 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
55	4A	514	Total	C	N	O	S	0	0
			4026	2693	625	676	32		

- Molecule 56 is a protein called Cytochrome c oxidase subunit 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
56	4B	227	Total	C	N	O	S	0	0
			1828	1190	281	339	18		

- Molecule 57 is a protein called Cytochrome c oxidase subunit 3.

Mol	Chain	Residues	Atoms					AltConf	Trace
57	4C	259	Total	C	N	O	S	0	0
			2096	1399	336	351	10		

- Molecule 58 is a protein called Cytochrome c oxidase subunit 4.

Mol	Chain	Residues	Atoms					AltConf	Trace
58	4D	139	Total	C	N	O	S	0	0
			1163	757	190	212	4		

- Molecule 59 is a protein called Cytochrome c oxidase subunit 5A, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
59	4E	105	Total	C	N	O	S	0	0
			852	544	144	162	2		

- Molecule 60 is a protein called Cytochrome c oxidase subunit 5B, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
60	4F	97	Total	C	N	O	S	0	0
			734	455	130	143	6		

- Molecule 61 is a protein called Cytochrome c oxidase subunit 6A2.

Mol	Chain	Residues	Atoms					AltConf	Trace
61	4G	75	Total	C	N	O	S	0	0
			617	398	118	100	1		

- Molecule 62 is a protein called Cytochrome c oxidase subunit 6B1.

Mol	Chain	Residues	Atoms					AltConf	Trace
62	4H	82	Total	C	N	O	S	0	0
			687	434	125	123	5		

- Molecule 63 is a protein called Cytochrome c oxidase subunit 6C.

Mol	Chain	Residues	Atoms					AltConf	Trace
63	4I	67	Total	C	N	O	S	0	0
			550	359	97	91	3		

- Molecule 64 is a protein called Cytochrome c oxidase subunit 7A1, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
64	4J	58	Total	C	N	O	S	0	0
			456	293	78	82	3		

- Molecule 65 is a protein called Cytochrome c oxidase subunit 7B.

Mol	Chain	Residues	Atoms					AltConf	Trace
65	4K	49	Total	C	N	O	S	0	0
			383	249	65	68	1		

- Molecule 66 is a protein called Cytochrome c oxidase subunit 7C, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
66	4L	46	Total	C	N	O	S	0	0
			381	254	64	61	2		


- Molecule 67 is a protein called Cytochrome c oxidase subunit 8.

Mol	Chain	Residues	Atoms				AltConf	Trace
67	4M	43	Total	C	N	O	0	0
			338	222	57	59		

- Molecule 68 is a protein called Cytochrome c oxidase subunit NDUF4.

Mol	Chain	Residues	Atoms					AltConf	Trace
68	4N	82	Total	C	N	O	S	0	0
			660	432	112	114	2		

- Molecule 69 is 1,2-Distearoyl-sn-glycerophosphoethanolamine (three-letter code: 3PE) (formula: C₄₁H₈₂NO₈P) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					AltConf
69	1A	1	Total	C	N	O	P	0
			47	37	1	8	1	
69	1A	1	Total	C	N	O	P	0
			41	31	1	8	1	
69	1B	1	Total	C	N	O	P	0
			51	41	1	8	1	
69	1B	1	Total	C	N	O	P	0
			51	41	1	8	1	
69	1J	1	Total	C	N	O	P	0
			51	41	1	8	1	
69	1J	1	Total	C	N	O	P	0
			44	34	1	8	1	
69	1L	1	Total	C	N	O	P	0
			46	36	1	8	1	
69	1L	1	Total	C	N	O	P	0
			45	35	1	8	1	
69	1L	1	Total	C	N	O	P	0
			44	34	1	8	1	
69	1L	1	Total	C	N	O	P	0
			49	39	1	8	1	
69	1L	1	Total	C	N	O	P	0
			33	23	1	8	1	
69	1L	1	Total	C	N	O	P	0
			42	32	1	8	1	
69	1L	1	Total	C	N	O	P	0
			42	32	1	8	1	
69	1L	1	Total	C	N	O	P	0
			42	32	1	8	1	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf
69	1L	1	Total	C	N	O	P	0
			38	28	1	8	1	
69	1L	1	Total	C	N	O	P	0
			41	31	1	8	1	
69	1L	1	Total	C	N	O	P	0
			51	41	1	8	1	
69	1M	1	Total	C	N	O	P	0
			47	37	1	8	1	
69	1N	1	Total	C	N	O	P	0
			51	41	1	8	1	
69	1Y	1	Total	C	N	O	P	0
			42	32	1	8	1	
69	1Y	1	Total	C	N	O	P	0
			31	21	1	8	1	
69	1Y	1	Total	C	N	O	P	0
			40	30	1	8	1	
69	1Y	1	Total	C	N	O	P	0
			51	41	1	8	1	
69	1Y	1	Total	C	N	O	P	0
			42	32	1	8	1	
69	1Y	1	Total	C	N	O	P	0
			42	32	1	8	1	
69	1Y	1	Total	C	N	O	P	0
			51	41	1	8	1	
69	1Y	1	Total	C	N	O	P	0
			44	34	1	8	1	
69	1Y	1	Total	C	N	O	P	0
			51	41	1	8	1	
69	1Y	1	Total	C	N	O	P	0
			51	41	1	8	1	
69	1Y	1	Total	C	N	O	P	0
			43	33	1	8	1	
69	1Y	1	Total	C	N	O	P	0
			51	41	1	8	1	
69	1Z	1	Total	C	N	O	P	0
			51	41	1	8	1	
69	1b	1	Total	C	N	O	P	0
			42	32	1	8	1	
69	1d	1	Total	C	N	O	P	0
			48	38	1	8	1	
69	1d	1	Total	C	N	O	P	0
			47	37	1	8	1	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf
69	1d	1	Total	C	N	O	P	0
			51	41	1	8	1	
69	1e	1	Total	C	N	O	P	0
			51	41	1	8	1	
69	1f	1	Total	C	N	O	P	0
			45	35	1	8	1	
69	1f	1	Total	C	N	O	P	0
			43	33	1	8	1	
69	1f	1	Total	C	N	O	P	0
			45	35	1	8	1	
69	1f	1	Total	C	N	O	P	0
			48	38	1	8	1	
69	1g	1	Total	C	N	O	P	0
			51	41	1	8	1	
69	1g	1	Total	C	N	O	P	0
			33	23	1	8	1	
69	1h	1	Total	C	N	O	P	0
			47	37	1	8	1	
69	1k	1	Total	C	N	O	P	0
			46	36	1	8	1	
69	1l	1	Total	C	N	O	P	0
			42	32	1	8	1	
69	1l	1	Total	C	N	O	P	0
			33	23	1	8	1	
69	1l	1	Total	C	N	O	P	0
			51	41	1	8	1	
69	1m	1	Total	C	N	O	P	0
			50	40	1	8	1	
69	1m	1	Total	C	N	O	P	0
			42	32	1	8	1	
69	1m	1	Total	C	N	O	P	0
			42	32	1	8	1	
69	1m	1	Total	C	N	O	P	0
			51	41	1	8	1	
69	1m	1	Total	C	N	O	P	0
			51	41	1	8	1	
69	1o	1	Total	C	N	O	P	0
			51	41	1	8	1	
69	3A	1	Total	C	N	O	P	0
			51	41	1	8	1	
69	3A	1	Total	C	N	O	P	0
			51	41	1	8	1	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf
69	3C	1	Total	C	N	O	P	0
			51	41	1	8	1	
69	3C	1	Total	C	N	O	P	0
			46	36	1	8	1	
69	3C	1	Total	C	N	O	P	0
			51	41	1	8	1	
69	3C	1	Total	C	N	O	P	0
			47	37	1	8	1	
69	3C	1	Total	C	N	O	P	0
			51	41	1	8	1	
69	3C	1	Total	C	N	O	P	0
			48	38	1	8	1	
69	3C	1	Total	C	N	O	P	0
			51	41	1	8	1	
69	3C	1	Total	C	N	O	P	0
			35	25	1	8	1	
69	3C	1	Total	C	N	O	P	0
			51	41	1	8	1	
69	3C	1	Total	C	N	O	P	0
			51	41	1	8	1	
69	3C	1	Total	C	N	O	P	0
			51	41	1	8	1	
69	3C	1	Total	C	N	O	P	0
			35	25	1	8	1	
69	3C	1	Total	C	N	O	P	0
			48	38	1	8	1	
69	3C	1	Total	C	N	O	P	0
			43	33	1	8	1	
69	3C	1	Total	C	N	O	P	0
			32	22	1	8	1	
69	3D	1	Total	C	N	O	P	0
			41	31	1	8	1	
69	3D	1	Total	C	N	O	P	0
			45	35	1	8	1	
69	3E	1	Total	C	N	O	P	0
			51	41	1	8	1	
69	3E	1	Total	C	N	O	P	0
			49	39	1	8	1	
69	3G	1	Total	C	N	O	P	0
			51	41	1	8	1	
69	3G	1	Total	C	N	O	P	0
			33	23	1	8	1	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf
69	3G	1	Total 33	C 23	N 1	O 8	P 1	0
69	3G	1	Total 33	C 23	N 1	O 8	P 1	0
69	3G	1	Total 33	C 23	N 1	O 8	P 1	0
69	3G	1	Total 33	C 23	N 1	O 8	P 1	0
69	3G	1	Total 33	C 23	N 1	O 8	P 1	0
69	3G	1	Total 33	C 23	N 1	O 8	P 1	0
69	3G	1	Total 51	C 41	N 1	O 8	P 1	0
69	3G	1	Total 43	C 33	N 1	O 8	P 1	0
69	3G	1	Total 48	C 38	N 1	O 8	P 1	0
69	3J	1	Total 47	C 37	N 1	O 8	P 1	0
69	3J	1	Total 38	C 28	N 1	O 8	P 1	0
69	3J	1	Total 51	C 41	N 1	O 8	P 1	0
69	3J	1	Total 51	C 41	N 1	O 8	P 1	0
69	3J	1	Total 51	C 41	N 1	O 8	P 1	0
69	3N	1	Total 51	C 41	N 1	O 8	P 1	0
69	3N	1	Total 51	C 41	N 1	O 8	P 1	0
69	3P	1	Total 51	C 41	N 1	O 8	P 1	0
69	3P	1	Total 38	C 28	N 1	O 8	P 1	0
69	3P	1	Total 32	C 22	N 1	O 8	P 1	0
69	3P	1	Total 51	C 41	N 1	O 8	P 1	0
69	3P	1	Total 51	C 41	N 1	O 8	P 1	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms					AltConf
69	3P	1	Total	C	N	O	P	0
			51	41	1	8	1	
69	3P	1	Total	C	N	O	P	0
			48	38	1	8	1	
69	3P	1	Total	C	N	O	P	0
			45	35	1	8	1	
69	3P	1	Total	C	N	O	P	0
			48	38	1	8	1	
69	3P	1	Total	C	N	O	P	0
			51	41	1	8	1	
69	3P	1	Total	C	N	O	P	0
			51	41	1	8	1	
69	3P	1	Total	C	N	O	P	0
			51	41	1	8	1	
69	3P	1	Total	C	N	O	P	0
			51	41	1	8	1	
69	3P	1	Total	C	N	O	P	0
			51	41	1	8	1	
69	3P	1	Total	C	N	O	P	0
			51	41	1	8	1	
69	3Q	1	Total	C	N	O	P	0
			41	31	1	8	1	
69	3Q	1	Total	C	N	O	P	0
			46	36	1	8	1	
69	3Q	1	Total	C	N	O	P	0
			46	36	1	8	1	
69	3R	1	Total	C	N	O	P	0
			51	41	1	8	1	
69	3R	1	Total	C	N	O	P	0
			51	41	1	8	1	
69	3R	1	Total	C	N	O	P	0
			51	41	1	8	1	
69	3S	1	Total	C	N	O	P	0
			51	41	1	8	1	
69	3T	1	Total	C	N	O	P	0
			51	41	1	8	1	
69	3W	1	Total	C	N	O	P	0
			51	41	1	8	1	
69	3W	1	Total	C	N	O	P	0
			42	32	1	8	1	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf
69	3W	1	Total	C	N	O	P	0
			51	41	1	8	1	
69	3X	1	Total	C	N	O	P	0
			51	41	1	8	1	
69	3X	1	Total	C	N	O	P	0
			51	41	1	8	1	
69	3X	1	Total	C	N	O	P	0
			51	41	1	8	1	
69	3X	1	Total	C	N	O	P	0
			51	41	1	8	1	
69	3X	1	Total	C	N	O	P	0
			51	41	1	8	1	
69	3Y	1	Total	C	N	O	P	0
			51	41	1	8	1	
69	3Y	1	Total	C	N	O	P	0
			45	35	1	8	1	
69	3Y	1	Total	C	N	O	P	0
			32	22	1	8	1	
69	3Y	1	Total	C	N	O	P	0
			51	41	1	8	1	
69	3Y	1	Total	C	N	O	P	0
			51	41	1	8	1	
69	3Y	1	Total	C	N	O	P	0
			51	41	1	8	1	
69	4G	1	Total	C	N	O	P	0
			32	22	1	8	1	
69	4G	1	Total	C	N	O	P	0
			41	31	1	8	1	

- Molecule 70 is 1,2-DIACYL-SN-GLYCERO-3-PHOSPHOCHOLINE (three-letter code: PC1) (formula: C₄₄H₈₈NO₈P).




Mol	Chain	Residues	Atoms					AltConf
70	1A	1	Total	C	N	O	P	0
			35	25	1	8	1	
70	1B	1	Total	C	N	O	P	0
			46	36	1	8	1	
70	1B	1	Total	C	N	O	P	0
			48	38	1	8	1	
70	1H	1	Total	C	N	O	P	0
			54	44	1	8	1	
70	1H	1	Total	C	N	O	P	0
			48	38	1	8	1	
70	1H	1	Total	C	N	O	P	0
			41	31	1	8	1	
70	1J	1	Total	C	N	O	P	0
			35	25	1	8	1	
70	1M	1	Total	C	N	O	P	0
			44	34	1	8	1	
70	1P	1	Total	C	N	O	P	0
			33	23	1	8	1	
70	1Y	1	Total	C	N	O	P	0
			35	25	1	8	1	
70	1Y	1	Total	C	N	O	P	0
			46	36	1	8	1	
70	1Y	1	Total	C	N	O	P	0
			54	44	1	8	1	
70	1d	1	Total	C	N	O	P	0
			39	29	1	8	1	
70	1h	1	Total	C	N	O	P	0
			47	37	1	8	1	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf
70	1h	1	Total	C	N	O	P	0
			46	36	1	8	1	
70	3J	1	Total	C	N	O	P	0
			54	44	1	8	1	
70	3P	1	Total	C	N	O	P	0
			54	44	1	8	1	
70	3R	1	Total	C	N	O	P	0
			54	44	1	8	1	
70	3T	1	Total	C	N	O	P	0
			54	44	1	8	1	
70	3X	1	Total	C	N	O	P	0
			54	44	1	8	1	

- Molecule 71 is IRON/SULFUR CLUSTER (three-letter code: SF4) (formula: Fe_4S_4).




Mol	Chain	Residues	Atoms			AltConf
71	1B	1	Total	Fe	S	0
			8	4	4	
71	1F	1	Total	Fe	S	0
			8	4	4	
71	1G	1	Total	Fe	S	0
			8	4	4	
71	1G	1	Total	Fe	S	0
			8	4	4	
71	1I	1	Total	Fe	S	0
			8	4	4	

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			AltConf
71	1I	1	Total	Fe	S	0
			8	4	4	

- Molecule 72 is FE2/S2 (INORGANIC) CLUSTER (three-letter code: FES) (formula: Fe_2S_2).



Mol	Chain	Residues	Atoms			AltConf
72	1E	1	Total	Fe	S	0
			4	2	2	
72	1G	1	Total	Fe	S	0
			4	2	2	
72	3E	1	Total	Fe	S	0
			4	2	2	
72	3R	1	Total	Fe	S	0
			4	2	2	

- Molecule 73 is FLAVIN MONONUCLEOTIDE (three-letter code: FMN) (formula: $\text{C}_{17}\text{H}_{21}\text{N}_4\text{O}_9\text{P}$).




Mol	Chain	Residues	Atoms					AltConf
73	1F	1	Total	C	N	O	P	0
			31	17	4	9	1	

- Molecule 74 is POTASSIUM ION (three-letter code: K) (formula: K).


Mol	Chain	Residues	Atoms	AltConf
74	1G	1	Total K 1 1	0

- Molecule 75 is CARDIOLIPIN (three-letter code: CDL) (formula: $\text{C}_{81}\text{H}_{156}\text{O}_{17}\text{P}_2$).



Mol	Chain	Residues	Atoms				AltConf
75	1H	1	Total	C	O	P	0
			51	32	17	2	
75	1L	1	Total	C	O	P	0
			87	68	17	2	
75	1N	1	Total	C	O	P	0
			77	58	17	2	
75	1Y	1	Total	C	O	P	0
			100	81	17	2	
75	1d	1	Total	C	O	P	0
			86	67	17	2	
75	1d	1	Total	C	O	P	0
			93	74	17	2	
75	1g	1	Total	C	O	P	0
			100	81	17	2	
75	1i	1	Total	C	O	P	0
			80	61	17	2	
75	1q	1	Total	C	O	P	0
			61	42	17	2	
75	1q	1	Total	C	O	P	0
			100	81	17	2	
75	3A	1	Total	C	O	P	0
			98	79	17	2	
75	3D	1	Total	C	O	P	0
			56	37	17	2	
75	3F	1	Total	C	O	P	0
			100	81	17	2	
75	3N	1	Total	C	O	P	0
			100	81	17	2	
75	3P	1	Total	C	O	P	0
			100	81	17	2	
75	3T	1	Total	C	O	P	0
			57	38	17	2	
75	3X	1	Total	C	O	P	0
			100	81	17	2	
75	3Y	1	Total	C	O	P	0
			100	81	17	2	
75	4B	1	Total	C	O	P	0
			100	81	17	2	
75	4C	1	Total	C	O	P	0
			100	81	17	2	
75	4C	1	Total	C	O	P	0
			100	81	17	2	

- Molecule 76 is N-ACETYLLALANINE (three-letter code: AYA) (formula: $C_5H_9NO_3$).




-
- The image displays the chemical structure of Guanosine Triphosphate (GTP). It consists of a guanine base (a purine ring system with an amino group at C2 and a carbonyl group at C6) linked to a ribose sugar via a glycosidic bond. The ribose sugar is further linked to three phosphate groups (labeled O3A, O3B, O3C) via phosphodiester bonds. The structure is color-coded: the guanine base is blue, the ribose sugar is green, and the phosphate groups are red. The labels N1, N3, N7, N9, C2, C4, C6, C8, C10, O1, O2, O3, O4, O5, O6, O7, O8, O9, O10, O11, O12, O13, O14, O15, O16, O17, O18, O19, O20, O21, O22, O23, O24, O25, O26, O27, O28, O29, O30, O31, O32, O33, O34, O35, O36, O37, O38, O39, O40, O41, O42, O43, O44, O45, O46, O47, O48, O49, O50, O51, O52, O53, O54, O55, O56, O57, O58, O59, O60, O61, O62, O63, O64, O65, O66, O67, O68, O69, O70, O71, O72, O73, O74, O75, O76, O77, O78, O79, O80, O81, O82, O83, O84, O85, O86, O87, O88, O89, O90, O91, O92, O93, O94, O95, O96, O97, O98, O99, O100, O101, O102, O103, O104, O105, O106, O107, O108, O109, O110, O111, O112, O113, O114, O115, O116, O117, O118, O119, O120, O121, O122, O123, O124, O125, O126, O127, O128, O129, O130, O131, O132, O133, O134, O135, O136, O137, O138, O139, O140, O141, O142, O143, O144, O145, O146, O147, O148, O149, O150, O151, O152, O153, O154, O155, O156, O157, O158, O159, O160, O161, O162, O163, O164, O165, O166, O167, O168, O169, O170, O171, O172, O173, O174, O175, O176, O177, O178, O179, O180, O181, O182, O183, O184, O185, O186, O187, O188, O189, O190, O191, O192, O193, O194, O195, O196, O197, O198, O199, O200, O201, O202, O203, O204, O205, O206, O207, O208, O209, O210, O211, O212, O213, O214, O215, O216, O217, O218, O219, O220, O221, O222, O223, O224, O225, O226, O227, O228, O229, O230, O231, O232, O233, O234, O235, O236, O237, O238, O239, O240, O241, O242, O243, O244, O245, O246, O247, O248, O249, O250, O251, O252, O253, O254, O255, O256, O257, O258, O259, O260, O261, O262, O263, O264, O265, O266, O267, O268, O269, O270, O271, O272, O273, O274, O275, O276, O277, O278, O279, O280, O281, O282, O283, O284, O285, O286, O287, O288, O289, O290, O291, O292, O293, O294, O295, O296, O297, O298, O299, O300, O301, O302, O303, O304, O305, O306, O307, O308, O309, O310, O311, O312, O313, O314, O315, O316, O317, O318, O319, O320, O321, O322, O323, O324, O325, O326, O327, O328, O329, O330, O331, O332, O333, O334, O335, O336, O337, O338, O339, O340, O341, O342, O343, O344, O345, O346, O347, O348, O349, O350, O351, O352, O353, O354, O355, O356, O357, O358, O359, O360, O361, O362, O363, O364, O365, O366, O367, O368, O369, O370, O371, O372, O373, O374, O375, O376, O377, O378, O379, O380, O381, O382, O383, O384, O385, O386, O387, O388, O389, O390, O391, O392, O393, O394, O395, O396, O397, O398, O399, O400, O401, O402, O403, O404, O405, O406, O407, O408, O409, O410, O411, O412, O413, O414, O415, O416, O417, O418, O419, O420, O421, O422, O423, O424, O425, O426, O427, O428, O429, O430, O431, O432, O433, O434, O435, O436, O437, O438, O439, O440, O441, O442, O443, O444, O445, O446, O447, O448, O449, O450, O451, O452, O453, O454, O455, O456, O457, O458, O459, O460, O461, O462, O463, O464, O465, O466, O467, O468, O469, O470, O471, O472, O473, O474, O475, O476, O477, O478, O479, O480, O481, O482, O483, O484, O485, O486, O487, O488, O489, O490, O491, O492, O493, O494, O495, O496, O497, O498, O499, O500, O501, O502, O503, O504, O505, O506, O507, O508, O509, O510, O511, O512, O513, O514, O515, O516, O517, O518, O519, O520, O521, O522, O523, O524, O525, O526, O527, O528, O529, O530, O531, O532, O533, O534, O535, O536, O537, O538, O539, O540, O541, O542, O543, O544, O545, O546, O547, O548, O549, O550, O551, O552, O553, O554, O555, O556, O557, O558, O559, O560, O561, O562, O563, O564, O565, O566, O567, O568, O569, O570, O571, O572, O573, O574, O575, O576, O577, O578, O579, O580, O581, O582, O583, O584, O585, O586, O587, O588, O589, O590, O591, O592, O593, O594, O595, O596, O597, O598, O599, O600, O601, O602, O603, O604, O605, O606, O607, O608, O609, O610, O611, O612, O613, O614, O615, O616, O617, O618, O619, O620, O621, O622, O623, O624, O625, O626, O627, O628, O629, O630, O631, O632, O633, O634, O635, O636, O637, O638, O639, O640, O641, O642, O643, O644, O645, O646, O647, O648, O649, O650, O651, O652, O653, O654, O655, O656, O657, O658, O659, O660, O661, O662, O663, O664, O665, O666, O667, O668, O669, O670, O671, O672, O673, O674, O675, O676, O677, O678, O679, O680, O681, O682, O683, O684, O685, O686, O687, O688, O689, O690, O691, O692, O693, O694, O695, O696, O697, O698, O699, O700, O701, O702, O703, O704, O705, O706, O707, O708, O709, O710, O711, O712, O713, O714, O715, O716, O717, O718, O719, O720, O721, O722, O723, O724, O725, O726, O727, O728, O729, O730, O731, O732, O733, O734, O735, O736, O737, O738, O739, O740, O741, O742, O743, O744, O745, O746, O747, O748, O749, O750, O751, O752, O753, O754, O755, O756, O757, O758, O759, O760, O761, O762, O763, O764, O765, O766, O767, O768, O769, O770, O771, O772, O773, O774, O775, O776, O777, O778, O779, O780, O781, O782, O783, O784, O785, O786, O787, O788, O789, O790, O791, O792, O793, O794, O795, O796, O797, O798, O799, O800, O801, O802, O803, O80

Mol	Chain	Residues	Atoms					AltConf
77	1O	1	Total 32	C 10	N 5	O 14	P 3	0

- 

Mol	Chain	Residues	Atoms		AltConf
78	1O	1	Total	Mg	0
			1	1	
78	4A	1	Total	Mg	0
			1	1	

- Molecule 79 is NADPH DIHYDRO-NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (three-letter code: NDP) (formula: $C_{21}H_{30}N_7O_{17}P_3$).




Mol	Chain	Residues	Atoms					AltConf
79	1P	1	Total	C	N	O	P	0
			48	21	7	17	3	

- Molecule 80 is ZINC ION (three-letter code: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		AltConf
80	1R	1	Total	Zn	0
			1	1	
80	4F	1	Total	Zn	0
			1	1	

- Molecule 81 is {S}-[2-[3-[(2 {R})-3,3-dimethyl-2-oxidanyl-4-phosphonooxy-butanoyl]amino]propanoylamino]ethyl] (3 {S})-3-oxidanyltetradecanethioate (three-letter code: EH2) (formula: $C_{25}H_{49}N_2O_9PS$).




Mol	Chain	Residues	Atoms						AltConf
81	1T	1	Total	C	N	O	P	S	0
			37	25	2	8	1	1	
81	1n	1	Total	C	N	O	P	S	0
			37	25	2	8	1	1	

- Molecule 82 is (1S)-2-{[[(2R)-2,3-DIHYDROXYPROPYL]OXY}(HYDROXY)PHOSPHORYL]OXY}-1-[(PALMITOYLOXY)METHYL]ETHYL STEARATE (three-letter code: PGT) (formula: C₄₀H₇₉O₁₀P).




Mol	Chain	Residues	Atoms				AltConf
82	1Y	1	Total	C	O	P	0
			51	40	10	1	

- Molecule 83 is N-ACETYL METHIONINE (three-letter code: AME) (formula: $C_7H_{13}NO_3S$).



Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	S	
83	1h	1	11	7	1	2	1	0


- Molecule 84 is MYRISTIC ACID (three-letter code: MYR) (formula: $C_{14}H_{28}O_2$).



Mol	Chain	Residues	Atoms			AltConf
			Total	C	O	
84	1l	1	15	14	1	0


- Molecule 85 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (for-

mula: C₃₄H₃₂FeN₄O₄).




Mol	Chain	Residues	Atoms					AltConf
85	3C	1	Total 43	C 34	Fe 1	N 4	O 4	0
85	3C	1	Total 43	C 34	Fe 1	N 4	O 4	0
85	3P	1	Total 43	C 34	Fe 1	N 4	O 4	0
85	3P	1	Total 43	C 34	Fe 1	N 4	O 4	0

- Molecule 86 is HEME C (three-letter code: HEC) (formula: C₃₄H₃₄FeN₄O₄).




Mol	Chain	Residues	Atoms					AltConf
86	3D	1	Total	C	Fe	N	O	0
			42	34	1	4	3	
86	3Q	1	Total	C	Fe	N	O	0
			43	34	1	4	4	

- Molecule 87 is (1S)-2-[[[(2-AMINOETHOXY)(HYDROXY)PHOSPHORYL]OXY}-1-[(STEAROYLOXY)METHYL]ETHYL (5E,8E,11E,14E)-ICOSA-5,8,11,14-TETRAENOATE (three-letter code: PEK) (formula: C₄₃H₇₈NO₈P).



Mol	Chain	Residues	Atoms					AltConf
87	3X	1	Total	C	N	O	P	0
			53	43	1	8	1	
87	4G	1	Total	C	N	O	P	0
			52	42	1	8	1	

- Molecule 88 is HEME-A (three-letter code: HEA) (formula: C₄₉H₅₆FeN₄O₆).



Mol	Chain	Residues	Atoms					AltConf
88	4A	1	Total 60	C 49	Fe 1	N 4	O 6	0
88	4A	1	Total 60	C 49	Fe 1	N 4	O 6	0


- Molecule 89 is COPPER (II) ION (three-letter code: CU) (formula: Cu).

Mol	Chain	Residues	Atoms		AltConf
89	4A	1	Total	Cu	0
			1	1	

- Molecule 90 is SODIUM ION (three-letter code: NA) (formula: Na).


Mol	Chain	Residues	Atoms		AltConf
90	4A	1	Total	Na	0
			1	1	

- Molecule 91 is (1R)-2-{{[[(2S)-2,3-DIHYDROXYPROPYL]OXY}(HYDROXY)PHOSPHORYL]OXY}-1-[(PALMITOYLOXY)METHYL]ETHYL (11E)-OCTADEC-11-ENOATE (three-letter code: PGV) (formula: C₄₀H₇₇O₁₀P).




Mol	Chain	Residues	Atoms				AltConf
91	4A	1	Total	C	O	P	0
			51	40	10	1	
91	4A	1	Total	C	O	P	0
			51	40	10	1	
91	4A	1	Total	C	O	P	0
			51	40	10	1	
91	4A	1	Total	C	O	P	0
			51	40	10	1	
91	4C	1	Total	C	O	P	0
			51	40	10	1	
91	4C	1	Total	C	O	P	0
			51	40	10	1	
91	4C	1	Total	C	O	P	0
			51	40	10	1	
91	4C	1	Total	C	O	P	0
			51	40	10	1	
91	4C	1	Total	C	O	P	0
			51	40	10	1	
91	4G	1	Total	C	O	P	0
			51	40	10	1	
91	4J	1	Total	C	O	P	0
			42	31	10	1	
91	4K	1	Total	C	O	P	0
			43	32	10	1	
91	4N	1	Total	C	O	P	0
			51	40	10	1	

- Molecule 92 is DINUCLEAR COPPER ION (three-letter code: CUA) (formula: Cu₂).




Mol	Chain	Residues	Atoms		AltConf
92	4B	1	Total	Cu	0
			2	2	

- Molecule 93 is (7R,17E,20E)-4-HYDROXY-N,N,N-TRIMETHYL-9-OXO-7-[(PALMITOYLOXY)METHYL]-3,5,8-TRIOXA-4-PHOSPHAHEXACOSA-17,20-DIEN-1-AMINIUM 4-OXIDE (three-letter code: PSC) (formula: C₄₂H₈₁NO₈P).



Mol	Chain	Residues	Atoms					AltConf
93	4B	1	Total	C	N	O	P	0
			52	42	1	8	1	

- Molecule 94 is PHOSPHATE ION (three-letter code: PO4) (formula: O₄P).




Mol	Chain	Residues	Atoms			AltConf
			Total	O	P	
94	4H	1	5	4	1	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: NADH-ubiquinone oxidoreductase chain 3

Chain 1A: 






- Molecule 2: NADH dehydrogenase [ubiquinone] iron-sulfur protein 7, mitochondrial

Chain 1B: 




- Molecule 3: NADH dehydrogenase [ubiquinone] iron-sulfur protein 3, mitochondrial


Chain 1C: 



- Molecule 4: NADH dehydrogenase [ubiquinone] iron-sulfur protein 2, mitochondrial


Chain 1D: 





- Molecule 5: NADH dehydrogenase [ubiquinone] flavoprotein 2, mitochondrial

Chain 1E: 83% 14%



- Molecule 6: NADH dehydrogenase [ubiquinone] flavoprotein 1, mitochondrial

Chain 1F: 88% 5% 7%



- Molecule 7: NADH-ubiquinone oxidoreductase 75 kDa subunit, mitochondrial

Chain 1G: 89% 7% 4%



- Molecule 8: NADH-ubiquinone oxidoreductase chain 1

Chain 1H: 95% 5%




- Molecule 9: NADH dehydrogenase [ubiquinone] iron-sulfur protein 8, mitochondrial

Chain 1I: 71% 26% 3%



- Molecule 10: NADH-ubiquinone oxidoreductase chain 6

Chain 1J:  90% 9%




- Molecule 11: NADH-ubiquinone oxidoreductase chain 4L

Chain 1K:  91% 9%



- Molecule 12: NADH-ubiquinone oxidoreductase chain 5

Chain 1L:  91% 9%



- Molecule 13: NADH-ubiquinone oxidoreductase chain 4

Chain 1M:  95% 5%





- Molecule 14: NADH-ubiquinone oxidoreductase chain 2

Chain 1N:  95% 5%





- Molecule 15: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 10, mitochondrial

Chain 1O:  81% 9% 10%




- Molecule 16: NADH:ubiquinone oxidoreductase subunit A9

Chain 1P: 




- Molecule 17: NADH dehydrogenase [ubiquinone] iron-sulfur protein 4, mitochondrial

Chain 1Q: 




- Molecule 18: NADH dehydrogenase [ubiquinone] iron-sulfur protein 6, mitochondrial

Chain 1R: 




- Molecule 19: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 2

Chain 1S: 



- Molecule 20: NADH:ubiquinone oxidoreductase subunit AB1


Chain 1T: 



- Molecule 20: NADH:ubiquinone oxidoreductase subunit AB1

Chain 1U: 






- Molecule 21: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 5 isoform X1



- Molecule 22: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 6



- Molecule 23: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 8



- Molecule 24: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 11



- Molecule 25: NADH:ubiquinone oxidoreductase subunit A13




- Molecule 26: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 1



- Molecule 27: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 3




- Molecule 28: NADH dehydrogenase [ubiquinone] 1 subunit C1, mitochondrial





- Molecule 29: NADH dehydrogenase [ubiquinone] 1 subunit C2




- Molecule 30: NADH dehydrogenase [ubiquinone] iron-sulfur protein 5



- Molecule 31: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 1 [Sus scrofa]




- Molecule 32: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 11, mitochondrial



- Molecule 33: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 5, mitochondrial







- Molecule 34: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 6





- Molecule 35: NADH:ubiquinone oxidoreductase subunit B2



- Molecule 36: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 3





- Molecule 37: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 8, mitochondrial




- Molecule 38: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 4



- Molecule 39: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 9




- [illegible]





- Molecule 45: Cytochrome b-c1 complex subunit 1, mitochondrial

Chain 3A: 88% 8%




- Molecule 45: Cytochrome b-c1 complex subunit 1, mitochondrial

Chain 3N: 88% 5% 7%




- Molecule 46: Cytochrome b-c1 complex subunit 2, mitochondrial

Chain 3B: 88% 8%



- Molecule 46: Cytochrome b-c1 complex subunit 2, mitochondrial

Chain 3O: 89% 8%



- Molecule 47: Cytochrome b

Chain 3C: 95%




- Molecule 47: Cytochrome b

Chain 3P: 96%




- Molecule 48: Cytochrome c1

Chain 3D: 70%




- Molecule 48: Cytochrome c1

Chain 3Q: 71%




- Molecule 49: Cytochrome b-c1 complex subunit Rieske, mitochondrial


Chain 3E: 61%




- Molecule 49: Cytochrome b-c1 complex subunit Rieske, mitochondrial

Chain 3I: 13%







- Molecule 49: Cytochrome b-c1 complex subunit Rieske, mitochondrial




- Molecule 49: Cytochrome b-c1 complex subunit Rieske, mitochondrial




- Molecule 50: Cytochrome b-c1 complex subunit 7





- Molecule 50: Cytochrome b-c1 complex subunit 7







- Molecule 51: Cytochrome b-c1 complex subunit 8




- Molecule 51: Cytochrome b-c1 complex subunit 8




- Molecule 52: Cytochrome b-c1 complex subunit 6, mitochondrial





- Molecule 52: Cytochrome b-c1 complex subunit 6, mitochondrial



- Molecule 53: Ubiquinol-cytochrome c reductase complex 7.2 kDa protein




- Molecule 53: Ubiquinol-cytochrome c reductase complex 7.2 kDa protein



- Molecule 54: Cytochrome b-c1 complex subunit 10





- Molecule 54: Cytochrome b-c1 complex subunit 10

Chain 3Y: 86% 5% 9%



- Molecule 55: Cytochrome c oxidase subunit 1

Chain 4A: 96% .



- Molecule 56: Cytochrome c oxidase subunit 2

Chain 4B: 94% .




- Molecule 57: Cytochrome c oxidase subunit 3

Chain 4C: 96% ..




- Molecule 58: Cytochrome c oxidase subunit 4

Chain 4D: 77% 5% 18%




- Molecule 59: Cytochrome c oxidase subunit 5A, mitochondrial

Chain 4E: 68% . 31%




- Molecule 60: Cytochrome c oxidase subunit 5B, mitochondrial

Chain 4F: 71% 5% 25%



- Molecule 61: Cytochrome c oxidase subunit 6A2

Chain 4G: 70% 7% 23%



- Molecule 62: Cytochrome c oxidase subunit 6B1

Chain 4H: 91% 5% 5%




- Molecule 63: Cytochrome c oxidase subunit 6C

Chain 4I: 84% 5% 11%




- Molecule 64: Cytochrome c oxidase subunit 7A1, mitochondrial

Chain 4J: 70% 28%




- Molecule 65: Cytochrome c oxidase subunit 7B

Chain 4K: 60% 39%




- Molecule 66: Cytochrome c oxidase subunit 7C, mitochondrial

Chain 4L: 70% 27%




- Molecule 67: Cytochrome c oxidase subunit 8

Chain 4M: 56% 6% 39%



● Molecule 68: Cytochrome c oxidase subunit NDUFA4



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	90000	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	1300	Depositor
Maximum defocus (nm)	3000	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	1.404	Depositor
Minimum map value	-0.225	Depositor
Average map value	0.002	Depositor
Map value standard deviation	0.040	Depositor
Recommended contour level	0.07	Depositor
Map size (Å)	532.48, 532.48, 532.48	wwPDB
Map dimensions	640, 640, 640	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.83199996, 0.83199996, 0.83199996	Depositor

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: HEA, PO4, PGV, MG, ZN, HEM, FES, 3PE, HEC, PSC, EHZ, AME, CDL, GTP, NA, ACE, PEK, CUA, NDP, CU, SF4, AYA, PGT, PC1, K, FMN, FME, MYR

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	1A	0.34	0/930	0.55	0/1271
2	1B	0.46	0/1273	0.63	0/1722
3	1C	0.25	0/1791	0.49	0/2439
4	1D	0.30	0/3545	0.50	0/4806
5	1E	0.33	0/1698	0.54	0/2311
6	1F	0.34	0/3401	0.55	0/4595
7	1G	0.34	0/5451	0.57	0/7387
8	1H	0.39	0/2566	0.60	4/3509 (0.1%)
9	1I	0.55	0/1443	0.69	0/1952
10	1J	0.45	0/1364	0.67	0/1850
11	1K	0.42	0/751	0.61	0/1018
12	1L	0.32	0/4939	0.47	1/6718 (0.0%)
13	1M	0.38	0/3713	0.50	0/5063
14	1N	0.37	0/2765	0.54	1/3758 (0.0%)
15	1O	0.46	2/2650 (0.1%)	0.63	4/3588 (0.1%)
16	1P	0.28	0/2828	0.51	0/3834
17	1Q	0.27	0/1070	0.51	0/1446
18	1R	0.26	0/755	0.56	0/1018
19	1S	0.24	0/711	0.51	0/956
20	1T	0.26	0/701	0.52	0/946
20	1U	0.25	0/706	0.46	0/954
21	1V	0.24	0/946	0.45	0/1281
22	1W	0.25	0/995	0.52	0/1340
23	1X	0.26	0/1436	0.48	0/1938
24	1Y	0.63	0/1037	0.70	0/1404
25	1Z	0.36	0/1199	0.55	0/1617
26	1a	0.38	0/577	0.53	0/777
27	1b	0.25	0/664	0.46	0/912
28	1c	0.25	0/430	0.47	0/581
29	1d	0.34	0/1016	0.52	0/1374
30	1e	0.24	0/836	0.49	0/1118

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
31	1f	0.39	0/499	0.65	2/673 (0.3%)
32	1g	0.27	0/858	0.51	0/1165
33	1h	0.26	0/1184	0.49	0/1603
34	1i	0.26	0/1138	0.54	1/1551 (0.1%)
35	1j	0.24	0/627	0.46	0/858
36	1k	0.26	0/668	0.50	1/903 (0.1%)
37	1l	0.25	0/1365	0.48	0/1867
38	1m	0.30	0/1092	0.57	0/1481
39	1n	0.26	0/1549	0.53	0/2098
40	1o	0.24	0/1069	0.54	0/1430
41	1p	0.25	0/1481	0.53	0/1997
42	1q	0.41	0/1253	0.53	0/1704
43	1r	0.36	0/777	0.57	0/1051
44	1s	0.29	0/394	0.56	0/533
45	3A	0.46	0/3481	0.59	1/4722 (0.0%)
45	3N	0.47	0/3496	0.61	0/4723
46	3B	0.46	0/3190	0.57	0/4317
46	3O	0.45	0/3175	0.58	0/4292
47	3C	0.44	0/3123	0.57	0/4269
47	3P	0.43	0/3122	0.57	1/4269 (0.0%)
48	3D	0.47	0/1946	0.58	0/2641
48	3Q	0.44	0/1962	0.57	0/2663
49	3E	0.36	0/1551	0.56	0/2098
49	3I	0.59	0/342	0.74	0/465
49	3R	0.40	0/1551	0.56	0/2098
49	3V	0.44	0/225	0.59	0/303
50	3F	0.49	0/888	0.61	1/1193 (0.1%)
50	3S	0.44	0/888	0.53	0/1193
51	3G	0.51	0/648	0.58	0/874
51	3T	0.45	0/649	0.53	0/878
52	3H	0.49	0/538	0.61	0/721
52	3U	0.56	0/539	0.69	0/724
53	3J	1.19	2/476 (0.4%)	3.74	9/641 (1.4%)
53	3W	1.21	3/475 (0.6%)	3.72	8/638 (1.3%)
54	3X	0.42	0/445	0.57	0/608
54	3Y	0.43	0/437	0.54	0/598
55	4A	0.31	0/4156	0.47	0/5679
56	4B	0.29	0/1865	0.51	0/2544
57	4C	0.32	0/2179	0.45	0/2981
58	4D	0.29	0/1197	0.45	0/1617
59	4E	0.29	0/871	0.51	0/1182
60	4F	0.28	0/749	0.54	0/1016
61	4G	0.27	0/644	0.49	0/881

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
62	4H	0.33	0/708	0.59	1/956 (0.1%)
63	4I	0.30	0/563	0.50	0/748
64	4J	0.27	0/466	0.44	0/631
65	4K	0.26	0/396	0.47	0/543
66	4L	0.28	0/394	0.47	0/528
67	4M	0.29	0/349	0.45	0/477
68	4N	0.31	0/680	0.49	0/921
All	All	0.39	7/116505 (0.0%)	0.64	35/158029 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
6	1F	0	1
10	1J	0	1
12	1L	0	1
15	1O	0	1
26	1a	0	1
45	3N	0	2
49	3I	0	2
53	3J	0	3
53	3W	0	3
All	All	0	15

The worst 5 of 7 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
53	3J	59	LYS	C-N	19.61	1.79	1.34
53	3W	56	ILE	C-N	-17.33	0.94	1.34
53	3W	58	HIS	C-N	-13.55	1.02	1.34
53	3J	56	ILE	C-N	-11.47	1.07	1.34
15	1O	175	PRO	CG-CD	-11.18	1.13	1.50

The worst 5 of 35 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
53	3J	58	HIS	O-C-N	-62.41	22.84	122.70
53	3W	56	ILE	CA-C-N	-46.78	14.29	117.20
53	3W	59	LYS	C-N-CA	-42.18	16.25	121.70
53	3J	57	LYS	O-C-N	-41.91	55.65	122.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
53	3W	56	ILE	C-N-CA	-35.75	32.31	121.70

There are no chirality outliers.

5 of 15 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
6	1F	206	LYS	Peptide
10	1J	86	ASN	Mainchain
12	1L	583	LEU	Mainchain
15	1O	301	GLY	Mainchain
26	1a	37	ARG	Mainchain

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	1A	113/115 (98%)	101 (89%)	9 (8%)	3 (3%)	4	1
2	1B	153/258 (59%)	145 (95%)	8 (5%)	0	100	100
3	1C	207/264 (78%)	198 (96%)	9 (4%)	0	100	100
4	1D	427/466 (92%)	411 (96%)	16 (4%)	0	100	100
5	1E	212/249 (85%)	198 (93%)	12 (6%)	2 (1%)	14	11
6	1F	430/464 (93%)	404 (94%)	22 (5%)	4 (1%)	14	11
7	1G	697/727 (96%)	667 (96%)	27 (4%)	3 (0%)	30	29
8	1H	316/318 (99%)	297 (94%)	17 (5%)	2 (1%)	22	19
9	1I	174/239 (73%)	167 (96%)	7 (4%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
10	1J	172/175 (98%)	160 (93%)	11 (6%)	1 (1%)	22	19
11	1K	96/98 (98%)	95 (99%)	1 (1%)	0	100	100
12	1L	604/606 (100%)	567 (94%)	33 (6%)	4 (1%)	19	16
13	1M	457/459 (100%)	450 (98%)	7 (2%)	0	100	100
14	1N	345/347 (99%)	334 (97%)	10 (3%)	1 (0%)	37	37
15	1O	318/357 (89%)	296 (93%)	17 (5%)	5 (2%)	8	4
16	1P	340/377 (90%)	328 (96%)	11 (3%)	1 (0%)	37	37
17	1Q	127/175 (73%)	118 (93%)	9 (7%)	0	100	100
18	1R	94/123 (76%)	90 (96%)	4 (4%)	0	100	100
19	1S	85/99 (86%)	77 (91%)	8 (9%)	0	100	100
20	1T	83/156 (53%)	81 (98%)	2 (2%)	0	100	100
20	1U	84/156 (54%)	79 (94%)	5 (6%)	0	100	100
21	1V	113/116 (97%)	109 (96%)	4 (4%)	0	100	100
22	1W	113/128 (88%)	108 (96%)	5 (4%)	0	100	100
23	1X	169/172 (98%)	162 (96%)	6 (4%)	1 (1%)	22	19
24	1Y	137/141 (97%)	134 (98%)	3 (2%)	0	100	100
25	1Z	139/144 (96%)	135 (97%)	4 (3%)	0	100	100
26	1a	68/70 (97%)	67 (98%)	1 (2%)	0	100	100
27	1b	81/84 (96%)	74 (91%)	7 (9%)	0	100	100
28	1c	47/76 (62%)	46 (98%)	1 (2%)	0	100	100
29	1d	117/122 (96%)	113 (97%)	4 (3%)	0	100	100
30	1e	97/106 (92%)	90 (93%)	7 (7%)	0	100	100
31	1f	55/135 (41%)	53 (96%)	2 (4%)	0	100	100
32	1g	98/154 (64%)	88 (90%)	10 (10%)	0	100	100
33	1h	136/189 (72%)	133 (98%)	3 (2%)	0	100	100
34	1i	126/128 (98%)	120 (95%)	6 (5%)	0	100	100
35	1j	69/105 (66%)	65 (94%)	4 (6%)	0	100	100
36	1k	79/98 (81%)	76 (96%)	3 (4%)	0	100	100
37	1l	154/186 (83%)	145 (94%)	9 (6%)	0	100	100
38	1m	126/129 (98%)	119 (94%)	7 (6%)	0	100	100
39	1n	170/179 (95%)	164 (96%)	6 (4%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
40	1o	120/137 (88%)	112 (93%)	8 (7%)	0	100	100
41	1p	171/176 (97%)	170 (99%)	1 (1%)	0	100	100
42	1q	143/145 (99%)	139 (97%)	4 (3%)	0	100	100
43	1r	90/113 (80%)	84 (93%)	6 (7%)	0	100	100
44	1s	43/471 (9%)	40 (93%)	3 (7%)	0	100	100
45	3A	436/480 (91%)	418 (96%)	13 (3%)	5 (1%)	12	8
45	3N	444/480 (92%)	426 (96%)	12 (3%)	6 (1%)	9	5
46	3B	414/453 (91%)	387 (94%)	21 (5%)	6 (1%)	9	5
46	3O	413/453 (91%)	393 (95%)	19 (5%)	1 (0%)	44	45
47	3C	377/379 (100%)	368 (98%)	8 (2%)	1 (0%)	37	37
47	3P	377/379 (100%)	367 (97%)	9 (2%)	1 (0%)	37	37
48	3D	235/326 (72%)	228 (97%)	6 (3%)	1 (0%)	30	29
48	3Q	237/326 (73%)	224 (94%)	12 (5%)	1 (0%)	30	29
49	3E	194/274 (71%)	166 (86%)	18 (9%)	10 (5%)	1	0
49	3I	45/274 (16%)	31 (69%)	12 (27%)	2 (4%)	2	0
49	3R	194/274 (71%)	163 (84%)	22 (11%)	9 (5%)	2	0
49	3V	29/274 (11%)	28 (97%)	1 (3%)	0	100	100
50	3F	96/111 (86%)	92 (96%)	4 (4%)	0	100	100
50	3S	96/111 (86%)	95 (99%)	1 (1%)	0	100	100
51	3G	70/82 (85%)	69 (99%)	1 (1%)	0	100	100
51	3T	72/82 (88%)	71 (99%)	1 (1%)	0	100	100
52	3H	61/91 (67%)	60 (98%)	1 (2%)	0	100	100
52	3U	63/91 (69%)	62 (98%)	1 (2%)	0	100	100
53	3J	54/64 (84%)	50 (93%)	2 (4%)	2 (4%)	2	1
53	3W	52/64 (81%)	50 (96%)	1 (2%)	1 (2%)	6	3
54	3X	50/56 (89%)	46 (92%)	3 (6%)	1 (2%)	6	3
54	3Y	49/56 (88%)	45 (92%)	3 (6%)	1 (2%)	6	3
55	4A	512/514 (100%)	488 (95%)	21 (4%)	3 (1%)	22	19
56	4B	225/229 (98%)	211 (94%)	14 (6%)	0	100	100
57	4C	257/261 (98%)	245 (95%)	12 (5%)	0	100	100
58	4D	137/169 (81%)	126 (92%)	11 (8%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
59	4E	103/152 (68%)	99 (96%)	4 (4%)	0	100	100
60	4F	95/129 (74%)	90 (95%)	5 (5%)	0	100	100
61	4G	73/97 (75%)	69 (94%)	4 (6%)	0	100	100
62	4H	80/86 (93%)	72 (90%)	8 (10%)	0	100	100
63	4I	65/75 (87%)	64 (98%)	1 (2%)	0	100	100
64	4J	56/80 (70%)	54 (96%)	2 (4%)	0	100	100
65	4K	47/80 (59%)	44 (94%)	3 (6%)	0	100	100
66	4L	44/63 (70%)	42 (96%)	2 (4%)	0	100	100
67	4M	41/70 (59%)	41 (100%)	0	0	100	100
68	4N	80/82 (98%)	67 (84%)	13 (16%)	0	100	100
All	All	14068/16999 (83%)	13360 (95%)	630 (4%)	78 (1%)	24	19

5 of 78 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
7	1G	115	ASP
8	1H	92	PRO
10	1J	66	VAL
12	1L	562	LEU
15	1O	138	MET

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	1A	99/99 (100%)	92 (93%)	7 (7%)	12	10
2	1B	131/212 (62%)	118 (90%)	13 (10%)	6	4
3	1C	190/227 (84%)	185 (97%)	5 (3%)	41	46
4	1D	371/396 (94%)	352 (95%)	19 (5%)	20	19
5	1E	183/207 (88%)	176 (96%)	7 (4%)	28	30
6	1F	346/368 (94%)	326 (94%)	20 (6%)	17	15

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
7	1G	588/610 (96%)	540 (92%)	48 (8%)	9	7
8	1H	274/274 (100%)	262 (96%)	12 (4%)	24	24
9	1I	151/201 (75%)	144 (95%)	7 (5%)	23	23
10	1J	140/141 (99%)	126 (90%)	14 (10%)	6	4
11	1K	84/84 (100%)	76 (90%)	8 (10%)	7	4
12	1L	539/539 (100%)	492 (91%)	47 (9%)	8	6
13	1M	408/408 (100%)	385 (94%)	23 (6%)	17	16
14	1N	310/310 (100%)	295 (95%)	15 (5%)	21	21
15	1O	283/307 (92%)	260 (92%)	23 (8%)	9	7
16	1P	296/323 (92%)	277 (94%)	19 (6%)	14	12
17	1Q	117/152 (77%)	104 (89%)	13 (11%)	5	3
18	1R	79/97 (81%)	72 (91%)	7 (9%)	8	5
19	1S	77/82 (94%)	68 (88%)	9 (12%)	4	2
20	1T	79/133 (59%)	69 (87%)	10 (13%)	3	2
20	1U	79/133 (59%)	74 (94%)	5 (6%)	15	13
21	1V	100/101 (99%)	95 (95%)	5 (5%)	20	20
22	1W	107/112 (96%)	104 (97%)	3 (3%)	38	43
23	1X	153/154 (99%)	142 (93%)	11 (7%)	12	9
24	1Y	101/102 (99%)	92 (91%)	9 (9%)	8	5
25	1Z	123/124 (99%)	119 (97%)	4 (3%)	33	36
26	1a	58/58 (100%)	57 (98%)	1 (2%)	56	63
27	1b	69/70 (99%)	61 (88%)	8 (12%)	4	2
28	1c	45/66 (68%)	40 (89%)	5 (11%)	5	3
29	1d	106/109 (97%)	98 (92%)	8 (8%)	11	9
30	1e	87/94 (93%)	82 (94%)	5 (6%)	17	15
31	1f	54/113 (48%)	48 (89%)	6 (11%)	5	3
32	1g	92/129 (71%)	81 (88%)	11 (12%)	4	2
33	1h	121/158 (77%)	113 (93%)	8 (7%)	14	12
34	1i	120/120 (100%)	112 (93%)	8 (7%)	13	11
35	1j	62/84 (74%)	58 (94%)	4 (6%)	14	12
36	1k	63/76 (83%)	58 (92%)	5 (8%)	10	7

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
37	1l	141/161 (88%)	130 (92%)	11 (8%)	10	8
38	1m	113/114 (99%)	103 (91%)	10 (9%)	8	5
39	1n	156/160 (98%)	138 (88%)	18 (12%)	4	2
40	1o	110/119 (92%)	96 (87%)	14 (13%)	3	2
41	1p	154/156 (99%)	148 (96%)	6 (4%)	27	29
42	1q	131/131 (100%)	121 (92%)	10 (8%)	11	8
43	1r	85/98 (87%)	80 (94%)	5 (6%)	16	14
44	1s	44/351 (12%)	41 (93%)	3 (7%)	13	11
45	3A	367/397 (92%)	354 (96%)	13 (4%)	31	34
45	3N	372/397 (94%)	353 (95%)	19 (5%)	20	19
46	3B	328/355 (92%)	314 (96%)	14 (4%)	25	25
46	3O	327/355 (92%)	314 (96%)	13 (4%)	27	28
47	3C	332/332 (100%)	314 (95%)	18 (5%)	18	17
47	3P	332/332 (100%)	317 (96%)	15 (4%)	23	24
48	3D	202/259 (78%)	194 (96%)	8 (4%)	27	28
48	3Q	204/259 (79%)	199 (98%)	5 (2%)	42	47
49	3E	166/225 (74%)	146 (88%)	20 (12%)	4	2
49	3I	36/225 (16%)	28 (78%)	8 (22%)	1	0
49	3R	166/225 (74%)	143 (86%)	23 (14%)	3	1
49	3V	24/225 (11%)	23 (96%)	1 (4%)	25	26
50	3F	90/99 (91%)	89 (99%)	1 (1%)	70	77
50	3S	90/99 (91%)	89 (99%)	1 (1%)	70	77
51	3G	67/73 (92%)	63 (94%)	4 (6%)	16	14
51	3T	67/73 (92%)	63 (94%)	4 (6%)	16	14
52	3H	62/85 (73%)	60 (97%)	2 (3%)	34	37
52	3U	62/85 (73%)	56 (90%)	6 (10%)	6	4
53	3J	46/52 (88%)	46 (100%)	0	100	100
53	3W	46/52 (88%)	45 (98%)	1 (2%)	47	53
54	3X	42/46 (91%)	42 (100%)	0	100	100
54	3Y	41/46 (89%)	39 (95%)	2 (5%)	21	20
55	4A	424/424 (100%)	408 (96%)	16 (4%)	28	30

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
56	4B	210/211 (100%)	199 (95%)	11 (5%)	19	18
57	4C	223/225 (99%)	214 (96%)	9 (4%)	27	28
58	4D	124/149 (83%)	115 (93%)	9 (7%)	11	9
59	4E	92/124 (74%)	91 (99%)	1 (1%)	70	77
60	4F	80/101 (79%)	74 (92%)	6 (8%)	11	9
61	4G	65/80 (81%)	58 (89%)	7 (11%)	5	3
62	4H	73/76 (96%)	69 (94%)	4 (6%)	18	16
63	4I	54/61 (88%)	50 (93%)	4 (7%)	11	9
64	4J	49/68 (72%)	47 (96%)	2 (4%)	26	27
65	4K	38/66 (58%)	37 (97%)	1 (3%)	41	46
66	4L	39/55 (71%)	37 (95%)	2 (5%)	20	19
67	4M	37/57 (65%)	33 (89%)	4 (11%)	5	3
68	4N	70/70 (100%)	62 (89%)	8 (11%)	4	2
All	All	12266/14326 (86%)	11495 (94%)	771 (6%)	17	13

5 of 771 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
39	1n	131	SER
49	3E	204	ARG
40	1o	45	MET
39	1n	123	GLN
45	3A	308	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 104 such sidechains are listed below:

Mol	Chain	Res	Type
47	3C	375	ASN
45	3N	9	GLN
57	4C	243	HIS
48	3D	185	ASN
49	3E	200	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

8 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
12	FME	1L	1	12	8,9,10	0.56	0	8,9,11	0.84	1 (12%)
55	FME	4A	1	55	8,9,10	0.55	0	8,9,11	1.73	2 (25%)
56	FME	4B	1	56	8,9,10	0.54	0	8,9,11	0.89	1 (12%)
13	FME	1M	1	13	8,9,10	0.50	0	8,9,11	1.64	2 (25%)
11	FME	1K	1	11	8,9,10	0.57	0	8,9,11	0.97	1 (12%)
14	FME	1N	1	14	8,9,10	0.55	0	8,9,11	0.96	1 (12%)
8	FME	1H	1	8	8,9,10	0.55	0	8,9,11	1.05	1 (12%)
1	FME	1A	1	1	8,9,10	0.50	0	8,9,11	1.10	1 (12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
12	FME	1L	1	12	-	0/7/9/11	-
55	FME	4A	1	55	-	1/7/9/11	-
56	FME	4B	1	56	-	2/7/9/11	-
13	FME	1M	1	13	-	2/7/9/11	-
11	FME	1K	1	11	-	2/7/9/11	-
14	FME	1N	1	14	-	1/7/9/11	-
8	FME	1H	1	8	-	2/7/9/11	-
1	FME	1A	1	1	-	1/7/9/11	-

There are no bond length outliers.

The worst 5 of 10 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
55	4A	1	FME	CA-N-CN	3.85	128.74	122.82
13	1M	1	FME	O-C-CA	-2.98	117.11	124.77
13	1M	1	FME	CA-N-CN	-2.87	118.41	122.82
1	1A	1	FME	O-C-CA	-2.75	117.69	124.77
8	1H	1	FME	O-C-CA	-2.70	117.82	124.77

There are no chirality outliers.

5 of 11 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	1A	1	FME	O1-CN-N-CA
8	1H	1	FME	O1-CN-N-CA
13	1M	1	FME	C-CA-CB-CG
14	1N	1	FME	O1-CN-N-CA
56	4B	1	FME	O1-CN-N-CA

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 226 ligands modelled in this entry, 7 are monoatomic - leaving 219 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
69	3PE	3X	101	-	50,50,50	0.90	2 (4%)	53,55,55	1.06	4 (7%)
69	3PE	3J	104	-	50,50,50	0.90	2 (4%)	53,55,55	1.04	4 (7%)
69	3PE	3G	108	-	32,32,50	1.13	2 (6%)	35,37,55	1.19	2 (5%)
69	3PE	1g	202	-	50,50,50	0.88	2 (4%)	53,55,55	1.11	5 (9%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
75	CDL	1g	201	-	99,99,99	0.90	4 (4%)	105,111,111	1.03	5 (4%)
69	3PE	3P	514	-	50,50,50	0.91	2 (4%)	53,55,55	1.02	2 (3%)
69	3PE	1L	708	-	41,41,50	0.99	2 (4%)	44,46,55	1.27	4 (9%)
81	EHZ	1T	101	20	31,36,37	0.20	0	36,44,47	1.11	1 (2%)
69	3PE	1k	101	-	45,45,50	0.96	2 (4%)	48,50,55	1.13	4 (8%)
70	PC1	1A	202	-	34,34,53	1.16	2 (5%)	40,42,61	1.16	4 (10%)
86	HEC	3Q	501	48	32,50,50	2.23	12 (37%)	30,82,82	2.32	8 (26%)
69	3PE	1m	205	-	50,50,50	0.91	2 (4%)	53,55,55	1.10	3 (5%)
91	PGV	4C	304	-	50,50,50	0.92	2 (4%)	53,56,56	1.04	4 (7%)
69	3PE	3X	106	-	50,50,50	0.92	2 (4%)	53,55,55	0.97	2 (3%)
69	3PE	1Y	201	-	41,41,50	1.00	2 (4%)	44,46,55	1.10	3 (6%)
69	3PE	3G	106	-	32,32,50	1.11	2 (6%)	35,37,55	1.28	4 (11%)
69	3PE	3G	102	-	32,32,50	1.15	2 (6%)	35,37,55	1.08	2 (5%)
87	PEK	4G	103	-	51,51,52	0.88	2 (3%)	54,56,57	1.11	4 (7%)
91	PGV	4J	101	-	41,41,50	1.00	2 (4%)	44,47,56	1.11	4 (9%)
94	PO4	4H	101	-	4,4,4	0.98	0	6,6,6	0.47	0
83	AME	1h	201	-	9,10,11	0.53	0	9,11,13	0.99	1 (11%)
69	3PE	1l	203	-	32,32,50	1.14	2 (6%)	35,37,55	1.16	2 (5%)
75	CDL	3N	502	-	99,99,99	0.88	5 (5%)	105,111,111	1.09	6 (5%)
91	PGV	4A	607	-	50,50,50	0.90	2 (4%)	53,56,56	1.06	3 (5%)
69	3PE	3C	515	-	47,47,50	0.95	2 (4%)	50,52,55	1.11	2 (4%)
69	3PE	3G	109	-	50,50,50	0.90	2 (4%)	53,55,55	1.10	3 (5%)
70	PC1	3J	106	-	53,53,53	0.91	2 (3%)	59,61,61	2.70	9 (15%)
79	NDP	1P	501	-	47,52,52	0.65	0	61,80,80	0.95	3 (4%)
69	3PE	3C	509	-	50,50,50	0.89	2 (4%)	53,55,55	1.13	4 (7%)
69	3PE	3P	510	-	47,47,50	0.92	2 (4%)	50,52,55	1.09	5 (10%)
75	CDL	1d	205	-	92,92,99	0.93	4 (4%)	98,104,111	1.19	6 (6%)
85	HEM	3C	502	-	42,50,50	1.30	6 (14%)	46,82,82	1.78	11 (23%)
69	3PE	1Y	216	-	50,50,50	0.90	2 (4%)	53,55,55	1.15	5 (9%)
70	PC1	3P	509	-	53,53,53	0.90	2 (3%)	59,61,61	1.20	6 (10%)
71	SF4	1G	802	7	0,12,12	-	-	-	-	-
75	CDL	1q	202	-	99,99,99	0.90	4 (4%)	105,111,111	1.12	7 (6%)
69	3PE	1d	201	-	47,47,50	0.93	2 (4%)	50,52,55	1.04	2 (4%)
69	3PE	3G	104	-	32,32,50	1.16	2 (6%)	35,37,55	1.24	3 (8%)
69	3PE	1d	206	-	50,50,50	0.91	2 (4%)	53,55,55	0.93	3 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
69	3PE	3Y	105	-	50,50,50	0.92	2 (4%)	53,55,55	1.03	3 (5%)
69	3PE	3P	519	-	50,50,50	0.87	2 (4%)	53,55,55	1.12	5 (9%)
69	3PE	3A	503	-	50,50,50	0.87	2 (4%)	53,55,55	1.28	4 (7%)
69	3PE	1Y	209	-	41,41,50	0.96	2 (4%)	44,46,55	1.17	4 (9%)
69	3PE	3J	103	-	50,50,50	0.95	2 (4%)	53,55,55	0.99	2 (3%)
69	3PE	3C	508	-	47,47,50	0.92	2 (4%)	50,52,55	1.13	4 (8%)
71	SF4	1G	801	7	0,12,12	-	-	-		
69	3PE	4G	101	-	31,31,50	1.16	2 (6%)	34,36,55	1.18	3 (8%)
75	CDL	1N	402	-	76,76,99	1.01	4 (5%)	82,88,111	1.22	7 (8%)
69	3PE	3P	503	-	50,50,50	0.93	2 (4%)	53,55,55	1.17	4 (7%)
69	3PE	4G	104	-	40,40,50	1.03	2 (5%)	43,45,55	1.15	4 (9%)
72	FES	1G	803	7	0,4,4	-	-	-		
69	3PE	1L	711	-	40,40,50	1.00	2 (5%)	43,45,55	1.05	2 (4%)
69	3PE	3A	502	-	50,50,50	0.92	3 (6%)	53,55,55	1.17	4 (7%)
70	PC1	1H	403	-	47,47,53	0.99	2 (4%)	53,55,61	0.97	3 (5%)
71	SF4	1I	201	9	0,12,12	-	-	-		
69	3PE	3Y	101	-	50,50,50	0.90	2 (4%)	53,55,55	1.04	2 (3%)
69	3PE	1f	104	-	47,47,50	0.94	2 (4%)	50,52,55	1.05	3 (6%)
91	PGV	4A	608	-	50,50,50	0.92	2 (4%)	53,56,56	1.02	3 (5%)
70	PC1	1Y	202	-	34,34,53	1.16	2 (5%)	40,42,61	1.12	3 (7%)
71	SF4	1I	202	9	0,12,12	-	-	-		
69	3PE	3P	517	-	50,50,50	0.91	2 (4%)	53,55,55	1.08	3 (5%)
75	CDL	1i	201	-	79,79,99	1.02	5 (6%)	85,91,111	1.31	10 (11%)
84	MYR	1l	201	-	13,14,15	0.32	0	12,13,15	0.29	0
69	3PE	1h	204	-	46,46,50	0.97	2 (4%)	49,51,55	1.03	2 (4%)
69	3PE	1m	202	-	41,41,50	0.99	2 (4%)	44,46,55	1.17	3 (6%)
70	PC1	1P	502	-	32,32,53	1.22	2 (6%)	38,40,61	1.11	4 (10%)
70	PC1	1H	404	-	40,40,53	1.12	3 (7%)	46,48,61	1.29	6 (13%)
70	PC1	1Y	207	-	53,53,53	0.93	2 (3%)	59,61,61	1.16	3 (5%)
82	PGT	1Y	203	-	50,50,50	0.92	2 (4%)	53,56,56	1.06	3 (5%)
69	3PE	3S	201	-	50,50,50	0.89	2 (4%)	53,55,55	1.02	2 (3%)
76	AYA	1I	203	-	6,7,8	0.65	0	6,8,10	0.79	0
75	CDL	3D	504	-	55,55,99	1.21	6 (10%)	61,67,111	1.35	9 (14%)
69	3PE	1Z	201	-	50,50,50	0.90	2 (4%)	53,55,55	1.14	4 (7%)
69	3PE	3R	304	-	50,50,50	0.91	2 (4%)	53,55,55	1.03	3 (5%)
70	PC1	3R	303	-	53,53,53	0.97	2 (3%)	59,61,61	1.15	4 (6%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
75	CDL	3F	201	-	99,99,99	0.90	4 (4%)	105,111,111	1.08	7 (6%)
69	3PE	3Q	504	-	45,45,50	0.98	2 (4%)	48,50,55	1.14	3 (6%)
69	3PE	3Y	107	-	50,50,50	0.91	2 (4%)	53,55,55	1.08	3 (5%)
69	3PE	1Y	210	-	41,41,50	0.98	2 (4%)	44,46,55	1.13	3 (6%)
69	3PE	3J	105	-	50,50,50	0.91	2 (4%)	53,55,55	1.07	3 (5%)
69	3PE	1L	707	-	41,41,50	0.99	3 (7%)	44,46,55	1.26	5 (11%)
85	HEM	3P	501	47	42,50,50	1.29	5 (11%)	46,82,82	1.84	11 (23%)
70	PC1	1Y	206	-	45,45,53	1.00	2 (4%)	51,53,61	1.10	3 (5%)
70	PC1	1h	202	-	46,46,53	1.00	2 (4%)	52,54,61	1.13	3 (5%)
70	PC1	3X	104	-	53,53,53	0.91	3 (5%)	59,61,61	1.12	5 (8%)
69	3PE	1b	101	-	41,41,50	0.99	2 (4%)	44,46,55	1.17	4 (9%)
69	3PE	3P	512	-	47,47,50	0.92	2 (4%)	50,52,55	1.10	3 (6%)
75	CDL	3A	501	-	97,97,99	0.91	6 (6%)	103,109,111	1.17	8 (7%)
85	HEM	3C	501	47	42,50,50	1.29	6 (14%)	46,82,82	1.83	10 (21%)
69	3PE	3Q	502	-	40,40,50	1.02	2 (5%)	43,45,55	4.81	4 (9%)
75	CDL	3Y	106	-	99,99,99	0.90	4 (4%)	105,111,111	1.10	5 (4%)
69	3PE	1Y	214	-	50,50,50	0.91	2 (4%)	53,55,55	1.10	3 (5%)
69	3PE	3G	111	-	47,47,50	0.93	2 (4%)	50,52,55	1.07	2 (4%)
70	PC1	1M	501	-	43,43,53	1.03	2 (4%)	49,51,61	1.19	3 (6%)
69	3PE	3P	505	-	31,31,50	1.17	2 (6%)	34,36,55	1.24	3 (8%)
69	3PE	3P	511	-	44,44,50	0.95	2 (4%)	47,49,55	1.14	3 (6%)
69	3PE	3D	502	-	40,40,50	0.31	0	43,45,55	0.40	0
69	3PE	3X	108	-	50,50,50	0.91	2 (4%)	53,55,55	1.00	2 (3%)
70	PC1	1B	203	-	47,47,53	0.97	2 (4%)	53,55,61	1.31	6 (11%)
72	FES	1E	301	5	0,4,4	-	-	-	-	-
91	PGV	4N	101	-	50,50,50	0.90	2 (4%)	53,56,56	1.10	3 (5%)
69	3PE	3X	107	-	50,50,50	0.91	2 (4%)	53,55,55	0.96	3 (5%)
69	3PE	3J	101	-	46,46,50	0.94	2 (4%)	49,51,55	1.15	2 (4%)
69	3PE	3P	516	-	50,50,50	0.91	2 (4%)	53,55,55	1.05	3 (5%)
69	3PE	1Y	211	-	50,50,50	0.91	2 (4%)	53,55,55	1.07	3 (5%)
69	3PE	3G	101	-	50,50,50	0.89	3 (6%)	53,55,55	1.33	6 (11%)
69	3PE	3C	510	-	34,34,50	1.16	3 (8%)	37,39,55	1.88	5 (13%)
69	3PE	1L	703	-	43,43,50	0.98	2 (4%)	46,48,55	1.18	2 (4%)
69	3PE	1L	701	-	45,45,50	0.96	3 (6%)	48,50,55	1.35	5 (10%)
69	3PE	3C	505	-	50,50,50	0.90	2 (4%)	53,55,55	1.07	4 (7%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
92	CUA	4B	301	56	0,1,1	-	-	-		
69	3PE	1L	710	-	37,37,50	1.03	2 (5%)	40,42,55	5.05	5 (12%)
70	PC1	1h	203	-	45,45,53	1.03	2 (4%)	51,53,61	1.17	4 (7%)
69	3PE	3G	105	-	32,32,50	1.12	2 (6%)	35,37,55	1.17	3 (8%)
69	3PE	3C	516	-	42,42,50	0.98	2 (4%)	45,47,55	1.13	3 (6%)
86	HEC	3D	501	48	30,49,50	2.25	12 (40%)	28,80,82	2.21	7 (25%)
93	PSC	4B	303	-	51,51,51	0.95	2 (3%)	57,59,59	1.02	4 (7%)
88	HEA	4A	602	55	58,67,67	2.15	17 (29%)	63,103,103	2.39	29 (46%)
69	3PE	3P	507	-	50,50,50	0.93	2 (4%)	53,55,55	1.11	3 (5%)
69	3PE	3Q	503	-	45,45,50	0.99	2 (4%)	48,50,55	1.11	2 (4%)
75	CDL	1H	401	-	50,50,99	1.28	4 (8%)	56,62,111	1.31	7 (12%)
69	3PE	3C	514	-	34,34,50	1.05	2 (5%)	37,39,55	1.25	5 (13%)
69	3PE	3G	103	-	32,32,50	1.12	2 (6%)	35,37,55	1.27	2 (5%)
69	3PE	1Y	205	-	39,39,50	1.05	2 (5%)	42,44,55	0.96	2 (4%)
69	3PE	3C	504	-	45,45,50	0.29	0	48,50,55	0.34	0
69	3PE	3Y	104	-	50,50,50	0.92	2 (4%)	53,55,55	1.04	3 (5%)
69	3PE	3W	101	-	50,50,50	0.92	2 (4%)	53,55,55	1.02	2 (3%)
69	3PE	1Y	215	-	42,42,50	0.96	2 (4%)	45,47,55	1.25	4 (8%)
69	3PE	1J	201	-	50,50,50	0.92	2 (4%)	53,55,55	1.07	3 (5%)
69	3PE	1e	201	-	50,50,50	0.93	2 (4%)	53,55,55	1.12	4 (7%)
69	3PE	1L	712	-	50,50,50	0.93	2 (4%)	53,55,55	1.09	2 (3%)
69	3PE	1Y	213	-	50,50,50	0.89	2 (4%)	53,55,55	1.11	3 (5%)
69	3PE	1l	202	-	41,41,50	1.02	2 (4%)	44,46,55	1.21	4 (9%)
69	3PE	3C	512	-	50,50,50	0.91	2 (4%)	53,55,55	1.08	4 (7%)
71	SF4	1B	201	2	0,12,12	-	-	-		
91	PGV	4C	305	-	50,50,50	0.90	2 (4%)	53,56,56	1.06	3 (5%)
69	3PE	1N	401	-	50,50,50	0.88	2 (4%)	53,55,55	1.24	5 (9%)
75	CDL	4B	302	-	99,99,99	0.91	4 (4%)	105,111,111	1.05	7 (6%)
91	PGV	4C	301	-	50,50,50	0.90	2 (4%)	53,56,56	1.03	3 (5%)
69	3PE	3D	503	-	44,44,50	0.96	3 (6%)	47,49,55	1.23	4 (8%)
72	FES	3R	301	-	0,4,4	-	-	-		
77	GTP	1O	401	78	29,34,34	1.01	1 (3%)	35,54,54	1.27	3 (8%)
75	CDL	1L	704	-	86,86,99	0.96	5 (5%)	92,98,111	1.28	9 (9%)
70	PC1	1J	202	-	34,34,53	1.15	2 (5%)	40,42,61	1.23	3 (7%)
91	PGV	4A	606	-	50,50,50	0.90	2 (4%)	53,56,56	1.07	3 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
75	CDL	3P	513	-	99,99,99	0.93	5 (5%)	105,111,111	1.28	11 (10%)
69	3PE	3Y	102	-	44,44,50	0.99	2 (4%)	47,49,55	1.04	3 (6%)
69	3PE	3P	508	-	50,50,50	0.90	4 (8%)	53,55,55	1.33	7 (13%)
69	3PE	1Y	204	-	30,30,50	1.17	2 (6%)	33,35,55	1.20	3 (9%)
70	PC1	1d	204	-	38,38,53	1.11	2 (5%)	44,46,61	1.30	5 (11%)
91	PGV	4C	303	-	50,50,50	0.89	2 (4%)	53,56,56	0.93	2 (3%)
70	PC1	1H	402	-	53,53,53	0.92	3 (5%)	59,61,61	1.10	3 (5%)
91	PGV	4G	102	-	50,50,50	0.92	2 (4%)	53,56,56	1.01	3 (5%)
69	3PE	1f	103	-	43,43,50	1.01	2 (4%)	45,47,55	1.15	3 (6%)
69	3PE	1f	101	-	44,44,50	0.98	2 (4%)	47,49,55	1.02	2 (4%)
69	3PE	3C	507	-	50,50,50	0.94	2 (4%)	53,55,55	1.06	2 (3%)
69	3PE	1A	203	-	40,40,50	1.01	2 (5%)	43,45,55	1.19	4 (9%)
69	3PE	3E	303	-	48,48,50	0.90	3 (6%)	51,53,55	1.17	4 (7%)
69	3PE	3C	503	-	50,50,50	0.90	2 (4%)	53,55,55	1.07	4 (7%)
91	PGV	4K	101	-	42,42,50	0.99	2 (4%)	45,48,56	1.11	3 (6%)
69	3PE	1A	201	-	46,46,50	0.93	2 (4%)	49,51,55	1.25	5 (10%)
69	3PE	1m	204	-	50,50,50	0.91	2 (4%)	53,55,55	1.16	4 (7%)
69	3PE	3E	302	-	50,50,50	0.87	2 (4%)	53,55,55	1.22	4 (7%)
69	3PE	3Y	103	-	31,31,50	1.15	2 (6%)	34,36,55	1.25	4 (11%)
69	3PE	3R	305	-	50,50,50	0.91	3 (6%)	53,55,55	1.13	3 (5%)
69	3PE	1Y	212	-	43,43,50	1.00	2 (4%)	46,48,55	1.04	2 (4%)
73	FMN	1F	501	-	33,33,33	0.79	0	48,50,50	0.73	1 (2%)
69	3PE	3W	103	-	50,50,50	0.93	2 (4%)	53,55,55	3.79	5 (9%)
72	FES	3E	301	49	0,4,4	-	-	-	-	-
88	HEA	4A	601	55	58,67,67	2.16	18 (31%)	63,103,103	2.52	28 (44%)
69	3PE	3G	110	-	42,42,50	0.97	2 (4%)	45,47,55	1.09	3 (6%)
69	3PE	1m	201	-	49,49,50	0.92	2 (4%)	52,54,55	1.07	2 (3%)
69	3PE	3C	517	-	31,31,50	1.13	2 (6%)	34,36,55	1.15	3 (8%)
69	3PE	1B	204	-	50,50,50	0.92	2 (4%)	53,55,55	1.12	4 (7%)
70	PC1	3T	102	-	53,53,53	0.90	3 (5%)	59,61,61	1.07	4 (6%)
87	PEK	3X	102	-	52,52,52	0.90	2 (3%)	55,57,57	1.01	5 (9%)
69	3PE	3G	107	-	32,32,50	1.14	2 (6%)	35,37,55	1.12	2 (5%)
69	3PE	3C	506	-	46,46,50	0.93	2 (4%)	49,51,55	1.14	4 (8%)
69	3PE	3P	520	-	50,50,50	0.92	2 (4%)	53,55,55	1.03	3 (5%)
69	3PE	3C	511	-	50,50,50	0.91	2 (4%)	53,55,55	1.03	3 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
69	3PE	3J	102	-	37,37,50	1.06	2 (5%)	40,42,55	1.27	4 (10%)
69	3PE	1m	203	-	41,41,50	1.03	2 (4%)	44,46,55	1.13	3 (6%)
69	3PE	1o	201	-	50,50,50	0.89	2 (4%)	53,55,55	1.29	5 (9%)
69	3PE	3R	302	-	50,50,50	0.87	3 (6%)	53,55,55	1.25	5 (9%)
69	3PE	1L	702	-	44,44,50	0.94	2 (4%)	47,49,55	1.16	5 (10%)
75	CDL	1q	201	-	60,60,99	1.14	5 (8%)	66,72,111	1.39	9 (13%)
69	3PE	1L	705	-	48,48,50	0.91	2 (4%)	51,53,55	1.25	5 (9%)
69	3PE	3N	501	-	50,50,50	0.89	3 (6%)	53,55,55	1.13	3 (5%)
81	EHZ	1n	201	-	31,36,37	0.18	0	36,44,47	1.06	1 (2%)
69	3PE	1l	204	-	50,50,50	0.93	2 (4%)	53,55,55	1.06	3 (5%)
69	3PE	1L	706	-	32,32,50	1.16	2 (6%)	35,37,55	1.07	2 (5%)
69	3PE	1B	205	-	50,50,50	0.92	2 (4%)	53,55,55	1.04	3 (5%)
69	3PE	3P	518	-	50,50,50	0.92	2 (4%)	53,55,55	1.11	3 (5%)
75	CDL	4C	307	-	99,99,99	0.92	4 (4%)	105,111,111	1.03	6 (5%)
69	3PE	1J	203	-	43,43,50	0.94	3 (6%)	46,48,55	1.19	4 (8%)
69	3PE	3T	103	-	50,50,50	0.91	2 (4%)	53,55,55	1.08	3 (5%)
69	3PE	3P	504	-	37,37,50	1.06	2 (5%)	40,42,55	1.16	2 (5%)
69	3PE	1g	203	-	32,32,50	1.15	2 (6%)	35,37,55	1.23	3 (8%)
75	CDL	4C	306	-	99,99,99	0.91	4 (4%)	105,111,111	1.05	6 (5%)
70	PC1	1B	202	-	45,45,53	6.15	8 (17%)	51,53,61	2.46	12 (23%)
91	PGV	4C	302	-	50,50,50	0.92	2 (4%)	53,56,56	1.03	3 (5%)
69	3PE	3C	513	-	50,50,50	0.91	2 (4%)	53,55,55	1.10	3 (5%)
71	SF4	1F	502	6	0,12,12	-	-	-	-	-
75	CDL	3T	101	-	56,56,99	1.18	6 (10%)	62,68,111	1.41	8 (12%)
69	3PE	3P	506	-	50,50,50	0.89	2 (4%)	53,55,55	1.15	3 (5%)
85	HEM	3P	502	47	42,50,50	1.32	6 (14%)	46,82,82	1.81	12 (26%)
69	3PE	3N	503	-	50,50,50	0.91	3 (6%)	53,55,55	1.14	4 (7%)
69	3PE	3X	105	-	50,50,50	0.92	2 (4%)	53,55,55	0.97	2 (3%)
75	CDL	3X	103	-	99,99,99	0.91	4 (4%)	105,111,111	1.11	5 (4%)
69	3PE	1f	102	-	42,42,50	0.99	2 (4%)	45,47,55	1.07	3 (6%)
91	PGV	4A	609	-	50,50,50	0.90	2 (4%)	53,56,56	1.13	4 (7%)
69	3PE	3P	515	-	50,50,50	0.92	2 (4%)	53,55,55	1.02	3 (5%)
75	CDL	1Y	217	-	99,99,99	0.90	4 (4%)	105,111,111	1.03	5 (4%)
69	3PE	1M	502	-	46,46,50	0.93	2 (4%)	49,51,55	1.07	2 (4%)
69	3PE	3W	102	-	41,41,50	0.99	2 (4%)	44,46,55	1.05	2 (4%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
69	3PE	1L	709	-	41,41,50	0.99	2 (4%)	44,46,55	1.28	4 (9%)
75	CDL	1d	202	-	85,85,99	0.95	5 (5%)	91,97,111	1.31	10 (10%)
69	3PE	1d	203	-	46,46,50	0.95	2 (4%)	49,51,55	1.12	3 (6%)
69	3PE	1Y	208	-	50,50,50	0.91	2 (4%)	53,55,55	1.10	3 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
69	3PE	3X	101	-	-	16/54/54/54	-
69	3PE	3J	104	-	-	14/54/54/54	-
69	3PE	3G	108	-	-	8/36/36/54	-
69	3PE	1g	202	-	-	20/54/54/54	-
75	CDL	1g	201	-	-	46/110/110/110	-
69	3PE	3P	514	-	-	15/54/54/54	-
69	3PE	1L	708	-	-	14/45/45/54	-
81	EHZ	1T	101	20	-	9/42/44/45	-
69	3PE	1k	101	-	-	16/49/49/54	-
70	PC1	1A	202	-	-	10/38/38/57	-
86	HEC	3Q	501	48	-	2/10/54/54	-
69	3PE	1m	205	-	-	11/54/54/54	-
91	PGV	4C	304	-	-	6/55/55/55	-
69	3PE	3X	106	-	-	14/54/54/54	-
69	3PE	1Y	201	-	-	12/45/45/54	-
69	3PE	3G	106	-	-	11/36/36/54	-
69	3PE	3G	102	-	-	13/36/36/54	-
87	PEK	4G	103	-	-	12/55/55/56	-
91	PGV	4J	101	-	-	12/46/46/55	-
83	AME	1h	201	-	-	2/9/10/12	-
69	3PE	1l	203	-	-	14/36/36/54	-
75	CDL	3N	502	-	-	38/110/110/110	-
91	PGV	4A	607	-	-	15/55/55/55	-
69	3PE	3C	515	-	-	16/51/51/54	-
69	3PE	3G	109	-	-	15/54/54/54	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
70	PC1	3J	106	-	-	10/57/57/57	-
79	NDP	1P	501	-	-	3/30/77/77	0/5/5/5
69	3PE	3C	509	-	-	16/54/54/54	-
69	3PE	3P	510	-	-	12/51/51/54	-
75	CDL	1d	205	-	-	41/103/103/110	-
85	HEM	3C	502	-	-	4/12/54/54	-
69	3PE	1Y	216	-	-	14/54/54/54	-
70	PC1	3P	509	-	-	17/57/57/57	-
75	CDL	1q	202	-	-	36/110/110/110	-
71	SF4	1G	802	7	-	-	0/6/5/5
69	3PE	1d	201	-	-	33/51/51/54	-
69	3PE	3G	104	-	-	14/36/36/54	-
69	3PE	1d	206	-	-	12/54/54/54	-
69	3PE	3Y	105	-	-	5/54/54/54	-
69	3PE	3P	519	-	-	15/54/54/54	-
69	3PE	3A	503	-	-	18/54/54/54	-
69	3PE	1Y	209	-	-	21/45/45/54	-
69	3PE	3J	103	-	-	13/54/54/54	-
69	3PE	3C	508	-	-	14/51/51/54	-
71	SF4	1G	801	7	-	-	0/6/5/5
69	3PE	4G	101	-	-	15/35/35/54	-
75	CDL	1N	402	-	-	32/87/87/110	-
69	3PE	3P	503	-	-	17/54/54/54	-
69	3PE	4G	104	-	-	6/44/44/54	-
72	FES	1G	803	7	-	-	0/1/1/1
69	3PE	1L	711	-	-	12/44/44/54	-
69	3PE	3A	502	-	-	16/54/54/54	-
70	PC1	1H	403	-	-	12/51/51/57	-
91	PGV	4A	608	-	-	4/55/55/55	-
69	3PE	3Y	101	-	-	22/54/54/54	-
69	3PE	1f	104	-	-	17/51/51/54	-
71	SF4	1I	201	9	-	-	0/6/5/5
70	PC1	1Y	202	-	-	19/38/38/57	-
75	CDL	1i	201	-	-	12/90/90/110	-
69	3PE	3P	517	-	-	13/54/54/54	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
84	MYR	1l	201	-	-	2/12/12/13	-
71	SF4	1I	202	9	-	-	0/6/5/5
69	3PE	1h	204	-	-	19/50/50/54	-
69	3PE	1m	202	-	-	10/45/45/54	-
70	PC1	1P	502	-	-	12/36/36/57	-
70	PC1	1H	404	-	-	7/44/44/57	-
70	PC1	1Y	207	-	-	11/57/57/57	-
82	PGT	1Y	203	-	-	26/55/55/55	-
69	3PE	3S	201	-	-	17/54/54/54	-
76	AYA	1I	203	-	-	2/5/6/8	-
75	CDL	3D	504	-	-	20/66/66/110	-
69	3PE	1Z	201	-	-	5/54/54/54	-
69	3PE	3R	304	-	-	18/54/54/54	-
70	PC1	3R	303	-	-	17/57/57/57	-
75	CDL	3F	201	-	-	38/110/110/110	-
69	3PE	3Q	504	-	-	16/49/49/54	-
69	3PE	3Y	107	-	-	18/54/54/54	-
69	3PE	1Y	210	-	-	16/45/45/54	-
69	3PE	3J	105	-	-	12/54/54/54	-
69	3PE	1L	707	-	-	5/45/45/54	-
85	HEM	3P	501	47	-	6/12/54/54	-
70	PC1	1Y	206	-	-	15/49/49/57	-
70	PC1	1h	202	-	-	13/50/50/57	-
70	PC1	3X	104	-	-	20/57/57/57	-
69	3PE	1b	101	-	-	12/45/45/54	-
69	3PE	3P	512	-	-	13/51/51/54	-
75	CDL	3A	501	-	-	29/108/108/110	-
85	HEM	3C	501	47	-	5/12/54/54	-
69	3PE	3Q	502	-	-	8/44/44/54	-
75	CDL	3Y	106	-	-	36/110/110/110	-
69	3PE	1Y	214	-	-	14/54/54/54	-
69	3PE	3G	111	-	-	23/51/51/54	-
70	PC1	1M	501	-	-	18/47/47/57	-
69	3PE	3P	505	-	-	11/35/35/54	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
69	3PE	3P	511	-	-	7/48/48/54	-
69	3PE	3D	502	-	-	16/44/44/54	-
69	3PE	3X	108	-	-	14/54/54/54	-
70	PC1	1B	203	-	-	21/51/51/57	-
91	PGV	4N	101	-	-	15/55/55/55	-
72	FES	1E	301	5	-	-	0/1/1/1
69	3PE	3X	107	-	-	13/54/54/54	-
69	3PE	3J	101	-	-	19/50/50/54	-
69	3PE	3P	516	-	-	12/54/54/54	-
69	3PE	1Y	211	-	-	9/54/54/54	-
69	3PE	3G	101	-	-	15/54/54/54	-
69	3PE	3C	510	-	-	14/38/38/54	-
69	3PE	1L	703	-	-	13/47/47/54	-
69	3PE	1L	701	-	-	16/49/49/54	-
69	3PE	3C	505	-	-	17/54/54/54	-
69	3PE	1L	710	-	-	16/41/41/54	-
70	PC1	1h	203	-	-	17/49/49/57	-
69	3PE	3G	105	-	-	15/36/36/54	-
69	3PE	3C	516	-	-	8/46/46/54	-
86	HEC	3D	501	48	-	5/9/53/54	-
93	PSC	4B	303	-	-	18/55/55/55	-
88	HEA	4A	602	55	-	6/32/76/76	-
69	3PE	3P	507	-	-	19/54/54/54	-
69	3PE	3Q	503	-	-	17/49/49/54	-
75	CDL	1H	401	-	-	20/61/61/110	-
69	3PE	3C	514	-	-	8/38/38/54	-
69	3PE	3G	103	-	-	10/36/36/54	-
69	3PE	1Y	205	-	-	10/43/43/54	-
69	3PE	3C	504	-	-	10/49/49/54	-
69	3PE	3Y	104	-	-	20/54/54/54	-
69	3PE	3W	101	-	-	15/54/54/54	-
69	3PE	1Y	215	-	-	21/46/46/54	-
69	3PE	1J	201	-	-	18/54/54/54	-
69	3PE	1e	201	-	-	13/54/54/54	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
69	3PE	1L	712	-	-	20/54/54/54	-
69	3PE	1Y	213	-	-	35/54/54/54	-
69	3PE	1l	202	-	-	18/45/45/54	-
69	3PE	3C	512	-	-	16/54/54/54	-
71	SF4	1B	201	2	-	-	0/6/5/5
91	PGV	4C	305	-	-	11/55/55/55	-
69	3PE	1N	401	-	-	17/54/54/54	-
75	CDL	4B	302	-	-	27/110/110/110	-
91	PGV	4C	301	-	-	2/55/55/55	-
69	3PE	3D	503	-	-	16/48/48/54	-
72	FES	3R	301	-	-	-	0/1/1/1
77	GTP	1O	401	78	-	4/18/38/38	0/3/3/3
75	CDL	1L	704	-	-	31/97/97/110	-
70	PC1	1J	202	-	-	17/38/38/57	-
91	PGV	4A	606	-	-	9/55/55/55	-
75	CDL	3P	513	-	-	15/110/110/110	-
69	3PE	3Y	102	-	-	9/48/48/54	-
69	3PE	3P	508	-	-	16/54/54/54	-
69	3PE	1Y	204	-	-	5/34/34/54	-
70	PC1	1d	204	-	-	24/42/42/57	-
91	PGV	4C	303	-	-	9/55/55/55	-
70	PC1	1H	402	-	-	14/57/57/57	-
91	PGV	4G	102	-	-	18/55/55/55	-
69	3PE	1f	103	-	-	10/46/46/54	-
69	3PE	1f	101	-	-	20/48/48/54	-
69	3PE	3C	507	-	-	23/54/54/54	-
69	3PE	1A	203	-	-	15/44/44/54	-
69	3PE	3E	303	-	-	17/52/52/54	-
69	3PE	3C	503	-	-	13/54/54/54	-
91	PGV	4K	101	-	-	10/47/47/55	-
69	3PE	1A	201	-	-	11/50/50/54	-
69	3PE	1m	204	-	-	13/54/54/54	-
69	3PE	3E	302	-	-	20/54/54/54	-
69	3PE	3Y	103	-	-	2/35/35/54	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
69	3PE	3R	305	-	-	15/54/54/54	-
69	3PE	1Y	212	-	-	10/47/47/54	-
73	FMN	1F	501	-	-	2/18/18/18	0/3/3/3
69	3PE	3W	103	-	-	16/54/54/54	-
72	FES	3E	301	49	-	-	0/1/1/1
88	HEA	4A	601	55	-	8/32/76/76	-
69	3PE	3G	110	-	-	10/46/46/54	-
69	3PE	1m	201	-	-	13/53/53/54	-
69	3PE	3C	517	-	-	4/35/35/54	-
69	3PE	1B	204	-	-	15/54/54/54	-
70	PC1	3T	102	-	-	18/57/57/57	-
87	PEK	3X	102	-	-	19/56/56/56	-
69	3PE	3G	107	-	-	8/36/36/54	-
69	3PE	3C	506	-	-	16/50/50/54	-
69	3PE	3P	520	-	-	14/54/54/54	-
69	3PE	3C	511	-	-	15/54/54/54	-
69	3PE	3J	102	-	-	10/41/41/54	-
69	3PE	1m	203	-	-	15/45/45/54	-
69	3PE	1o	201	-	-	20/54/54/54	-
69	3PE	3R	302	-	-	18/54/54/54	-
69	3PE	1L	702	-	-	19/48/48/54	-
75	CDL	1q	201	-	-	15/71/71/110	-
69	3PE	1L	705	-	-	14/52/52/54	-
69	3PE	3N	501	-	-	15/54/54/54	-
81	EHZ	1n	201	-	-	5/42/44/45	-
69	3PE	1l	204	-	-	19/54/54/54	-
69	3PE	1L	706	-	-	9/36/36/54	-
69	3PE	1B	205	-	-	16/54/54/54	-
69	3PE	3P	518	-	-	16/54/54/54	-
75	CDL	4C	307	-	-	19/110/110/110	-
69	3PE	1J	203	-	-	6/47/47/54	-
69	3PE	3T	103	-	-	13/54/54/54	-
69	3PE	3P	504	-	-	8/41/41/54	-
69	3PE	1g	203	-	-	13/36/36/54	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
75	CDL	4C	306	-	-	39/110/110/110	-
70	PC1	1B	202	-	-	20/49/49/57	-
91	PGV	4C	302	-	-	12/55/55/55	-
69	3PE	3C	513	-	-	14/54/54/54	-
71	SF4	1F	502	6	-	-	0/6/5/5
75	CDL	3T	101	-	-	21/67/67/110	-
69	3PE	3P	506	-	-	16/54/54/54	-
85	HEM	3P	502	47	-	6/12/54/54	-
69	3PE	3N	503	-	-	16/54/54/54	-
69	3PE	3X	105	-	-	13/54/54/54	-
75	CDL	3X	103	-	-	44/110/110/110	-
69	3PE	1f	102	-	-	13/46/46/54	-
91	PGV	4A	609	-	-	13/55/55/55	-
69	3PE	3P	515	-	-	20/54/54/54	-
75	CDL	1Y	217	-	-	39/110/110/110	-
69	3PE	1M	502	-	-	17/50/50/54	-
69	3PE	3W	102	-	-	16/45/45/54	-
69	3PE	1L	709	-	-	11/45/45/54	-
75	CDL	1d	202	-	-	31/96/96/110	-
69	3PE	1d	203	-	-	27/50/50/54	-
69	3PE	1Y	208	-	-	12/54/54/54	-

The worst 5 of 539 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
70	1B	202	PC1	C24-C23	40.35	3.52	1.51
86	3Q	501	HEC	C3C-C2C	6.26	1.47	1.40
86	3D	501	HEC	C3C-C2C	6.09	1.47	1.40
86	3Q	501	HEC	C2B-C3B	5.93	1.47	1.40
86	3D	501	HEC	C2B-C3B	5.80	1.47	1.40

The worst 5 of 863 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
69	1L	710	3PE	O21-C21-C22	22.31	159.74	111.48
69	3Q	502	3PE	O21-C21-C22	21.62	158.26	111.48
69	3Q	502	3PE	O21-C21-O22	-19.37	78.41	123.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
69	3W	103	3PE	O31-C31-O32	-19.03	76.02	123.63
69	1L	710	3PE	O21-C21-O22	-18.92	79.47	123.70

There are no chirality outliers.


5 of 3137 torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
69	1A	201	3PE	C11-O13-P-O11
69	1A	201	3PE	C11-O13-P-O12
69	1A	201	3PE	C11-O13-P-O14
69	1A	203	3PE	C11-O13-P-O11
69	1A	203	3PE	C11-O13-P-O12


There are no ring outliers.



No monomer is involved in short contacts.



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.














Ligand HEC 3Q 501




Bond lengths



Bond angles




Torsions




Rings


Ligand 3PE 1m 205




Bond lengths




Bond angles







Torsions







Rings

























Ligand HEM 3C 502







Ligand 3PE 1Y 216



























































Ligand PC1 1Y 207	
	
Bond lengths	Bond angles
	
Torsions	Rings



Ligand PGT 1Y 203	
	
Bond lengths	Bond angles
	
Torsions	Rings


Ligand 3PE 3S 201	
	
Bond lengths	Bond angles
	
Torsions	Rings






















Ligand HEM 3C 501









Ligand 3PE 3Q 502












































































































































Ligand PC1 3T 102	
 <p>Bond lengths</p>	 <p>Bond angles</p>
 <p>Torsions</p>	 <p>Rings</p>
Ligand PEK 3X 102	
 <p>Bond lengths</p>	 <p>Bond angles</p>
 <p>Torsions</p>	 <p>Rings</p>







































Ligand HEM 3P 502








Ligand 3PE 3N 503














5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
53	3W	3
53	3J	2
51	3G	1
52	3H	1

The worst 5 of 7 chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	3G	75:ASN	C	82:PRO	N	2.65
1	3H	77:GLU	C	78:ASP	N	2.52
1	3W	57:LYS	C	58:HIS	N	2.37
1	3J	59:LYS	C	60:TYR	N	1.79
1	3J	56:ILE	C	57:LYS	N	1.07


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-42225. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 320



Y Index: 320




Z Index: 320


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 300



Y Index: 342




Z Index: 319


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.07. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 61222 nm³; this corresponds to an approximate mass of 5530 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.476 Å⁻¹


8 Fourier-Shell correlation ⓘ

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-42225 and PDB model 8UGH. Per-residue inclusion information can be found in [section 3](#) on [page 40](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.07 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.07).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 100% of all backbone atoms, 99% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ





















































































The table lists the average atom inclusion at the recommended contour level (0.07) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9880	 0.4640
1A	 0.9850	 0.4890
1B	 0.9970	 0.5530
1C	 0.9940	 0.5640
1D	 0.9930	 0.5690
1E	 0.9740	 0.4480
1F	 0.9800	 0.4530
1G	 0.9890	 0.4920
1H	 0.9960	 0.5470
1I	 0.9970	 0.5700
1J	 0.9970	 0.4700
1K	 0.9960	 0.5340
1L	 0.9980	 0.5100
1M	 1.0000	 0.5660
1N	 0.9990	 0.5680
1O	 0.9810	 0.5080
1P	 0.9820	 0.5060
1Q	 0.9330	 0.4950
1R	 0.9810	 0.5220
1S	 0.9720	 0.4570
1T	 0.9580	 0.3790
1U	 0.9910	 0.4370
1V	 0.9630	 0.5190
1W	 0.9640	 0.5210
1X	 0.9960	 0.5020
1Y	 0.9960	 0.4570
1Z	 0.9950	 0.5150
1a	 0.9980	 0.5440
1b	 0.9820	 0.4920
1c	 0.9850	 0.4660
1d	 0.9970	 0.5400
1e	 0.9940	 0.5000
1f	 0.9800	 0.4660
1g	 0.9920	 0.4970
1h	 0.9980	 0.5310













Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
1i	 0.9930	 0.4440
1j	 0.9930	 0.4170
1k	 0.9840	 0.3990
1l	 0.9940	 0.4960
1m	 0.9990	 0.4860
1n	 0.9970	 0.4730
1o	 0.9980	 0.4490
1p	 1.0000	 0.5200
1q	 0.9960	 0.5390
1r	 0.9930	 0.5460
1s	 0.9380	 0.4160
3A	 0.9670	 0.3190
3B	 0.9820	 0.3030
3C	 0.9940	 0.4390
3D	 0.9960	 0.4890
3E	 0.9910	 0.3270
3F	 0.9540	 0.3590
3G	 0.9070	 0.3240
3H	 0.9710	 0.4230
3I	 0.9970	 0.3670
3J	 0.9960	 0.4200
3N	 1.0000	 0.4360
3O	 0.9970	 0.3550
3P	 1.0000	 0.4720
3Q	 1.0000	 0.5100
3R	 0.9890	 0.3080
3S	 1.0000	 0.4180
3T	 0.9970	 0.4580
3U	 1.0000	 0.4590
3V	 0.9910	 0.3240
3W	 1.0000	 0.4340
3X	 1.0000	 0.3610
3Y	 0.9940	 0.3390
4A	 0.9900	 0.4630
4B	 0.9900	 0.4110
4C	 0.9900	 0.4560
4D	 0.9470	 0.3920
4E	 0.9400	 0.3040
4F	 0.9290	 0.4000
4G	 0.9940	 0.4080
4H	 0.9700	 0.4090
4I	 0.9870	 0.3920

Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
4J	 0.9940	 0.4810
4K	 0.9980	 0.4330
4L	 0.9650	 0.4530
4M	 0.9850	 0.4420
4N	 0.9710	 0.3780