



wwPDB EM Validation Summary Report ⓘ

Oct 13, 2024 – 05:28 PM EDT

PDB ID : 7UND
EMDB ID : EMD-26621
Title : Pol II-DSIF-SPT6-PAF1c-TFIIS-nucleosome complex (stalled at +38)
Authors : Filipovski, M.; Vos, S.M.; Farnung, L.
Deposited on : 2022-04-10
Resolution : 3.00 Å(reported)
Based on initial models : 6TED, 3LZ0

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev113
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4.02b-467
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



| Metric | Whole archive (#Entries) | EM structures (#Entries) |
|-----------------------|-----------------------------|-----------------------------|
| Clashscore | 210492 | 15764 |
| Ramachandran outliers | 207382 | 16835 |
| Sidechain outliers | 206894 | 16415 |
| RNA backbone | 6643 | 2191 |

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

| Mol | Chain | Length | Quality of chain |
|-----|-------|--------|------------------|
| 1 | A | 1984 | |
| 2 | B | 1251 | |
| 3 | C | 275 | |
| 4 | D | 184 | |
| 5 | E | 210 | |
| 6 | F | 127 | |
| 7 | G | 172 | |


Continued on next page...

Continued from previous page...

| Mol | Chain | Length | Quality of chain |
|-----|-------|--------|------------------|
| 8 | H | 150 | |
| 9 | I | 125 | |
| 10 | J | 67 | |
| 11 | K | 117 | |
| 12 | L | 58 | |
| 13 | M | 1729 | |
| 14 | N | 209 | |
| 15 | O | 304 | |
| 16 | P | 18 | |
| 17 | Q | 1179 | |
| 18 | R | 713 | |
| 19 | T | 215 | |
| 20 | U | 666 | |
| 21 | V | 531 | |
| 22 | W | 305 | |
| 23 | X | 531 | |
| 24 | Y | 117 | |
| 25 | Z | 1087 | |
| 26 | a | 136 | |
| 26 | e | 136 | |
| 27 | b | 103 | |
| 27 | f | 103 | |
| 28 | c | 130 | |
| 28 | g | 130 | |
| 29 | d | 123 | |

Continued on next page...

Continued from previous page...

| Mol | Chain | Length | Quality of chain |
|-----|-------|--------|--|
| 29 | h | 123 |  |

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

| Mol | Type | Chain | Res | Chirality | Geometry | Clashes | Electron density |
|-----|------|-------|-----|-----------|----------|---------|------------------|
| 30 | ZN | C | 301 | - | - | X | - |

2 Entry composition

There are 31 unique types of molecules in this entry. The entry contains 129470 atoms, of which 61557 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DNA-directed RNA polymerase subunit.

| Mol | Chain | Residues | Atoms | | | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-------|------|------|---|----|---------|-------|
| 1 | A | 1426 | Total | C | H | N | O | P | S | 0 | 0 |
| | | | 22640 | 7074 | 11385 | 2014 | 2095 | 2 | 70 | | |

- Molecule 2 is a protein called DNA-directed RNA polymerase subunit beta.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|------|------|------|----|---------|-------|
| 2 | B | 1122 | Total | C | H | N | O | S | 0 | 0 |
| | | | 18004 | 5684 | 9024 | 1576 | 1656 | 64 | | |

- Molecule 3 is a protein called DNA-directed RNA polymerase II subunit RPB3.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|------|-----|-----|---|---------|-------|
| 3 | C | 258 | Total | C | H | N | O | S | 0 | 0 |
| | | | 4093 | 1300 | 2021 | 356 | 410 | 6 | | |

- Molecule 4 is a protein called RPOL4c domain-containing protein.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|-----|---|---------|-------|
| 4 | D | 126 | Total | C | H | N | O | S | 0 | 0 |
| | | | 1985 | 630 | 981 | 170 | 200 | 4 | | |

- Molecule 5 is a protein called DNA-directed RNA polymerase II subunit E.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|------|-----|-----|---|---------|-------|
| 5 | E | 209 | Total | C | H | N | O | S | 0 | 0 |
| | | | 3456 | 1089 | 1736 | 300 | 323 | 8 | | |

- Molecule 6 is a protein called DNA-directed RNA polymerases I, II, and III subunit RPABC2.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|-----|---|---------|-------|
| 6 | F | 78 | Total | C | H | N | O | S | 0 | 0 |
| | | | 1284 | 401 | 658 | 106 | 114 | 5 | | |

- Molecule 7 is a protein called DNA-directed RNA polymerase II subunit RPB7.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|------|-----|-----|---|---------|-------|
| 7 | G | 171 | Total | C | H | N | O | S | 0 | 0 |
| | | | 2654 | 866 | 1321 | 214 | 245 | 8 | | |

- Molecule 8 is a protein called RPB8.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|------|-----|-----|---|---------|-------|
| 8 | H | 149 | Total | C | H | N | O | S | 0 | 0 |
| | | | 2354 | 759 | 1157 | 195 | 238 | 5 | | |

- Molecule 9 is a protein called RPB9.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|-----|----|---------|-------|
| 9 | I | 116 | Total | C | H | N | O | S | 0 | 0 |
| | | | 1816 | 582 | 874 | 168 | 181 | 11 | | |

- Molecule 10 is a protein called RPB10.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|----|----|---|---------|-------|
| 10 | J | 66 | Total | C | H | N | O | S | 0 | 0 |
| | | | 1065 | 339 | 541 | 88 | 91 | 6 | | |

- Molecule 11 is a protein called RPB11.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|-----|---|---------|-------|
| 11 | K | 115 | Total | C | H | N | O | S | 0 | 0 |
| | | | 1862 | 593 | 942 | 152 | 173 | 2 | | |

- Molecule 12 is a protein called RNA polymerase II subunit K.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|----|----|---|---------|-------|
| 12 | L | 47 | Total | C | H | N | O | S | 0 | 0 |
| | | | 804 | 246 | 407 | 77 | 68 | 6 | | |

- Molecule 13 is a protein called Transcription elongation factor SPT6.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|------|------|------|---|---------|-------|
| 13 | M | 1002 | Total | C | H | N | O | S | 0 | 0 |
| | | | 7565 | 2738 | 2638 | 1074 | 1108 | 7 | | |

There are 3 discrepancies between the modelled and reference sequences:

| Chain | Residue | Modelled | Actual | Comment | Reference |
|-------|---------|----------|--------|----------------|------------|
| M | -2 | SER | - | expression tag | UNP Q7KZ85 |
| M | -1 | ASN | - | expression tag | UNP Q7KZ85 |
| M | 0 | ALA | - | expression tag | UNP Q7KZ85 |

- Molecule 14 is a DNA chain called Non-template DNA.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|------|-----|-----|-----|---------|-------|
| 14 | N | 120 | Total | C | H | N | O | P | 0 | 0 |
| | | | 3815 | 1169 | 1355 | 433 | 738 | 120 | | |

- Molecule 15 is a protein called Transcription elongation factor A protein 1.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|----|---------|-------|
| 15 | O | 161 | Total | C | N | O | S | 0 | 0 |
| | | | 1274 | 778 | 234 | 248 | 14 | | |

There are 3 discrepancies between the modelled and reference sequences:

| Chain | Residue | Modelled | Actual | Comment | Reference |
|-------|---------|----------|--------|----------------|------------|
| O | -2 | SER | - | expression tag | UNP P23193 |
| O | -1 | ASN | - | expression tag | UNP P23193 |
| O | 0 | ALA | - | expression tag | UNP P23193 |

- Molecule 16 is a RNA chain called RNA.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|----|-----|----|---------|-------|
| 16 | P | 18 | Total | C | H | N | O | P | 0 | 0 |
| | | | 572 | 169 | 191 | 61 | 133 | 18 | | |

- Molecule 17 is a protein called RNA polymerase-associated protein CTR9 homolog.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|------|------|------|----|---------|-------|
| 17 | Q | 890 | Total | C | H | N | O | S | 0 | 0 |
| | | | 14397 | 4579 | 7171 | 1264 | 1352 | 31 | | |

There are 6 discrepancies between the modelled and reference sequences:

| Chain | Residue | Modelled | Actual | Comment | Reference |
|-------|---------|----------|--------|----------------|------------|
| Q | 1174 | GLU | - | expression tag | UNP Q6PD62 |
| Q | 1175 | ASN | - | expression tag | UNP Q6PD62 |
| Q | 1176 | LEU | - | expression tag | UNP Q6PD62 |
| Q | 1177 | TYR | - | expression tag | UNP Q6PD62 |

Continued on next page...

Continued from previous page...

| Chain | Residue | Modelled | Actual | Comment | Reference |
|-------|---------|----------|--------|----------------|------------|
| Q | 1178 | PHE | - | expression tag | UNP Q6PD62 |
| Q | 1179 | GLN | - | expression tag | UNP Q6PD62 |

- Molecule 18 is a protein called RNA polymerase-associated protein RTF1 homolog.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|------|-----|-----|---|---------|-------|
| 18 | R | 244 | Total | C | H | N | O | S | 0 | 0 |
| | | | 3537 | 1152 | 1701 | 340 | 337 | 7 | | |

There are 3 discrepancies between the modelled and reference sequences:

| Chain | Residue | Modelled | Actual | Comment | Reference |
|-------|---------|----------|--------|----------------|------------|
| R | -2 | SER | - | expression tag | UNP Q92541 |
| R | -1 | ASN | - | expression tag | UNP Q92541 |
| R | 0 | ALA | - | expression tag | UNP Q92541 |

- Molecule 19 is a DNA chain called Template DNA.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|------|-----|-----|-----|---------|-------|
| 19 | T | 131 | Total | C | H | N | O | P | 0 | 0 |
| | | | 4138 | 1267 | 1458 | 518 | 764 | 131 | | |

- Molecule 20 is a protein called RNA polymerase-associated protein LEO1.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|-----|---|---------|-------|
| 20 | U | 125 | Total | C | H | N | O | S | 0 | 0 |
| | | | 1544 | 538 | 687 | 151 | 167 | 1 | | |

- Molecule 21 is a protein called RNA polymerase II-associated factor 1 homolog.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|------|-----|-----|---|---------|-------|
| 21 | V | 244 | Total | C | H | N | O | S | 0 | 0 |
| | | | 3161 | 1066 | 1450 | 306 | 335 | 4 | | |

- Molecule 22 is a protein called WDR61.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|------|-----|-----|---|---------|-------|
| 22 | W | 300 | Total | C | H | N | O | S | 0 | 0 |
| | | | 4580 | 1483 | 2247 | 392 | 454 | 4 | | |

- Molecule 23 is a protein called Parafibromin.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|----|----|---------|-------|
| 23 | X | 43 | Total | C | H | N | O | 0 | 0 |
| | | | 725 | 220 | 372 | 69 | 64 | | |

- Molecule 24 is a protein called Transcription elongation factor SPT4.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace | |
|-----|-------|----------|-------|-----|-----|-----|-----|---------|-------|---|
| 24 | Y | 116 | Total | C | H | N | O | S | 0 | 0 |
| | | | 1820 | 570 | 909 | 159 | 173 | 9 | | |

- Molecule 25 is a protein called Transcription elongation factor SPT5.

| Mol | Chain | Residues | Atoms | | | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|------|-----|-----|---|----|---------|-------|
| 25 | Z | 510 | Total | C | H | N | O | P | S | 0 | 0 |
| | | | 8071 | 2552 | 4046 | 709 | 745 | 1 | 18 | | |

- Molecule 26 is a protein called Histone H3.2.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|-----|---|---------|-------|
| 26 | a | 97 | Total | C | H | N | O | S | 0 | 0 |
| | | | 1643 | 506 | 841 | 155 | 138 | 3 | | |
| 26 | e | 97 | Total | C | H | N | O | S | 0 | 0 |
| | | | 1640 | 504 | 839 | 155 | 139 | 3 | | |

There are 2 discrepancies between the modelled and reference sequences:

| Chain | Residue | Modelled | Actual | Comment | Reference |
|-------|---------|----------|--------|---------------------|------------|
| a | 102 | ALA | GLY | engineered mutation | UNP P84233 |
| e | 102 | ALA | GLY | engineered mutation | UNP P84233 |

- Molecule 27 is a protein called Histone H4.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|-----|---|---------|-------|
| 27 | b | 83 | Total | C | H | N | O | S | 0 | 0 |
| | | | 1372 | 418 | 710 | 129 | 114 | 1 | | |
| 27 | f | 78 | Total | C | H | N | O | S | 0 | 0 |
| | | | 1279 | 391 | 660 | 120 | 107 | 1 | | |

- Molecule 28 is a protein called Histone H2A.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|-----|---------|-------|
| 28 | c | 103 | Total | C | H | N | O | 0 | 0 |
| | | | 1642 | 501 | 847 | 155 | 139 | | |

Continued on next page...

Continued from previous page...

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|-----|---------|-------|
| 28 | g | 105 | Total | C | H | N | O | 0 | 0 |
| | | | 1674 | 510 | 865 | 158 | 141 | | |

- Molecule 29 is a protein called Histone H2B 1.1.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|-----|---|---------|-------|
| 29 | d | 95 | Total | C | H | N | O | S | 0 | 0 |
| | | | 1519 | 469 | 774 | 134 | 140 | 2 | | |
| 29 | h | 93 | Total | C | H | N | O | S | 0 | 0 |
| | | | 1475 | 457 | 749 | 130 | 137 | 2 | | |

There are 4 discrepancies between the modelled and reference sequences:

| Chain | Residue | Modelled | Actual | Comment | Reference |
|-------|---------|----------|--------|-----------------------|------------|
| d | 0 | MET | - | initiating methionine | UNP P02281 |
| d | 29 | THR | SER | engineered mutation | UNP P02281 |
| h | 0 | MET | - | initiating methionine | UNP P02281 |
| h | 29 | THR | SER | engineered mutation | UNP P02281 |

- Molecule 30 is ZINC ION (three-letter code: ZN) (formula: Zn).

| Mol | Chain | Residues | Atoms | | AltConf |
|-----|-------|----------|-------|----|---------|
| 30 | A | 2 | Total | Zn | 0 |
| | | | 2 | 2 | |
| 30 | B | 1 | Total | Zn | 0 |
| | | | 1 | 1 | |
| 30 | C | 1 | Total | Zn | 0 |
| | | | 1 | 1 | |
| 30 | I | 2 | Total | Zn | 0 |
| | | | 2 | 2 | |
| 30 | J | 1 | Total | Zn | 0 |
| | | | 1 | 1 | |
| 30 | R | 1 | Total | Zn | 0 |
| | | | 1 | 1 | |
| 30 | Y | 1 | Total | Zn | 0 |
| | | | 1 | 1 | |


- Molecule 31 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

| Mol | Chain | Residues | Atoms | | AltConf |
|-----|-------|----------|-------|----|---------|
| 31 | A | 1 | Total | Mg | 0 |
| | | | 1 | 1 | |

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: DNA-directed RNA polymerase subunit






| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| R380 | R383 | R386 | R389 | R392 | R395 | R398 | R401 | R404 | R407 | R410 | R413 | R416 | R419 | R422 | R425 | R428 | R431 | R434 | R437 | R440 | R443 | R446 | R449 | R452 | R455 | R458 | R461 | R464 | R467 | R470 | R473 | R476 | R479 | R482 | R485 | R488 | R491 | R494 | R497 | R500 | R503 | R506 | R509 | R512 | R515 | R518 | R521 | R524 | R527 | R530 | R533 | R536 | R539 | R542 | R545 | R548 | R551 | R554 | R557 | R560 | R563 | R566 | R569 | R572 | R575 | R578 | R581 | R584 | R587 | R590 | R593 | R596 | R599 | R602 | R605 | R608 | R611 | R614 | R617 | R620 | R623 | R626 | R629 | R632 | R635 | R638 | R641 | R644 | R647 | R650 | R653 | R656 | R659 | R662 | R665 | R668 | R671 | R674 | R677 | R680 | R683 | R686 | R689 | R692 | R695 | R698 | R701 | R704 | R707 | R710 | R713 | R716 | R719 | R722 | R725 | R728 | R731 | R734 | R737 | R740 | R743 | R746 | R749 | R752 | R755 | R758 | R761 | R764 | R767 | R770 | R773 | R776 | R779 | R782 | R785 | R788 | R791 | R794 | R797 | R800 | R803 | R806 | R809 | R812 | R815 | R818 | R821 | R824 | R827 | R830 | R833 | R836 | R839 | R842 | R845 | R848 | R851 | R854 | R857 | R860 | R863 | R866 | R869 | R872 | R875 | R878 | R881 | R884 | R887 | R890 | R893 | R896 | R899 | R902 | R905 | R908 | R911 | R914 | R917 | R920 | R923 | R926 | R929 | R932 | R935 | R938 | R941 | R944 | R947 | R950 | R953 | R956 | R959 | R962 | R965 | R968 | R971 | R974 | R977 | R980 | R983 | R986 | R989 | R992 | R995 | R998 | R1001 | R1004 | R1007 | R1010 | R1013 | R1016 | R1019 | R1022 | R1025 | R1028 | R1031 | R1034 | R1037 | R1040 | R1043 | R1046 | R1049 | R1052 | R1055 | R1058 | R1061 | R1064 | R1067 | R1070 | R1073 | R1076 | R1079 | R1082 | R1085 | R1088 | R1091 | R1094 | R1097 | R1100 | R1103 | R1106 | R1109 | R1112 | R1115 | R1118 | R1121 | R1124 | R1127 | R1130 | R1133 | R1136 | R1139 | R1142 | R1145 | R1148 | R1151 | R1154 | R1157 | R1160 | R1163 | R1166 | R1169 | R1172 | R1175 | R1178 | R1181 | R1184 | R1187 | R1190 | R1193 | R1196 | R1199 | R1202 | R1205 | R1208 | R1211 | R1214 | R1217 | R1220 | R1223 | R1226 | R1229 | R1232 | R1235 | R1238 | R1241 | R1244 | R1247 | R1250 | R1253 | R1256 | R1259 | R1262 | R1265 | R1268 | R1271 | R1274 | R1277 | R1280 | R1283 | R1286 | R1289 | R1292 | R1295 | R1298 | R1301 | R1304 | R1307 | R1310 | R1313 | R1316 | R1319 | R1322 | R1325 | R1328 | R1331 | R1334 | R1337 | R1340 | R1343 | R1346 | R1349 | R1352 | R1355 | R1358 | R1361 | R1364 | R1367 | R1370 | R1373 | R1376 | R1379 | R1382 | R1385 | R1388 | R1391 | R1394 | R1397 | R1400 | R1403 | R1406 | R1409 | R1412 | R1415 | R1418 | R1421 | R1424 | R1427 | R1430 | R1433 | R1436 | R1439 | R1442 | R1445 | R1448 | R1451 | R1454 | R1457 | R1460 | R1463 | R1466 | R1469 | R1472 | R1475 | R1478 | R1481 | R1484 | R1487 | R1490 | R1493 | R1496 | R1499 | R1502 | R1505 | R1508 | R1511 | R1514 | R1517 | R1520 | R1523 | R1526 | R1529 | R1532 | R1535 | R1538 | R1541 | R1544 | R1547 | R1550 | R1553 | R1556 | R1559 | R1562 | R1565 | R1568 | R1571 | R1574 | R1577 | R1580 | R1583 | R1586 | R1589 | R1592 | R1595 | R1598 | R1601 | R1604 | R1607 | R1610 | R1613 | R1616 | R1619 | R1622 | R1625 | R1628 | R1631 | R1634 | R1637 | R1640 | R1643 | R1646 | R1649 | R1652 | R1655 | R1658 | R1661 | R1664 | R1667 | R1670 | R1673 | R1676 | R1679 | R1682 | R1685 | R1688 | R1691 | R1694 | R1697 | R1700 | R1703 | R1706 | R1709 | R1712 | R1715 | R1718 | R1721 | R1724 | R1727 | R1730 | R1733 | R1736 | R1739 | R1742 | R1745 | R1748 | R1751 | R1754 | R1757 | R1760 | R1763 | R1766 | R1769 | R1772 | R1775 | R1778 | R1781 | R1784 | R1787 | R1790 | R1793 | R1796 | R1799 | R1802 | R1805 | R1808 | R1811 |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|

Chain E: 





- Molecule 6: DNA-directed RNA polymerases I, II, and III subunit RPABC2

Chain F: 




- Molecule 7: DNA-directed RNA polymerase II subunit RPB7

Chain G: 




- Molecule 8: RPB8

Chain H: 




- Molecule 9: RPB9


Chain I: 









- Molecule 16: RNA




- Molecule 17: RNA polymerase-associated protein CTR9 homolog





- Molecule 18: RNA polymerase-associated protein RTF1 homolog


[illegible]




• Molecule 22: WDR61





• Molecule 23: Parafibromin







• Molecule 26: Histone H3.2






• Molecule 27: Histone H4



• Molecule 27: Histone H4




• Molecule 28: Histone H2A




• Molecule 28: Histone H2A






• Molecule 29: Histone H2B 1.1



• Molecule 29: Histone H2B 1.1



4 Experimental information

| Property | Value | Source |
|--------------------------------------|---|-----------|
| EM reconstruction method | SINGLE PARTICLE | Depositor |
| Imposed symmetry | POINT, Not provided | |
| Number of particles used | 105420 | Depositor |
| Resolution determination method | FSC 0.143 CUT-OFF | Depositor |
| CTF correction method | PHASE FLIPPING AND AMPLITUDE CORRECTION | Depositor |
| Microscope | FEI TITAN KRIOS | Depositor |
| Voltage (kV) | 300 | Depositor |
| Electron dose ($e^-/\text{\AA}^2$) | 52 | Depositor |
| Minimum defocus (nm) | 500 | Depositor |
| Maximum defocus (nm) | 2000 | Depositor |
| Magnification | 105000 | Depositor |
| Image detector | GATAN K3 BIOQUANTUM (6k x 4k) | Depositor |
| Maximum map value | 0.935 | Depositor |
| Minimum map value | -0.271 | Depositor |
| Average map value | -0.000 | Depositor |
| Map value standard deviation | 0.023 | Depositor |
| Recommended contour level | 0.0832 | Depositor |
| Map size (\AA) | 373.5, 373.5, 373.5 | wwPDB |
| Map dimensions | 450, 450, 450 | wwPDB |
| Map angles ($^\circ$) | 90.0, 90.0, 90.0 | wwPDB |
| Pixel spacing (\AA) | 0.83, 0.83, 0.83 | Depositor |

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, TPO, SEP, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Chain | Bond lengths | | Bond angles | |
|-----|-------|--------------|------------------|-------------|------------------|
| | | RMSZ | $\# Z > 5$ | RMSZ | $\# Z > 5$ |
| 1 | A | 1.72 | 230/11437 (2.0%) | 1.50 | 109/15433 (0.7%) |
| 2 | B | 1.78 | 203/9158 (2.2%) | 1.55 | 90/12360 (0.7%) |
| 3 | C | 1.91 | 53/2115 (2.5%) | 1.62 | 18/2873 (0.6%) |
| 4 | D | 1.55 | 14/1017 (1.4%) | 1.36 | 6/1368 (0.4%) |
| 5 | E | 1.86 | 47/1751 (2.7%) | 1.50 | 23/2366 (1.0%) |
| 6 | F | 2.18 | 25/636 (3.9%) | 1.76 | 7/859 (0.8%) |
| 7 | G | 1.79 | 38/1364 (2.8%) | 1.52 | 14/1853 (0.8%) |
| 8 | H | 1.49 | 19/1219 (1.6%) | 1.41 | 8/1644 (0.5%) |
| 9 | I | 1.89 | 25/964 (2.6%) | 1.59 | 8/1305 (0.6%) |
| 10 | J | 1.10 | 2/533 (0.4%) | 1.20 | 2/719 (0.3%) |
| 11 | K | 2.02 | 23/939 (2.4%) | 1.65 | 6/1271 (0.5%) |
| 12 | L | 1.45 | 6/403 (1.5%) | 1.41 | 5/536 (0.9%) |
| 13 | M | 0.93 | 24/4988 (0.5%) | 1.18 | 29/6450 (0.4%) |
| 14 | N | 1.68 | 41/2752 (1.5%) | 2.95 | 218/4246 (5.1%) |
| 15 | O | 0.63 | 0/1287 | 0.98 | 9/1721 (0.5%) |
| 16 | P | 2.39 | 26/423 (6.1%) | 4.27 | 98/657 (14.9%) |
| 17 | Q | 1.08 | 63/7365 (0.9%) | 0.98 | 24/9927 (0.2%) |
| 18 | R | 1.45 | 27/1866 (1.4%) | 1.33 | 8/2519 (0.3%) |
| 19 | T | 1.73 | 51/3012 (1.7%) | 2.66 | 279/4641 (6.0%) |
| 20 | U | 1.52 | 13/872 (1.5%) | 1.39 | 10/1187 (0.8%) |
| 21 | V | 1.31 | 21/1739 (1.2%) | 1.24 | 5/2375 (0.2%) |
| 22 | W | 0.43 | 1/2392 (0.0%) | 0.56 | 0/3257 |
| 23 | X | 0.58 | 1/356 (0.3%) | 0.65 | 0/478 |
| 24 | Y | 1.78 | 21/927 (2.3%) | 1.51 | 8/1250 (0.6%) |
| 25 | Z | 1.34 | 46/4084 (1.1%) | 1.24 | 16/5498 (0.3%) |
| 26 | a | 1.35 | 7/814 (0.9%) | 1.40 | 12/1092 (1.1%) |
| 26 | e | 1.73 | 19/812 (2.3%) | 1.58 | 10/1088 (0.9%) |
| 27 | b | 1.57 | 12/669 (1.8%) | 1.54 | 10/894 (1.1%) |
| 27 | f | 1.39 | 10/626 (1.6%) | 1.37 | 9/837 (1.1%) |
| 28 | c | 1.11 | 4/805 (0.5%) | 1.18 | 6/1088 (0.6%) |
| 28 | g | 1.22 | 9/819 (1.1%) | 1.30 | 10/1106 (0.9%) |
| 29 | d | 1.09 | 7/756 (0.9%) | 1.17 | 5/1015 (0.5%) |

| Mol | Chain | Bond lengths | | Bond angles | |
|-----|-------|--------------|-------------------|-------------|-------------------|
| | | RMSZ | $\# Z > 5$ | RMSZ | $\# Z > 5$ |
| 29 | h | 1.31 | 7/737 (0.9%) | 1.25 | 4/993 (0.4%) |
| All | All | 1.52 | 1095/69637 (1.6%) | 1.59 | 1066/94906 (1.1%) |

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

| Mol | Chain | #Chirality outliers | #Planarity outliers |
|-----|-------|---------------------|---------------------|
| 1 | A | 0 | 10 |
| 2 | B | 0 | 10 |
| 3 | C | 0 | 3 |
| 4 | D | 0 | 1 |
| 9 | I | 0 | 1 |
| 10 | J | 0 | 4 |
| 13 | M | 0 | 3 |
| 14 | N | 0 | 37 |
| 16 | P | 0 | 1 |
| 18 | R | 0 | 1 |
| 19 | T | 0 | 32 |
| 25 | Z | 0 | 1 |
| 26 | a | 0 | 1 |
| 28 | c | 0 | 1 |
| 28 | g | 0 | 4 |
| 29 | h | 0 | 1 |
| All | All | 0 | 111 |

The worst 5 of 1095 bond length outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(Å) | Ideal(Å) |
|-----|-------|------|------|---------|--------|-------------|----------|
| 2 | B | 496 | ALA | C-N | 11.39 | 1.60 | 1.34 |
| 14 | N | 105 | DG | C3'-O3' | 11.07 | 1.58 | 1.44 |
| 19 | T | -113 | DG | C3'-O3' | 11.07 | 1.58 | 1.44 |
| 16 | P | 42 | C | C4-N4 | -10.47 | 1.24 | 1.33 |
| 16 | P | 30 | C | C5-C6 | -9.40 | 1.26 | 1.34 |

The worst 5 of 1066 bond angle outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(°) | Ideal(°) |
|-----|-------|-----|------|-----------|--------|-------------|----------|
| 14 | N | 107 | DC | OP1-P-O3' | -45.63 | 4.81 | 105.20 |
| 14 | N | 85 | DG | OP1-P-O3' | -45.29 | 5.57 | 105.20 |
| 19 | T | -71 | DG | OP1-P-O3' | -45.29 | 5.57 | 105.20 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Res | Type | Atoms | Z | Observed(°) | Ideal(°) |
|-----|-------|------|------|-----------|--------|-------------|----------|
| 14 | N | 86 | DT | OP1-P-O3' | -45.28 | 5.58 | 105.20 |
| 19 | T | -133 | DG | OP1-P-O3' | -45.26 | 5.63 | 105.20 |

There are no chirality outliers.

5 of 111 planarity outliers are listed below:

| Mol | Chain | Res | Type | Group |
|-----|-------|-----|------|-----------|
| 1 | A | 413 | TYR | Sidechain |
| 1 | A | 727 | PRO | Mainchain |
| 1 | A | 84 | HIS | Sidechain |
| 1 | A | 862 | ARG | Sidechain |
| 1 | A | 910 | LYS | Peptide |

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

| Mol | Chain | Non-H | H(model) | H(added) | Clashes | Symm-Clashes |
|-----|-------|-------|----------|----------|---------|--------------|
| 1 | A | 11255 | 11385 | 11372 | 207 | 0 |
| 2 | B | 8980 | 9024 | 9022 | 59 | 0 |
| 3 | C | 2072 | 2021 | 2022 | 18 | 0 |
| 4 | D | 1004 | 981 | 980 | 8 | 0 |
| 5 | E | 1720 | 1736 | 1736 | 22 | 0 |
| 6 | F | 626 | 658 | 657 | 10 | 0 |
| 7 | G | 1333 | 1321 | 1321 | 12 | 0 |
| 8 | H | 1197 | 1157 | 1156 | 5 | 0 |
| 9 | I | 942 | 874 | 872 | 17 | 0 |
| 10 | J | 524 | 541 | 542 | 2 | 0 |
| 11 | K | 920 | 942 | 942 | 4 | 0 |
| 12 | L | 397 | 407 | 405 | 3 | 0 |
| 13 | M | 4927 | 2638 | 2622 | 21 | 0 |
| 14 | N | 2460 | 1355 | 1345 | 23 | 0 |
| 15 | O | 1274 | 0 | 1277 | 107 | 0 |
| 16 | P | 381 | 191 | 186 | 34 | 0 |
| 17 | Q | 7226 | 7171 | 7169 | 92 | 0 |
| 18 | R | 1836 | 1701 | 1699 | 26 | 0 |
| 19 | T | 2680 | 1458 | 1441 | 39 | 0 |
| 20 | U | 857 | 687 | 684 | 14 | 0 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Non-H | H(model) | H(added) | Clashes | Symm-Clashes |
|-----|-------|-------|----------|----------|---------|--------------|
| 21 | V | 1711 | 1450 | 1446 | 17 | 0 |
| 22 | W | 2333 | 2247 | 2246 | 49 | 0 |
| 23 | X | 353 | 372 | 371 | 8 | 0 |
| 24 | Y | 911 | 909 | 907 | 10 | 0 |
| 25 | Z | 4025 | 4046 | 4041 | 43 | 0 |
| 26 | a | 802 | 841 | 841 | 0 | 0 |
| 26 | e | 801 | 839 | 838 | 0 | 0 |
| 27 | b | 662 | 710 | 709 | 0 | 0 |
| 27 | f | 619 | 660 | 659 | 0 | 0 |
| 28 | c | 795 | 847 | 846 | 0 | 0 |
| 28 | g | 809 | 865 | 864 | 0 | 0 |
| 29 | d | 745 | 774 | 773 | 0 | 0 |
| 29 | h | 726 | 749 | 747 | 0 | 0 |
| 30 | A | 2 | 0 | 0 | 0 | 0 |
| 30 | B | 1 | 0 | 0 | 0 | 0 |
| 30 | C | 1 | 0 | 0 | 2 | 0 |
| 30 | I | 2 | 0 | 0 | 0 | 0 |
| 30 | J | 1 | 0 | 0 | 0 | 0 |
| 30 | R | 1 | 0 | 0 | 0 | 0 |
| 30 | Y | 1 | 0 | 0 | 0 | 0 |
| 31 | A | 1 | 0 | 0 | 0 | 0 |
| All | All | 67913 | 61557 | 62738 | 677 | 0 |

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

The worst 5 of 677 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

| Atom-1 | Atom-2 | Interatomic distance (Å) | Clash overlap (Å) |
|-------------------|------------------|--------------------------|-------------------|
| 1:A:1314:THR:CG2 | 15:O:297:ARG:HE | 0.95 | 1.59 |
| 1:A:1314:THR:C | 15:O:295:GLY:HA3 | 1.09 | 1.45 |
| 1:A:1314:THR:HG22 | 15:O:297:ARG:NE | 1.31 | 1.38 |
| 1:A:1314:THR:C | 15:O:295:GLY:CA | 1.91 | 1.35 |
| 1:A:1314:THR:CG2 | 15:O:297:ARG:NE | 1.79 | 1.35 |

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed | Favoured | Allowed | Outliers | Percentiles | |
|-----|-------|-----------------|------------|----------|----------|-------------|-----|
| 1 | A | 1408/1984 (71%) | 1296 (92%) | 105 (8%) | 7 (0%) | 25 | 61 |
| 2 | B | 1112/1251 (89%) | 1024 (92%) | 85 (8%) | 3 (0%) | 37 | 70 |
| 3 | C | 254/275 (92%) | 239 (94%) | 13 (5%) | 2 (1%) | 16 | 51 |
| 4 | D | 124/184 (67%) | 122 (98%) | 2 (2%) | 0 | 100 | 100 |
| 5 | E | 207/210 (99%) | 197 (95%) | 8 (4%) | 2 (1%) | 13 | 46 |
| 6 | F | 76/127 (60%) | 71 (93%) | 5 (7%) | 0 | 100 | 100 |
| 7 | G | 169/172 (98%) | 155 (92%) | 13 (8%) | 1 (1%) | 22 | 57 |
| 8 | H | 147/150 (98%) | 137 (93%) | 10 (7%) | 0 | 100 | 100 |
| 9 | I | 114/125 (91%) | 104 (91%) | 10 (9%) | 0 | 100 | 100 |
| 10 | J | 64/67 (96%) | 61 (95%) | 2 (3%) | 1 (2%) | 8 | 34 |
| 11 | K | 113/117 (97%) | 108 (96%) | 5 (4%) | 0 | 100 | 100 |
| 12 | L | 45/58 (78%) | 40 (89%) | 4 (9%) | 1 (2%) | 5 | 27 |
| 13 | M | 976/1729 (56%) | 860 (88%) | 98 (10%) | 18 (2%) | 7 | 32 |
| 15 | O | 157/304 (52%) | 154 (98%) | 3 (2%) | 0 | 100 | 100 |
| 17 | Q | 888/1179 (75%) | 838 (94%) | 50 (6%) | 0 | 100 | 100 |
| 18 | R | 240/713 (34%) | 224 (93%) | 16 (7%) | 0 | 100 | 100 |
| 20 | U | 119/666 (18%) | 93 (78%) | 24 (20%) | 2 (2%) | 7 | 33 |
| 21 | V | 236/531 (44%) | 200 (85%) | 33 (14%) | 3 (1%) | 10 | 39 |
| 22 | W | 298/305 (98%) | 269 (90%) | 29 (10%) | 0 | 100 | 100 |
| 23 | X | 41/531 (8%) | 40 (98%) | 1 (2%) | 0 | 100 | 100 |
| 24 | Y | 114/117 (97%) | 109 (96%) | 5 (4%) | 0 | 100 | 100 |
| 25 | Z | 497/1087 (46%) | 452 (91%) | 43 (9%) | 2 (0%) | 30 | 66 |
| 26 | a | 95/136 (70%) | 92 (97%) | 3 (3%) | 0 | 100 | 100 |
| 26 | e | 95/136 (70%) | 90 (95%) | 5 (5%) | 0 | 100 | 100 |
| 27 | b | 81/103 (79%) | 79 (98%) | 2 (2%) | 0 | 100 | 100 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Analysed | Favoured | Allowed | Outliers | Percentiles | |
|-----|-------|------------------|------------|----------|----------|-------------|-----|
| 27 | f | 76/103 (74%) | 70 (92%) | 6 (8%) | 0 | 100 | 100 |
| 28 | c | 101/130 (78%) | 99 (98%) | 2 (2%) | 0 | 100 | 100 |
| 28 | g | 103/130 (79%) | 93 (90%) | 10 (10%) | 0 | 100 | 100 |
| 29 | d | 93/123 (76%) | 89 (96%) | 4 (4%) | 0 | 100 | 100 |
| 29 | h | 91/123 (74%) | 83 (91%) | 8 (9%) | 0 | 100 | 100 |
| All | All | 8134/12866 (63%) | 7488 (92%) | 604 (7%) | 42 (0%) | 27 | 61 |

5 of 42 Ramachandran outliers are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 13 | M | 294 | LEU |
| 13 | M | 373 | VAL |
| 13 | M | 376 | ILE |
| 13 | M | 385 | GLU |
| 13 | M | 779 | ILE |

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed | Rotameric | Outliers | Percentiles | |
|-----|-------|-----------------|------------|----------|-------------|-----|
| 1 | A | 1245/1761 (71%) | 1216 (98%) | 29 (2%) | 45 | 75 |
| 2 | B | 986/1084 (91%) | 958 (97%) | 28 (3%) | 38 | 70 |
| 3 | C | 235/252 (93%) | 230 (98%) | 5 (2%) | 48 | 77 |
| 4 | D | 109/160 (68%) | 108 (99%) | 1 (1%) | 75 | 89 |
| 5 | E | 191/192 (100%) | 188 (98%) | 3 (2%) | 58 | 82 |
| 6 | F | 68/111 (61%) | 67 (98%) | 1 (2%) | 60 | 83 |
| 7 | G | 146/153 (95%) | 143 (98%) | 3 (2%) | 48 | 77 |
| 8 | H | 130/131 (99%) | 126 (97%) | 4 (3%) | 35 | 68 |
| 9 | I | 104/112 (93%) | 100 (96%) | 4 (4%) | 28 | 62 |
| 10 | J | 55/56 (98%) | 54 (98%) | 1 (2%) | 54 | 80 |
| 11 | K | 104/106 (98%) | 104 (100%) | 0 | 100 | 100 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Analysed | Rotameric | Outliers | Percentiles | |
|-----|-------|------------------|------------|----------|-------------|-----|
| 12 | L | 44/55 (80%) | 42 (96%) | 2 (4%) | 23 | 57 |
| 13 | M | 207/1524 (14%) | 205 (99%) | 2 (1%) | 73 | 88 |
| 15 | O | 140/268 (52%) | 140 (100%) | 0 | 100 | 100 |
| 17 | Q | 761/1011 (75%) | 753 (99%) | 8 (1%) | 70 | 87 |
| 18 | R | 170/625 (27%) | 167 (98%) | 3 (2%) | 54 | 80 |
| 20 | U | 66/590 (11%) | 65 (98%) | 1 (2%) | 60 | 83 |
| 21 | V | 148/462 (32%) | 143 (97%) | 5 (3%) | 32 | 66 |
| 22 | W | 255/260 (98%) | 253 (99%) | 2 (1%) | 79 | 90 |
| 23 | X | 40/467 (9%) | 39 (98%) | 1 (2%) | 42 | 73 |
| 24 | Y | 102/103 (99%) | 101 (99%) | 1 (1%) | 73 | 88 |
| 25 | Z | 435/939 (46%) | 431 (99%) | 4 (1%) | 75 | 89 |
| 26 | a | 85/111 (77%) | 83 (98%) | 2 (2%) | 44 | 74 |
| 26 | e | 84/111 (76%) | 81 (96%) | 3 (4%) | 30 | 64 |
| 27 | b | 68/79 (86%) | 68 (100%) | 0 | 100 | 100 |
| 27 | f | 63/79 (80%) | 62 (98%) | 1 (2%) | 58 | 82 |
| 28 | c | 82/102 (80%) | 82 (100%) | 0 | 100 | 100 |
| 28 | g | 83/102 (81%) | 81 (98%) | 2 (2%) | 44 | 74 |
| 29 | d | 81/103 (79%) | 77 (95%) | 4 (5%) | 21 | 54 |
| 29 | h | 79/103 (77%) | 75 (95%) | 4 (5%) | 20 | 53 |
| All | All | 6366/11212 (57%) | 6242 (98%) | 124 (2%) | 52 | 79 |

5 of 124 residues with a non-rotameric sidechain are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 3 | C | 15 | THR |
| 29 | d | 31 | LYS |
| 8 | H | 78 | THR |
| 26 | a | 129 | ARG |
| 28 | g | 19 | SER |

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 19 such sidechains are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 21 | V | 300 | ASN |

Continued on next page...

Continued from previous page...

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 25 | Z | 234 | HIS |
| 29 | d | 44 | GLN |
| 24 | Y | 41 | GLN |
| 9 | I | 56 | ASN |

5.3.3 RNA ⓘ

| Mol | Chain | Analysed | Backbone Outliers | Pucker Outliers |
|-----|-------|-------------|-------------------|-----------------|
| 16 | P | 17/18 (94%) | 6 (35%) | 2 (11%) |

5 of 6 RNA backbone outliers are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 16 | P | 30 | C |
| 16 | P | 31 | G |
| 16 | P | 36 | U |
| 16 | P | 37 | G |
| 16 | P | 39 | U |

All (2) RNA pucker outliers are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 16 | P | 36 | U |
| 16 | P | 38 | G |

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

3 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Type | Chain | Res | Link | Bond lengths | | | Bond angles | | |
|-----|------|-------|------|------|--------------|------|-------------|-------------|------|-------------|
| | | | | | Counts | RMSZ | # $ Z > 2$ | Counts | RMSZ | # $ Z > 2$ |
| 1 | SEP | A | 1547 | 1 | 8,9,10 | 2.09 | 2 (25%) | 7,12,14 | 1.42 | 1 (14%) |
| 1 | TPO | A | 1525 | 1 | 8,10,11 | 2.12 | 2 (25%) | 10,14,16 | 2.05 | 2 (20%) |

| Mol | Type | Chain | Res | Link | Bond lengths | | | Bond angles | | |
|-----|------|-------|-----|------|--------------|------|----------|-------------|------|----------|
| | | | | | Counts | RMSZ | # Z > 2 | Counts | RMSZ | # Z > 2 |
| 25 | TPO | Z | 775 | 25 | 8,10,11 | 1.73 | 1 (12%) | 10,14,16 | 2.13 | 1 (10%) |

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

| Mol | Type | Chain | Res | Link | Chirals | Torsions | Rings |
|-----|------|-------|------|------|---------|-----------|-------|
| 1 | SEP | A | 1547 | 1 | - | 0/6/8/10 | - |
| 1 | TPO | A | 1525 | 1 | - | 4/9/11/13 | - |
| 25 | TPO | Z | 775 | 25 | - | 2/9/11/13 | - |

All (5) bond length outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(Å) | Ideal(Å) |
|-----|-------|------|------|-------|------|-------------|----------|
| 1 | A | 1525 | TPO | O-C | 3.90 | 1.34 | 1.20 |
| 25 | Z | 775 | TPO | O-C | 3.88 | 1.34 | 1.20 |
| 1 | A | 1547 | SEP | O-C | 3.87 | 1.34 | 1.20 |
| 1 | A | 1547 | SEP | P-O1P | 3.54 | 1.61 | 1.50 |
| 1 | A | 1525 | TPO | P-O1P | 3.52 | 1.61 | 1.50 |

All (4) bond angle outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(°) | Ideal(°) |
|-----|-------|------|------|-----------|-------|-------------|----------|
| 25 | Z | 775 | TPO | P-OG1-CB | -5.99 | 107.06 | 123.33 |
| 1 | A | 1525 | TPO | P-OG1-CB | -5.62 | 108.06 | 123.33 |
| 1 | A | 1547 | SEP | OG-CB-CA | 3.20 | 111.26 | 108.14 |
| 1 | A | 1525 | TPO | CG2-CB-CA | -2.17 | 109.03 | 113.26 |

There are no chirality outliers.

5 of 6 torsion outliers are listed below:

| Mol | Chain | Res | Type | Atoms |
|-----|-------|------|------|-------------|
| 1 | A | 1525 | TPO | N-CA-CB-CG2 |
| 1 | A | 1525 | TPO | N-CA-CB-OG1 |
| 1 | A | 1525 | TPO | C-CA-CB-CG2 |
| 1 | A | 1525 | TPO | O-C-CA-CB |
| 25 | Z | 775 | TPO | O-C-CA-CB |

There are no ring outliers.

2 monomers are involved in 3 short contacts:

| Mol | Chain | Res | Type | Clashes | Symm-Clashes |
|-----|-------|------|------|---------|--------------|
| 1 | A | 1525 | TPO | 2 | 0 |
| 25 | Z | 775 | TPO | 1 | 0 |

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 10 ligands modelled in this entry, 10 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-26621. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 225



Y Index: 225




Z Index: 225


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 230



Y Index: 257




Z Index: 224


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.0832. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_26621_msk_1.map [i](#)



X




Y




Z


6.6.2 emd_26621_msk_2.map [i](#)



X




Y




Z


6.6.3 emd_26621_msk_3.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 522 nm³; this corresponds to an approximate mass of 472 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.333 Å⁻¹


8 Fourier-Shell correlation ⓘ

This section was not generated. No FSC curve or half-maps provided.


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-26621 and PDB model 7UND. Per-residue inclusion information can be found in [section 3](#) on [page 11](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.0832 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.0832).





































































9.4 Atom inclusion [i](#)



At the recommended contour level, 54% of all backbone atoms, 54% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.0832) and Q-score for the entire model and for each chain.

| Chain | Atom inclusion | Q-score |
|-------|--|---|
| All |  0.5370 |  0.2160 |
| A |  0.8900 |  0.4080 |
| B |  0.9010 |  0.4260 |
| C |  0.9340 |  0.4660 |
| D |  0.6280 |  0.0950 |
| E |  0.8750 |  0.3370 |
| F |  0.9130 |  0.4550 |
| G |  0.6570 |  0.1730 |
| H |  0.9020 |  0.4280 |
| I |  0.8040 |  0.2330 |
| J |  0.9060 |  0.4630 |
| K |  0.9260 |  0.4680 |
| L |  0.8530 |  0.3870 |
| M |  0.0870 |  0.0240 |
| N |  0.7610 |  0.1640 |
| O |  0.4130 |  0.0160 |
| P |  0.7660 |  0.2450 |
| Q |  0.0010 |  0.0130 |
| R |  0.0160 |  0.0010 |
| T |  0.8040 |  0.2060 |
| U |  0.2170 |  0.0850 |
| V |  0.0900 |  0.0480 |
| W |  0.0000 |  -0.0010 |
| X |  0.0000 |  0.0470 |
| Y |  0.0000 |  0.0160 |
| Z |  0.1410 |  0.0610 |
| a |  0.7450 |  0.1410 |
| b |  0.6760 |  0.1640 |
| c |  0.2520 |  0.1160 |
| d |  0.3350 |  0.1300 |
| e |  0.5610 |  0.0830 |
| f |  0.6350 |  0.1020 |
| g |  0.7810 |  0.1820 |
| h |  0.7240 |  0.1610 |

