



Full wwPDB EM Validation Report ⓘ

Apr 14, 2025 – 02:28 PM EDT

PDB ID : 8USC / pdb_00008usc
EMDB ID : EMD-42507
Title : Nub1/Fat10-processing human 26S proteasome
Authors : Arkinson, C.; Gee, C.L.; Martin, A.
Deposited on : 2023-10-27
Resolution : 3.10 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev117
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.42

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY










The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	H	234	
2	Y	389	
3	f	908	
4	X	422	
5	U	953	
6	Z	324	
7	a	376	
8	b	377	
9	A	433	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
10	B	440	
11	C	406	
12	D	418	
13	E	389	
14	F	439	
15	v	12	
16	G	246	
17	I	261	
18	J	248	
19	K	241	
20	L	263	
21	M	255	
22	O	277	
23	e	70	
24	d	350	
25	W	456	
26	g	601	
27	V	534	
28	c	424	

2 Entry composition

There are 32 unique types of molecules in this entry. The entry contains 70061 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Proteasome subunit alpha type-2.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	H	232	Total	C	N	O	S	0	0
			1813	1158	307	342	6		

- Molecule 2 is a protein called 26S proteasome non-ATPase regulatory subunit 6.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	Y	380	Total	C	N	O	S	0	0
			3127	1995	535	580	17		

- Molecule 3 is a protein called 26S proteasome non-ATPase regulatory subunit 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	f	842	Total	C	N	O	S	0	0
			6512	4117	1105	1245	45		

- Molecule 4 is a protein called 26S proteasome non-ATPase regulatory subunit 11.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	X	378	Total	C	N	O	S	0	0
			2994	1909	507	566	12		

- Molecule 5 is a protein called 26S proteasome non-ATPase regulatory subunit 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	U	841	Total	C	N	O	S	0	0
			6559	4162	1115	1238	44		

- Molecule 6 is a protein called 26S proteasome non-ATPase regulatory subunit 7.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	Z	286	Total	C	N	O	S	0	0
			2281	1457	392	427	5		

- Molecule 7 is a protein called 26S proteasome non-ATPase regulatory subunit 13.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	a	373	Total	C	N	O	S	0	0
			2995	1911	510	559	15		

- Molecule 8 is a protein called 26S proteasome non-ATPase regulatory subunit 4.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	b	191	Total	C	N	O	S	0	0
			1458	910	261	279	8		

- Molecule 9 is a protein called 26S proteasome regulatory subunit 7.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	A	415	Total	C	N	O	S	0	0
			3261	2053	573	617	18		

- Molecule 10 is a protein called 26S proteasome regulatory subunit 4.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	B	398	Total	C	N	O	S	0	0
			3122	1966	532	609	15		

- Molecule 11 is a protein called 26S protease regulatory subunit 8.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	C	386	Total	C	N	O	S	0	0
			3051	1919	547	567	18		

- Molecule 12 is a protein called 26S proteasome regulatory subunit 6B.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	D	380	Total	C	N	O	S	0	0
			3040	1923	524	580	13		

- Molecule 13 is a protein called 26S protease regulatory subunit 10B.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	E	360	Total	C	N	O	S	0	0
			2859	1805	505	533	16		

- Molecule 14 is a protein called 26S proteasome regulatory subunit 6A.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	F	364	Total	C	N	O	S	0	0
			2850	1803	492	538	17		

- Molecule 15 is a protein called substrate peptide.

Mol	Chain	Residues	Atoms				AltConf	Trace
15	v	12	Total	C	N	O	0	0
			60	36	12	12		

- Molecule 16 is a protein called Proteasome subunit alpha type-6.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	G	239	Total	C	N	O	S	0	0
			1820	1157	304	346	13		

- Molecule 17 is a protein called Proteasome subunit alpha type-4.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	I	248	Total	C	N	O	S	0	0
			1911	1207	325	370	9		

- Molecule 18 is a protein called Proteasome subunit alpha type-7.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	J	236	Total	C	N	O	S	0	0
			1749	1090	318	336	5		

- Molecule 19 is a protein called Proteasome subunit alpha type-5.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	K	228	Total	C	N	O	S	0	0
			1733	1089	285	349	10		

- Molecule 20 is a protein called Proteasome subunit alpha type-1.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	L	238	Total	C	N	O	S	0	0
			1850	1159	334	346	11		

- Molecule 21 is a protein called Proteasome subunit alpha type-3.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	M	240	Total	C	N	O	S	0	0
			1856	1178	314	353	11		

- Molecule 22 is a protein called Proteasome subunit beta type-7.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	O	44	Total	C	N	O	S	0	0
			355	222	64	66	3		

- Molecule 23 is a protein called 26S proteasome complex subunit SEM1.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	e	41	Total	C	N	O	S	0	0
			353	217	55	81			

- Molecule 24 is a protein called 26S proteasome non-ATPase regulatory subunit 8.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	d	269	Total	C	N	O	S	0	0
			2188	1414	359	406	9		

- Molecule 25 is a protein called 26S proteasome non-ATPase regulatory subunit 12.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	W	438	Total	C	N	O	S	0	0
			3570	2261	609	677	23		

- Molecule 26 is a protein called Isoform 2 of NEDD8 ultimate buster 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	g	95	Total	C	N	O	S	0	0
			771	487	139	144	1		

- Molecule 27 is a protein called 26S proteasome non-ATPase regulatory subunit 3.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	V	441	Total	C	N	O	S	0	0
			3593	2290	641	649	13		

- Molecule 28 is a protein called 26S proteasome non-ATPase regulatory subunit 14.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	c	273	Total	C	N	O	S	0	0
			2150	1362	369	401	18		

There are 114 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
c	311	LEU	-	insertion	UNP O00487
c	312	ILE	-	expression tag	UNP O00487
c	313	ASN	-	expression tag	UNP O00487
c	314	HIS	-	expression tag	UNP O00487
c	315	HIS	-	expression tag	UNP O00487
c	316	HIS	-	expression tag	UNP O00487
c	317	HIS	-	expression tag	UNP O00487
c	318	HIS	-	expression tag	UNP O00487
c	319	HIS	-	expression tag	UNP O00487
c	320	ASP	-	expression tag	UNP O00487
c	321	TYR	-	expression tag	UNP O00487
c	322	ASP	-	expression tag	UNP O00487
c	323	ILE	-	expression tag	UNP O00487
c	324	PRO	-	expression tag	UNP O00487
c	325	THR	-	expression tag	UNP O00487
c	326	THR	-	expression tag	UNP O00487
c	327	ALA	-	expression tag	UNP O00487
c	328	SER	-	expression tag	UNP O00487
c	329	GLU	-	expression tag	UNP O00487
c	330	ASN	-	expression tag	UNP O00487
c	331	LEU	-	expression tag	UNP O00487
c	332	TYR	-	expression tag	UNP O00487
c	333	PHE	-	expression tag	UNP O00487
c	334	GLN	-	expression tag	UNP O00487
c	335	GLY	-	expression tag	UNP O00487
c	336	GLU	-	expression tag	UNP O00487
c	337	LEU	-	expression tag	UNP O00487
c	338	GLY	-	expression tag	UNP O00487
c	339	MET	-	expression tag	UNP O00487
c	340	ARG	-	expression tag	UNP O00487
c	341	GLY	-	expression tag	UNP O00487
c	342	SER	-	expression tag	UNP O00487
c	343	ALA	-	expression tag	UNP O00487
c	344	GLY	-	expression tag	UNP O00487
c	345	LYS	-	expression tag	UNP O00487
c	346	ALA	-	expression tag	UNP O00487
c	347	GLY	-	expression tag	UNP O00487

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
c	348	GLU	-	expression tag	UNP O00487
c	349	GLY	-	expression tag	UNP O00487
c	350	GLU	-	expression tag	UNP O00487
c	351	ILE	-	expression tag	UNP O00487
c	352	PRO	-	expression tag	UNP O00487
c	353	ALA	-	expression tag	UNP O00487
c	354	PRO	-	expression tag	UNP O00487
c	355	LEU	-	expression tag	UNP O00487
c	356	ALA	-	expression tag	UNP O00487
c	357	GLY	-	expression tag	UNP O00487
c	358	THR	-	expression tag	UNP O00487
c	359	VAL	-	expression tag	UNP O00487
c	360	SER	-	expression tag	UNP O00487
c	361	LYS	-	expression tag	UNP O00487
c	362	ILE	-	expression tag	UNP O00487
c	363	LEU	-	expression tag	UNP O00487
c	364	VAL	-	expression tag	UNP O00487
c	365	LYS	-	expression tag	UNP O00487
c	366	GLU	-	expression tag	UNP O00487
c	367	GLY	-	expression tag	UNP O00487
c	368	ASP	-	expression tag	UNP O00487
c	369	THR	-	expression tag	UNP O00487
c	370	VAL	-	expression tag	UNP O00487
c	371	LYS	-	expression tag	UNP O00487
c	372	ALA	-	expression tag	UNP O00487
c	373	GLY	-	expression tag	UNP O00487
c	374	GLN	-	expression tag	UNP O00487
c	375	THR	-	expression tag	UNP O00487
c	376	VAL	-	expression tag	UNP O00487
c	377	LEU	-	expression tag	UNP O00487
c	378	VAL	-	expression tag	UNP O00487
c	379	LEU	-	expression tag	UNP O00487
c	380	GLU	-	expression tag	UNP O00487
c	381	ALA	-	expression tag	UNP O00487
c	382	MET	-	expression tag	UNP O00487
c	383	LYS	-	expression tag	UNP O00487
c	384	MET	-	expression tag	UNP O00487
c	385	GLU	-	expression tag	UNP O00487
c	386	THR	-	expression tag	UNP O00487
c	387	GLU	-	expression tag	UNP O00487
c	388	ILE	-	expression tag	UNP O00487
c	389	ASN	-	expression tag	UNP O00487

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
c	390	ALA	-	expression tag	UNP O00487
c	391	PRO	-	expression tag	UNP O00487
c	392	THR	-	expression tag	UNP O00487
c	393	ASP	-	expression tag	UNP O00487
c	394	GLY	-	expression tag	UNP O00487
c	395	LYS	-	expression tag	UNP O00487
c	396	VAL	-	expression tag	UNP O00487
c	397	GLU	-	expression tag	UNP O00487
c	398	LYS	-	expression tag	UNP O00487
c	399	VAL	-	expression tag	UNP O00487
c	400	LEU	-	expression tag	UNP O00487
c	401	VAL	-	expression tag	UNP O00487
c	402	LYS	-	expression tag	UNP O00487
c	403	GLU	-	expression tag	UNP O00487
c	404	ARG	-	expression tag	UNP O00487
c	405	ASP	-	expression tag	UNP O00487
c	406	ALA	-	expression tag	UNP O00487
c	407	VAL	-	expression tag	UNP O00487
c	408	GLN	-	expression tag	UNP O00487
c	409	GLY	-	expression tag	UNP O00487
c	410	GLY	-	expression tag	UNP O00487
c	411	GLN	-	expression tag	UNP O00487
c	412	GLY	-	expression tag	UNP O00487
c	413	LEU	-	expression tag	UNP O00487
c	414	ILE	-	expression tag	UNP O00487
c	415	LYS	-	expression tag	UNP O00487
c	416	ILE	-	expression tag	UNP O00487
c	417	GLY	-	expression tag	UNP O00487
c	418	VAL	-	expression tag	UNP O00487
c	419	HIS	-	expression tag	UNP O00487
c	420	HIS	-	expression tag	UNP O00487
c	421	HIS	-	expression tag	UNP O00487
c	422	HIS	-	expression tag	UNP O00487
c	423	HIS	-	expression tag	UNP O00487
c	424	HIS	-	expression tag	UNP O00487

- Molecule 29 is MAGNESIUM ION (CCD ID: MG) (formula: Mg) (labeled as "Ligand of Interest" by depositor).


Mol	Chain	Residues	Atoms	AltConf
29	A	1	Total Mg 1 1	0


Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
29	B	1	Total	Mg	0
			1	1	
29	C	1	Total	Mg	0
			1	1	
29	D	1	Total	Mg	0
			1	1	
29	F	1	Total	Mg	0
			1	1	

- Molecule 30 is ADENOSINE-5'-TRIPHOSPHATE (CCD ID: ATP) (formula: $C_{10}H_{16}N_5O_{13}P_3$) (labeled as "Ligand of Interest" by depositor).





Mol	Chain	Residues	Atoms					AltConf
31	C	1	Total 27	C 10	N 5	O 10	P 2	0
31	D	1	Total 27	C 10	N 5	O 10	P 2	0
31	E	1	Total 27	C 10	N 5	O 10	P 2	0

- Molecule 32 is ZINC ION (CCD ID: ZN) (formula: Zn) (labeled as "Ligand of Interest" by depositor).


Mol	Chain	Residues	Atoms	AltConf
32	c	1	Total Zn 1 1	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Proteasome subunit alpha type-2

Chain H:  96%





- Molecule 2: 26S proteasome non-ATPase regulatory subunit 6


Chain Y:  96%





- Molecule 3: 26S proteasome non-ATPase regulatory subunit 2

Chain f:  19% 90% 7%








- Molecule 4: 26S proteasome non-ATPase regulatory subunit 11




- Molecule 5: 26S proteasome non-ATPase regulatory subunit 1




- Molecule 6: 26S proteasome non-ATPase regulatory subunit 7




- Molecule 7: 26S proteasome non-ATPase regulatory subunit 13

Chain a:  13% 93% 6%





- Molecule 8: 26S proteasome non-ATPase regulatory subunit 4

Chain b:  7% 48% 49%




- Molecule 9: 26S proteasome regulatory subunit 7

Chain A:  5% 92%




- Molecule 10: 26S proteasome regulatory subunit 4

Answer Choice	Percentage
Correct Answer (A)	88%
Incorrect Answer (B)	10%





- Molecule 11: 26S protease regulatory subunit 8

91% • 5%




- Molecule 12: 26S proteasome regulatory subunit 6B

Response	Percentage
Yes	86%
No	5%
Don't know	9%




- Molecule 13: 26S protease regulatory subunit 10B

Country	Percentage
U.S.	28%
U.S.	85%
U.S.	7%
U.S.	7%





- Molecule 14: 26S proteasome regulatory subunit 6A


Response	Percentage
Yes	81%
No	17%



- Molecule 21: Proteasome subunit alpha type-3




- Molecule 22: Proteasome subunit beta type-7




- Molecule 23: 26S proteasome complex subunit SEM1




- Molecule 24: 26S proteasome non-ATPase regulatory subunit 8






- Molecule 25: 26S proteasome non-ATPase regulatory subunit 12

Chain W: 93%



- Molecule 26: Isoform 2 of NEDD8 ultimate buster 1

Chain g: 14% 15% 84%



- Molecule 27: 26S proteasome non-ATPase regulatory subunit 3

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	41903	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	1700	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	0.758	Depositor
Minimum map value	-0.411	Depositor
Average map value	0.004	Depositor
Map value standard deviation	0.041	Depositor
Recommended contour level	0.13	Depositor
Map size (\AA)	293.44, 293.44, 293.44	wwPDB
Map dimensions	280, 280, 280	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	1.048, 1.048, 1.048	Depositor

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: MG, ATP, ZN, ADP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	H	0.27	0/1852	0.47	0/2507
2	Y	0.25	0/3185	0.47	0/4290
3	f	0.25	0/6623	0.49	0/8965
4	X	0.25	0/3038	0.50	1/4095 (0.0%)
5	U	0.25	0/6670	0.49	1/9017 (0.0%)
6	Z	0.27	0/2324	0.55	2/3150 (0.1%)
7	a	0.25	0/3053	0.50	0/4133
8	b	0.26	0/1478	0.54	0/2001
9	A	0.25	0/3315	0.50	0/4475
10	B	0.26	0/3167	0.51	0/4271
11	C	0.25	0/3092	0.51	0/4154
12	D	0.26	0/3090	0.50	0/4168
13	E	0.26	0/2902	0.56	1/3904 (0.0%)
14	F	0.25	0/2888	0.48	0/3889
16	G	0.26	0/1853	0.47	0/2515
17	I	0.25	0/1941	0.50	0/2626
18	J	0.26	0/1773	0.53	0/2407
19	K	0.26	0/1759	0.51	0/2379
20	L	0.25	0/1885	0.51	0/2552
21	M	0.26	0/1891	0.49	0/2552
22	O	0.23	0/359	0.50	0/483
23	e	0.26	0/362	0.43	0/490
24	d	0.25	0/2234	0.49	1/3018 (0.0%)
25	W	0.25	0/3618	0.50	0/4868
26	g	0.25	0/778	0.52	0/1041
27	V	0.25	0/3663	0.51	0/4946
28	c	0.25	0/2191	0.49	0/2962
All	All	0.25	0/70984	0.50	6/95858 (0.0%)

There are no bond length outliers.

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
24	d	143	LEU	CA-CB-CG	6.16	129.47	115.30
6	Z	78	MET	CB-CG-SD	5.96	130.28	112.40
4	X	129	LEU	CA-CB-CG	5.77	128.57	115.30
6	Z	101	LEU	CA-CB-CG	5.63	128.26	115.30
13	E	172	LEU	CA-CB-CG	5.37	127.65	115.30
5	U	427	LEU	CA-CB-CG	5.31	127.51	115.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	H	230/234 (98%)	224 (97%)	6 (3%)	0	100	100
2	Y	378/389 (97%)	369 (98%)	9 (2%)	0	100	100
3	f	838/908 (92%)	793 (95%)	44 (5%)	1 (0%)	48	79
4	X	376/422 (89%)	353 (94%)	22 (6%)	1 (0%)	37	68
5	U	831/953 (87%)	768 (92%)	60 (7%)	3 (0%)	30	63
6	Z	284/324 (88%)	256 (90%)	25 (9%)	3 (1%)	12	39
7	a	371/376 (99%)	341 (92%)	30 (8%)	0	100	100
8	b	189/377 (50%)	170 (90%)	18 (10%)	1 (0%)	25	58
9	A	413/433 (95%)	379 (92%)	33 (8%)	1 (0%)	44	74
10	B	394/440 (90%)	368 (93%)	26 (7%)	0	100	100
11	C	384/406 (95%)	354 (92%)	29 (8%)	1 (0%)	37	68
12	D	378/418 (90%)	341 (90%)	34 (9%)	3 (1%)	16	48

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
13	E	354/389 (91%)	308 (87%)	41 (12%)	5 (1%)	9	34
14	F	358/439 (82%)	338 (94%)	18 (5%)	2 (1%)	22	53
16	G	237/246 (96%)	231 (98%)	5 (2%)	1 (0%)	30	63
17	I	246/261 (94%)	235 (96%)	10 (4%)	1 (0%)	30	63
18	J	232/248 (94%)	216 (93%)	16 (7%)	0	100	100
19	K	224/241 (93%)	207 (92%)	17 (8%)	0	100	100
20	L	236/263 (90%)	231 (98%)	5 (2%)	0	100	100
21	M	238/255 (93%)	228 (96%)	10 (4%)	0	100	100
22	O	42/277 (15%)	42 (100%)	0	0	100	100
23	e	37/70 (53%)	37 (100%)	0	0	100	100
24	d	267/350 (76%)	253 (95%)	13 (5%)	1 (0%)	30	63
25	W	436/456 (96%)	423 (97%)	12 (3%)	1 (0%)	44	74
26	g	93/601 (16%)	91 (98%)	2 (2%)	0	100	100
27	V	439/534 (82%)	421 (96%)	17 (4%)	1 (0%)	44	74
28	c	269/424 (63%)	253 (94%)	16 (6%)	0	100	100
All	All	8774/10734 (82%)	8230 (94%)	518 (6%)	26 (0%)	38	68

All (26) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
4	X	393	VAL
5	U	42	VAL
5	U	812	ALA
6	Z	146	ASP
12	D	339	ARG
13	E	223	ARG
13	E	387	LYS
14	F	321	GLN
25	W	41	GLN
8	b	22	LEU
9	A	116	LYS
11	C	134	LEU
12	D	303	VAL
13	E	85	ARG
16	G	184	LYS
17	I	107	CYS
24	d	332	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	f	404	ASP
5	U	172	ASP
13	E	380	LEU
27	V	318	GLN
6	Z	154	THR
12	D	150	SER
13	E	229	ILE
14	F	209	LYS
6	Z	226	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	H	190/191 (100%)	183 (96%)	7 (4%)	29	59
2	Y	335/344 (97%)	329 (98%)	6 (2%)	54	76
3	f	709/763 (93%)	681 (96%)	28 (4%)	27	58
4	X	325/362 (90%)	302 (93%)	23 (7%)	12	39
5	U	715/816 (88%)	671 (94%)	44 (6%)	15	43
6	Z	257/295 (87%)	244 (95%)	13 (5%)	20	49
7	a	333/336 (99%)	311 (93%)	22 (7%)	14	41
8	b	167/312 (54%)	159 (95%)	8 (5%)	21	51
9	A	356/372 (96%)	340 (96%)	16 (4%)	23	53
10	B	350/385 (91%)	338 (97%)	12 (3%)	32	62
11	C	338/352 (96%)	324 (96%)	14 (4%)	26	57
12	D	333/366 (91%)	316 (95%)	17 (5%)	20	49
13	E	316/341 (93%)	293 (93%)	23 (7%)	11	37
14	F	311/379 (82%)	304 (98%)	7 (2%)	45	70
16	G	192/210 (91%)	184 (96%)	8 (4%)	25	56
17	I	197/221 (89%)	190 (96%)	7 (4%)	30	60
18	J	167/211 (79%)	157 (94%)	10 (6%)	16	44

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
19	K	188/203 (93%)	185 (98%)	3 (2%)	58	79
20	L	198/224 (88%)	187 (94%)	11 (6%)	17	46
21	M	192/212 (91%)	181 (94%)	11 (6%)	17	46
22	O	41/228 (18%)	38 (93%)	3 (7%)	11	37
23	e	37/63 (59%)	34 (92%)	3 (8%)	9	33
24	d	237/294 (81%)	227 (96%)	10 (4%)	25	56
25	W	403/416 (97%)	389 (96%)	14 (4%)	31	61
26	g	85/527 (16%)	81 (95%)	4 (5%)	22	52
27	V	389/460 (85%)	380 (98%)	9 (2%)	45	70
28	c	240/359 (67%)	229 (95%)	11 (5%)	23	52
All	All	7601/9242 (82%)	7257 (96%)	344 (4%)	26	53

All (344) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	H	4	ARG
1	H	140	ASN
1	H	156	PHE
1	H	166	ASN
1	H	177	ARG
1	H	181	ASP
1	H	209	GLU
2	Y	23	ARG
2	Y	62	ASP
2	Y	112	CYS
2	Y	143	TYR
2	Y	173	ASP
2	Y	310	SER
3	f	53	GLN
3	f	110	TYR
3	f	182	GLU
3	f	207	LEU
3	f	216	MET
3	f	256	PHE
3	f	267	ARG
3	f	275	MET
3	f	306	GLU
3	f	352	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	f	370	MET
3	f	403	LYS
3	f	413	SER
3	f	414	LEU
3	f	439	TYR
3	f	471	LEU
3	f	483	PHE
3	f	513	GLU
3	f	592	ASN
3	f	620	PHE
3	f	646	MET
3	f	677	HIS
3	f	761	MET
3	f	791	VAL
3	f	803	PHE
3	f	860	LYS
3	f	865	PHE
3	f	900	LEU
4	X	44	GLN
4	X	78	ASN
4	X	87	ARG
4	X	110	CYS
4	X	126	ARG
4	X	129	LEU
4	X	136	LEU
4	X	152	GLN
4	X	160	MET
4	X	224	ASP
4	X	226	LYS
4	X	233	TYR
4	X	261	LEU
4	X	297	ARG
4	X	329	ASN
4	X	346	GLN
4	X	356	LEU
4	X	374	PHE
4	X	377	ILE
4	X	388	PHE
4	X	397	TYR
4	X	406	ASN
4	X	408	SER
5	U	17	PRO

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
5	U	25	HIS
5	U	26	LYS
5	U	52	GLU
5	U	56	SER
5	U	59	PHE
5	U	69	TYR
5	U	87	LEU
5	U	125	PRO
5	U	145	HIS
5	U	147	TYR
5	U	161	ASP
5	U	179	TYR
5	U	210	LYS
5	U	217	CYS
5	U	243	LEU
5	U	249	CYS
5	U	250	PHE
5	U	251	ASP
5	U	333	MET
5	U	374	SER
5	U	388	ASP
5	U	390	LEU
5	U	422	LEU
5	U	467	ASN
5	U	492	ASP
5	U	537	GLN
5	U	554	LEU
5	U	573	ASP
5	U	586	VAL
5	U	629	THR
5	U	639	LEU
5	U	665	ASN
5	U	703	CYS
5	U	715	LYS
5	U	732	LEU
5	U	794	ASP
5	U	811	PHE
5	U	813	TYR
5	U	838	LYS
5	U	875	PHE
5	U	889	LEU
5	U	901	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
5	U	916	ASP
6	Z	32	GLN
6	Z	59	ASP
6	Z	62	ASP
6	Z	101	LEU
6	Z	104	ASN
6	Z	119	SER
6	Z	121	LEU
6	Z	161	GLU
6	Z	224	HIS
6	Z	227	ILE
6	Z	228	TYR
6	Z	234	PHE
6	Z	235	ASN
7	a	22	TRP
7	a	29	TYR
7	a	47	ASP
7	a	127	ASP
7	a	136	GLU
7	a	163	TYR
7	a	211	PHE
7	a	212	ASN
7	a	216	LEU
7	a	219	HIS
7	a	233	LEU
7	a	247	ARG
7	a	248	PHE
7	a	288	HIS
7	a	293	PHE
7	a	305	ASN
7	a	307	VAL
7	a	328	ASP
7	a	330	ARG
7	a	335	TRP
7	a	339	ARG
7	a	374	ILE
8	b	8	VAL
8	b	78	VAL
8	b	94	HIS
8	b	129	LYS
8	b	130	ARG
8	b	143	PHE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
8	b	150	THR
8	b	161	ASN
9	A	26	ASP
9	A	70	THR
9	A	83	ASP
9	A	117	GLN
9	A	118	PHE
9	A	139	ARG
9	A	158	ASP
9	A	270	CYS
9	A	285	PHE
9	A	287	ASP
9	A	309	PHE
9	A	347	ASP
9	A	400	ARG
9	A	402	LYS
9	A	403	ILE
9	A	429	TYR
10	B	102	LEU
10	B	118	ASP
10	B	124	SER
10	B	140	ASP
10	B	165	ASP
10	B	255	LEU
10	B	295	TYR
10	B	298	ASN
10	B	299	SER
10	B	325	VAL
10	B	349	ARG
10	B	388	ASP
11	C	21	ARG
11	C	37	ASP
11	C	53	ASN
11	C	63	LEU
11	C	113	ARG
11	C	118	ASN
11	C	206	HIS
11	C	229	ARG
11	C	266	ASP
11	C	296	ASN
11	C	301	LEU
11	C	375	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
11	C	383	PHE
11	C	394	ASP
12	D	60	TYR
12	D	76	GLN
12	D	114	ARG
12	D	132	LEU
12	D	152	MET
12	D	157	ASP
12	D	166	ASP
12	D	171	ASP
12	D	197	ASP
12	D	239	TYR
12	D	240	LEU
12	D	268	ASP
12	D	272	THR
12	D	274	ARG
12	D	312	ASN
12	D	328	ASP
12	D	399	PHE
13	E	15	LYS
13	E	46	ASP
13	E	62	LYS
13	E	83	CYS
13	E	113	ARG
13	E	120	TYR
13	E	124	HIS
13	E	155	ASN
13	E	170	CYS
13	E	173	TYR
13	E	180	LYS
13	E	203	ILE
13	E	213	ARG
13	E	231	PHE
13	E	234	GLU
13	E	296	ASP
13	E	327	ASP
13	E	345	ASN
13	E	349	GLU
13	E	352	MET
13	E	369	LYS
13	E	371	VAL
13	E	386	TYR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
14	F	64	HIS
14	F	74	LYS
14	F	132	TYR
14	F	149	ASP
14	F	208	HIS
14	F	332	THR
14	F	336	ASP
16	G	78	CYS
16	G	115	CYS
16	G	130	GLU
16	G	131	MET
16	G	144	ASP
16	G	201	CYS
16	G	232	GLU
16	G	236	ASP
17	I	51	ASN
17	I	63	GLU
17	I	71	ASP
17	I	74	CYS
17	I	108	GLU
17	I	134	LEU
17	I	140	ASP
18	J	49	SER
18	J	67	ASP
18	J	70	CYS
18	J	91	CYS
18	J	130	SER
18	J	173	GLU
18	J	184	ASP
18	J	201	SER
18	J	214	ASP
18	J	221	ASN
19	K	47	CYS
19	K	157	ASP
19	K	229	PHE
20	L	9	ASP
20	L	38	LEU
20	L	41	LYS
20	L	56	LEU
20	L	88	MET
20	L	138	ASP
20	L	146	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
20	L	148	CYS
20	L	183	ASN
20	L	196	ARG
20	L	239	ARG
21	M	19	ARG
21	M	71	ARG
21	M	85	ARG
21	M	133	CYS
21	M	158	TYR
21	M	163	CYS
21	M	184	MET
21	M	209	PHE
21	M	215	TRP
21	M	219	LEU
21	M	229	LYS
22	O	64	GLU
22	O	67	SER
22	O	78	THR
23	e	22	PHE
23	e	42	ASN
23	e	63	HIS
24	d	94	MET
24	d	101	GLU
24	d	143	LEU
24	d	156	ILE
24	d	166	ARG
24	d	168	MET
24	d	171	LEU
24	d	198	PHE
24	d	243	LYS
24	d	265	ASP
25	W	39	ARG
25	W	60	MET
25	W	126	ASP
25	W	158	ASP
25	W	160	LYS
25	W	171	VAL
25	W	213	PHE
25	W	251	TYR
25	W	261	GLU
25	W	280	ASP
25	W	338	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
25	W	375	MET
25	W	376	LYS
25	W	387	ASP
26	g	87	VAL
26	g	122	LEU
26	g	164	ASP
26	g	169	PHE
27	V	95	LEU
27	V	111	TYR
27	V	131	LEU
27	V	139	MET
27	V	153	LYS
27	V	166	TYR
27	V	175	MET
27	V	234	ARG
27	V	245	ASP
28	c	54	MET
28	c	100	LYS
28	c	156	VAL
28	c	166	ASN
28	c	167	MET
28	c	183	HIS
28	c	185	ASN
28	c	198	ARG
28	c	226	MET
28	c	263	ASP
28	c	282	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (25) such sidechains are listed below:

Mol	Chain	Res	Type
3	f	213	GLN
5	U	207	ASN
5	U	247	GLN
5	U	355	ASN
5	U	366	HIS
5	U	415	HIS
5	U	537	GLN
5	U	754	HIS
7	a	241	ASN
8	b	99	HIS
8	b	101	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
9	A	165	GLN
10	B	257	GLN
10	B	425	ASN
11	C	205	HIS
11	C	278	ASN
12	D	65	GLN
13	E	121	ASN
13	E	316	HIS
14	F	243	GLN
17	I	198	ASN
25	W	235	GLN
27	V	78	HIS
28	c	115	HIS
28	c	219	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 12 ligands modelled in this entry, 6 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
30	ATP	F	501	29	28,33,33	0.64	0	34,52,52	0.66	1 (2%)
31	ADP	D	501	29	24,29,29	0.88	0	29,45,45	1.27	3 (10%)
31	ADP	E	401	-	24,29,29	0.90	0	29,45,45	1.25	2 (6%)
31	ADP	C	502	29	24,29,29	0.88	0	29,45,45	1.20	2 (6%)
30	ATP	B	502	29	28,33,33	0.64	0	34,52,52	0.60	1 (2%)
30	ATP	B	501	29	28,33,33	0.83	1 (3%)	34,52,52	0.69	2 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
30	ATP	F	501	29	-	5/18/38/38	0/3/3/3
31	ADP	D	501	29	-	1/12/32/32	0/3/3/3
31	ADP	E	401	-	-	4/12/32/32	0/3/3/3
31	ADP	C	502	29	-	3/12/32/32	0/3/3/3
30	ATP	B	502	29	-	7/18/38/38	0/3/3/3
30	ATP	B	501	29	-	8/18/38/38	0/3/3/3

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
30	B	501	ATP	PA-O3A	2.27	1.62	1.59

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
31	E	401	ADP	N3-C2-N1	-3.60	123.79	128.67
31	D	501	ADP	N3-C2-N1	-3.58	123.82	128.67
31	C	502	ADP	N3-C2-N1	-3.57	123.83	128.67
31	C	502	ADP	C4-C5-N7	-2.54	106.65	109.34
31	D	501	ADP	C4'-O4'-C1'	2.54	112.25	109.92
31	D	501	ADP	C4-C5-N7	-2.43	106.77	109.34
31	E	401	ADP	C4-C5-N7	-2.39	106.81	109.34
30	B	502	ATP	C5-C6-N6	2.33	123.86	120.31
30	F	501	ATP	C5-C6-N6	2.28	123.79	120.31
30	B	501	ATP	C5-C6-N6	2.28	123.78	120.31
30	B	501	ATP	C4'-O4'-C1'	-2.00	108.09	109.92

There are no chirality outliers.

All (28) torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
30	B	501	ATP	PB-O3B-PG-O2G
30	B	501	ATP	C5'-O5'-PA-O1A
30	B	501	ATP	C5'-O5'-PA-O3A
30	B	502	ATP	PB-O3B-PG-O2G
30	B	502	ATP	C5'-O5'-PA-O1A
30	B	502	ATP	C5'-O5'-PA-O3A
30	F	501	ATP	O4'-C4'-C5'-O5'
31	C	502	ADP	C5'-O5'-PA-O1A
31	C	502	ADP	O4'-C4'-C5'-O5'
31	E	401	ADP	C5'-O5'-PA-O2A
31	E	401	ADP	C5'-O5'-PA-O3A
31	C	502	ADP	C3'-C4'-C5'-O5'
30	F	501	ATP	C3'-C4'-C5'-O5'
31	E	401	ADP	O4'-C4'-C5'-O5'
30	B	501	ATP	O4'-C4'-C5'-O5'
31	E	401	ADP	C3'-C4'-C5'-O5'
30	B	502	ATP	PB-O3B-PG-O3G
30	B	501	ATP	PG-O3B-PB-O1B
30	B	501	ATP	C5'-O5'-PA-O2A
30	B	502	ATP	C5'-O5'-PA-O2A
30	F	501	ATP	C5'-O5'-PA-O1A
30	B	502	ATP	PG-O3B-PB-O2B
30	B	501	ATP	C3'-C4'-C5'-O5'
30	B	502	ATP	PB-O3B-PG-O1G
30	B	501	ATP	PB-O3B-PG-O3G
30	F	501	ATP	PB-O3A-PA-O1A
30	F	501	ATP	PB-O3A-PA-O2A
31	D	501	ADP	O4'-C4'-C5'-O5'



There are no ring outliers.


No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and

any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-42507. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 140




Y Index: 140




Z Index: 140


6.2.2 Raw map



X Index: 140



Y Index: 140




Z Index: 140


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 167




Y Index: 96




Z Index: 141


6.3.2 Raw map



X Index: 0



Y Index: 0




Z Index: 0


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.13. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 471 nm³; this corresponds to an approximate mass of 425 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.323 \AA^{-1}

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.323 \AA^{-1}

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.10	-	-
Author-provided FSC curve	3.10	3.66	3.14
Unmasked-calculated*	4.02	7.08	4.12

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.02 differs from the reported value 3.1 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-42507 and PDB model 8USC. Per-residue inclusion information can be found in section 3 on page 13.


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.13 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.13).



























































9.4 Atom inclusion [i](#)



At the recommended contour level, 88% of all backbone atoms, 73% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.13) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7300	 0.4350
A	 0.7730	 0.4910
B	 0.7910	 0.4960
C	 0.8180	 0.5060
D	 0.7800	 0.4900
E	 0.5410	 0.3430
F	 0.7590	 0.4790
G	 0.8230	 0.5210
H	 0.8490	 0.5260
I	 0.7860	 0.5090
J	 0.8260	 0.5160
K	 0.8010	 0.5060
L	 0.8480	 0.5350
M	 0.8000	 0.5100
O	 0.6640	 0.5180
U	 0.7080	 0.3780
V	 0.6970	 0.3930
W	 0.7690	 0.4370
X	 0.7550	 0.4480
Y	 0.8250	 0.4650
Z	 0.7830	 0.4610
a	 0.6840	 0.3380
b	 0.6500	 0.3180
c	 0.7740	 0.4710
d	 0.5840	 0.3270
e	 0.7670	 0.4570
f	 0.6040	 0.3430
g	 0.1370	 0.2010
v	 0.9000	 0.5430

