



wwPDB EM Validation Summary Report ⓘ

Oct 8, 2024 – 08:29 AM EDT

PDB ID : 4V79
EMDB ID : EMD-1723
Title : E. coli 70S-fMetVal-tRNAVal-tRNAfMet complex in intermediate post-translocation state (post3b)
Authors : Blau, C.; Bock, L.V.; Schroder, G.F.; Davydov, I.; Fischer, N.; Stark, H.; Rodnina, M.V.; Vaiana, A.C.; Grubmuller, H.
Deposited on : 2013-10-14
Resolution : 15.00 Å (reported)
Based on initial models : 2K4C, 3I1O, 2WRI, 2HGP

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev113
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4.02b-467
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 15.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415
RNA backbone	6643	2191

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	AB	220	<div> <div>42%</div> <div>92%</div> <div>8%</div> </div>
2	AC	208	<div> <div>54%</div> <div>89%</div> <div>10%</div> </div>
3	AD	206	<div> <div>48%</div> <div>87%</div> <div>11%</div> </div>
4	AE	152	<div> <div>32%</div> <div>89%</div> <div>9%</div> </div>
5	AF	101	<div> <div>42%</div> <div>88%</div> <div>12%</div> </div>
6	AG	152	<div> <div>39%</div> <div>86%</div> <div>12%</div> </div>
7	AH	130	<div> <div>18%</div> <div>92%</div> <div>7%</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
8	AI	128	
9	AJ	100	
10	AK	118	
11	AL	124	
12	AM	115	
13	AN	101	
14	AO	89	
15	AP	81	
16	AQ	82	
17	AR	57	
18	AS	81	
19	AT	86	
20	AU	53	
21	AA	1533	
22	A1	76	
23	A2	15	
24	A3	77	
25	BC	273	
26	BD	209	
27	BE	201	
28	BF	179	
29	BG	177	
30	BH	149	
31	BI	142	
32	BJ	142	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
33	BK	123	
34	BL	144	
35	BM	136	
36	BN	121	
37	BO	117	
38	BP	115	
39	BQ	118	
40	BR	103	
41	BS	110	
42	BT	94	
43	BU	104	
44	BV	94	
45	BW	80	
46	BX	79	
47	BY	63	
48	BZ	59	
49	B0	57	
50	B1	52	
51	B2	46	
52	B3	65	
53	B4	38	
54	BA	2903	
55	BB	118	
56	B5	234	

2 Entry composition

There are 58 unique types of molecules in this entry. The entry contains 147653 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	AB	220	Total	C	N	O	S	0	1
			1708	1083	306	312	7		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AB	7	ACE	-	acetylation	UNP P0A7V0
AB	226	NH2	-	amidation	UNP P0A7V0

- Molecule 2 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	AC	207	Total	C	N	O	S	0	1
			1625	1028	306	288	3		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AC	207	NH2	-	amidation	UNP P0A7V3

- Molecule 3 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	AD	205	Total	C	N	O	S	0	0
			1643	1026	315	298	4		

- Molecule 4 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	AE	152	Total	C	N	O	S	0	1
			1109	689	212	202	6		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AE	8	ACE	-	acetylation	UNP P0A7W1
AE	159	NH2	-	amidation	UNP P0A7W1

- Molecule 5 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	AF	101	Total	C	N	O	S	0	1
			818	515	149	148	6		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AF	101	NH2	-	amidation	UNP P02358

- Molecule 6 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	AG	152	Total	C	N	O	S	0	1
			1178	732	227	215	4		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AG	1	ACE	-	acetylation	UNP P02359
AG	152	NH2	-	amidation	UNP P02359

- Molecule 7 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	AH	129	Total	C	N	O	S	0	0
			979	616	173	184	6		

- Molecule 8 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	AI	128	Total	C	N	O	S	0	0
			1025	636	206	180	3		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AI	2	ACE	-	acetylation	UNP P0A7X3

- Molecule 9 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	AJ	100	Total	C	N	O	S	0	1
			790	495	151	143	1		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AJ	4	ACE	-	acetylation	UNP P0A7R5
AJ	103	NH2	-	amidation	UNP P0A7R5

- Molecule 10 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	AK	118	Total	C	N	O	S	0	0
			880	542	174	161	3		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AK	11	ACE	-	acetylation	UNP P0A7R9

- Molecule 11 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	AL	123	Total	C	N	O	S	0	0
			955	590	196	165	4		

- Molecule 12 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	AM	114	Total	C	N	O	S	0	1
			877	541	178	155	3		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AM	114	NH2	-	amidation	UNP P0A7S9

- Molecule 13 is a protein called 30S ribosomal protein S14.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	AN	100	Total	C	N	O	S	0	0
			805	499	164	139	3		

- Molecule 14 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	AO	88	Total	C	N	O	S	0	0
			714	439	144	130	1		

- Molecule 15 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	AP	81	Total	C	N	O	S	0	1
			639	400	127	111	1		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AP	81	NH2	-	amidation	UNP P0A7T3

- Molecule 16 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	AQ	82	Total	C	N	O	S	0	1
			652	413	122	114	3		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AQ	2	ACE	-	acetylation	UNP P0AG63
AQ	83	NH2	-	amidation	UNP P0AG63

- Molecule 17 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms				AltConf	Trace
17	AR	57	Total	C	N	O	0	1
			459	290	87	82		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AR	18	ACE	-	acetylation	UNP P0A7T7

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
AR	74	NH2	-	amidation	UNP P0A7T7

- Molecule 18 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	AS	81	Total	C	N	O	S	0	1
			641	410	121	108	2		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AS	1	ACE	-	acetylation	UNP P0A7U3
AS	81	NH2	-	amidation	UNP P0A7U3

- Molecule 19 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	AT	86	Total	C	N	O	S	0	0
			668	413	137	115	3		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AT	1	ACE	-	acetylation	UNP P0A7U7

- Molecule 20 is a protein called 30S ribosomal protein S21.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	AU	53	Total	C	N	O	S	0	1
			429	267	87	74	1		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AU	2	ACE	-	acetylation	UNP P68679
AU	54	NH2	-	amidation	UNP P68679

- Molecule 21 is a RNA chain called 16S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	AA	1530	Total	C	N	O	P	0	0
			32828	14642	6024	10633	1529		

- Molecule 22 is a RNA chain called fMet-Val-tRNA-Val.

Mol	Chain	Residues	Atoms						AltConf	Trace
22	A1	76	Total	C	N	O	P	S	0	0
			1627	728	292	531	75	1		

- Molecule 23 is a RNA chain called 5'-R(*AP*CP*UP*AP*UP*GP*GP*UP*UP*UP*UP*UP*AP*UP*U)-3'.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	A2	15	Total	C	N	O	P	0	0
			309	140	46	109	14		

- Molecule 24 is a RNA chain called tRNA-fMet.

Mol	Chain	Residues	Atoms						AltConf	Trace
24	A3	77	Total	C	N	O	P	S	0	0
			1642	734	297	534	76	1		

- Molecule 25 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	BC	272	Total	C	N	O	S	0	1
			2083	1288	424	364	7		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
BC	272	NH2	-	amidation	UNP P60422

- Molecule 26 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	BD	209	Total	C	N	O	S	0	0
			1565	979	288	294	4		

- Molecule 27 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	BE	201	Total	C	N	O	S	0	0
			1552	974	283	290	5		

- Molecule 28 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	BF	178	Total	C	N	O	S	0	0
			1420	905	251	258	6		

- Molecule 29 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	BG	176	Total	C	N	O	S	0	0
			1323	832	243	246	2		

- Molecule 30 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	BH	149	Total	C	N	O	S	0	0
			1111	699	197	214	1		

- Molecule 31 is a protein called 50S ribosomal protein L11.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	BI	141	Total	C	N	O	S	0	0
			1032	651	179	196	6		

- Molecule 32 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	BJ	142	Total	C	N	O	S	0	0
			1129	714	212	199	4		

- Molecule 33 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	BK	123	Total	C	N	O	S	0	1
			939	587	181	165	6		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
BK	123	NH2	-	amidation	UNP P0ADY3

- Molecule 34 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	BL	143	Total	C	N	O	S	0	0
			1045	649	206	189	1		

- Molecule 35 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	BM	136	Total	C	N	O	S	0	0
			1074	686	205	177	6		

- Molecule 36 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	BN	121	Total	C	N	O	S	0	1
			961	593	197	166	5		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
BN	121	NH2	-	amidation	UNP P0AG44

- Molecule 37 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	BO	116	Total	C	N	O		0	0
			892	552	178	162			

- Molecule 38 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	BP	114	Total	C	N	O	S	0	0
			917	574	179	163	1		

- Molecule 39 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	BQ	117	Total	C	N	O		0	0
			947	604	192	151			

- Molecule 40 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	BR	103	Total	C	N	O	S	0	0
			816	516	153	145	2		

- Molecule 41 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	BS	110	Total	C	N	O	S	0	0
			857	532	166	156	3		

- Molecule 42 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	BT	94	Total	C	N	O	S	0	1
			739	466	140	131	2		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
BT	94	NH2	-	amidation	UNP P0ADZ0

- Molecule 43 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms				AltConf	Trace
43	BU	103	Total	C	N	O	0	1
			780	492	147	141		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
BU	103	NH2	-	amidation	UNP P60624

- Molecule 44 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	BV	94	Total	C	N	O	S	0	0
			753	479	137	134	3		

- Molecule 45 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	BW	80	Total	C	N	O	S	0	0
			599	369	120	109	1		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
BW	5	ACE	-	acetylation	UNP P0A7L8

- Molecule 46 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	BX	77	Total	C	N	O	S	0	0
			625	388	129	106	2		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
BX	-1	ACE	-	acetylation	UNP P0A7M2

- Molecule 47 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	BY	63	Total	C	N	O	S	0	0
			509	313	99	95	2		

- Molecule 48 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	BZ	58	Total	C	N	O	S	0	0
			449	281	87	79	2		

- Molecule 49 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	B0	56	Total	C	N	O	S	0	0
			444	269	94	80	1		

- Molecule 50 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms				AltConf	Trace
50	B1	52	Total	C	N	O	0	1
			413	265	76	72		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B1	2	ACE	-	acetylation	UNP P0A7N9
B1	53	NH2	-	amidation	UNP P0A7N9

- Molecule 51 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	B2	46	Total	C	N	O	S	0	0
			377	228	90	57	2		

- Molecule 52 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	B3	64	Total	C	N	O	S	0	0
			504	323	105	74	2		

- Molecule 53 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	B4	38	Total	C	N	O	S	0	0
			302	185	65	48	4		

- Molecule 54 is a RNA chain called 23S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	BA	2903	Total	C	N	O	P	0	0
			62317	27801	11467	20147	2902		


- Molecule 55 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
55	BB	117	Total	C	N	O	P	0	0
			2504	1116	459	813	116		

- Molecule 56 is a protein called 50S ribosomal protein L1.


Mol	Chain	Residues	Atoms					AltConf	Trace
56	B5	223	Total	C	N	O	S	0	0
			1658	1038	302	312	6		

- Molecule 57 is VALINE (three-letter code: VAL) (formula: C₅H₁₁NO₂).



Mol	Chain	Residues	Atoms				AltConf
57	A1	1	Total	C	N	O	0
			7	5	1	1	

- Molecule 58 is N-FORMYLMETHIONINE (three-letter code: FME) (formula: C₆H₁₁NO₃S).




Mol	Chain	Residues	Atoms					AltConf
58	BA	1	Total	C	N	O	S	0
			10	6	1	2	1	


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 30S ribosomal protein S2




- Molecule 2: 30S ribosomal protein S3





- Molecule 3: 30S ribosomal protein S4









• Molecule 4: 30S ribosomal protein S5




• Molecule 5: 30S ribosomal protein S6




• Molecule 6: 30S ribosomal protein S7




• Molecule 7: 30S ribosomal protein S8




- Molecule 8: 30S ribosomal protein S9




- Molecule 9: 30S ribosomal protein S10




- Molecule 10: 30S ribosomal protein S11




- Molecule 11: 30S ribosomal protein S12




- Molecule 12: 30S ribosomal protein S13




• Molecule 13: 30S ribosomal protein S14




• Molecule 14: 30S ribosomal protein S15




• Molecule 15: 30S ribosomal protein S16




• Molecule 16: 30S ribosomal protein S17



• Molecule 17: 30S ribosomal protein S18




• Molecule 18: 30S ribosomal protein S19





• Molecule 19: 30S ribosomal protein S20







- Molecule 20: 30S ribosomal protein S21




- Molecule 21: 16S ribosomal RNA










• Molecule 22: fMet-Val-tRNA-Val





• Molecule 23: 5'-R(*AP*CP*UP*AP*UP*GP*GP*UP*UP*UP*UP*UP*AP*UP*U)-3'




• Molecule 24: tRNA-fMet




• Molecule 25: 50S ribosomal protein L2









- Molecule 26: 50S ribosomal protein L3





- Molecule 27: 50S ribosomal protein L4




- Molecule 28: 50S ribosomal protein L5




- Molecule 29: 50S ribosomal protein L6








- Molecule 30: 50S ribosomal protein L9




- Molecule 31: 50S ribosomal protein L11




- Molecule 32: 50S ribosomal protein L13





- Molecule 33: 50S ribosomal protein L14








- Molecule 34: 50S ribosomal protein L15





- Molecule 35: 50S ribosomal protein L16




- Molecule 36: 50S ribosomal protein L17




- Molecule 37: 50S ribosomal protein L18




- Molecule 38: 50S ribosomal protein L19









• Molecule 39: 50S ribosomal protein L20





• Molecule 40: 50S ribosomal protein L21




• Molecule 41: 50S ribosomal protein L22




• Molecule 42: 50S ribosomal protein L23




• Molecule 43: 50S ribosomal protein L24




- Molecule 44: 50S ribosomal protein L25




- Molecule 45: 50S ribosomal protein L27




- Molecule 46: 50S ribosomal protein L28




- Molecule 47: 50S ribosomal protein L29




- Molecule 48: 50S ribosomal protein L30




- Molecule 49: 50S ribosomal protein L32




- Molecule 50: 50S ribosomal protein L33




- Molecule 51: 50S ribosomal protein L34




- Molecule 52: 50S ribosomal protein L35




- Molecule 53: 50S ribosomal protein L36




- Molecule 54: 23S ribosomal RNA










G2495	G2496	A2497	G2498	G2499	U2500	C2501	C2502	A2503	U2504	G2505	U2506	C2507	G2508	G2509	C2510	U2511	C2512	A2513	G2514	C2515	A2516	C2517	A2518	C2520	C2521	U2522	G2523	G2524	G2525	G2526	C2527	U2528	C2529	A2530	A2531	G2532	U2533	A2534	G2535	G2536	C2537	C2538	C2539	C2540	A2541	G2542	G2543	G2544	G2545	G2546	A2547	U2548	G2549	G2550	C2551	U2552	G2553	U2554																																																																																																																																																																																																																																																																																																																																																																					
A2433	A2434	A2435	G2436	G2437	U2438	A2439	A2440	U2441	C2442	C2443	G2446	G2447	A2448	U2449	A2450	A2451	C2452	A2453	G2454	G2455	C2456	U2457	G2458	A2459	U2460	A2461	C2462	C2463	G2464	C2465	C2466	G2467	A2468	A2469	G2470	A2471	G2472	U2473	U2474	C2475	A2476	U2477	A2478	U2479	C2480	G2481	A2482	G2483	G2484	G2485	C2486	U2489	G2490	U2491	U2492	U2493	G2494																																																																																																																																																																																																																																																																																																																																																																						
G2370	G2371	U2372	G2373	G2374	C2375	A2376	A2377	A2378	U2379	G2380	G2381	A2382	G2383	U2384	C2385	A2386	U2387	A2388	U2389	C2390	G2391	C2392	G2393	C2394	C2395	G2396	G2397	U2398	G2399	G2400	C2403	U2404	G2405	A2406	A2407	U2408	G2409	G2410	A2411	A2412	G2413	G2414	G2415	C2416	C2417	A2418	U2419	G2420	G2421	U2422	U2423	A2424	A2425	G2426	G2427	A2428	G2429	A2430	U2431	A2432																																																																																																																																																																																																																																																																																																																																																																			
A2309	C2310	A2311	U2312	C2313	A2314	A2317	A2318	U2319	U2320	U2321	G2322	G2323	U2324	C2325	G2326	A2327	A2328	U2329	G2330	G2331	C2332	A2333	U2334	A2335	A2336	C2337	C2338	A2339	A2340	C2341	C2342	U2343	U2344	G2345	A2346	C2347	U2348	G2349	C2350	G2351	A2352	C2353	C2354	G2355	U2356	G2357	A2358	C2359	G2360	G2361	C2362	G2363	C2364	A2365	G2366	C2367	C2368	A2369																																																																																																																																																																																																																																																																																																																																																																					
G2242	U2243	U2244	U2245	G2246	A2247	C2248	U2249	G2250	G2251	G2252	G2253	C2254	U2257	C2258	U2259	C2260	U2261	C2262	A2263	U2264	U2265	C2266	A2267	U2268	C2269	A2270	G2271	C2272	C2273	A2274	C2275	U2278	C2279	G2280	A2281	C2282	G2283	A2284	C2285	G2286	A2287	A2288	U2291	U2292	C2295	U2296	A2297	U2298	U2299	C2300	C2301	C2306	C2307	G2308																																																																																																																																																																																																																																																																																																																																																																									
A2219	U2218	A2217	U2216	C2215	U2214	U2213	C2212	U2211	U2210	U2209	U2208	U2207	U2206	U2205	U2204	U2203	U2202	U2201	U2200	U2199	U2198	U2197	U2196	U2195	U2194	U2193	U2192	U2191	U2190	U2189	U2188	U2187	U2186	U2185	U2184	U2183	U2182	U2181	U2180	U2179	U2178	U2177	U2176	U2175	U2174	U2173	U2172	U2171	U2170	U2169	U2168	U2167	U2166	U2165	U2164	U2163	U2162	U2161	U2160	U2159	U2158	U2157	U2156	U2155	U2154	U2153	U2152	U2151	U2150	U2149	U2148	U2147	U2146	U2145	U2144	U2143	U2142	U2141	U2140	U2139	U2138	U2137	U2136	U2135	U2134	U2133	U2132	U2131	U2130	U2129	U2128	U2127	U2126	U2125	U2124	U2123	U2122	U2121	U2120	U2119	U2118	U2117	U2116	U2115	U2114	U2113	U2112	U2111	U2110	U2109	U2108	U2107	U2106	U2105	U2104	U2103	U2102	U2101	U2100	U2099	U2098	U2097	U2096	U2095	U2094	U2093	U2092	U2091	C2090	C2089	C2088	U2087	U2086	U2085	C2084	G2083	G2082	U2081	U2080	A2079	A2078	A2077	A2076	U2075	U2074	C2073	C2072	A2071	U2070	U2069	U2068	U2067	U2066	C2065	C2064	C2063	A2062	U2061	A2060	U2059	U2058	U2057	U2056	U2055	U2054	U2053	U2052	U2051	U2050	U2049	U2048	U2047	U2046	U2045	U2044	U2043	U2042	U2041	U2040	U2039	U2038	U2037	U2036	U2035	U2034	U2033	U2032	A2031	U2030	U2029	U2028	C2025	G2024	C2023	G2022	U2021	C2020	A2019	U2018	U2017	U2016	A2015	U2014	U2013	A2012	U2011	U2010	U2009	C2008	U2007	C2006	U2005	G2004	A2003	G2002	C2001	C2000	U1999	U1998	U1997	U1996	A1995	U1994	U1993	C1992	U1991	U1990	U1989	U1988	U1987	U1986	U1985	U1984	U1983	U1982	U1981	U1980	U1979	U1978	U1977	U1976	U1975	U1974	U1973	U1972	U1971	U1970	U1969	U1968	U1967	U1966	C1965	U1964	U1963	U1962	C1961	A1960	U1959	U1958	U1957	U1956	U1955	U1954	U1953	U1952	U1951	U1950	U1949	U1948	U1947	U1946	U1945	U1944	U1943	U1942	U1941	U1940	U1939	U1938	U1937	U1936	U1935	U1934	U1933	C1932	U1931	U1930	U1929	U1928	U1927	U1926	U1925	U1924	U1923	U1922	U1921	U1920	U1919	U1918	U1917	U1916	U1915	C1914	U1913	A1912	C1909	C1908	U1907	U1906	U1905	U1904	U1903	C1902	U1901	A1899	U1898	U1897	U1896	U1895	U1894	U1893	U1892	U1891	U1890	U1889	U1888	U1887	U1886	U1885	U1884	U1883	U1882	U1881	U1880	U1879	U1878	U1877	U1876	U1875	U1874	U1873	U1872	U1871	U1870	U1869	U1868	U1867	U1866	U1865	U1864	U1863	U1862	U1861	U1860	U1859	U1858	U1857	U1856	U1855	U1854	U1853	U1852	U1851	C1790	A1791	U1792	C1793	U1794	U1795	U1796	U1797	U1798	U1799	U1788	U1787	U1786	U1785	U1784	U1783	U1782	U1781	U1780	U1779	U1778	U1777	U1776	U1775	U1774	U1773	U1772	U1771	U1770	U1769	U1768	U1767	U1766	U1765	U1764	U1763	U1762	U1761	U1760	U1759	U1758	U1757	U1756	U1755	U1754	U1753	U1752	U1751	U1750	U1749	U1748	C1748



- Molecule 55: 5S ribosomal RNA



- Molecule 56: 50S ribosomal protein L1



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	5083	Depositor
Resolution determination method	FSC 0.5 CUT-OFF	Depositor
CTF correction method	local	Depositor
Microscope	FEI/PHILIPS CM200FEG	Depositor
Voltage (kV)	160	Depositor
Electron dose ($e^-/\text{\AA}^2$)	20	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	162740	Depositor
Image detector	GENERIC TVIPS (4k x 4k)	Depositor
Maximum map value	300.566	Depositor
Minimum map value	-221.637	Depositor
Average map value	-0.135	Depositor
Map value standard deviation	28.849	Depositor
Recommended contour level	30	Depositor
Map size (\AA)	358.4, 358.4, 358.4	wwPDB
Map dimensions	128, 128, 128	wwPDB
Map angles ($^\circ$)	90, 90, 90	wwPDB
Pixel spacing (\AA)	2.8, 2.8, 2.8	Depositor

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: NH2, ACE, H2U, 7MG, PSU, 5MU, 6MZ, FME, OMC, 4SU, CM0

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	AB	0.69	0/1736	1.03	9/2340 (0.4%)
2	AC	0.72	0/1651	1.15	18/2225 (0.8%)
3	AD	0.75	0/1665	1.22	19/2227 (0.9%)
4	AE	0.69	0/1119	1.14	13/1506 (0.9%)
5	AF	0.72	0/835	1.12	9/1128 (0.8%)
6	AG	0.73	0/1188	1.25	18/1593 (1.1%)
7	AH	0.68	0/989	1.09	8/1326 (0.6%)
8	AI	0.79	0/1035	1.25	16/1377 (1.2%)
9	AJ	0.71	0/797	1.19	11/1079 (1.0%)
10	AK	0.73	0/894	1.13	9/1207 (0.7%)
11	AL	0.74	0/969	1.26	15/1300 (1.2%)
12	AM	0.74	0/884	1.34	17/1181 (1.4%)
13	AN	0.77	0/817	1.28	13/1088 (1.2%)
14	AO	0.70	0/722	1.21	11/964 (1.1%)
15	AP	0.76	0/648	1.24	6/870 (0.7%)
16	AQ	0.66	0/658	1.16	9/883 (1.0%)
17	AR	0.81	0/463	1.25	6/623 (1.0%)
18	AS	0.74	0/653	1.22	7/879 (0.8%)
19	AT	0.66	0/672	1.13	7/890 (0.8%)
20	AU	0.80	0/431	1.42	8/572 (1.4%)
21	AA	1.55	5/36759 (0.0%)	2.21	1980/57346 (3.5%)
22	A1	1.56	0/1668	2.21	89/2595 (3.4%)
23	A2	1.41	0/343	2.12	13/531 (2.4%)
24	A3	1.56	0/1722	2.23	97/2685 (3.6%)
25	BC	0.74	0/2121	1.29	28/2852 (1.0%)
26	BD	0.67	0/1586	1.13	9/2134 (0.4%)
27	BE	0.66	0/1571	1.19	15/2113 (0.7%)
28	BF	0.72	0/1444	1.16	10/1937 (0.5%)
29	BG	0.67	0/1343	1.16	7/1816 (0.4%)
30	BH	0.64	0/1122	1.12	8/1515 (0.5%)
31	BI	0.65	0/1046	1.04	1/1410 (0.1%)
32	BJ	0.72	0/1152	1.18	12/1551 (0.8%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
33	BK	0.72	0/947	1.25	10/1268 (0.8%)
34	BL	0.73	0/1054	1.43	15/1403 (1.1%)
35	BM	0.73	0/1093	1.21	9/1460 (0.6%)
36	BN	0.74	0/973	1.34	16/1301 (1.2%)
37	BO	0.72	0/902	1.27	13/1209 (1.1%)
38	BP	0.73	0/929	1.28	13/1242 (1.0%)
39	BQ	0.77	0/960	1.33	11/1278 (0.9%)
40	BR	0.71	0/829	1.19	6/1107 (0.5%)
41	BS	0.64	0/864	1.19	9/1156 (0.8%)
42	BT	0.65	0/744	1.21	6/994 (0.6%)
43	BU	0.68	0/787	1.17	6/1051 (0.6%)
44	BV	0.69	0/766	1.14	6/1025 (0.6%)
45	BW	0.74	0/604	1.22	4/799 (0.5%)
46	BX	0.75	0/635	1.38	8/848 (0.9%)
47	BY	0.67	0/510	1.21	6/677 (0.9%)
48	BZ	0.68	0/453	1.18	4/605 (0.7%)
49	B0	0.72	0/450	1.25	5/599 (0.8%)
50	B1	0.68	0/417	1.12	2/556 (0.4%)
51	B2	0.81	0/380	1.45	9/498 (1.8%)
52	B3	0.70	0/513	1.17	6/676 (0.9%)
53	B4	0.70	0/303	1.29	3/397 (0.8%)
54	BA	1.43	5/69796 (0.0%)	2.22	4096/108888 (3.8%)
55	BB	1.45	0/2800	2.19	160/4367 (3.7%)
56	B5	0.64	0/1673	1.07	8/2255 (0.4%)
All	All	1.30	10/160085 (0.0%)	2.00	6929/239402 (2.9%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
3	AD	0	1
21	AA	0	359
22	A1	0	16
23	A2	0	5
24	A3	0	8
36	BN	0	1
37	BO	0	1
38	BP	0	2
46	BX	0	1
54	BA	0	692

Continued on next page...

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
55	BB	0	29
All	All	0	1115

The worst 5 of 10 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
21	AA	1200	C	C4-N4	-5.60	1.28	1.33
54	BA	1526	C	C4-N4	-5.22	1.29	1.33
54	BA	2000	C	C4-N4	-5.18	1.29	1.33
21	AA	339	C	C4-N4	-5.17	1.29	1.33
54	BA	867	C	C4-N4	-5.15	1.29	1.33

The worst 5 of 6929 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
54	BA	1981	A	O4'-C1'-N9	13.97	119.37	108.20
21	AA	1191	A	N1-C6-N6	-13.33	110.60	118.60
24	A3	60	A	N1-C6-N6	-13.05	110.77	118.60
54	BA	323	C	O4'-C1'-N1	12.75	118.40	108.20
21	AA	520	A	N1-C6-N6	-12.44	111.14	118.60

There are no chirality outliers.

5 of 1115 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
21	AA	14	U	Sidechain
21	AA	37	U	Sidechain
21	AA	39	G	Sidechain
21	AA	6	G	Sidechain
3	AD	13	ARG	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	AB	1708	0	1736	3	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	AC	1625	0	1699	1	0
3	AD	1643	0	1710	0	0
4	AE	1109	0	1152	0	0
5	AF	818	0	808	0	0
6	AG	1178	0	1234	0	0
7	AH	979	0	1034	0	0
8	AI	1025	0	1074	0	0
9	AJ	790	0	832	0	0
10	AK	880	0	891	0	0
11	AL	955	0	1019	0	0
12	AM	877	0	937	0	0
13	AN	805	0	844	0	0
14	AO	714	0	737	0	0
15	AP	639	0	656	0	0
16	AQ	652	0	695	0	0
17	AR	459	0	482	0	0
18	AS	641	0	669	0	0
19	AT	668	0	718	1	0
20	AU	429	0	453	0	0
21	AA	32828	0	16514	4	0
22	A1	1627	0	830	0	0
23	A2	309	0	158	0	0
24	A3	1642	0	843	0	0
25	BC	2083	0	2157	0	0
26	BD	1565	0	1616	1	0
27	BE	1552	0	1619	0	0
28	BF	1420	0	1460	0	0
29	BG	1323	0	1374	1	0
30	BH	1111	0	1148	0	0
31	BI	1032	0	1088	0	0
32	BJ	1129	0	1162	0	0
33	BK	939	0	1012	0	0
34	BL	1045	0	1117	0	0
35	BM	1074	0	1157	1	0
36	BN	961	0	1000	0	0
37	BO	892	0	923	0	0
38	BP	917	0	965	0	0
39	BQ	947	0	1022	0	0
40	BR	816	0	839	1	0
41	BS	857	0	922	0	0
42	BT	739	0	807	1	0
43	BU	780	0	834	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
44	BV	753	0	780	0	0
45	BW	599	0	614	0	0
46	BX	625	0	655	1	0
47	BY	509	0	543	0	0
48	BZ	449	0	491	0	0
49	B0	444	0	461	1	0
50	B1	413	0	444	2	0
51	B2	377	0	418	0	0
52	B3	504	0	574	0	0
53	B4	302	0	343	0	0
54	BA	62317	0	31323	8	0
55	BB	2504	0	1271	2	0
56	B5	1658	0	1751	0	0
57	A1	7	0	8	0	0
58	BA	10	0	10	0	0
All	All	147653	0	99633	25	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 0.

The worst 5 of 25 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:AC:4:VAL:HG22	2:AC:5:HIS:H	1.60	0.65
1:AB:103:TRP:CZ2	1:AB:104:LYS:HE3	2.47	0.49
21:AA:483:C:H2'	21:AA:484:G:C8	2.49	0.48
54:BA:866:A:C8	54:BA:914:G:C8	3.02	0.47
50:B1:18:HIS:CG	50:B1:19:PHE:H	2.32	0.47

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	AB	218/220 (99%)	195 (89%)	20 (9%)	3 (1%)	9	41
2	AC	205/208 (99%)	194 (95%)	7 (3%)	4 (2%)	6	32
3	AD	203/206 (98%)	189 (93%)	10 (5%)	4 (2%)	6	32
4	AE	150/152 (99%)	136 (91%)	10 (7%)	4 (3%)	4	25
5	AF	99/101 (98%)	88 (89%)	8 (8%)	3 (3%)	3	23
6	AG	150/152 (99%)	131 (87%)	15 (10%)	4 (3%)	4	25
7	AH	127/130 (98%)	122 (96%)	3 (2%)	2 (2%)	8	38
8	AI	126/128 (98%)	118 (94%)	5 (4%)	3 (2%)	5	27
9	AJ	98/100 (98%)	88 (90%)	6 (6%)	4 (4%)	2	18
10	AK	116/118 (98%)	109 (94%)	6 (5%)	1 (1%)	14	52
11	AL	121/124 (98%)	107 (88%)	9 (7%)	5 (4%)	2	18
12	AM	112/115 (97%)	97 (87%)	12 (11%)	3 (3%)	4	25
13	AN	98/101 (97%)	87 (89%)	8 (8%)	3 (3%)	3	22
14	AO	86/89 (97%)	78 (91%)	8 (9%)	0	100	100
15	AP	79/81 (98%)	71 (90%)	8 (10%)	0	100	100
16	AQ	80/82 (98%)	73 (91%)	6 (8%)	1 (1%)	10	43
17	AR	55/57 (96%)	53 (96%)	2 (4%)	0	100	100
18	AS	79/81 (98%)	68 (86%)	9 (11%)	2 (2%)	4	26
19	AT	84/86 (98%)	77 (92%)	6 (7%)	1 (1%)	11	44
20	AU	51/53 (96%)	35 (69%)	13 (26%)	3 (6%)	1	13
25	BC	270/273 (99%)	244 (90%)	18 (7%)	8 (3%)	3	23
26	BD	207/209 (99%)	187 (90%)	12 (6%)	8 (4%)	2	19
27	BE	199/201 (99%)	177 (89%)	11 (6%)	11 (6%)	1	15
28	BF	176/179 (98%)	145 (82%)	24 (14%)	7 (4%)	2	18
29	BG	174/177 (98%)	157 (90%)	14 (8%)	3 (2%)	7	37
30	BH	147/149 (99%)	132 (90%)	12 (8%)	3 (2%)	6	32
31	BI	139/142 (98%)	126 (91%)	10 (7%)	3 (2%)	5	29
32	BJ	140/142 (99%)	130 (93%)	10 (7%)	0	100	100
33	BK	121/123 (98%)	108 (89%)	9 (7%)	4 (3%)	3	21
34	BL	141/144 (98%)	112 (79%)	19 (14%)	10 (7%)	1	11
35	BM	134/136 (98%)	123 (92%)	7 (5%)	4 (3%)	3	23
36	BN	119/121 (98%)	104 (87%)	14 (12%)	1 (1%)	16	55

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
37	BO	114/117 (97%)	109 (96%)	4 (4%)	1 (1%)	14	52
38	BP	112/115 (97%)	98 (88%)	11 (10%)	3 (3%)	4	25
39	BQ	115/118 (98%)	106 (92%)	6 (5%)	3 (3%)	4	26
40	BR	101/103 (98%)	90 (89%)	8 (8%)	3 (3%)	3	23
41	BS	108/110 (98%)	96 (89%)	12 (11%)	0	100	100
42	BT	92/94 (98%)	70 (76%)	15 (16%)	7 (8%)	1	10
43	BU	101/104 (97%)	85 (84%)	10 (10%)	6 (6%)	1	13
44	BV	92/94 (98%)	86 (94%)	4 (4%)	2 (2%)	5	29
45	BW	78/80 (98%)	59 (76%)	14 (18%)	5 (6%)	1	13
46	BX	75/79 (95%)	64 (85%)	6 (8%)	5 (7%)	1	12
47	BY	61/63 (97%)	56 (92%)	5 (8%)	0	100	100
48	BZ	56/59 (95%)	49 (88%)	5 (9%)	2 (4%)	3	20
49	B0	54/57 (95%)	49 (91%)	3 (6%)	2 (4%)	2	20
50	B1	50/52 (96%)	46 (92%)	3 (6%)	1 (2%)	6	32
51	B2	44/46 (96%)	42 (96%)	1 (2%)	1 (2%)	5	28
52	B3	62/65 (95%)	56 (90%)	5 (8%)	1 (2%)	8	38
53	B4	36/38 (95%)	30 (83%)	5 (14%)	1 (3%)	4	24
56	B5	221/234 (94%)	205 (93%)	14 (6%)	2 (1%)	14	52
All	All	5876/6008 (98%)	5257 (90%)	462 (8%)	157 (3%)	6	25

5 of 157 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	AC	4	VAL
3	AD	47	LEU
4	AE	105	ILE
4	AE	149	PRO
5	AF	61	LEU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	AB	180/180 (100%)	175 (97%)	5 (3%)	38	57
2	AC	170/171 (99%)	168 (99%)	2 (1%)	67	78
3	AD	172/173 (99%)	169 (98%)	3 (2%)	56	72
4	AE	113/113 (100%)	111 (98%)	2 (2%)	54	71
5	AF	87/87 (100%)	86 (99%)	1 (1%)	70	80
6	AG	123/123 (100%)	119 (97%)	4 (3%)	33	52
7	AH	104/105 (99%)	104 (100%)	0	100	100
8	AI	105/105 (100%)	104 (99%)	1 (1%)	73	82
9	AJ	86/86 (100%)	84 (98%)	2 (2%)	45	64
10	AK	90/90 (100%)	89 (99%)	1 (1%)	70	80
11	AL	103/104 (99%)	103 (100%)	0	100	100
12	AM	91/92 (99%)	91 (100%)	0	100	100
13	AN	83/84 (99%)	82 (99%)	1 (1%)	67	78
14	AO	76/77 (99%)	74 (97%)	2 (3%)	41	59
15	AP	65/65 (100%)	64 (98%)	1 (2%)	60	75
16	AQ	74/74 (100%)	74 (100%)	0	100	100
17	AR	48/48 (100%)	48 (100%)	0	100	100
18	AS	70/70 (100%)	70 (100%)	0	100	100
19	AT	65/65 (100%)	64 (98%)	1 (2%)	60	75
20	AU	44/44 (100%)	43 (98%)	1 (2%)	45	64
25	BC	216/217 (100%)	211 (98%)	5 (2%)	45	64
26	BD	164/164 (100%)	163 (99%)	1 (1%)	84	88
27	BE	165/165 (100%)	158 (96%)	7 (4%)	25	46
28	BF	149/150 (99%)	147 (99%)	2 (1%)	65	77
29	BG	137/138 (99%)	133 (97%)	4 (3%)	37	56
30	BH	114/114 (100%)	113 (99%)	1 (1%)	75	83
31	BI	109/110 (99%)	107 (98%)	2 (2%)	54	71
32	BJ	116/116 (100%)	115 (99%)	1 (1%)	75	83
33	BK	103/103 (100%)	99 (96%)	4 (4%)	27	48
34	BL	102/103 (99%)	99 (97%)	3 (3%)	37	56
35	BM	109/109 (100%)	107 (98%)	2 (2%)	54	71

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
36	BN	100/100 (100%)	99 (99%)	1 (1%)	73	82
37	BO	86/87 (99%)	83 (96%)	3 (4%)	31	51
38	BP	99/100 (99%)	98 (99%)	1 (1%)	73	82
39	BQ	89/90 (99%)	89 (100%)	0	100	100
40	BR	84/84 (100%)	83 (99%)	1 (1%)	67	78
41	BS	93/93 (100%)	91 (98%)	2 (2%)	47	65
42	BT	80/80 (100%)	78 (98%)	2 (2%)	42	61
43	BU	83/84 (99%)	81 (98%)	2 (2%)	44	62
44	BV	78/78 (100%)	76 (97%)	2 (3%)	41	59
45	BW	59/59 (100%)	58 (98%)	1 (2%)	56	72
46	BX	67/68 (98%)	65 (97%)	2 (3%)	36	55
47	BY	55/55 (100%)	54 (98%)	1 (2%)	54	71
48	BZ	48/49 (98%)	48 (100%)	0	100	100
49	B0	47/48 (98%)	46 (98%)	1 (2%)	48	66
50	B1	45/45 (100%)	44 (98%)	1 (2%)	47	65
51	B2	38/38 (100%)	37 (97%)	1 (3%)	41	59
52	B3	51/52 (98%)	50 (98%)	1 (2%)	50	68
53	B4	34/34 (100%)	31 (91%)	3 (9%)	8	25
56	B5	173/181 (96%)	171 (99%)	2 (1%)	67	78
All	All	4842/4870 (99%)	4756 (98%)	86 (2%)	54	71

5 of 86 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
35	BM	12	MET
44	BV	26	PHE
36	BN	97	ILE
41	BS	57	ASN
46	BX	37	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
2	AC	184	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	AD	163	GLN
19	AT	19	HIS

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
21	AA	1530/1533 (99%)	261 (17%)	92 (6%)
22	A1	73/76 (96%)	8 (10%)	4 (5%)
23	A2	14/15 (93%)	9 (64%)	2 (14%)
24	A3	76/77 (98%)	13 (17%)	6 (7%)
54	BA	2902/2903 (99%)	451 (15%)	127 (4%)
55	BB	116/118 (98%)	15 (12%)	4 (3%)
All	All	4711/4722 (99%)	757 (16%)	235 (4%)

5 of 757 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
21	AA	6	G
21	AA	7	A
21	AA	8	A
21	AA	9	G
21	AA	13	U

5 of 235 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
54	BA	199	A
54	BA	2542	A
54	BA	909	A
54	BA	2489	U
54	BA	2117	A

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

11 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
22	6MZ	A1	37	22	17,25,26	0.98	1 (5%)	15,36,39	1.78	4 (26%)
24	H2U	A3	21	24	18,21,22	1.41	2 (11%)	19,30,33	1.51	3 (15%)
22	PSU	A1	55	22	18,21,22	0.81	0	21,30,33	1.12	3 (14%)
22	5MU	A1	54	22	19,22,23	0.79	0	27,32,35	1.25	3 (11%)
24	4SU	A3	8	24	18,21,22	1.42	1 (5%)	25,30,33	0.90	1 (4%)
22	7MG	A1	46	22	23,26,27	3.98	2 (8%)	27,39,42	1.58	2 (7%)
24	5MU	A3	55	24	19,22,23	0.73	0	27,32,35	1.33	4 (14%)
24	PSU	A3	56	24	18,21,22	0.85	0	21,30,33	1.27	2 (9%)
22	CM0	A1	34	22	21,26,27	1.27	2 (9%)	26,37,40	1.43	3 (11%)
22	4SU	A1	7	22	18,21,22	1.47	2 (11%)	25,30,33	0.85	0
24	OMC	A3	33	24	19,22,23	0.75	0	25,31,34	1.06	1 (4%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
22	6MZ	A1	37	22	-	2/5/27/28	0/3/3/3
24	H2U	A3	21	24	-	0/7/38/39	0/2/2/2
22	PSU	A1	55	22	-	1/7/25/26	0/2/2/2
22	5MU	A1	54	22	-	0/7/25/26	0/2/2/2
24	4SU	A3	8	24	-	4/7/25/26	0/2/2/2
22	7MG	A1	46	22	-	1/7/37/38	0/3/3/3
24	5MU	A3	55	24	-	0/7/25/26	0/2/2/2
24	PSU	A3	56	24	-	2/7/25/26	0/2/2/2
22	CM0	A1	34	22	-	2/12/30/31	0/2/2/2
22	4SU	A1	7	22	-	0/7/25/26	0/2/2/2
24	OMC	A3	33	24	-	0/9/27/28	0/2/2/2

The worst 5 of 10 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
22	A1	46	7MG	C8-N9	-18.65	1.33	1.45
24	A3	8	4SU	C5-C4	-5.15	1.36	1.42
22	A1	7	4SU	C5-C4	-5.10	1.36	1.42

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
22	A1	34	CM0	O5-C5	-4.57	1.26	1.36
24	A3	21	H2U	C4-N3	-3.74	1.31	1.37

The worst 5 of 26 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
22	A1	46	7MG	N9-C8-N7	5.93	111.77	103.37
22	A1	34	CM0	C7-O5-C5	4.92	123.75	117.48
24	A3	21	H2U	N3-C2-N1	4.29	120.96	116.65
22	A1	37	6MZ	C9-N6-C6	3.88	126.45	122.85
24	A3	55	5MU	C5M-C5-C6	-3.44	118.20	122.85

There are no chirality outliers.

5 of 12 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
22	A1	37	6MZ	C5-C6-N6-C9
22	A1	37	6MZ	N1-C6-N6-C9
22	A1	46	7MG	C2'-C1'-N9-C8
24	A3	56	PSU	O4'-C1'-C5-C4
24	A3	56	PSU	O4'-C1'-C5-C6

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
57	VAL	A1	101	58,22	4,6,7	0.82	0	6,7,9	0.93	1 (16%)
58	FME	BA	3001	57	8,9,10	0.60	0	8,9,11	0.87	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
57	VAL	A1	101	58,22	-	1/5/6/8	-
58	FME	BA	3001	57	-	1/7/9/11	-

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
57	A1	101	VAL	O-C-CA	-2.09	119.41	124.77

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
57	A1	101	VAL	O-C-CA-CB
58	BA	3001	FME	O1-CN-N-CA

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-1723. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y



Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 64



Y Index: 64



Z Index: 64


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)

6.3.1 Primary map



X Index: 64



Y Index: 67




Z Index: 61


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 30.0. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 2478 nm³; this corresponds to an approximate mass of 2238 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.067 Å⁻¹


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-1723 and PDB model 4V79. Per-residue inclusion information can be found in [section 3](#) on [page 17](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 30.0 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (30).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 57% of all backbone atoms, 66% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ













































The table lists the average atom inclusion at the recommended contour level (30) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.6600	 0.0510
A1	 0.6390	 0.0700
A2	 0.3530	 0.0140
A3	 0.3100	 0.0220
AA	 0.7540	 0.0640
AB	 0.5600	 0.0370
AC	 0.4330	 0.0460
AD	 0.4990	 0.0150
AE	 0.6490	 0.0500
AF	 0.6020	 0.0540
AG	 0.5550	 0.0380
AH	 0.7620	 0.0410
AI	 0.6320	 0.0260
AJ	 0.4460	 -0.0010
AK	 0.5720	 0.0360
AL	 0.5360	 0.0320
AM	 0.8200	 0.0600
AN	 0.5120	 0.0180
AO	 0.7220	 0.0420
AP	 0.4120	 0.0210
AQ	 0.5890	 0.0180
AR	 0.5400	 0.0130
AS	 0.8860	 0.0580
AT	 0.6590	 0.0080
AU	 0.4720	 0.0090
B0	 0.4930	 0.0210
B1	 0.4930	 0.0570
B2	 0.1490	 -0.0430
B3	 0.1390	 -0.0670
B4	 0.7190	 0.0120
B5	 0.4080	 0.0120
BA	 0.7190	 0.0640
BB	 0.8690	 0.0840
BC	 0.3550	 0.0030
BD	 0.4160	 0.0090



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
BE	 0.6150	 0.0340
BF	 0.6990	 0.0520
BG	 0.7890	 0.0630
BH	 0.3890	 0.0370
BI	 0.1500	 0.0110
BJ	 0.3860	 0.0160
BK	 0.5130	 0.0370
BL	 0.4180	 -0.0250
BM	 0.3790	 0.0090
BN	 0.5290	 0.0030
BO	 0.7150	 0.0200
BP	 0.2840	 -0.0030
BQ	 0.4920	 0.0010
BR	 0.6290	 0.0370
BS	 0.3970	 0.0130
BT	 0.4870	 0.0250
BU	 0.5380	 0.0280
BV	 0.7820	 0.0540
BW	 0.4260	 0.0220
BX	 0.1300	 -0.0330
BY	 0.4330	 0.0270
BZ	 0.5560	 0.0370