



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 17, 2024 – 10:58 PM EDT

PDB ID : 5VZT
Title : Crystal structure of the Skp1-FBXO31 complex
Authors : Li, Y.; Jin, K.; Hao, B.
Deposited on : 2017-05-29
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.37.1
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.37.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION





The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2808 (2.70-2.70)
Clashscore	141614	3122 (2.70-2.70)
Ramachandran outliers	138981	3069 (2.70-2.70)
Sidechain outliers	138945	3069 (2.70-2.70)
RSRZ outliers	127900	2737 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	149	
1	C	149	
2	B	488	
2	D	488	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	DTT	D	602[B]	-	X	-	-

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 9359 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called S-phase kinase-associated protein 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	145	Total	C	N	O	S	0	4	0
			1182	747	192	236	7			
1	C	143	Total	C	N	O	S	0	3	0
			1161	735	189	230	7			

There are 38 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1002	ALA	PRO	engineered mutation	UNP P63208
A	?	-	ASP	deletion	UNP P63208
A	?	-	GLU	deletion	UNP P63208
A	?	-	GLY	deletion	UNP P63208
A	?	-	ASP	deletion	UNP P63208
A	?	-	ASP	deletion	UNP P63208
A	?	-	ASP	deletion	UNP P63208
A	?	-	PRO	deletion	UNP P63208
A	?	-	PRO	deletion	UNP P63208
A	?	-	PRO	deletion	UNP P63208
A	?	-	GLU	deletion	UNP P63208
A	?	-	ASP	deletion	UNP P63208
A	?	-	ASP	deletion	UNP P63208
A	?	-	GLU	deletion	UNP P63208
A	?	-	ASN	deletion	UNP P63208
A	1078	GLY	LYS	see remark 999	UNP P63208
A	1079	GLY	GLU	see remark 999	UNP P63208
A	1080	SER	LYS	see remark 999	UNP P63208
A	1081	GLY	ARG	see remark 999	UNP P63208
C	1002	ALA	PRO	engineered mutation	UNP P63208
C	?	-	ASP	deletion	UNP P63208
C	?	-	GLU	deletion	UNP P63208
C	?	-	GLY	deletion	UNP P63208
C	?	-	ASP	deletion	UNP P63208
C	?	-	ASP	deletion	UNP P63208

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	?	-	ASP	deletion	UNP P63208
C	?	-	PRO	deletion	UNP P63208
C	?	-	PRO	deletion	UNP P63208
C	?	-	PRO	deletion	UNP P63208
C	?	-	GLU	deletion	UNP P63208
C	?	-	ASP	deletion	UNP P63208
C	?	-	ASP	deletion	UNP P63208
C	?	-	GLU	deletion	UNP P63208
C	?	-	ASN	deletion	UNP P63208
C	1078	GLY	LYS	see remark 999	UNP P63208
C	1079	GLY	GLU	see remark 999	UNP P63208
C	1080	SER	LYS	see remark 999	UNP P63208
C	1081	GLY	ARG	see remark 999	UNP P63208

- Molecule 2 is a protein called F-box only protein 31.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	418	Total	C	N	O	S	0	6	0
			3453	2197	625	610	21			
2	D	417	Total	C	N	O	S	0	5	0
			3407	2170	612	602	23			

There are 28 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	52	MET	-	expression tag	UNP Q5XUX0
B	53	ALA	-	expression tag	UNP Q5XUX0
B	54	SER	-	expression tag	UNP Q5XUX0
B	55	TRP	-	expression tag	UNP Q5XUX0
B	56	SER	-	expression tag	UNP Q5XUX0
B	57	HIS	-	expression tag	UNP Q5XUX0
B	58	PRO	-	expression tag	UNP Q5XUX0
B	59	GLN	-	expression tag	UNP Q5XUX0
B	60	PHE	-	expression tag	UNP Q5XUX0
B	61	GLU	-	expression tag	UNP Q5XUX0
B	62	LYS	-	expression tag	UNP Q5XUX0
B	63	SER	-	expression tag	UNP Q5XUX0
B	64	GLY	-	expression tag	UNP Q5XUX0
B	65	ARG	-	expression tag	UNP Q5XUX0
D	52	MET	-	expression tag	UNP Q5XUX0
D	53	ALA	-	expression tag	UNP Q5XUX0
D	54	SER	-	expression tag	UNP Q5XUX0

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	55	TRP	-	expression tag	UNP Q5XUX0
D	56	SER	-	expression tag	UNP Q5XUX0
D	57	HIS	-	expression tag	UNP Q5XUX0
D	58	PRO	-	expression tag	UNP Q5XUX0
D	59	GLN	-	expression tag	UNP Q5XUX0
D	60	PHE	-	expression tag	UNP Q5XUX0
D	61	GLU	-	expression tag	UNP Q5XUX0
D	62	LYS	-	expression tag	UNP Q5XUX0
D	63	SER	-	expression tag	UNP Q5XUX0
D	64	GLY	-	expression tag	UNP Q5XUX0
D	65	ARG	-	expression tag	UNP Q5XUX0

- Molecule 3 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	B	1	Total Zn 1 1	0	0
3	D	1	Total Zn 1 1	0	0

- Molecule 4 is 2,3-DIHYDROXY-1,4-DITHIOBUTANE (three-letter code: DTT) (formula: C₄H₁₀O₂S₂).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	B	1	Total C O S 16 8 4 4	0	1

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	D	1	Total	C	O	S	0	1
			16	8	4	4		

- Molecule 5 is PHOSPHATE ION (three-letter code: PO4) (formula: O₄P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	B	1	Total	O	P	0	0
			5	4	1		
5	B	1	Total	O	P	0	0
			5	4	1		
5	B	1	Total	O	P	0	0
			5	4	1		
5	B	1	Total	O	P	0	0
			5	4	1		
5	D	1	Total	O	P	0	0
			5	4	1		
5	D	1	Total	O	P	0	0
			5	4	1		
5	D	1	Total	O	P	0	0
			5	4	1		
5	D	1	Total	O	P	0	0
			5	4	1		

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	20	Total 20	O 20	0	0
6	B	44	Total 44	O 44	0	0
6	D	18	Total 18	O 18	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: S-phase kinase-associated protein 1

Chain A: 




- Molecule 1: S-phase kinase-associated protein 1

Chain C: 




- Molecule 2: F-box only protein 31

Chain B: 



● Molecule 2: F-box only protein 31



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	87.52Å 156.31Å 154.60Å 90.00° 103.62° 90.00°	Depositor
Resolution (Å)	50.00 – 2.70 44.11 – 2.70	Depositor EDS
% Data completeness (in resolution range)	98.9 (50.00-2.70) 98.9 (44.11-2.70)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.85 (at 2.69Å)	Xtriage
Refinement program	REFMAC 5.8.0073	Depositor
R, R_{free}	0.195 , 0.242 0.200 , 0.240	Depositor DCC
R_{free} test set	2777 reflections (5.07%)	wwPDB-VP
Wilson B-factor (Å ²)	60.2	Xtriage
Anisotropy	0.312	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , 54.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.014 for h,-k,-h-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	9359	wwPDB-VP
Average B, all atoms (Å ²)	79.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.31% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: DTT, ZN, PO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.86	0/1200	0.98	2/1623 (0.1%)
1	C	0.58	0/1179	0.79	0/1595
2	B	0.88	2/3546 (0.1%)	1.09	15/4796 (0.3%)
2	D	0.75	0/3497	0.95	7/4732 (0.1%)
All	All	0.80	2/9422 (0.0%)	0.99	24/12746 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	C	0	1
2	B	0	2
2	D	0	1
All	All	0	5

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	528	ASP	CB-CG	5.34	1.62	1.51
2	B	249	TRP	CB-CG	5.31	1.59	1.50

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	247	ARG	NE-CZ-NH1	8.02	124.31	120.30
2	B	528	ASP	CB-CG-OD1	7.89	125.41	118.30
2	B	199	ARG	NE-CZ-NH1	7.16	123.88	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	112	ARG	NE-CZ-NH1	6.72	123.66	120.30
2	B	110	ARG	NE-CZ-NH2	-6.58	117.01	120.30
2	B	461	ARG	NE-CZ-NH2	-6.46	117.07	120.30
2	B	357	LEU	CA-CB-CG	5.88	128.84	115.30
2	D	138	LEU	CA-CB-CG	5.86	128.77	115.30
2	B	272	MET	CG-SD-CE	5.82	109.52	100.20
2	B	199	ARG	NE-CZ-NH2	-5.62	117.49	120.30
2	D	199	ARG	NE-CZ-NH1	5.56	123.08	120.30
2	B	287	ARG	NE-CZ-NH1	5.53	123.06	120.30
1	A	1153	VAL	CB-CA-C	-5.46	101.02	111.40
1	A	1144	ASP	CB-CG-OD2	5.35	123.11	118.30
2	B	494	ASP	CB-CG-OD2	-5.29	113.54	118.30
2	B	110	ARG	NE-CZ-NH1	5.28	122.94	120.30
2	D	141	ARG	NE-CZ-NH1	5.28	122.94	120.30
2	D	197	MET	CG-SD-CE	5.25	108.61	100.20
2	D	247	ARG	NE-CZ-NH2	-5.25	117.68	120.30
2	D	193	ARG	NE-CZ-NH2	-5.25	117.68	120.30
2	B	108	ARG	NE-CZ-NH2	5.23	122.91	120.30
2	B	284	LEU	CA-CB-CG	5.08	126.97	115.30
2	B	283[A]	CYS	CA-CB-SG	-5.07	104.87	114.00
2	B	283[B]	CYS	CA-CB-SG	-5.07	104.87	114.00

There are no chirality outliers.

All (5) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	1162	GLU	Peptide
2	B	281	ASP	Peptide
2	B	300	ILE	Peptide
1	C	1083	ASP	Peptide
2	D	300	ILE	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1182	0	1164	26	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	1161	0	1147	27	0
2	B	3453	0	3373	79	0
2	D	3407	0	3322	77	0
3	B	1	0	0	0	0
3	D	1	0	0	0	0
4	B	16	0	20	0	0
4	D	16	0	20	1	0
5	B	20	0	0	0	0
5	D	20	0	0	0	0
6	A	20	0	0	1	0
6	B	44	0	0	3	0
6	D	18	0	0	2	0
All	All	9359	0	9046	201	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (201) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:280:TYR:O	2:B:282:ASN:HA	1.73	0.89
2:D:299:LEU:HD21	2:D:302:PRO:HD3	1.55	0.85
2:D:361:ARG:O	2:D:450:VAL:HG22	1.75	0.85
2:B:109:ARG:HD3	2:B:113:GLU:OE2	1.79	0.82
2:B:300:ILE:HD13	2:B:300:ILE:N	1.94	0.80
1:A:1143:ASN:HD22	1:A:1143:ASN:C	1.85	0.78
2:D:297:ASP:O	2:D:299:LEU:N	2.17	0.78
1:A:1153:VAL:HG13	2:B:98:ARG:HD2	1.66	0.77
2:D:513:GLN:HE21	2:D:513:GLN:HA	1.51	0.75
1:C:1012:GLU:OE1	1:C:1052:ALA:HB1	1.86	0.75
2:B:299:LEU:C	2:B:300:ILE:HD13	2.07	0.74
2:B:287:ARG:HD2	2:B:537:LEU:HD22	1.71	0.72
1:A:1158[B]:GLN:O	1:A:1158[B]:GLN:HG3	1.88	0.71
2:B:258:LEU:O	2:B:259:GLU:HB2	1.91	0.70
1:C:1091:GLU:OE1	1:C:1091:GLU:HA	1.93	0.68
2:D:492:ASP:OD2	2:D:495:ARG:NH1	2.26	0.68
2:D:299:LEU:HD21	2:D:302:PRO:CD	2.24	0.68
2:B:492:ASP:OD2	2:B:495:ARG:CZ	2.43	0.67
2:B:282:ASN:O	2:B:282:ASN:CG	2.35	0.64
2:B:282:ASN:O	2:B:282:ASN:ND2	2.31	0.64
1:A:1133[A]:GLU:OE2	1:A:1133[A]:GLU:N	2.21	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:258:LEU:O	2:B:258:LEU:HD23	1.99	0.63
2:B:341:GLN:NE2	6:B:702:HOH:O	2.30	0.63
1:A:1133[A]:GLU:H	1:A:1133[A]:GLU:CD	2.02	0.63
2:D:297:ASP:O	2:D:298:ASP:C	2.36	0.63
1:C:1153:VAL:HG13	2:D:98:ARG:HD2	1.80	0.62
2:B:257:THR:OG1	2:B:260:ASP:N	2.31	0.62
2:D:325:ARG:NH1	2:D:345:GLU:OE1	2.33	0.62
2:D:182:VAL:CG1	2:D:510:SER:HB3	2.30	0.61
2:B:483:ARG:NH1	2:B:483:ARG:HB3	2.15	0.61
2:D:182:VAL:HG12	2:D:510:SER:HB3	1.81	0.61
2:D:264:GLU:HA	2:D:267:GLN:HG2	1.83	0.61
2:B:299:LEU:HD21	2:B:302:PRO:HD3	1.81	0.60
2:B:301:LYS:HG2	2:B:493:GLU:OE1	2.01	0.60
2:B:297:ASP:O	2:B:299:LEU:N	2.34	0.60
1:A:1158[A]:GLN:O	1:A:1160[A]:CYS:N	2.35	0.60
2:B:259:GLU:O	2:B:261:ILE:N	2.35	0.60
2:D:446:PHE:N	2:D:461:ARG:O	2.34	0.59
2:D:310:GLY:HA2	2:D:455:ARG:HD2	1.82	0.59
1:C:1012:GLU:OE1	1:C:1052:ALA:CB	2.49	0.59
2:D:261:ILE:HD11	2:D:267:GLN:HB3	1.84	0.59
2:B:292:PRO:HG2	2:B:302:PRO:HB2	1.85	0.59
2:B:102[A]:HIS:CD2	2:B:102[A]:HIS:O	2.56	0.59
2:B:295:ARG:HB2	2:B:299:LEU:HD13	1.85	0.59
1:A:1133[B]:GLU:OE2	1:A:1137:LYS:CE	2.50	0.59
2:B:199:ARG:HH11	2:B:199:ARG:HG2	1.68	0.58
1:A:1056:LYS:O	1:A:1060[B]:GLN:HG3	2.03	0.58
2:D:346:ILE:HD12	2:D:488:PHE:HB2	1.84	0.57
2:B:199:ARG:HH11	2:B:199:ARG:CG	2.18	0.57
1:A:1085:ILE:HG22	1:A:1090:GLN:HG3	1.87	0.56
2:B:357:LEU:O	2:B:361:ARG:HG3	2.04	0.56
2:D:293:PRO:O	2:D:302:PRO:HG3	2.06	0.56
1:C:1162:GLU:O	2:D:143:ARG:NH2	2.38	0.56
1:C:1097:GLN:NE2	1:C:1138:THR:O	2.38	0.56
2:D:191:LEU:HD22	2:D:282:ASN:OD1	2.06	0.56
1:C:1085:ILE:HD11	1:C:1121:LYS:HB3	1.88	0.55
2:D:182:VAL:O	2:D:306:LYS:HE2	2.07	0.55
2:B:102[A]:HIS:O	2:B:102[A]:HIS:CG	2.59	0.55
2:B:299:LEU:HD21	2:B:302:PRO:CD	2.36	0.55
2:B:346:ILE:HD12	2:B:488:PHE:HB2	1.89	0.54
2:B:483:ARG:HB3	2:B:483:ARG:HH11	1.73	0.54
2:D:87:LEU:HD22	2:D:101:LEU:HD21	1.88	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:87:LEU:HD22	2:D:101:LEU:CD2	2.38	0.54
2:D:258:LEU:HD22	2:D:267:GLN:HB2	1.89	0.54
1:A:1143:ASN:C	1:A:1143:ASN:ND2	2.57	0.53
2:D:228:THR:O	2:D:283:CYS:HA	2.09	0.53
1:A:1133[B]:GLU:OE2	1:A:1137:LYS:HE2	2.08	0.53
1:C:1015:GLU:O	1:C:1015:GLU:HG3	2.09	0.53
1:A:1133[B]:GLU:OE2	1:A:1137:LYS:HE3	2.09	0.52
1:C:1012:GLU:HG2	1:C:1013:ILE:H	1.75	0.52
1:A:1004:ILE:HD12	1:A:1004:ILE:C	2.30	0.52
2:B:208:TYR:O	2:B:236:HIS:CD2	2.63	0.52
1:C:1115:LEU:O	1:C:1119:THR:HG23	2.09	0.52
1:C:1061:TRP:CE2	1:C:1065:HIS:CD2	2.97	0.51
1:A:1158[B]:GLN:O	1:A:1158[B]:GLN:CG	2.58	0.51
1:C:1095:VAL:HG21	1:C:1099:THR:CG2	2.40	0.51
2:B:360:GLN:HE22	2:B:446:PHE:HA	1.75	0.51
1:C:1105:LEU:HD21	2:D:70:LEU:CD2	2.41	0.51
2:D:261:ILE:HD13	2:D:266:MET:HB3	1.91	0.51
2:B:262:PHE:O	2:B:263:HIS:C	2.49	0.51
2:D:72:PRO:O	2:D:76:VAL:HG23	2.11	0.51
2:D:312:HIS:CE1	2:D:336:ASN:HD22	2.29	0.50
1:A:1160[A]:CYS:SG	2:B:88:PRO:HG2	2.50	0.50
1:C:1012:GLU:HG2	1:C:1013:ILE:N	2.26	0.50
1:A:1144:ASP:OD2	2:B:95:THR:HB	2.11	0.50
2:D:346:ILE:HD12	2:D:488:PHE:CB	2.42	0.50
1:A:1155:LYS:HE2	1:A:1158[A]:GLN:CD	2.32	0.50
2:D:500:TRP:N	2:D:505:SER:O	2.38	0.49
2:B:257:THR:O	2:B:259:GLU:N	2.46	0.49
2:B:300:ILE:N	2:B:300:ILE:CD1	2.62	0.49
2:B:299:LEU:C	2:B:300:ILE:CD1	2.81	0.49
1:A:1002:ALA:C	1:A:1018:VAL:HG23	2.33	0.49
2:D:292:PRO:HD3	2:D:318:MET:SD	2.53	0.49
2:D:300:ILE:HD12	2:D:300:ILE:N	2.28	0.49
2:D:199:ARG:HB2	2:D:199:ARG:HH11	1.78	0.49
2:D:165:ASP:C	2:D:165:ASP:OD1	2.51	0.48
2:B:120:ASN:OD1	2:B:122:ARG:N	2.46	0.48
2:B:173[A]:MET:HG2	2:B:189:LYS:O	2.13	0.48
1:C:1016:VAL:HG12	1:C:1017:ASP:N	2.27	0.48
2:B:494:ASP:HB2	2:B:511:ARG:CB	2.43	0.48
2:D:327:ARG:HG3	2:D:342:GLN:HE21	1.78	0.48
2:D:529:GLU:O	2:D:533:ASN:ND2	2.46	0.48
2:D:456:ASN:O	2:D:457:GLU:HB2	2.13	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:236:HIS:CD2	2:D:236:HIS:N	2.81	0.47
2:B:494:ASP:HB2	2:B:511:ARG:HB3	1.97	0.47
2:D:156:TYR:CE1	2:D:273:LYS:HD2	2.49	0.47
2:D:513:GLN:HE21	2:D:513:GLN:CA	2.20	0.47
1:A:1016:VAL:HG12	1:A:1017:ASP:N	2.28	0.47
1:A:1097:GLN:NE2	1:A:1138:THR:O	2.47	0.47
2:D:292:PRO:HG2	2:D:302:PRO:HB2	1.97	0.47
2:D:315:GLU:OE1	2:D:333:GLY:HA2	2.14	0.47
2:B:110:ARG:NE	2:B:110:ARG:HA	2.29	0.47
2:B:208:TYR:O	2:B:214:HIS:HE1	1.96	0.47
2:B:483:ARG:NH1	6:B:701:HOH:O	2.15	0.47
2:D:361:ARG:HA	2:D:449:PRO:HA	1.97	0.46
2:D:297:ASP:C	2:D:299:LEU:N	2.69	0.46
2:B:173[A]:MET:CG	2:B:189:LYS:HG3	2.46	0.46
2:D:156:TYR:CD1	2:D:273:LYS:HD2	2.51	0.46
2:D:335:PRO:HB2	2:D:476:HIS:CD2	2.51	0.46
1:C:1129:GLY:O	1:C:1130:LYS:HG3	2.17	0.45
2:D:310:GLY:CA	2:D:455:ARG:HD2	2.47	0.45
2:B:180:PRO:HA	2:B:314:LEU:HD21	1.98	0.45
2:D:184:ASP:O	2:D:306:LYS:HE3	2.17	0.45
2:B:108:ARG:HD3	6:B:710:HOH:O	2.16	0.45
2:D:79:PHE:CE1	2:D:90:LEU:HD13	2.51	0.45
2:B:182:VAL:HG22	2:B:306:LYS:O	2.16	0.45
1:C:1098:GLY:O	1:C:1102:GLU:HG2	2.16	0.45
2:B:496:PHE:CE1	2:B:509:TYR:CD2	3.05	0.44
2:D:334:ASP:HB2	2:D:335:PRO:CD	2.47	0.44
2:B:473:ILE:O	2:B:481:PRO:HA	2.16	0.44
2:D:285:THR:HG23	6:D:717:HOH:O	2.16	0.44
2:B:281:ASP:O	2:B:283[A]:CYS:SG	2.57	0.44
2:B:320:SER:OG	2:B:322:HIS:HE1	2.00	0.44
1:C:1083:ASP:O	1:C:1084:ASP:HB2	2.17	0.44
2:B:233:THR:C	2:B:235:HIS:N	2.69	0.44
2:B:527:PHE:CE2	2:B:531:LEU:HD11	2.53	0.44
1:C:1002:ALA:O	1:C:1017:ASP:HA	2.17	0.44
2:D:227:SER:HB3	2:D:285:THR:HG22	1.99	0.44
2:B:295:ARG:HH12	2:B:298:ASP:CG	2.21	0.44
2:D:330:LYS:HE3	2:D:337:ILE:CG2	2.48	0.44
1:A:1133[A]:GLU:N	1:A:1133[A]:GLU:CD	2.68	0.43
2:D:299:LEU:CD2	2:D:302:PRO:HD3	2.39	0.43
2:B:199:ARG:HH11	2:B:199:ARG:HB2	1.82	0.43
2:B:199:ARG:HG2	2:B:199:ARG:NH1	2.31	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1024:SER:HA	1:A:1112:ILE:HG12	2.01	0.43
2:B:362:ASN:C	2:B:362:ASN:HD22	2.21	0.43
2:B:525:GLN:O	2:B:529:GLU:HG2	2.19	0.43
1:A:1133[A]:GLU:OE1	6:A:1201:HOH:O	2.22	0.43
2:B:120:ASN:OD1	2:B:121:LEU:N	2.52	0.43
2:B:130:SER:O	2:B:133:ASP:HB2	2.19	0.43
2:D:328:GLY:HA3	2:D:344:VAL:HG12	2.01	0.43
2:D:285:THR:CG2	6:D:717:HOH:O	2.67	0.43
2:D:312:HIS:CD2	4:D:602[A]:DTT:H2	2.54	0.43
2:D:177:PRO:HG3	2:D:184:ASP:O	2.19	0.42
2:B:84:GLY:O	2:B:88:PRO:HD3	2.19	0.42
2:D:484:THR:HG21	2:D:502:GLU:HB2	2.02	0.42
1:A:1007:GLN:HB3	1:A:1046:PRO:HA	2.01	0.42
2:B:80:ALA:HA	2:B:106:ILE:HG23	2.01	0.42
2:B:262:PHE:O	2:B:264:GLU:N	2.53	0.42
2:B:496:PHE:CE1	2:B:509:TYR:CG	3.07	0.42
2:B:73:GLU:CD	2:B:73:GLU:H	2.22	0.42
2:B:355:PRO:O	2:B:356:ASP:O	2.37	0.42
1:C:1095:VAL:HG21	1:C:1099:THR:HG22	2.02	0.42
2:B:147:GLY:HA2	2:B:518:ASN:HB2	2.02	0.42
2:B:192:PHE:CD2	2:B:228:THR:HG21	2.54	0.42
1:C:1086:PRO:HB2	1:C:1089:ASP:OD2	2.19	0.42
2:D:494:ASP:CB	2:D:511:ARG:HE	2.33	0.42
2:B:263:HIS:O	2:B:267:GLN:HB2	2.19	0.42
2:D:257:THR:CG2	2:D:260:ASP:OD2	2.68	0.42
2:B:344:VAL:CG1	2:B:346:ILE:HD11	2.50	0.42
1:C:1153:VAL:CG1	2:D:98:ARG:HD2	2.50	0.42
2:D:123:LYS:HD3	2:D:167:LEU:HD22	2.02	0.42
2:B:97:PHE:CD1	2:B:97:PHE:N	2.87	0.42
2:D:80:ALA:HA	2:D:106:ILE:HG23	2.02	0.42
2:B:208:TYR:O	2:B:214:HIS:CE1	2.73	0.41
2:D:294:SER:O	2:D:295:ARG:HG2	2.20	0.41
1:A:1155:LYS:HE2	1:A:1155:LYS:HA	2.02	0.41
2:D:295:ARG:O	2:D:299:LEU:HB3	2.20	0.41
2:D:261:ILE:HD12	2:D:261:ILE:C	2.39	0.41
1:C:1005:LYS:O	1:C:1006:LEU:HD23	2.21	0.41
1:C:1105:LEU:HD21	2:D:70:LEU:HD23	2.02	0.41
2:D:327:ARG:CG	2:D:342:GLN:HG3	2.50	0.41
2:D:292:PRO:CG	2:D:302:PRO:HB2	2.50	0.41
2:B:217[A]:HIS:ND1	2:B:231:ASN:ND2	2.67	0.41
2:B:299:LEU:CD2	2:B:302:PRO:HD3	2.50	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:445:PRO:HA	2:B:461:ARG:O	2.21	0.41
2:D:273:LYS:O	2:D:277:THR:OG1	2.27	0.41
2:B:295:ARG:H	2:B:299:LEU:HD22	1.85	0.41
1:C:1093:LEU:O	1:C:1095:VAL:N	2.54	0.41
2:D:173[A]:MET:CE	2:D:175:LEU:HD21	2.51	0.41
2:D:291:LEU:HG	2:D:519:ALA:HB1	2.03	0.41
2:D:295:ARG:HB2	2:D:299:LEU:HD13	2.02	0.41
2:B:199:ARG:HH11	2:B:199:ARG:CB	2.34	0.40
2:B:471:GLY:O	2:B:483:ARG:HA	2.21	0.40
1:C:1017:ASP:HB3	1:C:1020:ILE:HD12	2.03	0.40
1:C:1143:ASN:O	1:C:1143:ASN:CG	2.59	0.40
2:D:121:LEU:HD23	2:D:121:LEU:HA	1.89	0.40
2:D:345:GLU:O	2:D:346:ILE:HD13	2.21	0.40
2:D:257:THR:OG1	2:D:258:LEU:N	2.55	0.40
1:A:1002:ALA:O	1:A:1017:ASP:HA	2.21	0.40
2:B:74:LEU:HD12	2:B:74:LEU:HA	1.75	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	145/149 (97%)	137 (94%)	8 (6%)	0	100	100
1	C	142/149 (95%)	115 (81%)	19 (13%)	8 (6%)	2	3
2	B	420/488 (86%)	377 (90%)	32 (8%)	11 (3%)	5	13
2	D	418/488 (86%)	376 (90%)	35 (8%)	7 (2%)	9	23
All	All	1125/1274 (88%)	1005 (89%)	94 (8%)	26 (2%)	6	16

All (26) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	258	LEU
2	B	259	GLU
2	B	260	ASP
2	B	301	LYS
1	C	1018	VAL
2	D	95	THR
2	D	298	ASP
2	D	301	LYS
2	B	234	ASP
2	B	356	ASP
2	B	514	ALA
1	C	1084	ASP
1	C	1094	LYS
2	D	463	CYS
2	B	223	LYS
2	B	263	HIS
1	C	1011	GLY
2	B	296	PRO
1	C	1085	ILE
1	C	1143	ASN
1	C	1146	THR
2	D	325	ARG
2	D	457	GLU
1	C	1047	LEU
2	B	300	ILE
2	D	522	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	133/133 (100%)	123 (92%)	10 (8%)	13	31
1	C	131/133 (98%)	117 (89%)	14 (11%)	6	15
2	B	373/421 (89%)	336 (90%)	37 (10%)	8	18
2	D	366/421 (87%)	326 (89%)	40 (11%)	6	14
All	All	1003/1108 (90%)	902 (90%)	101 (10%)	7	17

All (101) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1019	GLU
1	A	1055	LEU
1	A	1068	ASP
1	A	1084	ASP
1	A	1091	GLU
1	A	1118	VAL
1	A	1143	ASN
1	A	1153	VAL
1	A	1154	ARG
1	A	1155	LYS
2	B	74	LEU
2	B	81	SER
2	B	89	SER
2	B	104	ASP
2	B	109	ARG
2	B	110	ARG
2	B	124	LEU
2	B	143	ARG
2	B	159	LEU
2	B	182	VAL
2	B	199	ARG
2	B	234	ASP
2	B	250	LEU
2	B	260	ASP
2	B	267	GLN
2	B	271	LEU
2	B	281	ASP
2	B	282	ASN
2	B	294	SER
2	B	299	LEU
2	B	300	ILE
2	B	304	LEU
2	B	306	LYS
2	B	325	ARG
2	B	349	ARG
2	B	351	ARG
2	B	358	GLU
2	B	362	ASN
2	B	374	ARG
2	B	383	GLU
2	B	448	LEU
2	B	462	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	483	ARG
2	B	484	THR
2	B	502	GLU
2	B	515	THR
2	B	536	SER
1	C	1003	SER
1	C	1018	VAL
1	C	1055	LEU
1	C	1067	ASP
1	C	1068	ASP
1	C	1084	ASP
1	C	1094	LYS
1	C	1096	ASP
1	C	1113	LYS
1	C	1118	VAL
1	C	1142	LYS
1	C	1143	ASN
1	C	1155	LYS
1	C	1161	GLU
2	D	89	SER
2	D	109	ARG
2	D	117	VAL
2	D	124	LEU
2	D	125	GLU
2	D	138	LEU
2	D	159	LEU
2	D	167	LEU
2	D	175	LEU
2	D	199	ARG
2	D	222	LYS
2	D	225	GLU
2	D	232	GLN
2	D	250	LEU
2	D	251	ARG
2	D	257	THR
2	D	261	ILE
2	D	266	MET
2	D	285	THR
2	D	294	SER
2	D	299	LEU
2	D	300	ILE
2	D	304	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	D	306	LYS
2	D	325	ARG
2	D	327	ARG
2	D	343	THR
2	D	344	VAL
2	D	353	GLN
2	D	362	ASN
2	D	366	LEU
2	D	374	ARG
2	D	383	GLU
2	D	458	ASP
2	D	488	PHE
2	D	501	LEU
2	D	505	SER
2	D	510	SER
2	D	513	GLN
2	D	518	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (22) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	1090	GLN
1	A	1143	ASN
2	B	322	HIS
2	B	336	ASN
2	B	341	GLN
2	B	342	GLN
2	B	362	ASN
2	B	379	GLN
2	B	513	GLN
1	C	1065	HIS
1	C	1090	GLN
1	C	1152	GLN
2	D	161	ASN
2	D	181	HIS
2	D	232	GLN
2	D	267	GLN
2	D	336	ASN
2	D	341	GLN
2	D	350	HIS
2	D	476	HIS
2	D	513	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	D	533	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 14 ligands modelled in this entry, 2 are monoatomic - leaving 12 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	PO4	D	606	-	4,4,4	0.87	0	6,6,6	1.26	1 (16%)
5	PO4	B	603	-	4,4,4	0.67	0	6,6,6	1.50	1 (16%)
4	DTT	D	602[B]	-	7,7,7	1.13	1 (14%)	4,8,8	4.66	3 (75%)
4	DTT	B	602[A]	-	7,7,7	1.08	0	4,8,8	1.46	1 (25%)
5	PO4	D	603	-	4,4,4	1.19	0	6,6,6	1.34	1 (16%)
5	PO4	D	604	-	4,4,4	0.85	0	6,6,6	0.71	0
5	PO4	D	605	-	4,4,4	0.57	0	6,6,6	1.11	0
4	DTT	B	602[B]	-	7,7,7	1.53	1 (14%)	4,8,8	3.08	2 (50%)
5	PO4	B	604	-	4,4,4	0.72	0	6,6,6	1.60	1 (16%)
5	PO4	B	605	-	4,4,4	0.62	0	6,6,6	1.38	2 (33%)
4	DTT	D	602[A]	-	7,7,7	0.86	0	4,8,8	2.21	2 (50%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	PO4	B	606	-	4,4,4	1.10	0	6,6,6	1.03	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	DTT	D	602[A]	-	-	1/8/8/8	-
4	DTT	B	602[B]	-	-	6/8/8/8	-
4	DTT	D	602[B]	-	-	6/8/8/8	-
4	DTT	B	602[A]	-	-	8/8/8/8	-

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	602[B]	DTT	O3-C3	2.71	1.49	1.43
4	D	602[B]	DTT	C3-C2	2.30	1.58	1.52

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	D	602[B]	DTT	O2-C2-C3	7.20	124.51	109.72
4	B	602[B]	DTT	O3-C3-C2	5.65	121.33	109.72
4	D	602[B]	DTT	O3-C3-C2	4.80	119.59	109.72
4	D	602[A]	DTT	O2-C2-C3	3.57	117.06	109.72
4	D	602[B]	DTT	C2-C1-S1	-3.48	104.35	114.47
5	B	604	PO4	O2-P-O1	-3.43	98.35	110.89
5	D	606	PO4	O3-P-O1	-2.72	100.95	110.89
5	B	603	PO4	O3-P-O2	2.71	116.68	107.97
5	B	605	PO4	O4-P-O3	2.44	115.81	107.97
5	D	603	PO4	O2-P-O1	2.43	119.77	110.89
4	B	602[B]	DTT	O2-C2-C3	2.14	114.11	109.72
4	D	602[A]	DTT	C3-C4-S4	-2.13	108.27	114.47
4	B	602[A]	DTT	C3-C4-S4	2.12	120.62	114.47
5	B	605	PO4	O3-P-O1	-2.05	103.38	110.89

There are no chirality outliers.

All (21) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	B	602[A]	DTT	S1-C1-C2-C3
4	B	602[A]	DTT	C1-C2-C3-O3
4	B	602[A]	DTT	C1-C2-C3-C4
4	B	602[A]	DTT	O2-C2-C3-O3
4	B	602[A]	DTT	O2-C2-C3-C4
4	B	602[A]	DTT	C2-C3-C4-S4
4	B	602[A]	DTT	O3-C3-C4-S4
4	B	602[B]	DTT	C1-C2-C3-O3
4	B	602[B]	DTT	C1-C2-C3-C4
4	B	602[B]	DTT	O2-C2-C3-O3
4	B	602[B]	DTT	O2-C2-C3-C4
4	B	602[B]	DTT	C2-C3-C4-S4
4	B	602[B]	DTT	O3-C3-C4-S4
4	D	602[A]	DTT	S1-C1-C2-C3
4	D	602[B]	DTT	S1-C1-C2-O2
4	D	602[B]	DTT	S1-C1-C2-C3
4	D	602[B]	DTT	C1-C2-C3-O3
4	D	602[B]	DTT	C1-C2-C3-C4
4	D	602[B]	DTT	O2-C2-C3-C4
4	D	602[B]	DTT	O2-C2-C3-O3
4	B	602[A]	DTT	S1-C1-C2-O2

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	D	602[A]	DTT	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	145/149 (97%)	-0.68	0 100 100	29, 52, 87, 136	0
1	C	143/149 (95%)	0.23	10 (6%) 16 14	57, 117, 154, 171	0
2	B	418/488 (85%)	-0.36	3 (0%) 87 89	35, 58, 108, 218	0
2	D	417/488 (85%)	-0.11	17 (4%) 37 36	39, 79, 169, 211	0
All	All	1123/1274 (88%)	-0.23	30 (2%) 54 55	29, 70, 147, 218	0

All (30) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	63	SER	9.5
2	D	377	VAL	4.8
2	D	296	PRO	4.2
2	D	366	LEU	3.7
1	C	1006	LEU	3.5
2	D	352	ILE	3.3
2	D	297	ASP	3.3
1	C	1007	GLN	3.2
1	C	1002	ALA	3.2
2	D	378	ARG	3.2
1	C	1092	PHE	3.2
2	D	488	PHE	2.8
2	D	65	ARG	2.7
2	D	370	VAL	2.6
1	C	1142	LYS	2.5
2	D	328	GLY	2.5
2	B	297	ASP	2.5
2	D	99[A]	ARG	2.5
1	C	1005	LYS	2.5
2	D	450	VAL	2.4
2	D	64	GLY	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	1013	ILE	2.1
2	D	499	VAL	2.1
2	D	90	LEU	2.1
2	B	383	GLU	2.1
2	D	383	GLU	2.1
1	C	1151	ALA	2.1
2	D	501	LEU	2.0
1	C	1161	GLU	2.0
1	C	1087	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	PO4	D	604	5/5	0.80	0.16	73,75,105,148	0
5	PO4	B	604	5/5	0.81	0.28	59,74,114,132	0
5	PO4	D	606	5/5	0.81	0.30	62,97,115,131	0
5	PO4	D	605	5/5	0.82	0.24	60,99,118,145	0
5	PO4	B	605	5/5	0.87	0.31	77,79,133,136	0
5	PO4	B	603	5/5	0.88	0.25	79,83,106,143	0
4	DTT	D	602[A]	8/8	0.88	0.26	47,64,90,106	8
4	DTT	D	602[B]	8/8	0.88	0.26	24,49,65,72	8
4	DTT	B	602[A]	8/8	0.90	0.29	41,49,75,89	8
4	DTT	B	602[B]	8/8	0.90	0.29	16,38,59,65	8
5	PO4	D	603	5/5	0.93	0.20	58,68,103,110	0
5	PO4	B	606	5/5	0.94	0.13	60,62,122,159	0
3	ZN	B	601	1/1	0.97	0.03	29,29,29,29	0
3	ZN	D	601	1/1	0.99	0.04	28,28,28,28	0

6.5 Other polymers [i](#)

There are no such residues in this entry.