



Full wwPDB EM Validation Report ⓘ

May 7, 2025 – 06:19 PM JST

PDB ID : 8WO1 / pdb_00008wo1
EMDB ID : EMD-37677
Title : Cryo-EM Structure of Human TLR4/MD-2/DLAM5 Complex
Authors : Fu, Y.; Kim, H.; Zamyatina, A.; Kim, H.M.
Deposited on : 2023-10-06
Resolution : 2.24 Å(reported)
Based on initial model : 3FXI

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev118
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4-5-2 with Phenix2.0rc1
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.43.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.24 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.





Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	605	 79% 21% .
1	B	605	 78% 22% .
2	C	142	 83% 15% .
2	D	142	 83% 15% .
3	E	3	 100%
3	F	3	 67% 33%
3	H	3	 100%
3	I	3	 67% 33%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	G	2	 100%
4	J	2	 100%

2 Entry composition [i](#)

There are 10 unique types of molecules in this entry. The entry contains 12406 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Toll-like receptor 4.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	601	Total	C	N	O	S	0	0
			4803	3075	790	911	27		
1	B	601	Total	C	N	O	S	0	0
			4803	3075	790	911	27		

- Molecule 2 is a protein called Lymphocyte antigen 96.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	C	140	Total	C	N	O	S	0	0
			1133	730	186	207	10		
2	D	140	Total	C	N	O	S	0	0
			1133	730	186	207	10		

- Molecule 3 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
3	E	3	Total	C	N	O	0	0
			39	22	2	15		
3	F	3	Total	C	N	O	0	0
			39	22	2	15		
3	H	3	Total	C	N	O	0	0
			39	22	2	15		
3	I	3	Total	C	N	O	0	0
			39	22	2	15		

- Molecule 4 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
4	G	2	Total	C	N	O	0	0
			28	16	2	10		
4	J	2	Total	C	N	O	0	0
			28	16	2	10		


- Molecule 5 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms				AltConf
5	A	1	Total	C	N	O	0
			14	8	1	5	
5	A	1	Total	C	N	O	0
			14	8	1	5	
5	B	1	Total	C	N	O	0
			14	8	1	5	
5	B	1	Total	C	N	O	0
			14	8	1	5	
5	C	1	Total	C	N	O	0
			14	8	1	5	
5	D	1	Total	C	N	O	0
			14	8	1	5	


- Molecule 6 is 2-amino-2-deoxy-4-O-phosphono-alpha-D-glucopyranose (CCD ID: GP4)

(formula: C₆H₁₄NO₈P) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
6	A	1	14	6	1	6	1	0
6	B	1	14	6	1	6	1	0

- Molecule 7 is (3R)-3-(dodecanoyloxy)tetradecanoic acid (CCD ID: 2IL) (formula: C₂₆H₅₀O₄) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms			AltConf
7	C	1	Total	C	O	0
			29	26	3	
7	D	1	Total	C	O	0
			29	26	3	

- Molecule 8 is (3R)-3-(tetradecanoyloxy)tetradecanoic acid (CCD ID: 0IL) (formula: $C_{28}H_{54}O_4$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms			AltConf
8	C	1	Total	C	O	0
			32	28	4	
8	D	1	Total	C	O	0
			32	28	4	

- Molecule 9 is [(2 {R},3 {S},4 {R},5 {S})-2-(hydroxymethyl)-5-methoxy-4,6-bis(oxidanyl)oxan-3-yl] dihydrogen phosphate (CCD ID: X6N) (formula: $C_7H_{15}O_9P$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				AltConf
9	C	1	Total	C	O	P	0
			16	7	8	1	
9	D	1	Total	C	O	P	0
			16	7	8	1	

- Molecule 10 is (3 {S})-3-decanoyloxytetradecanoic acid (CCD ID: A1L01) (formula: C₂₄H₄₆O₄) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				AltConf
10	C	1	Total	C	O		0
			28	24	4		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms			AltConf
			Total	C	O	
10	D	1	28	24	4	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Toll-like receptor 4




- Molecule 1: Toll-like receptor 4




- Molecule 2: Lymphocyte antigen 96

Chain C:  83% 15%



- Molecule 2: Lymphocyte antigen 96

Chain D:  83% 15%



- Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E:  100%



- Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F:  67% 33%



- Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain H:  100%



- Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I:  67% 33%



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G:  100%



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J:  100%

MOL
MOL2

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C2	Depositor
Number of particles used	795271	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	67.7	Depositor
Minimum defocus (nm)	800	Depositor
Maximum defocus (nm)	1900	Depositor
Magnification	58963	Depositor
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	2.561	Depositor
Minimum map value	-0.995	Depositor
Average map value	-0.001	Depositor
Map value standard deviation	0.043	Depositor
Recommended contour level	0.3	Depositor
Map size (Å)	339.19998, 339.19998, 339.19998	wwPDB
Map dimensions	400, 400, 400	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.84799993, 0.84799993, 0.84799993	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: X6N, BMA, GP4, A1L01, 2IL, NAG, 0IL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.29	0/4903	0.52	2/6639 (0.0%)
1	B	0.29	0/4903	0.52	2/6639 (0.0%)
2	C	0.28	0/1159	0.51	0/1562
2	D	0.28	0/1159	0.51	0/1562
All	All	0.29	0/12124	0.52	4/16402 (0.0%)

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	148	HIS	N-CA-C	-6.96	104.45	114.12
1	B	148	HIS	N-CA-C	-6.95	104.46	114.12
1	B	292	TYR	N-CA-C	5.63	117.50	110.91
1	A	292	TYR	N-CA-C	5.60	117.47	110.91

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4803	0	4745	80	0
1	B	4803	0	4745	86	0
2	C	1133	0	1128	15	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	D	1133	0	1128	15	0
3	E	39	0	34	0	0
3	F	39	0	34	2	0
3	H	39	0	34	0	0
3	I	39	0	34	2	0
4	G	28	0	25	0	0
4	J	28	0	25	0	0
5	A	28	0	26	0	0
5	B	28	0	26	0	0
5	C	14	0	13	0	0
5	D	14	0	13	0	0
6	A	14	0	0	2	0
6	B	14	0	0	1	0
7	C	29	0	0	0	0
7	D	29	0	0	0	0
8	C	32	0	0	0	0
8	D	32	0	0	0	0
9	C	16	0	0	0	0
9	D	16	0	0	0	0
10	C	28	0	0	0	0
10	D	28	0	0	1	0
All	All	12406	0	12010	193	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (193) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:618:MET:HB3	1:A:623:LEU:HD11	1.44	0.98
1:B:618:MET:HB3	1:B:623:LEU:HD11	1.44	0.97
2:D:96:ARG:O	2:D:100:ASP:OD1	2.00	0.80
2:C:96:ARG:O	2:C:100:ASP:OD1	2.00	0.79
1:A:362:LYS:HE2	6:A:703:GP4:O8A	1.82	0.79
1:A:120:GLY:O	1:A:123:SER:OG	2.01	0.78
1:B:120:GLY:O	1:B:123:SER:OG	2.01	0.78
1:B:289:ARG:HG2	1:B:314:SER:HB3	1.66	0.78
1:A:289:ARG:HG2	1:A:314:SER:HB3	1.66	0.78
1:A:192:CYS:SG	1:A:219:GLN:NE2	2.62	0.72
1:B:192:CYS:SG	1:B:219:GLN:NE2	2.62	0.71
1:A:40:CYS:HB2	1:A:43:LEU:HD22	1.74	0.70

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:619:PRO:O	1:A:623:LEU:HD13	1.93	0.69
1:B:40:CYS:HB2	1:B:43:LEU:HD22	1.73	0.69
1:B:540:TYR:OH	1:B:551:TYR:OH	2.11	0.68
1:B:136:THR:O	1:B:160:ASN:ND2	2.27	0.68
1:A:67:ARG:NH1	1:A:89:GLU:OE2	2.26	0.68
1:B:619:PRO:O	1:B:623:LEU:HD13	1.93	0.68
1:B:67:ARG:NH1	1:B:89:GLU:OE2	2.26	0.67
1:A:136:THR:O	1:A:160:ASN:ND2	2.27	0.67
2:C:69:ARG:HH12	2:C:140:GLY:HA3	1.62	0.64
2:D:69:ARG:HH12	2:D:140:GLY:HA3	1.62	0.63
1:A:43:LEU:O	1:A:64:ASN:ND2	2.32	0.63
1:B:43:LEU:O	1:B:64:ASN:ND2	2.32	0.63
1:B:390:CYS:SG	1:B:391:CYS:N	2.71	0.63
3:F:1:NAG:O3	3:F:1:NAG:O7	2.16	0.63
1:B:223:PHE:HA	1:B:226:ILE:HD12	1.81	0.62
1:A:223:PHE:HA	1:A:226:ILE:HD12	1.81	0.62
1:A:437:MET:HE2	1:A:466:ILE:HD11	1.81	0.62
1:B:117:LEU:HD22	1:B:145:PRO:HG2	1.82	0.62
1:B:240:LEU:HD11	1:B:276:ALA:HB2	1.82	0.62
1:A:390:CYS:SG	1:A:391:CYS:N	2.71	0.61
1:A:292:TYR:O	1:A:292:TYR:CD2	2.53	0.61
1:B:292:TYR:CD2	1:B:292:TYR:O	2.53	0.61
1:A:117:LEU:HD22	1:A:145:PRO:HG2	1.82	0.60
1:B:437:MET:HE2	1:B:466:ILE:HD11	1.82	0.60
3:I:1:NAG:O7	3:I:1:NAG:O3	2.16	0.60
1:B:327:SER:OG	1:B:349:LYS:HD2	2.02	0.60
1:A:240:LEU:HD11	1:A:276:ALA:HB2	1.82	0.60
1:A:327:SER:OG	1:A:349:LYS:HD2	2.02	0.60
1:B:618:MET:CB	1:B:623:LEU:HD11	2.28	0.60
1:A:289:ARG:HH21	1:A:316:VAL:HG21	1.67	0.59
2:C:69:ARG:HH22	2:C:142:PRO:HD2	1.67	0.59
2:D:69:ARG:HH22	2:D:142:PRO:HD2	1.67	0.59
1:A:297:LEU:HB3	1:A:320:ILE:HG22	1.85	0.59
1:A:540:TYR:OH	1:A:551:TYR:OH	2.11	0.58
1:B:289:ARG:HH21	1:B:316:VAL:HG21	1.67	0.58
1:B:287:GLU:HG2	1:B:312:SER:HB3	1.86	0.58
1:B:297:LEU:HB3	1:B:320:ILE:HG22	1.85	0.58
1:A:287:GLU:HG2	1:A:312:SER:HB3	1.86	0.57
1:A:301:ILE:C	1:A:303:LEU:H	2.13	0.56
1:A:615:LYS:HA	1:A:618:MET:HE3	1.88	0.55
1:A:586:GLU:OE2	1:B:584:THR:HG21	2.05	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:615:LYS:HA	1:B:618:MET:HE3	1.88	0.55
1:B:274:LYS:HE2	1:B:302:ASP:HB3	1.88	0.55
1:B:301:ILE:C	1:B:303:LEU:H	2.13	0.54
2:C:141:SER:HB3	2:C:142:PRO:HD3	1.89	0.54
2:D:141:SER:HB3	2:D:142:PRO:HD3	1.89	0.54
1:A:618:MET:CB	1:A:623:LEU:HD11	2.28	0.54
1:B:478:MET:HE3	1:B:503:LEU:HD21	1.90	0.54
1:A:70:GLY:O	1:A:73:SER:OG	2.22	0.53
1:A:274:LYS:HE2	1:A:302:ASP:HB3	1.88	0.53
1:B:141:LEU:O	1:B:170:TYR:OH	2.23	0.53
1:A:478:MET:HE3	1:A:503:LEU:HD21	1.90	0.53
1:B:91:GLN:HB3	1:B:115:GLN:HE22	1.74	0.52
1:A:584:THR:HG21	1:B:586:GLU:OE2	2.08	0.52
1:A:91:GLN:HB3	1:A:115:GLN:HE22	1.74	0.52
1:A:619:PRO:O	1:A:623:LEU:CD1	2.58	0.52
1:B:257:ARG:HH22	1:B:289:ARG:HH11	1.59	0.51
1:B:315:LEU:HB2	1:B:337:LEU:HD13	1.92	0.51
1:A:315:LEU:HB2	1:A:337:LEU:HD13	1.92	0.51
1:A:506:CYS:O	1:A:508:LEU:N	2.44	0.51
1:A:29:CYS:HA	1:A:40:CYS:HB3	1.93	0.50
1:A:265:ASN:ND2	2:C:115:THR:OG1	2.44	0.50
1:B:319:THR:HG23	1:B:341:LYS:HB2	1.93	0.50
1:B:506:CYS:O	1:B:508:LEU:N	2.44	0.50
1:A:257:ARG:HH22	1:A:289:ARG:HH11	1.59	0.50
1:B:57:LYS:HA	1:B:80:LEU:HD12	1.94	0.50
1:A:602:VAL:HG22	3:F:1:NAG:H82	1.93	0.50
1:B:29:CYS:HA	1:B:40:CYS:HB3	1.93	0.49
1:B:150:LYS:O	1:B:151:THR:OG1	2.23	0.49
1:B:619:PRO:O	1:B:623:LEU:CD1	2.58	0.49
1:B:96:GLY:O	1:B:99:GLN:HB2	2.13	0.49
1:B:602:VAL:HG22	3:I:1:NAG:H82	1.93	0.49
1:A:484:GLN:O	1:A:485:GLU:HG2	2.13	0.49
2:C:37:CYS:HB2	2:C:148:CYS:HB3	1.63	0.48
1:A:57:LYS:HA	1:A:80:LEU:HD12	1.94	0.48
1:A:96:GLY:O	1:A:99:GLN:HB2	2.13	0.48
2:D:127:SER:O	2:D:131:TYR:OH	2.24	0.48
1:B:615:LYS:HE2	1:B:625:ILE:HD12	1.95	0.48
1:B:32:VAL:HG12	1:B:33:VAL:HG23	1.96	0.48
1:B:484:GLN:O	1:B:485:GLU:HG2	2.13	0.48
2:D:69:ARG:NH1	2:D:140:GLY:HA3	2.29	0.48
1:B:146:ILE:HA	1:B:149:LEU:HD23	1.96	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:124:ILE:HD12	10:D:205:A1L01:C246	2.44	0.48
1:B:308:THR:HG22	1:B:330:PHE:HD1	1.79	0.47
1:B:591:LEU:HA	1:B:594:ILE:HG12	1.96	0.47
1:B:172:SER:HA	1:B:201:MET:HE1	1.96	0.47
1:A:146:ILE:HA	1:A:149:LEU:HD23	1.96	0.47
1:A:615:LYS:HE2	1:A:625:ILE:HD12	1.95	0.47
2:C:78:LEU:HB2	2:C:90:ARG:HB2	1.97	0.47
1:A:562:GLN:HG2	1:A:562:GLN:O	2.15	0.47
1:A:582:ALA:O	1:A:587:HIS:NE2	2.45	0.47
1:A:308:THR:HG22	1:A:330:PHE:HD1	1.79	0.47
1:A:172:SER:HA	1:A:201:MET:HE1	1.96	0.47
1:A:591:LEU:HA	1:A:594:ILE:HG12	1.96	0.47
1:B:550:ASP:OD1	1:B:552:SER:OG	2.25	0.47
2:C:127:SER:O	2:C:131:TYR:OH	2.24	0.47
1:A:32:VAL:HG12	1:A:33:VAL:HG23	1.96	0.46
1:B:71:SER:N	1:B:94:GLU:OE2	2.42	0.46
1:B:437:MET:HE1	1:B:454:ILE:HD13	1.97	0.46
1:B:582:ALA:O	1:B:587:HIS:NE2	2.45	0.46
1:A:144:PHE:CD2	1:A:146:ILE:HG12	2.50	0.46
1:A:437:MET:HE1	1:A:454:ILE:HD13	1.97	0.46
1:A:561:LYS:HD3	1:A:562:GLN:N	2.31	0.46
1:B:43:LEU:O	1:B:45:PHE:N	2.49	0.46
1:B:362:LYS:HE2	6:B:703:GP4:O8A	2.16	0.46
1:B:562:GLN:O	1:B:562:GLN:HG2	2.15	0.46
1:A:125:LEU:HD22	1:A:128:LEU:HD22	1.98	0.46
2:D:78:LEU:HB2	2:D:90:ARG:HB2	1.97	0.46
1:A:43:LEU:O	1:A:45:PHE:N	2.49	0.46
1:A:192:CYS:H	1:A:219:GLN:HE21	1.63	0.46
1:B:70:GLY:O	1:B:73:SER:OG	2.22	0.45
1:B:224:LYS:HG2	1:B:225:GLU:OE1	2.17	0.45
1:B:144:PHE:CD2	1:B:146:ILE:HG12	2.50	0.45
1:B:125:LEU:HD22	1:B:128:LEU:HD22	1.98	0.45
1:B:62:SER:HA	1:B:88:CYS:SG	2.57	0.45
1:B:192:CYS:H	1:B:219:GLN:HE21	1.64	0.45
2:D:45:SER:HB3	2:D:64:PHE:HB3	1.98	0.45
1:A:224:LYS:HG2	1:A:225:GLU:OE1	2.17	0.45
2:D:37:CYS:HB2	2:D:148:CYS:HB3	1.63	0.44
1:A:319:THR:HG23	1:A:341:LYS:HB2	1.98	0.44
1:A:139:ALA:HA	1:A:161:LEU:O	2.18	0.44
1:A:62:SER:HA	1:A:88:CYS:SG	2.57	0.44
1:B:135:GLU:OE1	1:B:159:HIS:ND1	2.51	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:139:ALA:HA	1:B:161:LEU:O	2.18	0.44
2:C:95:CYS:HB2	2:C:100:ASP:HB3	1.99	0.44
2:C:128:LYS:HG2	2:C:157:PRO:HD2	1.99	0.44
2:D:95:CYS:HB2	2:D:100:ASP:HB3	1.99	0.44
2:C:69:ARG:NH1	2:C:140:GLY:HA3	2.29	0.44
1:A:135:GLU:OE1	1:A:159:HIS:ND1	2.51	0.44
1:B:561:LYS:HD3	1:B:562:GLN:N	2.31	0.44
1:A:419:LEU:HD12	1:A:419:LEU:HA	1.89	0.44
1:A:557:MET:HE1	1:B:557:MET:HE1	1.99	0.44
1:A:208:LEU:HD23	1:A:209:ASP:N	2.33	0.43
1:B:87:ARG:HD3	2:D:110:GLY:O	2.18	0.43
1:A:362:LYS:NZ	6:A:703:GP4:P4A	2.92	0.43
1:A:559:SER:OG	1:A:561:LYS:O	2.35	0.43
1:B:208:LEU:HD23	1:B:209:ASP:N	2.33	0.43
2:C:45:SER:HB3	2:C:64:PHE:HB3	1.98	0.43
1:B:36:ILE:HG22	1:B:37:THR:HG23	2.01	0.43
1:B:258:LEU:CD2	1:B:260:LEU:HG	2.49	0.43
1:A:71:SER:N	1:A:94:GLU:OE2	2.42	0.43
1:A:550:ASP:OD1	1:A:552:SER:OG	2.25	0.43
1:B:608:GLU:HG3	1:B:617:GLY:HA2	2.01	0.43
1:B:614:ASP:OD1	1:B:614:ASP:N	2.52	0.43
1:A:258:LEU:HD21	1:A:260:LEU:HG	2.01	0.42
1:A:258:LEU:CD2	1:A:260:LEU:HG	2.49	0.42
1:A:608:GLU:HG3	1:A:617:GLY:HA2	2.01	0.42
2:D:128:LYS:HG2	2:D:157:PRO:HD2	1.99	0.42
1:A:141:LEU:O	1:A:170:TYR:OH	2.23	0.42
1:A:160:ASN:HB2	1:A:185:ASN:HD21	1.84	0.42
1:B:144:PHE:HA	1:B:145:PRO:HD3	1.86	0.42
1:A:253:LEU:HD22	1:A:255:VAL:HB	2.02	0.42
1:B:160:ASN:HB2	1:B:185:ASN:HD21	1.84	0.42
1:B:87:ARG:HA	1:B:87:ARG:HD2	1.79	0.42
1:B:240:LEU:HD12	1:B:240:LEU:HA	1.87	0.42
2:D:29:ASP:OD1	2:D:29:ASP:N	2.53	0.42
1:A:36:ILE:HG22	1:A:37:THR:HG23	2.01	0.42
1:B:258:LEU:HD21	1:B:260:LEU:HG	2.02	0.42
2:C:29:ASP:N	2:C:29:ASP:OD1	2.53	0.42
1:A:355:ARG:HG2	1:A:377:PHE:HB3	2.02	0.41
1:B:355:ARG:HG2	1:B:377:PHE:HB3	2.02	0.41
1:A:276:ALA:C	1:A:278:GLU:H	2.29	0.41
1:A:418:PHE:O	1:A:445:SER:HB2	2.20	0.41
1:A:31:GLU:HG2	1:A:38:TYR:CE2	2.56	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:257:ARG:NH2	1:B:289:ARG:HD3	2.36	0.41
2:C:94:ILE:HD13	2:C:94:ILE:HA	1.91	0.41
1:B:253:LEU:HD22	1:B:255:VAL:HB	2.02	0.41
2:C:60:LEU:HD12	2:C:116:THR:HG22	2.02	0.41
2:D:60:LEU:HD12	2:D:116:THR:HG22	2.02	0.41
1:A:58:ASN:HA	1:A:82:VAL:O	2.21	0.41
1:A:257:ARG:NH2	1:A:289:ARG:HD3	2.36	0.41
1:B:418:PHE:O	1:B:445:SER:HB2	2.20	0.41
1:B:58:ASN:HA	1:B:82:VAL:O	2.21	0.41
1:A:507:GLN:H	1:A:507:GLN:HG3	1.73	0.41
1:B:31:GLU:HG2	1:B:38:TYR:CE2	2.55	0.40
1:B:512:SER:OG	1:B:515:ALA:HB2	2.21	0.40
1:B:559:SER:OG	1:B:561:LYS:O	2.35	0.40
1:B:594:ILE:HD11	1:B:620:VAL:HG11	2.04	0.40
1:B:276:ALA:C	1:B:278:GLU:H	2.29	0.40
1:B:301:ILE:O	1:B:302:ASP:HB2	2.22	0.40
1:B:348:LEU:HD12	1:B:350:LEU:HD11	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	599/605 (99%)	524 (88%)	75 (12%)	0	100	100
1	B	599/605 (99%)	524 (88%)	75 (12%)	0	100	100
2	C	138/142 (97%)	122 (88%)	16 (12%)	0	100	100
2	D	138/142 (97%)	122 (88%)	16 (12%)	0	100	100
All	All	1474/1494 (99%)	1292 (88%)	182 (12%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	559/563 (99%)	558 (100%)	1 (0%)	92	95
1	B	559/563 (99%)	558 (100%)	1 (0%)	92	95
2	C	130/132 (98%)	130 (100%)	0	100	100
2	D	130/132 (98%)	130 (100%)	0	100	100
All	All	1378/1390 (99%)	1376 (100%)	2 (0%)	92	95

All (2) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	281	CYS
1	B	281	CYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (29) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	64	ASN
1	A	99	GLN
1	A	160	ASN
1	A	176	ASN
1	A	185	ASN
1	A	219	GLN
1	A	256	HIS
1	A	309	ASN
1	A	334	HIS
1	A	426	HIS
1	A	448	ASN
1	A	507	GLN
1	A	510	GLN
1	B	64	ASN
1	B	99	GLN
1	B	160	ASN
1	B	176	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	185	ASN
1	B	219	GLN
1	B	256	HIS
1	B	309	ASN
1	B	334	HIS
1	B	426	HIS
1	B	448	ASN
1	B	510	GLN
2	C	86	ASN
2	C	158	ASN
2	D	86	ASN
2	D	158	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

16 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	NAG	E	1	3,1	14,14,15	0.44	0	17,19,21	0.42	0
3	NAG	E	2	3	14,14,15	0.32	0	17,19,21	0.63	0
3	BMA	E	3	3	11,11,12	0.64	0	15,15,17	0.75	0
3	NAG	F	1	3,1	14,14,15	0.83	1 (7%)	17,19,21	0.63	0
3	NAG	F	2	3	14,14,15	0.41	0	17,19,21	0.52	0
3	BMA	F	3	3	11,11,12	0.64	0	15,15,17	1.01	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	NAG	G	1	2,4	14,14,15	0.23	0	17,19,21	0.44	0
4	NAG	G	2	4	14,14,15	0.25	0	17,19,21	0.39	0
3	NAG	H	1	3,1	14,14,15	0.43	0	17,19,21	0.42	0
3	NAG	H	2	3	14,14,15	0.32	0	17,19,21	0.64	0
3	BMA	H	3	3	11,11,12	0.63	0	15,15,17	0.75	0
3	NAG	I	1	3,1	14,14,15	0.82	1 (7%)	17,19,21	0.63	0
3	NAG	I	2	3	14,14,15	0.41	0	17,19,21	0.51	0
3	BMA	I	3	3	11,11,12	0.64	0	15,15,17	1.00	0
4	NAG	J	1	2,4	14,14,15	0.23	0	17,19,21	0.45	0
4	NAG	J	2	4	14,14,15	0.25	0	17,19,21	0.39	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	E	1	3,1	-	2/6/23/26	0/1/1/1
3	NAG	E	2	3	-	2/6/23/26	0/1/1/1
3	BMA	E	3	3	-	0/2/19/22	0/1/1/1
3	NAG	F	1	3,1	-	4/6/23/26	0/1/1/1
3	NAG	F	2	3	-	1/6/23/26	0/1/1/1
3	BMA	F	3	3	-	1/2/19/22	0/1/1/1
4	NAG	G	1	2,4	-	0/6/23/26	0/1/1/1
4	NAG	G	2	4	-	0/6/23/26	0/1/1/1
3	NAG	H	1	3,1	-	2/6/23/26	0/1/1/1
3	NAG	H	2	3	-	2/6/23/26	0/1/1/1
3	BMA	H	3	3	-	0/2/19/22	0/1/1/1
3	NAG	I	1	3,1	-	4/6/23/26	0/1/1/1
3	NAG	I	2	3	-	1/6/23/26	0/1/1/1
3	BMA	I	3	3	-	1/2/19/22	0/1/1/1
4	NAG	J	1	2,4	-	0/6/23/26	0/1/1/1
4	NAG	J	2	4	-	0/6/23/26	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	F	1	NAG	O5-C1	-2.52	1.39	1.43
3	I	1	NAG	O5-C1	-2.49	1.39	1.43

There are no bond angle outliers.

There are no chirality outliers.

All (20) torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
3	I	1	NAG	C1-C2-N2-C7
3	E	1	NAG	O5-C5-C6-O6
3	H	1	NAG	O5-C5-C6-O6
3	E	1	NAG	C4-C5-C6-O6
3	H	1	NAG	C4-C5-C6-O6
3	F	1	NAG	C1-C2-N2-C7
3	F	1	NAG	O5-C5-C6-O6
3	I	1	NAG	O5-C5-C6-O6
3	F	1	NAG	C4-C5-C6-O6
3	I	1	NAG	C4-C5-C6-O6
3	F	3	BMA	O5-C5-C6-O6
3	I	3	BMA	O5-C5-C6-O6
3	E	2	NAG	C3-C2-N2-C7
3	F	1	NAG	C3-C2-N2-C7
3	H	2	NAG	C3-C2-N2-C7
3	I	1	NAG	C3-C2-N2-C7
3	F	2	NAG	C1-C2-N2-C7
3	I	2	NAG	C1-C2-N2-C7
3	E	2	NAG	C1-C2-N2-C7
3	H	2	NAG	C1-C2-N2-C7



There are no ring outliers.


2 monomers are involved in 4 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	I	1	NAG	2	0
3	F	1	NAG	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.









5.6 Ligand geometry [i](#)

16 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	NAG	A	702	1	14,14,15	0.30	0	17,19,21	0.49	0
10	A1L01	D	205	9	27,27,27	2.13	4 (14%)	28,29,29	1.22	2 (7%)
5	NAG	B	702	1	14,14,15	0.29	0	17,19,21	0.49	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	2IL	D	202	6	28,28,29	1.70	3 (10%)	28,29,31	1.44	2 (7%)
9	X6N	D	204	6,10	16,16,17	2.19	4 (25%)	21,24,25	0.65	0
5	NAG	C	201	2	14,14,15	0.24	0	17,19,21	0.44	0
5	NAG	D	201	2	14,14,15	0.24	0	17,19,21	0.45	0
6	GP4	A	703	7,9,8	14,14,16	2.49	4 (28%)	19,20,24	0.76	0
7	2IL	C	202	6	28,28,29	1.70	3 (10%)	28,29,31	1.44	2 (7%)
8	0IL	D	203	6	31,31,31	1.97	4 (12%)	32,33,33	1.25	1 (3%)
9	X6N	C	204	6,10	16,16,17	2.19	4 (25%)	21,24,25	0.65	0
5	NAG	A	701	1	14,14,15	0.29	0	17,19,21	0.41	0
5	NAG	B	701	1	14,14,15	0.29	0	17,19,21	0.41	0
6	GP4	B	703	7,9,8	14,14,16	2.49	4 (28%)	19,20,24	0.76	0
10	A1L01	C	205	9	27,27,27	2.13	4 (14%)	28,29,29	1.21	2 (7%)
8	0IL	C	203	6	31,31,31	1.97	4 (12%)	32,33,33	1.25	1 (3%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	A	702	1	-	1/6/23/26	0/1/1/1
10	A1L01	D	205	9	-	15/28/28/28	-
5	NAG	B	702	1	-	1/6/23/26	0/1/1/1
7	2IL	D	202	6	-	16/29/29/30	-
9	X6N	D	204	6,10	-	1/7/27/29	0/1/1/1
5	NAG	C	201	2	-	2/6/23/26	0/1/1/1
5	NAG	D	201	2	-	2/6/23/26	0/1/1/1
6	GP4	A	703	7,9,8	-	1/7/20/27	0/1/1/1
7	2IL	C	202	6	-	16/29/29/30	-
8	0IL	D	203	6	-	18/32/32/32	-
9	X6N	C	204	6,10	-	1/7/27/29	0/1/1/1
5	NAG	A	701	1	-	2/6/23/26	0/1/1/1
5	NAG	B	701	1	-	2/6/23/26	0/1/1/1
6	GP4	B	703	7,9,8	-	1/7/20/27	0/1/1/1
10	A1L01	C	205	9	-	15/28/28/28	-
8	0IL	C	203	6	-	18/32/32/32	-

All (38) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
10	C	205	A1L01	O248-C243	7.25	1.44	1.22
10	D	205	A1L01	O248-C243	7.23	1.44	1.22
8	C	203	0IL	O1F-C1F	7.03	1.43	1.22
8	D	203	0IL	O1F-C1F	7.03	1.43	1.22
7	C	202	2IL	O4-C15	6.94	1.43	1.22
7	D	202	2IL	O4-C15	6.94	1.43	1.22
8	C	203	0IL	O1E-C1E	6.48	1.43	1.22
8	D	203	0IL	O1E-C1E	6.48	1.43	1.22
10	D	205	A1L01	O52-C35	6.23	1.42	1.22
10	C	205	A1L01	O52-C35	6.22	1.42	1.22
6	B	703	GP4	P4A-O4	5.84	1.70	1.59
6	A	703	GP4	P4A-O4	5.82	1.70	1.59
9	D	204	X6N	P51-O56	5.79	1.69	1.50
9	C	204	X6N	P51-O56	5.77	1.69	1.50
6	B	703	GP4	P4A-O8A	4.99	1.66	1.50
6	A	703	GP4	P4A-O8A	4.98	1.66	1.50
9	C	204	X6N	P51-O4	4.73	1.68	1.59
9	D	204	X6N	P51-O4	4.69	1.68	1.59
7	D	202	2IL	O2-C1	4.12	1.43	1.19
7	C	202	2IL	O2-C1	4.12	1.43	1.19
10	C	205	A1L01	O72-C35	3.78	1.43	1.30
10	D	205	A1L01	O72-C35	3.78	1.43	1.30
8	D	203	0IL	O3E-C1E	3.61	1.42	1.30
8	C	203	0IL	O3E-C1E	3.59	1.42	1.30
9	D	204	X6N	P51-O55	3.33	1.67	1.54
9	C	204	X6N	P51-O55	3.33	1.67	1.54
10	C	205	A1L01	O240-C243	3.32	1.43	1.34
10	D	205	A1L01	O240-C243	3.32	1.43	1.34
7	C	202	2IL	O3-C15	3.31	1.43	1.34
7	D	202	2IL	O3-C15	3.30	1.43	1.34
6	B	703	GP4	P4A-O7A	3.19	1.67	1.54
8	C	203	0IL	O2E-C1F	3.18	1.43	1.34
6	A	703	GP4	P4A-O7A	3.18	1.67	1.54
8	D	203	0IL	O2E-C1F	3.15	1.43	1.34
9	D	204	X6N	P51-O54	2.81	1.65	1.54
9	C	204	X6N	P51-O54	2.81	1.65	1.54
6	A	703	GP4	P4A-O9A	2.66	1.65	1.54
6	B	703	GP4	P4A-O9A	2.64	1.65	1.54

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	D	202	2IL	O3-C15-C16	4.71	121.64	111.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	C	202	2IL	O3-C15-C16	4.70	121.64	111.50
8	C	203	0IL	O2E-C1F-C2F	4.31	120.79	111.50
8	D	203	0IL	O2E-C1F-C2F	4.30	120.77	111.50
10	D	205	A1L01	O240-C243-C249	3.19	118.38	111.50
10	C	205	A1L01	O240-C243-C249	3.17	118.34	111.50
10	D	205	A1L01	O72-C35-C73	2.10	120.79	114.07
10	C	205	A1L01	O72-C35-C73	2.09	120.78	114.07
7	C	202	2IL	O2-C1-C2	-2.08	119.36	125.43
7	D	202	2IL	O2-C1-C2	-2.06	119.43	125.43

There are no chirality outliers.

All (112) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
8	C	203	0IL	C1E-C2E-C3E-O2E
8	C	203	0IL	C1E-C2E-C3E-C4E
8	D	203	0IL	C1E-C2E-C3E-O2E
8	D	203	0IL	C1E-C2E-C3E-C4E
10	C	205	A1L01	C246-C125-C73-C35
10	C	205	A1L01	O240-C125-C73-C35
10	C	205	A1L01	C73-C125-O240-C243
10	D	205	A1L01	C246-C125-C73-C35
10	D	205	A1L01	O240-C125-C73-C35
10	D	205	A1L01	C73-C125-O240-C243
5	C	201	NAG	C4-C5-C6-O6
5	D	201	NAG	C4-C5-C6-O6
5	A	701	NAG	C4-C5-C6-O6
5	B	701	NAG	C4-C5-C6-O6
5	C	201	NAG	O5-C5-C6-O6
5	D	201	NAG	O5-C5-C6-O6
5	A	701	NAG	O5-C5-C6-O6
5	B	701	NAG	O5-C5-C6-O6
7	C	202	2IL	C15-C16-C17-C18
7	D	202	2IL	C15-C16-C17-C18
10	C	205	A1L01	C243-C249-C281-C285
10	D	205	A1L01	C243-C249-C281-C285
7	C	202	2IL	C5-C6-C7-C8
7	D	202	2IL	C5-C6-C7-C8
10	C	205	A1L01	C288-C291-C294-C297
10	D	205	A1L01	C288-C291-C294-C297
7	C	202	2IL	C21-C22-C23-C24
7	D	202	2IL	C21-C22-C23-C24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
8	C	203	0IL	C5E-C6E-C7E-C8E
8	D	203	0IL	C5E-C6E-C7E-C8E
7	C	202	2IL	C18-C19-C20-C21
7	D	202	2IL	C18-C19-C20-C21
8	C	203	0IL	C0T-C1T-C2T-C3T
8	D	203	0IL	C0T-C1T-C2T-C3T
7	C	202	2IL	C7-C8-C9-C10
7	D	202	2IL	C7-C8-C9-C10
8	C	203	0IL	C6E-C7E-C8E-C9E
8	D	203	0IL	C6E-C7E-C8E-C9E
8	C	203	0IL	C4E-C5E-C6E-C7E
8	D	203	0IL	C4E-C5E-C6E-C7E
10	C	205	A1L01	C261-C264-C267-C270
8	C	203	0IL	C9E-C0S-C1S-C2S
8	D	203	0IL	C9E-C0S-C1S-C2S
10	D	205	A1L01	C261-C264-C267-C270
7	C	202	2IL	C6-C7-C8-C9
8	C	203	0IL	C3F-C4F-C5F-C6F
8	D	203	0IL	C3F-C4F-C5F-C6F
7	D	202	2IL	C6-C7-C8-C9
8	C	203	0IL	C2F-C3F-C4F-C5F
8	D	203	0IL	C2F-C3F-C4F-C5F
10	C	205	A1L01	O248-C243-O240-C125
10	D	205	A1L01	O248-C243-O240-C125
8	C	203	0IL	C9F-C0T-C1T-C2T
8	D	203	0IL	C9F-C0T-C1T-C2T
7	C	202	2IL	C20-C21-C22-C23
7	D	202	2IL	C20-C21-C22-C23
7	C	202	2IL	C22-C23-C24-C25
7	D	202	2IL	C22-C23-C24-C25
7	C	202	2IL	C10-C11-C12-C13
7	D	202	2IL	C10-C11-C12-C13
8	C	203	0IL	C4F-C5F-C6F-C7F
7	C	202	2IL	C17-C18-C19-C20
7	D	202	2IL	C17-C18-C19-C20
8	D	203	0IL	C4F-C5F-C6F-C7F
10	C	205	A1L01	C252-C255-C258-C261
10	D	205	A1L01	C252-C255-C258-C261
8	C	203	0IL	C1S-C2S-C3S-C4S
8	D	203	0IL	C1S-C2S-C3S-C4S
8	C	203	0IL	C0S-C1S-C2S-C3S
8	D	203	0IL	C0S-C1S-C2S-C3S

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
6	A	703	GP4	C4-O4-P4A-O8A
6	B	703	GP4	C4-O4-P4A-O8A
7	C	202	2IL	C4-C5-C6-C7
7	D	202	2IL	C4-C5-C6-C7
9	C	204	X6N	C4-O4-P51-O54
9	D	204	X6N	C4-O4-P51-O54
8	C	203	0IL	C3E-C4E-C5E-C6E
8	D	203	0IL	C3E-C4E-C5E-C6E
8	D	203	0IL	C5F-C6F-C7F-C8F
8	C	203	0IL	O3E-C1E-C2E-C3E
8	D	203	0IL	O3E-C1E-C2E-C3E
8	C	203	0IL	C5F-C6F-C7F-C8F
7	C	202	2IL	C23-C24-C25-C26
7	D	202	2IL	C23-C24-C25-C26
10	C	205	A1L01	C125-C246-C252-C255
10	D	205	A1L01	C125-C246-C252-C255
7	D	202	2IL	C19-C20-C21-C22
7	C	202	2IL	C19-C20-C21-C22
7	C	202	2IL	O2-C1-C2-C3
7	D	202	2IL	O2-C1-C2-C3
10	C	205	A1L01	C270-C273-C276-C279
10	D	205	A1L01	C270-C273-C276-C279
5	A	702	NAG	C3-C2-N2-C7
5	B	702	NAG	C3-C2-N2-C7
10	D	205	A1L01	C249-C281-C285-C288
10	C	205	A1L01	C249-C281-C285-C288
8	D	203	0IL	C6F-C7F-C8F-C9F
8	C	203	0IL	C6F-C7F-C8F-C9F
8	C	203	0IL	O1E-C1E-C2E-C3E
8	D	203	0IL	O1E-C1E-C2E-C3E
10	C	205	A1L01	C281-C285-C288-C291
10	D	205	A1L01	C281-C285-C288-C291
7	C	202	2IL	C11-C12-C13-C14
7	D	202	2IL	C11-C12-C13-C14
7	D	202	2IL	C16-C17-C18-C19
7	C	202	2IL	C16-C17-C18-C19
10	C	205	A1L01	C73-C125-C246-C252
10	D	205	A1L01	C73-C125-C246-C252
10	C	205	A1L01	C246-C125-O240-C243
10	D	205	A1L01	C246-C125-O240-C243
10	C	205	A1L01	O240-C243-C249-C281
10	D	205	A1L01	O240-C243-C249-C281



There are no ring outliers.



3 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
10	D	205	A1L01	1	0
6	A	703	GP4	2	0
6	B	703	GP4	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











Ligand OIL D 203



Ligand X6N C 204







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-37677. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 200




Y Index: 200




Z Index: 200


6.2.2 Raw map



X Index: 200



Y Index: 200




Z Index: 200


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 211




Y Index: 193




Z Index: 191


6.3.2 Raw map



X Index: 210



Y Index: 193



Z Index: 191


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) ⓘ


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.3. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 94 nm^3 ; this corresponds to an approximate mass of 85 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.446 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.446 \AA^{-1}

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.24	-	-
Author-provided FSC curve	2.28	2.58	2.29
Unmasked-calculated*	2.75	3.22	2.78

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 2.75 differs from the reported value 2.24 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-37677 and PDB model 8WO1. Per-residue inclusion information can be found in section [3](#) on page [10](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.3 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.3).

9.4 Atom inclusion ⓘ



At the recommended contour level, 98% of all backbone atoms, 93% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.3) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	<div><div></div></div> 0.9290	<div><div></div></div> 0.5870
A	<div><div></div></div> 0.9250	<div><div></div></div> 0.5800
B	<div><div></div></div> 0.9240	<div><div></div></div> 0.5810
C	<div><div></div></div> 0.9490	<div><div></div></div> 0.6140
D	<div><div></div></div> 0.9470	<div><div></div></div> 0.6150
E	<div><div></div></div> 0.9490	<div><div></div></div> 0.5810
F	<div><div></div></div> 0.8970	<div><div></div></div> 0.5270
G	<div><div></div></div> 0.8210	<div><div></div></div> 0.5640
H	<div><div></div></div> 0.9490	<div><div></div></div> 0.5970
I	<div><div></div></div> 0.8970	<div><div></div></div> 0.5330
J	<div><div></div></div> 0.8210	<div><div></div></div> 0.5620

1.0

0.0

<0.0