



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 27, 2024 – 09:08 AM EDT

PDB ID : 1XME
Title : Structure of Recombinant Cytochrome ba3 Oxidase from *Thermus thermophilus*
Authors : Hunsicker-Wang, L.M.; Pacoma, R.L.; Chen, Y.; Fee, J.A.; Stout, C.D.
Deposited on : 2004-10-01
Resolution : 2.30 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 1.20.1
EDS : 3.0
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.003 (Gargrove)
Density-Fitness : 1.0.11
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	5963 (2.30-2.30)
Clashscore	180529	6698 (2.30-2.30)
Ramachandran outliers	177936	6640 (2.30-2.30)
Sidechain outliers	177891	6640 (2.30-2.30)
RSRZ outliers	164620	5963 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	568	 2% 73% 23% ..
2	B	168	 6% 72% 26% ..
3	C	34	 12% 71% 24% ..

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
7	HAS	A	801	X	-	-	-
8	GOL	A	804	-	X	-	-

2 Entry composition

There are 10 unique types of molecules in this entry. The entry contains 6177 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cytochrome c oxidase polypeptide I.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	557	4407	2985	707	699	16	0	0	0

There are 7 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-5	MET	-	expression tag	UNP Q56408
A	-4	HIS	-	expression tag	UNP Q56408
A	-3	HIS	-	expression tag	UNP Q56408
A	-2	HIS	-	expression tag	UNP Q56408
A	-1	HIS	-	expression tag	UNP Q56408
A	0	HIS	-	expression tag	UNP Q56408
A	1	HIS	-	expression tag	UNP Q56408


- Molecule 2 is a protein called Cytochrome c oxidase polypeptide II.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	166	1298	844	216	234	4	0	0	0

- Molecule 3 is a protein called Cytochrome c oxidase polypeptide IIA.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
3	C	33	259	179	39	41	0	0	0

- Molecule 4 is nonyl beta-D-glucopyranoside (three-letter code: BNG) (formula: C₁₅H₃₀O₆).




Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	C O	0	0
			21	15 6		

- Molecule 5 is COPPER (II) ION (three-letter code: CU) (formula: Cu).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	Cu	0	0
			1	1		

- Molecule 6 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: C₃₄H₃₂FeN₄O₄).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
			Total	C	Fe	N			O
6	A	1	43	34	1	4	4	0	0

- Molecule 7 is HEME-AS (three-letter code: HAS) (formula: $C_{54}H_{64}FeN_4O_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
			Total	C	Fe	N			O
7	A	1	65	54	1	4	6	0	0

- Molecule 8 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$).



4 Data and refinement statistics

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, α , β , γ	114.90Å 114.90Å 177.06Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	21.42 – 2.30 21.42 – 2.30	Depositor EDS
% Data completeness (in resolution range)	92.7 (21.42-2.30) 92.6 (21.42-2.30)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.34 (at 2.31Å)	Xtrriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.217 , 0.236 0.208 , 0.228	Depositor DCC
R_{free} test set	2480 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å ²)	49.7	Xtrriage
Anisotropy	0.003	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 42.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	6177	wwPDB-VP
Average B, all atoms (Å ²)	52.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.82% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CU, HAS, HEM, BNG, GOL, CUA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.42	0/4564	0.60	0/6263
2	B	0.36	0/1335	0.59	0/1822
3	C	0.39	0/265	0.50	0/359
All	All	0.41	0/6164	0.59	0/8444

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4407	0	4515	114	0
2	B	1298	0	1280	37	0
3	C	259	0	279	9	0
4	A	21	0	30	2	0
5	A	1	0	0	0	0
6	A	43	0	30	1	0
7	A	65	0	62	2	0
8	A	6	0	4	0	0
9	B	2	0	0	0	0
10	A	62	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
10	B	13	0	0	0	0
All	All	6177	0	6200	154	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (154) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:262:ASP:HB2	1:A:511:VAL:HG11	1.52	0.90
3:C:3:GLU:HG3	3:C:4:LYS:H	1.36	0.89
2:B:9:LYS:HE2	2:B:9:LYS:HA	1.55	0.88
1:A:449:ARG:HD2	1:A:450:ARG:HG3	1.56	0.88
1:A:122:LEU:HB2	1:A:123:PRO:HD3	1.64	0.79
1:A:357:ILE:HB	1:A:358:PRO:HD3	1.67	0.76
2:B:142:PRO:HA	2:B:166:VAL:HG23	1.65	0.76
1:A:465:VAL:HG23	1:A:466:PRO:HD3	1.69	0.74
3:C:3:GLU:CG	3:C:4:LYS:H	2.05	0.70
1:A:18:LYS:HE2	1:A:502:ALA:O	1.93	0.68
1:A:379:ALA:HB1	1:A:439:LEU:HD12	1.75	0.67
1:A:302:THR:O	1:A:305:VAL:HG12	1.94	0.66
1:A:330:ARG:HH21	1:A:330:ARG:HG2	1.61	0.66
1:A:463:ALA:O	1:A:467:MET:HG3	1.95	0.66
1:A:54:LEU:O	1:A:58:LEU:HD13	1.96	0.65
1:A:262:ASP:HB3	1:A:263:PRO:HD3	1.77	0.65
1:A:254:GLN:NE2	1:A:343:ASN:HD21	1.94	0.65
1:A:18:LYS:HE3	1:A:407:ASN:O	1.97	0.64
1:A:435:MET:HG2	1:A:439:LEU:HD23	1.80	0.63
1:A:335:TRP:O	1:A:339:LEU:HD22	1.99	0.62
1:A:449:ARG:HH12	7:A:801:HAS:CGA	2.12	0.62
1:A:434:ILE:HD13	1:A:472:LEU:HD13	1.82	0.62
2:B:18:TRP:CE3	3:C:12:ILE:HD12	2.35	0.62
1:A:381:VAL:HB	1:A:382:PRO:HD3	1.82	0.62
1:A:281:PHE:H	1:A:298:HIS:HD2	1.48	0.61
3:C:2:GLU:HG3	3:C:3:GLU:H	1.64	0.61
1:A:97:LEU:HD22	1:A:170:TRP:CD1	2.37	0.60
1:A:229:TRP:CE3	1:A:232:GLY:HA3	2.36	0.60
1:A:281:PHE:H	1:A:298:HIS:CD2	2.19	0.60
1:A:120:ALA:O	1:A:123:PRO:HD2	2.01	0.60
1:A:435:MET:HG2	1:A:439:LEU:CD2	2.32	0.60
2:B:99:GLN:OE1	2:B:142:PRO:HD3	2.01	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:A:801:HAS:HBC1	7:A:801:HAS:HMC1	1.84	0.60
1:A:15:TYR:O	1:A:18:LYS:HB2	2.03	0.59
1:A:271:LEU:CB	1:A:308:PRO:HG3	2.33	0.58
2:B:113:ILE:HG22	2:B:151:GLN:HG2	1.84	0.58
1:A:42:GLN:HE22	1:A:72:HIS:CD2	2.21	0.57
1:A:267:LEU:HD23	1:A:311:MET:HE1	1.86	0.57
1:A:322:PHE:O	1:A:326:LEU:HD13	2.05	0.57
2:B:142:PRO:HA	2:B:166:VAL:CG2	2.34	0.57
2:B:88:PHE:N	2:B:88:PHE:CD2	2.70	0.57
1:A:355:GLY:O	1:A:358:PRO:HD2	2.05	0.56
1:A:15:TYR:HB2	1:A:18:LYS:HD2	1.87	0.56
1:A:465:VAL:HG23	1:A:466:PRO:CD	2.35	0.55
1:A:223:VAL:HG12	1:A:549:LEU:HB3	1.89	0.55
1:A:204:ALA:HA	1:A:208:LEU:HB2	1.88	0.55
1:A:267:LEU:HD23	1:A:311:MET:CE	2.37	0.54
1:A:449:ARG:HD3	10:A:834:HOH:O	2.08	0.54
1:A:52:TYR:N	1:A:53:PRO:HD2	2.24	0.53
1:A:330:ARG:HG2	1:A:330:ARG:NH2	2.24	0.53
1:A:160:ILE:HD13	1:A:194:PHE:HB2	1.90	0.53
1:A:230:TRP:C	1:A:230:TRP:CD1	2.82	0.52
3:C:3:GLU:HG3	3:C:4:LYS:N	2.14	0.52
1:A:305:VAL:O	1:A:308:PRO:HD2	2.10	0.52
1:A:254:GLN:HE21	1:A:343:ASN:HD21	1.55	0.52
1:A:377:ASN:HB3	2:B:150:ASN:HB2	1.91	0.52
1:A:321:GLU:HA	1:A:335:TRP:CE3	2.45	0.52
4:A:805:BNG:O2	4:A:805:BNG:H1'1	2.10	0.51
1:A:420:LEU:HD11	1:A:483:LEU:HD22	1.92	0.51
1:A:330:ARG:HB2	1:A:334:GLY:HA3	1.91	0.51
1:A:325:ARG:HH21	1:A:325:ARG:HG3	1.76	0.51
1:A:377:ASN:HB3	2:B:150:ASN:O	2.11	0.50
1:A:478:LEU:O	1:A:478:LEU:HD23	2.10	0.50
1:A:382:PRO:HA	1:A:385:PHE:CE2	2.46	0.50
1:A:471:VAL:O	1:A:475:ILE:HG13	2.12	0.50
1:A:271:LEU:HB3	1:A:308:PRO:HG3	1.93	0.50
2:B:101:ALA:O	2:B:103:ILE:HD12	2.12	0.49
1:A:489:PHE:O	1:A:493:LEU:HD13	2.12	0.49
1:A:143:TRP:HB2	1:A:213:PHE:CE2	2.48	0.49
1:A:546:LEU:O	1:A:550:PHE:HD1	1.95	0.49
2:B:166:VAL:HG23	2:B:166:VAL:O	2.12	0.49
1:A:472:LEU:O	1:A:476:VAL:HG23	2.12	0.49
1:A:233:HIS:O	1:A:236:VAL:HG22	2.12	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:74:THR:HG23	2:B:78:GLN:OE1	2.13	0.48
1:A:398:MET:O	1:A:401:LEU:HB2	2.14	0.48
1:A:307:VAL:HB	1:A:308:PRO:HD3	1.95	0.48
2:B:139:PHE:CG	2:B:166:VAL:HG11	2.49	0.48
1:A:55:LEU:HD11	1:A:59:LEU:HD12	1.95	0.47
1:A:18:LYS:CE	1:A:502:ALA:O	2.63	0.47
1:A:359:GLY:HA3	1:A:388:GLN:NE2	2.29	0.47
1:A:123:PRO:HG2	1:A:144:ALA:HB3	1.96	0.47
1:A:455:GLN:C	1:A:457:PRO:HD3	2.34	0.47
2:B:97:VAL:O	2:B:166:VAL:HA	2.14	0.46
2:B:103:ILE:HD12	2:B:103:ILE:N	2.29	0.46
2:B:69:GLN:HE21	2:B:69:GLN:HA	1.79	0.46
1:A:174:ASN:HB3	1:A:177:LYS:HD3	1.98	0.46
1:A:543:GLY:O	1:A:547:VAL:HG23	2.16	0.46
2:B:53:VAL:O	2:B:130:GLY:HA2	2.16	0.46
1:A:76:ASN:HB3	6:A:800:HEM:CAC	2.46	0.46
1:A:337:ARG:HA	1:A:337:ARG:HD2	1.81	0.46
2:B:86:PHE:O	2:B:88:PHE:N	2.49	0.46
1:A:271:LEU:HB2	1:A:308:PRO:HG3	1.97	0.46
1:A:280:GLY:HA3	1:A:542:TYR:OH	2.16	0.46
1:A:332:LEU:HD13	3:C:6:LYS:HE2	1.98	0.45
2:B:83:VAL:HG12	2:B:84:LEU:N	2.31	0.45
1:A:562:TRP:HA	2:B:155:LEU:HG	1.97	0.45
1:A:254:GLN:HE21	1:A:343:ASN:ND2	2.14	0.45
1:A:446:ASN:OD1	2:B:119:GLU:HG3	2.17	0.45
1:A:29:PHE:CE1	1:A:401:LEU:HD11	2.52	0.45
1:A:225:ARG:HD3	1:A:287:ASP:OD1	2.16	0.45
1:A:128:GLU:HB3	1:A:142:HIS:HB2	1.99	0.45
1:A:382:PRO:HA	1:A:385:PHE:CZ	2.51	0.45
1:A:487:GLY:O	1:A:491:VAL:HG23	2.17	0.45
1:A:235:ILE:O	1:A:238:PHE:HB3	2.17	0.44
2:B:73:GLN:HB2	2:B:79:TYR:CE1	2.52	0.44
3:C:20:LEU:O	3:C:24:LEU:HB2	2.18	0.44
1:A:355:GLY:C	1:A:358:PRO:HD2	2.38	0.44
2:B:79:TYR:CE2	2:B:98:PRO:HG3	2.53	0.44
1:A:346:PHE:CZ	1:A:350:VAL:HG21	2.52	0.44
1:A:456:VAL:N	1:A:457:PRO:HD3	2.32	0.44
2:B:8:HIS:HD2	2:B:9:LYS:HE3	1.82	0.44
2:B:158:GLN:H	2:B:158:GLN:CD	2.21	0.44
1:A:54:LEU:C	1:A:54:LEU:HD13	2.39	0.44
1:A:215:LEU:HD22	1:A:215:LEU:N	2.32	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:405:LEU:HD12	1:A:405:LEU:HA	1.83	0.44
1:A:518:ARG:HG2	1:A:518:ARG:HH21	1.82	0.44
1:A:48:ASN:HD21	1:A:457:PRO:HA	1.82	0.43
1:A:170:TRP:CH2	1:A:180:PRO:HD3	2.53	0.43
1:A:465:VAL:N	1:A:466:PRO:HD2	2.33	0.43
1:A:25:LEU:HD11	1:A:404:LEU:CD2	2.49	0.43
1:A:123:PRO:CG	1:A:144:ALA:HB3	2.48	0.43
1:A:379:ALA:C	1:A:382:PRO:HD2	2.39	0.43
2:B:3:ASP:O	2:B:4:GLU:HB3	2.18	0.43
1:A:339:LEU:HG	1:A:346:PHE:CZ	2.53	0.43
1:A:489:PHE:O	1:A:493:LEU:HB2	2.18	0.43
2:B:69:GLN:HA	2:B:69:GLN:NE2	2.33	0.42
2:B:96:GLU:CD	2:B:167:LYS:HZ1	2.22	0.42
1:A:351:LEU:HD12	1:A:425:VAL:HG12	2.02	0.42
2:B:9:LYS:HE2	2:B:9:LYS:CA	2.39	0.42
3:C:4:LYS:HA	3:C:5:PRO:HD3	1.83	0.42
1:A:232:GLY:O	1:A:235:ILE:HG22	2.20	0.42
1:A:272:PHE:CZ	1:A:308:PRO:HB2	2.53	0.42
1:A:310:LEU:HD13	2:B:22:SER:HB3	2.02	0.42
1:A:357:ILE:CB	1:A:358:PRO:HD3	2.46	0.42
1:A:495:ARG:HD3	1:A:495:ARG:HA	1.39	0.42
1:A:107:TRP:HB3	4:A:805:BNG:H1'2	2.02	0.42
3:C:2:GLU:HG3	3:C:3:GLU:N	2.33	0.42
1:A:132:LEU:HD13	1:A:450:ARG:NE	2.35	0.42
2:B:87:ALA:C	2:B:88:PHE:CG	2.93	0.42
1:A:225:ARG:HG3	1:A:284:GLN:NE2	2.34	0.42
1:A:230:TRP:C	1:A:230:TRP:HD1	2.22	0.41
2:B:119:GLU:OE2	2:B:146:ARG:HD2	2.21	0.41
2:B:156:GLY:HA2	2:B:158:GLN:HE22	1.84	0.41
1:A:411:LYS:NZ	1:A:495:ARG:NH2	2.69	0.41
1:A:348:ALA:HB3	1:A:349:PRO:CD	2.51	0.41
2:B:47:ALA:HB2	2:B:134:THR:HB	2.03	0.41
1:A:291:ASP:HA	1:A:292:PRO:HD3	1.88	0.41
1:A:386:HIS:HA	1:A:390:ALA:HB3	2.02	0.41
1:A:287:ASP:OD2	2:B:126:GLU:HG3	2.21	0.41
1:A:227:LEU:O	1:A:230:TRP:HB3	2.21	0.40
2:B:128:LEU:HA	2:B:129:PRO:HD3	1.93	0.40
2:B:32:LEU:O	2:B:36:THR:HG23	2.22	0.40
1:A:465:VAL:CG2	1:A:466:PRO:HD3	2.43	0.40
1:A:465:VAL:CG2	1:A:466:PRO:CD	3.00	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	555/568 (98%)	530 (96%)	22 (4%)	3 (0%)	25	32
2	B	164/168 (98%)	154 (94%)	9 (6%)	1 (1%)	22	27
3	C	31/34 (91%)	29 (94%)	2 (6%)	0	100	100
All	All	750/770 (97%)	713 (95%)	33 (4%)	4 (0%)	25	32

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	330	ARG
2	B	87	ALA
1	A	369	PHE
1	A	518	ARG

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	453/462 (98%)	436 (96%)	17 (4%)	28	42
2	B	136/138 (99%)	133 (98%)	3 (2%)	47	65
3	C	26/27 (96%)	24 (92%)	2 (8%)	10	14
All	All	615/627 (98%)	593 (96%)	22 (4%)	30	44

All (22) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	10	ARG
1	A	48	ASN
1	A	133	TYR
1	A	168	ARG
1	A	195	LEU
1	A	225	ARG
1	A	230	TRP
1	A	274	LEU
1	A	339	LEU
1	A	354	LEU
1	A	369	PHE
1	A	401	LEU
1	A	430	LEU
1	A	449	ARG
1	A	472	LEU
1	A	495	ARG
1	A	513	SER
2	B	19	LEU
2	B	77	ASN
2	B	146	ARG
3	C	23	TRP
3	C	24	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	42	GLN
1	A	48	ASN
1	A	76	ASN
1	A	254	GLN
1	A	284	GLN
1	A	298	HIS
1	A	388	GLN
2	B	8	HIS
2	B	60	GLN
2	B	69	GLN
2	B	77	ASN
2	B	117	HIS
2	B	122	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 1 is monoatomic - leaving 5 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	HAS	A	801	1,10	69,72,72	1.67	11 (15%)	75,109,109	1.08	6 (8%)
6	HEM	A	800	1	42,50,50	1.65	7 (16%)	46,82,82	1.36	5 (10%)
8	GOL	A	804	-	5,5,5	4.88	5 (100%)	5,5,5	6.10	3 (60%)
9	CUA	B	802	2	0,1,1	-	-	-	-	-
4	BNG	A	805	-	21,21,21	1.68	6 (28%)	26,26,26	0.97	1 (3%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '2' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	HAS	A	801	1,10	1/1/8/18	7/40/82/82	-
8	GOL	A	804	-	-	2/4/4/4	-
6	HEM	A	800	1	-	2/12/54/54	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	BNG	A	805	-	-	3/12/32/32	0/1/1/1

All (29) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	A	804	GOL	C3-C2	-8.44	1.19	1.51
7	A	801	HAS	C1A-C2A	4.77	1.53	1.45
7	A	801	HAS	C3C-C2C	4.68	1.46	1.40
6	A	800	HEM	CMC-C2C	-4.59	1.40	1.51
7	A	801	HAS	C3B-C2B	4.36	1.44	1.34
6	A	800	HEM	C3C-C4C	4.33	1.47	1.41
8	A	804	GOL	O1-C1	4.32	1.60	1.42
6	A	800	HEM	C3C-C2C	3.96	1.45	1.40
7	A	801	HAS	C22-C23	3.93	1.42	1.33
6	A	800	HEM	C1D-C2D	-3.61	1.37	1.44
7	A	801	HAS	C18-C19	3.40	1.40	1.33
7	A	801	HAS	C14-C15	3.34	1.40	1.33
8	A	804	GOL	C1-C2	-3.26	1.39	1.51
4	A	805	BNG	O1-C1	3.23	1.45	1.40
8	A	804	GOL	O3-C3	3.16	1.55	1.42
4	A	805	BNG	C4-C5	3.00	1.59	1.53
8	A	804	GOL	O2-C2	-2.90	1.34	1.43
4	A	805	BNG	C3'-C2'	-2.87	1.37	1.51
7	A	801	HAS	C29-C30	2.87	1.41	1.32
4	A	805	BNG	O5-C1	2.78	1.49	1.41
7	A	801	HAS	C4D-C3D	-2.64	1.40	1.45
7	A	801	HAS	FE-NA	2.56	2.05	1.95
7	A	801	HAS	C1B-C2B	-2.53	1.39	1.44
4	A	805	BNG	O1-C1'	2.44	1.49	1.43
6	A	800	HEM	CHB-C1B	2.29	1.40	1.34
6	A	800	HEM	CHA-C4D	2.15	1.39	1.34
6	A	800	HEM	C4D-ND	-2.14	1.36	1.40
7	A	801	HAS	CHD-C4A	2.05	1.38	1.35
4	A	805	BNG	C1-C2	2.02	1.58	1.52

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	A	804	GOL	O3-C3-C2	11.09	160.31	110.38
8	A	804	GOL	O2-C2-C3	7.18	138.92	109.18
6	A	800	HEM	C4C-CHD-C1D	4.85	128.96	122.56
6	A	800	HEM	C4B-CHC-C1C	4.10	127.97	122.56

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	A	804	GOL	O1-C1-C2	3.28	125.16	110.38
7	A	801	HAS	CMB-C2B-C3B	-3.04	124.40	130.28
7	A	801	HAS	CMB-C2B-C1B	2.62	129.14	125.03
6	A	800	HEM	C2C-C3C-C4C	-2.59	105.09	106.90
7	A	801	HAS	C2B-C1B-NB	2.57	112.87	109.90
4	A	805	BNG	C4-C3-C2	-2.46	106.51	110.83
6	A	800	HEM	CMA-C3A-C4A	-2.45	124.86	128.46
7	A	801	HAS	CMC-C2C-C3C	2.35	129.39	124.68
7	A	801	HAS	C3C-C4C-NC	2.32	112.21	109.21
6	A	800	HEM	CMC-C2C-C3C	2.19	129.07	124.68
7	A	801	HAS	CMC-C2C-C1C	-2.10	125.38	128.46

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
7	A	801	HAS	NA

All (14) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	A	805	BNG	O5-C1-O1-C1'
6	A	800	HEM	C2B-C3B-CAB-CBB
7	A	801	HAS	C1D-C2D-CMD-OMD
7	A	801	HAS	C3D-C2D-CMD-OMD
8	A	804	GOL	O1-C1-C2-C3
8	A	804	GOL	C1-C2-C3-O3
4	A	805	BNG	C2-C1-O1-C1'
4	A	805	BNG	C1'-C2'-C3'-C4'
6	A	800	HEM	C4B-C3B-CAB-CBB
7	A	801	HAS	CAA-CBA-CGA-O1A
7	A	801	HAS	CAD-CBD-CGD-O2D
7	A	801	HAS	CAD-CBD-CGD-O1D
7	A	801	HAS	CAA-CBA-CGA-O2A
7	A	801	HAS	C24-C28-C29-C30


There are no ring outliers.

3 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	A	801	HAS	2	0
6	A	800	HEM	1	0
4	A	805	BNG	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	557/568 (98%)	0.09	12 (2%) 62 63	32, 46, 74, 93	0
2	B	166/168 (98%)	0.70	10 (6%) 29 31	36, 62, 87, 98	0
3	C	33/34 (97%)	0.81	4 (12%) 10 11	48, 57, 83, 96	0
All	All	756/770 (98%)	0.26	26 (3%) 48 50	32, 50, 80, 98	0

All (26) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	C	34	GLY	6.0
1	A	329	GLY	5.3
2	B	168	GLU	3.8
2	B	72	VAL	3.2
1	A	8	ILE	3.0
1	A	496	GLU	2.9
1	A	330	ARG	2.9
2	B	7	ALA	2.8
3	C	30	PHE	2.7
2	B	145	TYR	2.7
2	B	60	GLN	2.6
2	B	10	ALA	2.5
2	B	166	VAL	2.5
1	A	9	SER	2.4
1	A	12	TYR	2.4
1	A	494	SER	2.3
1	A	331	GLY	2.3
3	C	3	GLU	2.3
2	B	71	VAL	2.3
1	A	515	PRO	2.3
2	B	69	GLN	2.2
1	A	490	SER	2.2
1	A	513	SER	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	C	2	GLU	2.0
2	B	88	PHE	2.0
1	A	454	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	BNG	A	805	21/21	0.72	0.16	59,62,64,65	0
8	GOL	A	804	6/6	0.92	0.12	44,51,52,52	0
7	HAS	A	801	65/65	0.97	0.08	31,39,53,60	0
6	HEM	A	800	43/43	0.98	0.08	31,39,41,46	0
5	CU	A	803	1/1	0.99	0.04	38,38,38,38	0
9	CUA	B	802	2/2	0.99	0.02	44,44,44,47	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.


Electron density around BNG A 805:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around HAS A 801:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.