



## wwPDB EM Validation Summary Report ⓘ

Dec 29, 2024 – 09:07 PM EST

PDB ID : 7XVE  
EMDB ID : EMD-33484  
Title : Human Nav1.7 mutant class-I  
Authors : Huang, G.; Wu, Q.; Li, Z.; Pan, X.; Yan, N.  
Deposited on : 2022-05-21  
Resolution : 2.70 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis	:	0.0.1.dev113
Mogul	:	2022.3.0, CSD as543be (2022)
MolProbity	:	4.02b-467
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ	:	1.9.13
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.40


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	2022	
2	B	218	
3	C	215	
4	D	2	
4	E	2	

## 2 Entry composition

There are 11 unique types of molecules in this entry. The entry contains 13659 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Sodium channel protein type 9 subunit alpha.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	1276	Total	C	N	O	S	1	0
			10209	6771	1606	1753	79		

There are 45 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-33	GLU	-	expression tag	UNP Q15858
A	-32	LYS	-	expression tag	UNP Q15858
A	-31	GLY	-	expression tag	UNP Q15858
A	-30	GLY	-	expression tag	UNP Q15858
A	-29	GLY	-	expression tag	UNP Q15858
A	-28	ALA	-	expression tag	UNP Q15858
A	-27	ARG	-	expression tag	UNP Q15858
A	-26	GLY	-	expression tag	UNP Q15858
A	-25	GLY	-	expression tag	UNP Q15858
A	-24	SER	-	expression tag	UNP Q15858
A	-23	GLY	-	expression tag	UNP Q15858
A	-22	GLY	-	expression tag	UNP Q15858
A	-21	GLY	-	expression tag	UNP Q15858
A	-20	SER	-	expression tag	UNP Q15858
A	-19	TRP	-	expression tag	UNP Q15858
A	-18	SER	-	expression tag	UNP Q15858
A	-17	HIS	-	expression tag	UNP Q15858
A	-16	PRO	-	expression tag	UNP Q15858
A	-15	GLN	-	expression tag	UNP Q15858
A	-14	PHE	-	expression tag	UNP Q15858
A	-13	GLU	-	expression tag	UNP Q15858
A	-12	LYS	-	expression tag	UNP Q15858
A	-11	GLY	-	expression tag	UNP Q15858
A	-10	PHE	-	expression tag	UNP Q15858
A	-9	ASP	-	expression tag	UNP Q15858
A	-8	TYR	-	expression tag	UNP Q15858
A	-7	LYS	-	expression tag	UNP Q15858
A	-6	ASP	-	expression tag	UNP Q15858

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	-5	ASP	-	expression tag	UNP Q15858
A	-4	ASP	-	expression tag	UNP Q15858
A	-3	ASP	-	expression tag	UNP Q15858
A	-2	LYS	-	expression tag	UNP Q15858
A	-1	GLY	-	expression tag	UNP Q15858
A	0	THR	-	expression tag	UNP Q15858
A	156	LYS	GLU	engineered mutation	UNP Q15858
A	779	ARG	GLY	engineered mutation	UNP Q15858
A	866	PHE	LEU	engineered mutation	UNP Q15858
A	870	MET	THR	engineered mutation	UNP Q15858
A	874	PHE	ALA	engineered mutation	UNP Q15858
A	947	PHE	VAL	engineered mutation	UNP Q15858
A	952	PHE	MET	engineered mutation	UNP Q15858
A	953	PHE	VAL	engineered mutation	UNP Q15858
A	1438	ILE	VAL	engineered mutation	UNP Q15858
A	1439	PHE	VAL	engineered mutation	UNP Q15858
A	1454	CYS	GLY	engineered mutation	UNP Q15858


- Molecule 2 is a protein called Sodium channel subunit beta-1.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	173	Total	C	N	O	S	0	0
			1416	902	232	272	10		

- Molecule 3 is a protein called Sodium channel subunit beta-2.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	C	120	Total	C	N	O	S	0	0
			980	614	173	182	11		

- Molecule 4 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
4	D	2	Total	C	N	O	0	0
			28	16	2	10		
4	E	2	Total	C	N	O	0	0
			28	16	2	10		

- Molecule 5 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula:  $C_8H_{15}NO_6$ ).




Mol	Chain	Residues	Atoms				AltConf
5	A	1	Total	C	N	O	0
			14	8	1	5	
5	A	1	Total	C	N	O	0
			14	8	1	5	
5	B	1	Total	C	N	O	0
			14	8	1	5	
5	B	1	Total	C	N	O	0
			14	8	1	5	
5	B	1	Total	C	N	O	0
			14	8	1	5	
5	C	1	Total	C	N	O	0
			14	8	1	5	

- Molecule 6 is CHOLESTEROL HEMISUCCINATE (three-letter code: Y01) (formula:  $C_{31}H_{50}O_4$ ).



Mol	Chain	Residues	Atoms			AltConf
6	A	1	Total	C	O	0
			35	31	4	

- Molecule 7 is CHOLESTEROL (three-letter code: CLR) (formula: C<sub>27</sub>H<sub>46</sub>O).




Mol	Chain	Residues	Atoms			AltConf
7	A	1	Total	C	O	0
			28	27	1	
7	A	1	Total	C	O	0
			28	27	1	
7	A	1	Total	C	O	0
			28	27	1	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			AltConf
7	A	1	Total	C	O	0
			28	27	1	

- Molecule 8 is 1-O-OCTADECYL-SN-GLYCERO-3-PHOSPHOCHOLINE (three-letter code: LPE) (formula: C<sub>26</sub>H<sub>57</sub>NO<sub>6</sub>P).




Mol	Chain	Residues	Atoms						AltConf
8	A	1	Total	C	N	O	P	0	
			25	17	1	6	1		
8	A	1	Total	C	N	O	P	0	
			25	17	1	6	1		
8	A	1	Total	C	N	O	P	0	
			20	12	1	6	1		
8	A	1	Total	C	N	O	P	0	
			28	20	1	6	1		
8	A	1	Total	C	N	O	P	0	
			28	20	1	6	1		
8	A	1	Total	C	N	O	P	0	
			25	17	1	6	1		
8	A	1	Total	C	N	O	P	0	
			25	17	1	6	1		
8	A	1	Total	C	N	O	P	0	
			25	17	1	6	1		
8	A	1	Total	C	N	O	P	0	
			25	17	1	6	1		
8	A	1	Total	C	N	O	P	0	
			25	17	1	6	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf
8	A	1	Total	C	N	O	P	0
			25	17	1	6	1	
8	A	1	Total	C	N	O	P	0
			25	17	1	6	1	
8	A	1	Total	C	N	O	P	0
			17	9	1	6	1	
8	A	1	Total	C	N	O	P	0
			25	17	1	6	1	
8	A	1	Total	C	N	O	P	0
			17	9	1	6	1	
8	A	1	Total	C	N	O	P	0
			25	17	1	6	1	
8	A	1	Total	C	N	O	P	0
			17	9	1	6	1	
8	B	1	Total	C	N	O	P	0
			17	9	1	6	1	


- Molecule 9 is (2S,3R,4E)-2-(acetylamino)-3-hydroxyoctadec-4-en-1-yl dihydrogen phosphate (three-letter code: 1PW) (formula: C<sub>20</sub>H<sub>40</sub>NO<sub>6</sub>P).



Mol	Chain	Residues	Atoms				AltConf
9	A	1	Total	C	O	P	0
			24	18	5	1	


- Molecule 10 is 1,2-DIOLEOYL-SN-GLYCERO-3-PHOSPHOCHOLINE (three-letter code: PCW) (formula: C<sub>44</sub>H<sub>85</sub>NO<sub>8</sub>P).





Mol	Chain	Residues	Atoms					AltConf
10	A	1	Total	C	N	O	P	0
			53	43	1	8	1	
10	A	1	Total	C	N	O	P	0
			47	37	1	8	1	
10	A	1	Total	C	N	O	P	0
			44	34	1	8	1	
10	A	1	Total	C	N	O	P	0
			44	34	1	8	1	
10	A	1	Total	C	N	O	P	0
			44	34	1	8	1	
10	A	1	Total	C	N	O	P	0
			44	34	1	8	1	


- Molecule 11 is O-[(R)-{[(2R)-2,3-bis(octadecanoyloxy)propyl]oxy}(hydroxy)phosphoryl]-L-serine (three-letter code: P5S) (formula: C<sub>42</sub>H<sub>82</sub>NO<sub>10</sub>P).



Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
11	A	1	34	22	1	10	1	0







● Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



● Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	249473	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	50	Depositor
Minimum defocus (nm)	1500	Depositor
Maximum defocus (nm)	1800	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	5.056	Depositor
Minimum map value	-2.043	Depositor
Average map value	0.005	Depositor
Map value standard deviation	0.076	Depositor
Recommended contour level	0.36	Depositor
Map size (Å)	346.4, 346.4, 346.4	wwPDB
Map dimensions	320, 320, 320	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.0825, 1.0825, 1.0825	Depositor

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, PCW, Y01, CLR, LPE, 1PW, P5S

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.51	0/10461	0.56	0/14172
2	B	0.54	0/1442	0.53	0/1949
3	C	0.45	0/1002	0.61	0/1354
All	All	0.51	0/12905	0.56	0/17475

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	10209	0	10321	226	0
2	B	1416	0	1380	21	0
3	C	980	0	941	53	0
4	D	28	0	25	0	0
4	E	28	0	25	1	0
5	A	28	0	26	0	0
5	B	56	0	52	1	0
5	C	14	0	13	2	0
6	A	35	0	41	13	0
7	A	112	0	184	27	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
8	A	402	0	546	36	0
8	B	17	0	19	2	0
9	A	24	0	33	0	0
10	A	276	0	383	15	0
11	A	34	0	34	2	0
All	All	13659	0	14023	341	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

The worst 5 of 341 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:A:2003:Y01:CAK	6:A:2003:Y01:CAI	1.74	1.65
6:A:2003:Y01:CAZ	6:A:2003:Y01:CAV	1.78	1.60
1:A:89:ILE:HD11	1:A:99:ARG:NH1	1.60	1.15
3:C:104:ASN:ND2	3:C:107:LYS:HG3	1.64	1.12
1:A:874[A]:PHE:CD1	7:A:2004:CLR:H272	1.86	1.11

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1265/2022 (63%)	1200 (95%)	60 (5%)	5 (0%)	30	55
2	B	171/218 (78%)	163 (95%)	8 (5%)	0	100	100
3	C	118/215 (55%)	106 (90%)	11 (9%)	1 (1%)	16	38
All	All	1554/2455 (63%)	1469 (94%)	79 (5%)	6 (0%)	32	55

5 of 6 Ramachandran outliers are listed below:



Mol	Chain	Res	Type
1	A	15	PHE
1	A	93	LYS
1	A	10	GLN
1	A	52	ASP
1	A	223	LYS

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	1110/1804 (62%)	1095 (99%)	15 (1%)	62	84
2	B	157/190 (83%)	154 (98%)	3 (2%)	52	79
3	C	113/193 (58%)	111 (98%)	2 (2%)	54	80
All	All	1380/2187 (63%)	1360 (99%)	20 (1%)	60	84

5 of 20 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1755	TYR
2	B	159	SER
3	C	118	GLN
3	C	41	LEU
1	A	869	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 25 such sidechains are listed below:

Mol	Chain	Res	Type
1	A	1191	HIS
1	A	1363	GLN
3	C	104	ASN
1	A	1341	ASN
1	A	1424	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

4 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
4	NAG	D	1	1,4	14,14,15	0.36	0	17,19,21	0.49	0
4	NAG	D	2	4	14,14,15	0.29	0	17,19,21	0.52	0
4	NAG	E	1	1,4	14,14,15	0.44	0	17,19,21	0.92	1 (5%)
4	NAG	E	2	4	14,14,15	0.31	0	17,19,21	0.77	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	D	1	1,4	-	0/6/23/26	0/1/1/1
4	NAG	D	2	4	-	1/6/23/26	0/1/1/1
4	NAG	E	1	1,4	-	4/6/23/26	0/1/1/1
4	NAG	E	2	4	-	2/6/23/26	0/1/1/1

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	E	2	NAG	O5-C1-C2	-2.30	107.73	111.29
4	E	1	NAG	C1-O5-C5	2.29	115.25	112.19

There are no chirality outliers.

5 of 7 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	E	1	NAG	C8-C7-N2-C2
4	E	1	NAG	O7-C7-N2-C2
4	E	2	NAG	C8-C7-N2-C2
4	E	2	NAG	O7-C7-N2-C2
4	E	1	NAG	O5-C5-C6-O6


There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	E	1	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.





## 5.6 Ligand geometry [i](#)

38 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
5	NAG	B	305	2	14,14,15	0.64	0	17,19,21	0.51	0
8	LPE	A	2024	-	24,24,33	0.55	0	28,30,39	0.61	0
8	LPE	A	2010	-	27,27,33	0.51	0	31,33,39	0.59	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
8	LPE	A	2016	-	24,24,33	0.88	0	28,30,39	0.91	1 (3%)
8	LPE	A	2020	-	24,24,33	0.55	0	28,30,39	0.61	0
10	PCW	A	2009	-	52,52,53	0.93	2 (3%)	58,60,61	0.99	4 (6%)
10	PCW	A	2013	-	43,43,53	1.03	2 (4%)	49,51,61	1.04	3 (6%)
5	NAG	B	303	2	14,14,15	0.36	0	17,19,21	0.56	0
8	LPE	B	301	-	16,16,33	0.96	0	20,22,39	1.05	1 (5%)
10	PCW	A	2029	-	43,43,53	1.06	2 (4%)	49,51,61	1.08	2 (4%)
8	LPE	A	2026	-	24,24,33	0.90	0	28,30,39	0.90	1 (3%)
7	CLR	A	2023	-	31,31,31	0.72	1 (3%)	48,48,48	1.17	4 (8%)
8	LPE	A	2008	-	19,19,33	0.64	0	23,25,39	0.58	0
8	LPE	A	2025	-	16,16,33	0.93	0	20,22,39	1.15	1 (5%)
5	NAG	B	302	2	14,14,15	0.27	0	17,19,21	0.61	0
8	LPE	A	2006	-	24,24,33	0.34	0	25,27,39	0.62	0
5	NAG	A	2001	1	14,14,15	0.28	0	17,19,21	0.49	0
10	PCW	A	2014	-	43,43,53	1.07	2 (4%)	49,51,61	1.22	4 (8%)
8	LPE	A	2030	-	24,24,33	0.54	0	28,30,39	0.64	0
8	LPE	A	2015	-	24,24,33	0.55	0	28,30,39	0.62	0
9	1PW	A	2007	-	23,23,27	0.41	0	24,26,32	0.43	0
5	NAG	C	301	3	14,14,15	0.44	0	17,19,21	0.35	0
8	LPE	A	2032	-	16,16,33	0.67	0	20,22,39	0.69	1 (5%)
10	PCW	A	2012	-	46,46,53	0.99	2 (4%)	52,54,61	1.05	3 (5%)
10	PCW	A	2028	-	43,43,53	1.05	2 (4%)	49,51,61	1.09	5 (10%)
8	LPE	A	2019	-	24,24,33	0.91	0	28,30,39	0.98	2 (7%)
5	NAG	B	304	2	14,14,15	0.29	0	17,19,21	0.58	0
7	CLR	A	2004	-	31,31,31	0.73	1 (3%)	48,48,48	1.03	3 (6%)
8	LPE	A	2005	-	24,24,33	0.54	0	28,30,39	0.70	0
8	LPE	A	2018	-	24,24,33	0.57	0	28,30,39	0.63	1 (3%)
8	LPE	A	2027	-	16,16,33	0.64	0	20,22,39	0.63	0
11	P5S	A	2031	-	32,33,53	1.16	2 (6%)	34,40,60	1.91	4 (11%)
5	NAG	A	2002	1	14,14,15	0.30	0	17,19,21	0.45	0
7	CLR	A	2022	-	31,31,31	0.75	0	48,48,48	1.18	7 (14%)
6	Y01	A	2003	-	38,38,38	7.89	22 (57%)	57,57,57	2.43	14 (24%)
8	LPE	A	2017	-	24,24,33	0.54	0	28,30,39	0.60	0
7	CLR	A	2021	-	31,31,31	0.83	1 (3%)	48,48,48	1.35	7 (14%)
8	LPE	A	2011	-	27,27,33	0.52	0	31,33,39	0.57	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	B	305	2	-	3/6/23/26	0/1/1/1
8	LPE	A	2024	-	-	6/25/25/34	-
8	LPE	A	2010	-	-	7/28/28/34	-
8	LPE	A	2016	-	-	11/25/25/34	-
8	LPE	A	2020	-	-	6/25/25/34	-
10	PCW	A	2009	-	-	8/56/56/57	-
10	PCW	A	2013	-	-	11/47/47/57	-
5	NAG	B	303	2	-	0/6/23/26	0/1/1/1
8	LPE	B	301	-	-	9/17/17/34	-
10	PCW	A	2029	-	-	12/47/47/57	-
8	LPE	A	2026	-	-	15/25/25/34	-
7	CLR	A	2023	-	-	4/10/68/68	0/4/4/4
8	LPE	A	2008	-	-	5/20/20/34	-
8	LPE	A	2025	-	-	9/17/17/34	-
5	NAG	B	302	2	-	3/6/23/26	0/1/1/1
8	LPE	A	2006	-	-	13/25/25/34	-
5	NAG	A	2001	1	-	3/6/23/26	0/1/1/1
10	PCW	A	2014	-	-	9/47/47/57	-
8	LPE	A	2030	-	-	6/25/25/34	-
8	LPE	A	2015	-	-	6/25/25/34	-
9	1PW	A	2007	-	-	3/22/22/29	-
5	NAG	C	301	3	-	2/6/23/26	0/1/1/1
8	LPE	A	2032	-	-	8/17/17/34	-
10	PCW	A	2012	-	-	12/50/50/57	-
10	PCW	A	2028	-	-	11/47/47/57	-
8	LPE	A	2019	-	-	14/25/25/34	-
5	NAG	B	304	2	-	2/6/23/26	0/1/1/1
7	CLR	A	2004	-	-	1/10/68/68	0/4/4/4
8	LPE	A	2005	-	-	9/25/25/34	-
8	LPE	A	2018	-	-	5/25/25/34	-
8	LPE	A	2027	-	-	6/17/17/34	-
11	P5S	A	2031	-	-	13/39/39/59	-
5	NAG	A	2002	1	-	3/6/23/26	0/1/1/1
7	CLR	A	2022	-	-	3/10/68/68	0/4/4/4

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	Y01	A	2003	-	-	12/19/77/77	0/4/4/4
8	LPE	A	2017	-	-	10/25/25/34	-
7	CLR	A	2021	-	-	5/10/68/68	0/4/4/4
8	LPE	A	2011	-	-	10/28/28/34	-

The worst 5 of 39 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	A	2003	Y01	CAK-CBD	-26.29	1.10	1.53
6	A	2003	Y01	CBD-CBG	-20.06	1.15	1.53
6	A	2003	Y01	CAU-CAS	-19.22	1.15	1.53
6	A	2003	Y01	CBH-CAZ	-13.47	1.27	1.52
6	A	2003	Y01	CAV-CAZ	13.22	1.78	1.51

The worst 5 of 68 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	A	2031	P5S	OG-CB-CA	8.60	115.56	108.06
6	A	2003	Y01	CAK-CAI-CAZ	-7.71	112.00	125.02
6	A	2003	Y01	CAV-CAZ-CAI	-6.85	111.28	120.57
6	A	2003	Y01	CBH-CAZ-CAI	-6.35	113.66	122.93
6	A	2003	Y01	CAQ-CBG-CBD	-5.48	110.35	119.10

There are no chirality outliers.

5 of 275 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	2001	NAG	C8-C7-N2-C2
5	A	2001	NAG	O7-C7-N2-C2
5	B	304	NAG	C8-C7-N2-C2
5	B	304	NAG	O7-C7-N2-C2
6	A	2003	Y01	CAC-CBB-CBE-CBI

There are no ring outliers.

29 monomers are involved in 95 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	B	305	NAG	1	0
8	A	2024	LPE	2	0
8	A	2010	LPE	1	0


*Continued on next page...*





*Continued from previous page...*


Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	A	2016	LPE	1	0
10	A	2009	PCW	3	0
10	A	2013	PCW	2	0
8	B	301	LPE	2	0
10	A	2029	PCW	3	0
8	A	2026	LPE	7	0
7	A	2023	CLR	3	0
8	A	2008	LPE	2	0
8	A	2025	LPE	1	0
8	A	2006	LPE	2	0
10	A	2014	PCW	3	0
8	A	2030	LPE	9	0
8	A	2015	LPE	3	0
5	C	301	NAG	2	0
8	A	2032	LPE	2	0
10	A	2012	PCW	4	0
10	A	2028	PCW	1	0
8	A	2019	LPE	3	0
7	A	2004	CLR	20	0
8	A	2005	LPE	1	0
8	A	2018	LPE	3	0
11	A	2031	P5S	2	0
6	A	2003	Y01	13	0
8	A	2017	LPE	2	0
7	A	2021	CLR	4	0
8	A	2011	LPE	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









































































## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-33484. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z

The images above show the map projected in three orthogonal directions.




## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 160




Y Index: 160




Z Index: 160


### 6.2.2 Raw map



X Index: 160



Y Index: 160




Z Index: 160


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 151




Y Index: 164




Z Index: 166


### 6.3.2 Raw map



X Index: 156



Y Index: 164




Z Index: 166


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)

### 6.4.1 Primary map



X




Y




Z

### 6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.36. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 129  $\text{nm}^3$ ; this corresponds to an approximate mass of 116 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum ⓘ




\*Reported resolution corresponds to spatial frequency of 0.370  $\text{\AA}^{-1}$

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.370 Å<sup>-1</sup>



## 8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.70	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	3.57	6.53	3.69

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.57 differs from the reported value 2.7 by more than 10 %

## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-33484 and PDB model 7XVE. Per-residue inclusion information can be found in section 3 on page 11.

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.36 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.36).

## 9.4 Atom inclusion [i](#)



At the recommended contour level, 87% of all backbone atoms, 83% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.36) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	<div></div> 0.8300	<div></div> 0.5260
A	<div></div> 0.8220	<div></div> 0.5240
B	<div></div> 0.9140	<div></div> 0.5700
C	<div></div> 0.7890	<div></div> 0.4750
D	<div></div> 0.9290	<div></div> 0.5210
E	<div></div> 0.8570	<div></div> 0.4830

