



# wwPDB X-ray Structure Validation Summary Report ⓘ

Nov 25, 2024 – 05:35 PM EST

PDB ID : 2YP1  
Title : Crystallization of a 45 kDa peroxygenase- peroxidase from the mushroom *Agrocybe aegerita* and structure determination by SAD utilizing only the haem iron  
Authors : Piontek, K.; Strittmatter, E.; Ullrich, R.; Plattner, D.A.; Hofrichter, M.  
Deposited on : 2012-10-29  
Resolution : 2.31 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	1.21
EDS	:	3.0
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4	:	9.0.004 (Gargrove)
Density-Fitness	:	1.0.11
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.40


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.31 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	164625	7250 (2.34-2.30)
Clashscore	180529	8063 (2.34-2.30)
Ramachandran outliers	177936	7993 (2.34-2.30)
Sidechain outliers	177891	7993 (2.34-2.30)
RSRZ outliers	164620	7250 (2.34-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ .

Mol	Chain	Length	Quality of chain
1	A	325	<div> <div>74%</div> <div>84%</div> <div>14%</div> <div>..</div> </div>
1	B	325	<div> <div>57%</div> <div>83%</div> <div>15%</div> <div>.</div> </div>
1	C	325	<div> <div>65%</div> <div>88%</div> <div>11%</div> </div>
1	D	325	<div> <div>91%</div> <div>78%</div> <div>20%</div> <div>..</div> </div>
2	E	6	<div> <div>33%</div> <div>67%</div> </div>
3	F	5	<div> <div>20%</div> <div>60%</div> <div>20%</div> </div>

*Continued on next page...*

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	J	5	 40%60%
4	G	2	 100%
4	I	2	 100%
4	K	2	 100%
4	L	2	 50%50%
4	N	2	 100%
4	P	2	 100%
4	Q	2	 50%50%
4	R	2	 100%
4	S	2	 50%50%
5	H	8	 12%75%12%
5	M	8	 12%62%25%
6	O	3	 100%
6	T	3	 100%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
10	SO4	A	1331	-	-	X	-
10	SO4	B	1331	-	-	X	-

## 2 Entry composition [i](#)


There are 12 unique types of molecules in this entry. The entry contains 12290 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called AROMATIC PEROXYGENASE.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	323	Total	C	N	O	S	0	1	0
			2506	1589	434	475	8			
1	B	324	Total	C	N	O	S	0	4	0
			2537	1608	442	479	8			
1	C	325	Total	C	N	O	S	0	1	0
			2526	1599	440	479	8			
1	D	323	Total	C	N	O	S	0	1	0
			2507	1590	435	474	8			

- Molecule 2 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	E	6	Total	C	N	O	0	0	0
			72	40	2	30			

- Molecule 3 is an oligosaccharide called alpha-D-mannopyranose-(1-6)-alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	F	5	Total	C	N	O	0	0	0
			61	34	2	25			

*Continued on next page...*

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	J	5	Total	C	N	O	0	0	0
			61	34	2	25			

- 

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
4	G	2	Total 28	C 16	N 2	O 10	0	0	0
4	I	2	Total 28	C 16	N 2	O 10	0	0	0
4	K	2	Total 28	C 16	N 2	O 10	0	0	0
4	L	2	Total 28	C 16	N 2	O 10	0	0	0
4	N	2	Total 28	C 16	N 2	O 10	0	0	0
4	P	2	Total 28	C 16	N 2	O 10	0	0	0
4	Q	2	Total 28	C 16	N 2	O 10	0	0	0
4	R	2	Total 28	C 16	N 2	O 10	0	0	0
4	S	2	Total 28	C 16	N 2	O 10	0	0	0

- 

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
5	H	8	Total	C	N	O	0	0	0
			94	52	2	40			




WORLD WIDE  
PDB  
PROTEIN DATA BANK

Continued from previous page...


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
5	M	8	Total	C	N	O	0	0	0
			94	52	2	40			

- Molecule 6 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
6	O	3	Total	C	N	O	0	0	0
			39	22	2	15			
6	T	3	Total	C	N	O	0	0	0
			39	22	2	15			

- Molecule 7 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula:  $C_{34}H_{32}FeN_4O_4$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	A	1	Total	C	Fe	N	O	0
			43	34	1	4	4	
7	B	1	Total	C	Fe	N	O	0
			43	34	1	4	4	
7	C	1	Total	C	Fe	N	O	0
			43	34	1	4	4	

Continued on next page...


*Continued from previous page...*

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	D	1	Total	C	Fe	N	O	
			43	34	1	4	4	
							0	0

- Molecule 8 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	1	Total	Mg		
			1	1	0	0
8	B	1	Total	Mg		
			1	1	0	0
8	C	1	Total	Mg		
			1	1	0	0
8	D	1	Total	Mg		
			1	1	0	0

- Molecule 9 is ACETATE ION (three-letter code: ACT) (formula: C<sub>2</sub>H<sub>3</sub>O<sub>2</sub>).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	A	1	Total	C	O		
			4	2	2	0	0
9	B	1	Total	C	O		
			4	2	2	0	0
9	C	1	Total	C	O		
			4	2	2	0	0
9	C	1	Total	C	O		
			4	2	2	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	D	1	Total	C	O	0	0
			4	2	2		

- Molecule 10 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
10	A	1	Total	O	S	0	0
			5	4	1		
10	A	1	Total	O	S	0	0
			5	4	1		
10	A	1	Total	O	S	0	0
			5	4	1		
10	A	1	Total	O	S	0	0
			5	4	1		
10	B	1	Total	O	S	0	0
			5	4	1		
10	B	1	Total	O	S	0	0
			5	4	1		
10	B	1	Total	O	S	0	0
			5	4	1		
10	C	1	Total	O	S	0	0
			5	4	1		
10	C	1	Total	O	S	0	0
			5	4	1		
10	C	1	Total	O	S	0	0
			5	4	1		


*Continued on next page...*



Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
10	C	1	Total	O	S	0	0
			5	4	1		
10	D	1	Total	O	S	0	0
			5	4	1		
10	D	1	Total	O	S	0	0
			5	4	1		

- Molecule 11 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: C<sub>8</sub>H<sub>15</sub>NO<sub>6</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
11	C	1	Total	C	N	O	0	0
			14	8	1	5		
11	D	1	Total	C	N	O	0	0
			14	8	1	5		
11	D	1	Total	C	N	O	0	0
			14	8	1	5		
11	D	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 12 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
12	A	327	Total	O	0	0
			327	327		
12	B	369	Total	O	0	0
			369	369		

Continued on next page...


*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
12	C	291	Total 291	O 291	0	0
12	D	198	Total 198	O 198	0	0


### 3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: AROMATIC PEROXYGENASE





#### • Molecule 1: AROMATIC PEROXYGENASE







● Molecule 1: AROMATIC PEROXYGENASE




● Molecule 1: AROMATIC PEROXYGENASE



- Molecule 2:  $\alpha$ -D-mannopyranose-(1-2)- $\alpha$ -D-mannopyranose-(1-3)-[ $\alpha$ -D-mannopyranose-(1-6)] $\beta$ -D-mannopyranose-(1-4)-2-acetamido-2-deoxy- $\beta$ -D-glucopyranose-(1-4)-2-acetamido-2-deoxy- $\beta$ -D-glucopyranose

Chain E:  33% 67%



- Molecule 3:  $\alpha$ -D-mannopyranose-(1-6)- $\alpha$ -D-mannopyranose-(1-6)- $\beta$ -D-mannopyranose-(1-4)-2-acetamido-2-deoxy- $\beta$ -D-glucopyranose-(1-4)-2-acetamido-2-deoxy- $\beta$ -D-glucopyranose

Chain F:  20% 60% 20%



- Molecule 3:  $\alpha$ -D-mannopyranose-(1-6)- $\alpha$ -D-mannopyranose-(1-6)- $\beta$ -D-mannopyranose-(1-4)-2-acetamido-2-deoxy- $\beta$ -D-glucopyranose-(1-4)-2-acetamido-2-deoxy- $\beta$ -D-glucopyranose

Chain J:  40% 60%



- Molecule 4: 2-acetamido-2-deoxy- $\beta$ -D-glucopyranose-(1-4)-2-acetamido-2-deoxy- $\beta$ -D-glucopyranose

Chain G:  100%



- Molecule 4: 2-acetamido-2-deoxy- $\beta$ -D-glucopyranose-(1-4)-2-acetamido-2-deoxy- $\beta$ -D-glucopyranose

Chain I:  100%



- Molecule 4: 2-acetamido-2-deoxy- $\beta$ -D-glucopyranose-(1-4)-2-acetamido-2-deoxy- $\beta$ -D-glucopyranose

Chain K:  100%




- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain L:  50% 50%



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain N:  100%



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain P:  100%



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Q:  50% 50%



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain R:  100%



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain S:  50% 50%




- Molecule 5: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain H:  12% 75% 12%



- Molecule 5: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain M:  12% 62% 25%




- Molecule 6: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain O:  100%



- Molecule 6: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain T:  100%



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	112.75Å 144.88Å 134.46Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.91 – 2.31 48.91 – 2.31	Depositor EDS
% Data completeness (in resolution range)	100.0 (48.91-2.31) 99.7 (48.91-2.31)	Depositor EDS
$R_{merge}$	0.06	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	5.01 (at 2.32Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, $R_{free}$	0.177 , 0.230 0.177 , 0.229	Depositor DCC
$R_{free}$ test set	4843 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	28.5	Xtriage
Anisotropy	0.543	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.42 , 68.3	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.45$ , $\langle L^2 \rangle = 0.27$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.62	EDS
Total number of atoms	12290	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	29.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 15.95% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ACT, BMA, MG, MAN, SO4, NAG, HEM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.48	0/2579	0.56	0/3512
1	B	0.52	0/2619	0.57	0/3564
1	C	0.52	0/2599	0.53	0/3538
1	D	0.44	0/2580	0.51	0/3513
All	All	0.49	0/10377	0.54	0/14127

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	D	0	1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	D	30	GLY	Peptide

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2506	0	2386	40	0
1	B	2537	0	2426	41	0
1	C	2526	0	2405	20	0
1	D	2507	0	2390	52	0
2	E	72	0	61	2	0
3	F	61	0	52	2	0
3	J	61	0	52	2	0
4	G	28	0	25	3	0
4	I	28	0	25	3	0
4	K	28	0	25	2	0
4	L	28	0	25	0	0
4	N	28	0	25	0	0
4	P	28	0	25	0	0
4	Q	28	0	25	0	0
4	R	28	0	25	0	0
4	S	28	0	25	0	0
5	H	94	0	79	4	0
5	M	94	0	79	2	0
6	O	39	0	34	0	0
6	T	39	0	34	0	0
7	A	43	0	30	5	0
7	B	43	0	30	3	0
7	C	43	0	30	3	0
7	D	43	0	30	3	0
8	A	1	0	0	0	0
8	B	1	0	0	0	0
8	C	1	0	0	0	0
8	D	1	0	0	0	0
9	A	4	0	3	0	0
9	B	4	0	3	0	0
9	C	8	0	6	0	0
9	D	4	0	3	0	0
10	A	20	0	0	2	0
10	B	15	0	0	2	0
10	C	20	0	0	0	0
10	D	10	0	0	2	0
11	C	14	0	13	1	0
11	D	42	0	39	0	0
12	A	327	0	0	9	0
12	B	369	0	0	13	0
12	C	291	0	0	5	0
12	D	198	0	0	6	0
All	All	12290	0	10410	174	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

The worst 5 of 174 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:D:350:HEM:HMC2	7:D:350:HEM:HBC2	1.29	1.11
1:A:259:VAL:HG23	1:A:259:VAL:O	1.68	0.94
1:A:299:GLN:HG2	12:A:2271:HOH:O	1.73	0.88
1:A:299:GLN:NE2	12:A:2273:HOH:O	2.07	0.88
1:D:89:ILE:HD11	1:D:300:LEU:HD13	1.56	0.88

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	322/325 (99%)	301 (94%)	21 (6%)	0	100	100
1	B	326/325 (100%)	307 (94%)	19 (6%)	0	100	100
1	C	324/325 (100%)	304 (94%)	20 (6%)	0	100	100
1	D	322/325 (99%)	298 (92%)	24 (8%)	0	100	100
All	All	1294/1300 (100%)	1210 (94%)	84 (6%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	270/271 (100%)	258 (96%)	12 (4%)	24	34
1	B	274/271 (101%)	262 (96%)	12 (4%)	24	34
1	C	272/271 (100%)	261 (96%)	11 (4%)	27	39
1	D	270/271 (100%)	262 (97%)	8 (3%)	36	51
All	All	1086/1084 (100%)	1043 (96%)	43 (4%)	27	39

5 of 43 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	217	ASP
1	D	9	LEU
1	C	239	ARG
1	C	280	MET
1	D	169	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 11 such sidechains are listed below:

Mol	Chain	Res	Type
1	C	61	ASN
1	C	249	GLN
1	D	263	ASN
1	D	116	ASN
1	A	299	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

56 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The

Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	NAG	E	1	1,2	14,14,15	0.44	0	17,19,21	1.39	3 (17%)
2	NAG	E	2	2	14,14,15	0.46	0	17,19,21	1.12	1 (5%)
2	BMA	E	3	2	11,11,12	0.55	0	15,15,17	0.94	1 (6%)
2	MAN	E	4	2	11,11,12	0.52	0	15,15,17	0.94	0
2	MAN	E	5	2	11,11,12	0.58	0	15,15,17	0.73	0
2	MAN	E	6	2	11,11,12	0.54	0	15,15,17	1.14	1 (6%)
3	NAG	F	1	1,3	14,14,15	0.69	0	17,19,21	1.26	2 (11%)
3	NAG	F	2	3	14,14,15	0.79	0	17,19,21	1.31	4 (23%)
3	BMA	F	3	3	11,11,12	0.56	0	15,15,17	1.00	0
3	MAN	F	4	3	11,11,12	0.59	0	15,15,17	0.88	1 (6%)
3	MAN	F	5	3	11,11,12	0.54	0	15,15,17	0.87	0
4	NAG	G	1	1,4	14,14,15	0.53	0	17,19,21	1.13	1 (5%)
4	NAG	G	2	4	14,14,15	0.53	0	17,19,21	1.55	4 (23%)
5	NAG	H	1	1,5	14,14,15	0.65	0	17,19,21	1.64	2 (11%)
5	NAG	H	2	5	14,14,15	0.69	0	17,19,21	1.15	1 (5%)
5	BMA	H	3	5	11,11,12	0.68	0	15,15,17	1.14	1 (6%)
5	MAN	H	4	5	11,11,12	0.58	0	15,15,17	1.08	1 (6%)
5	MAN	H	5	5	11,11,12	0.42	0	15,15,17	1.07	1 (6%)
5	MAN	H	6	5	11,11,12	0.57	0	15,15,17	0.83	0
5	MAN	H	7	5	11,11,12	0.53	0	15,15,17	0.87	0
5	MAN	H	8	5	11,11,12	0.57	0	15,15,17	1.12	1 (6%)
4	NAG	I	1	1,4	14,14,15	0.49	0	17,19,21	1.94	3 (17%)
4	NAG	I	2	4	14,14,15	0.49	0	17,19,21	0.90	1 (5%)
3	NAG	J	1	1,3	14,14,15	0.60	0	17,19,21	1.18	2 (11%)
3	NAG	J	2	3	14,14,15	0.42	0	17,19,21	2.01	5 (29%)
3	BMA	J	3	3	11,11,12	0.56	0	15,15,17	1.22	2 (13%)
3	MAN	J	4	3	11,11,12	0.59	0	15,15,17	1.14	2 (13%)
3	MAN	J	5	3	11,11,12	0.61	0	15,15,17	1.68	3 (20%)
4	NAG	K	1	1,4	14,14,15	0.55	0	17,19,21	1.80	4 (23%)
4	NAG	K	2	4	14,14,15	0.59	0	17,19,21	1.56	2 (11%)
4	NAG	L	1	1,4	14,14,15	0.77	0	17,19,21	1.28	1 (5%)
4	NAG	L	2	4	14,14,15	0.55	0	17,19,21	0.87	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
5	NAG	M	1	1,5	14,14,15	0.65	0	17,19,21	1.80	4 (23%)
5	NAG	M	2	5	14,14,15	0.74	0	17,19,21	1.17	2 (11%)
5	BMA	M	3	5	11,11,12	0.78	0	15,15,17	1.22	1 (6%)
5	MAN	M	4	5	11,11,12	0.64	0	15,15,17	1.09	1 (6%)
5	MAN	M	5	5	11,11,12	0.43	0	15,15,17	1.44	1 (6%)
5	MAN	M	6	5	11,11,12	0.52	0	15,15,17	1.96	4 (26%)
5	MAN	M	7	5	11,11,12	0.48	0	15,15,17	0.81	0
5	MAN	M	8	5	11,11,12	0.73	0	15,15,17	1.41	2 (13%)
4	NAG	N	1	1,4	14,14,15	0.57	0	17,19,21	0.90	1 (5%)
4	NAG	N	2	4	14,14,15	0.51	0	17,19,21	0.76	1 (5%)
6	NAG	O	1	1,6	14,14,15	0.59	0	17,19,21	0.85	1 (5%)
6	NAG	O	2	6	14,14,15	0.48	0	17,19,21	0.89	1 (5%)
6	BMA	O	3	6	11,11,12	0.51	0	15,15,17	1.80	3 (20%)
4	NAG	P	1	1,4	14,14,15	0.71	0	17,19,21	1.78	6 (35%)
4	NAG	P	2	4	14,14,15	0.51	0	17,19,21	1.03	1 (5%)
4	NAG	Q	1	1,4	14,14,15	0.56	0	17,19,21	1.59	3 (17%)
4	NAG	Q	2	4	14,14,15	0.49	0	17,19,21	0.77	0
4	NAG	R	1	1,4	14,14,15	0.59	0	17,19,21	0.74	0
4	NAG	R	2	4	14,14,15	0.57	0	17,19,21	0.70	0
4	NAG	S	1	1,4	14,14,15	0.66	0	17,19,21	1.24	3 (17%)
4	NAG	S	2	4	14,14,15	0.49	0	17,19,21	0.57	0
6	NAG	T	1	1,6	14,14,15	0.64	0	17,19,21	1.49	3 (17%)
6	NAG	T	2	6	14,14,15	0.57	0	17,19,21	0.90	1 (5%)
6	BMA	T	3	6	11,11,12	0.51	0	15,15,17	1.27	2 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	E	1	1,2	-	3/6/23/26	0/1/1/1
2	NAG	E	2	2	-	2/6/23/26	0/1/1/1
2	BMA	E	3	2	-	2/2/19/22	0/1/1/1
2	MAN	E	4	2	-	0/2/19/22	0/1/1/1
2	MAN	E	5	2	-	0/2/19/22	0/1/1/1
2	MAN	E	6	2	-	0/2/19/22	1/1/1/1

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	F	1	1,3	-	1/6/23/26	0/1/1/1
3	NAG	F	2	3	-	2/6/23/26	0/1/1/1
3	BMA	F	3	3	-	0/2/19/22	0/1/1/1
3	MAN	F	4	3	-	2/2/19/22	0/1/1/1
3	MAN	F	5	3	-	2/2/19/22	0/1/1/1
4	NAG	G	1	1,4	-	2/6/23/26	0/1/1/1
4	NAG	G	2	4	-	2/6/23/26	0/1/1/1
5	NAG	H	1	1,5	-	0/6/23/26	0/1/1/1
5	NAG	H	2	5	-	0/6/23/26	0/1/1/1
5	BMA	H	3	5	-	1/2/19/22	0/1/1/1
5	MAN	H	4	5	-	0/2/19/22	0/1/1/1
5	MAN	H	5	5	-	0/2/19/22	0/1/1/1
5	MAN	H	6	5	-	2/2/19/22	0/1/1/1
5	MAN	H	7	5	-	1/2/19/22	0/1/1/1
5	MAN	H	8	5	-	0/2/19/22	0/1/1/1
4	NAG	I	1	1,4	-	1/6/23/26	0/1/1/1
4	NAG	I	2	4	-	4/6/23/26	0/1/1/1
3	NAG	J	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	J	2	3	-	0/6/23/26	0/1/1/1
3	BMA	J	3	3	-	0/2/19/22	0/1/1/1
3	MAN	J	4	3	-	2/2/19/22	0/1/1/1
3	MAN	J	5	3	-	2/2/19/22	0/1/1/1
4	NAG	K	1	1,4	-	1/6/23/26	0/1/1/1
4	NAG	K	2	4	-	0/6/23/26	0/1/1/1
4	NAG	L	1	1,4	-	0/6/23/26	0/1/1/1
4	NAG	L	2	4	-	2/6/23/26	0/1/1/1
5	NAG	M	1	1,5	-	0/6/23/26	0/1/1/1
5	NAG	M	2	5	-	0/6/23/26	0/1/1/1
5	BMA	M	3	5	-	0/2/19/22	0/1/1/1
5	MAN	M	4	5	-	2/2/19/22	0/1/1/1
5	MAN	M	5	5	-	2/2/19/22	0/1/1/1
5	MAN	M	6	5	-	2/2/19/22	0/1/1/1
5	MAN	M	7	5	-	0/2/19/22	0/1/1/1
5	MAN	M	8	5	-	1/2/19/22	0/1/1/1
4	NAG	N	1	1,4	-	0/6/23/26	0/1/1/1
4	NAG	N	2	4	-	3/6/23/26	0/1/1/1
6	NAG	O	1	1,6	-	4/6/23/26	0/1/1/1
6	NAG	O	2	6	-	2/6/23/26	0/1/1/1

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	BMA	O	3	6	-	0/2/19/22	0/1/1/1
4	NAG	P	1	1,4	-	2/6/23/26	0/1/1/1
4	NAG	P	2	4	-	2/6/23/26	0/1/1/1
4	NAG	Q	1	1,4	-	0/6/23/26	0/1/1/1
4	NAG	Q	2	4	-	2/6/23/26	0/1/1/1
4	NAG	R	1	1,4	-	2/6/23/26	0/1/1/1
4	NAG	R	2	4	-	4/6/23/26	0/1/1/1
4	NAG	S	1	1,4	-	1/6/23/26	0/1/1/1
4	NAG	S	2	4	-	0/6/23/26	0/1/1/1
6	NAG	T	1	1,6	-	2/6/23/26	0/1/1/1
6	NAG	T	2	6	-	0/6/23/26	0/1/1/1
6	BMA	T	3	6	-	2/2/19/22	0/1/1/1

There are no bond length outliers.

The worst 5 of 91 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	J	2	NAG	C2-N2-C7	-5.23	115.89	122.90
4	I	1	NAG	C1-O5-C5	5.23	119.19	112.19
5	M	1	NAG	C1-O5-C5	4.94	118.81	112.19
4	K	2	NAG	O5-C1-C2	-4.69	104.04	111.29
3	J	5	MAN	C3-C4-C5	4.60	118.57	110.23

There are no chirality outliers.

5 of 67 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	I	1	NAG	C3-C2-N2-C7
3	F	4	MAN	C4-C5-C6-O6
4	I	2	NAG	C4-C5-C6-O6
3	J	4	MAN	C4-C5-C6-O6
3	F	4	MAN	O5-C5-C6-O6

All (1) ring outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	E	6	MAN	C1-C2-C3-C4-C5-O5

19 monomers are involved in 20 short contacts:




Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	K	1	NAG	1	0
2	E	2	NAG	1	0
3	J	4	MAN	1	0
2	E	1	NAG	1	0
3	J	2	NAG	1	0
5	M	8	MAN	2	0
2	E	3	BMA	1	0
2	E	6	MAN	1	0
3	F	3	BMA	2	0
4	G	2	NAG	1	0
5	H	6	MAN	4	0
4	K	2	NAG	1	0
4	I	1	NAG	3	0
3	J	5	MAN	1	0
4	G	1	NAG	3	0
3	F	4	MAN	2	0
4	I	2	NAG	3	0
5	M	6	MAN	2	0
5	H	8	MAN	4	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.




## Oligosaccharide Chain F




Bond lengths



Bond angles




Torsions




Rings


## Oligosaccharide Chain J




Bond lengths




Bond angles





Torsions





Rings



































## 5.6 Ligand geometry

Of 30 ligands modelled in this entry, 4 are monoatomic - leaving 26 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
10	SO4	A	1330	-	4,4,4	0.27	0	6,6,6	0.18	0
10	SO4	A	1329	-	4,4,4	0.24	0	6,6,6	0.27	0
7	HEM	A	350	1,8	42,50,50	2.01	9 (21%)	46,82,82	1.46	5 (10%)
9	ACT	C	1334	-	3,3,3	0.76	0	3,3,3	1.35	0
7	HEM	D	350	1,8	42,50,50	1.83	5 (11%)	46,82,82	1.69	10 (21%)
10	SO4	C	1330	-	4,4,4	0.22	0	6,6,6	0.21	0
10	SO4	C	1332	-	4,4,4	0.29	0	6,6,6	0.21	0
10	SO4	B	1329	-	4,4,4	0.27	0	6,6,6	0.32	0
9	ACT	C	1329	-	3,3,3	0.71	0	3,3,3	1.48	0
11	NAG	D	391	1	14,14,15	0.54	0	17,19,21	1.45	4 (23%)
11	NAG	D	381	1	14,14,15	0.65	0	17,19,21	0.70	0
10	SO4	C	1333	-	4,4,4	0.21	0	6,6,6	0.07	0
11	NAG	D	411	1	14,14,15	0.55	0	17,19,21	0.83	0
10	SO4	A	1331	-	4,4,4	0.28	0	6,6,6	0.17	0
10	SO4	C	1331	-	4,4,4	0.24	0	6,6,6	0.13	0
10	SO4	A	1328	-	4,4,4	0.31	0	6,6,6	0.19	0
10	SO4	B	1331	-	4,4,4	0.27	0	6,6,6	0.19	0
11	NAG	C	381	1	14,14,15	0.63	0	17,19,21	1.37	2 (11%)
7	HEM	B	350	1,9,8	42,50,50	1.96	5 (11%)	46,82,82	1.51	8 (17%)
9	ACT	D	1327	-	3,3,3	0.71	0	3,3,3	1.39	0
10	SO4	D	1328	-	4,4,4	0.20	0	6,6,6	0.28	0
10	SO4	B	1330	-	4,4,4	0.23	0	6,6,6	0.17	0
9	ACT	A	1327	-	3,3,3	0.72	0	3,3,3	1.26	0
9	ACT	B	1328	7	3,3,3	0.80	0	3,3,3	1.25	0
10	SO4	D	1329	-	4,4,4	0.27	0	6,6,6	0.18	0
7	HEM	C	350	1,8	42,50,50	1.87	8 (19%)	46,82,82	1.55	8 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
11	NAG	D	411	1	-	0/6/23/26	0/1/1/1
7	HEM	A	350	1,8	-	4/12/54/54	-
11	NAG	D	391	1	-	2/6/23/26	0/1/1/1
11	NAG	D	381	1	-	0/6/23/26	0/1/1/1
11	NAG	C	381	1	-	2/6/23/26	0/1/1/1
7	HEM	B	350	1,9,8	-	3/12/54/54	-
7	HEM	C	350	1,8	-	4/12/54/54	-
7	HEM	D	350	1,8	-	3/12/54/54	-

The worst 5 of 27 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	C	350	HEM	C3D-C2D	7.43	1.52	1.36
7	A	350	HEM	C3D-C2D	7.41	1.52	1.36
7	D	350	HEM	C3D-C2D	7.29	1.52	1.36
7	B	350	HEM	C3D-C2D	6.88	1.51	1.36
7	A	350	HEM	C3C-C2C	-5.49	1.32	1.40

The worst 5 of 37 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	A	350	HEM	C4D-ND-C1D	4.56	110.60	105.21
7	D	350	HEM	C4D-ND-C1D	4.52	110.56	105.21
7	D	350	HEM	C4C-CHD-C1D	4.46	128.44	122.56
7	B	350	HEM	C4D-ND-C1D	4.40	110.42	105.21
7	C	350	HEM	C4D-ND-C1D	3.95	109.88	105.21

There are no chirality outliers.

5 of 18 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
11	C	381	NAG	C4-C5-C6-O6
11	C	381	NAG	O5-C5-C6-O6
7	A	350	HEM	C2A-CAA-CBA-CGA
7	D	350	HEM	C2A-CAA-CBA-CGA
11	D	391	NAG	O5-C5-C6-O6


There are no ring outliers.


9 monomers are involved in 21 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	A	350	HEM	5	0
7	D	350	HEM	3	0
10	A	1331	SO4	2	0
10	B	1331	SO4	2	0
11	C	381	NAG	1	0
7	B	350	HEM	3	0
10	D	1328	SO4	1	0
10	D	1329	SO4	1	0
7	C	350	HEM	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

**Warning:** The R factor obtained from EDS is 0.3888, which does not match the depositor's R factor of 0.1774. Please interpret the results in this section carefully.

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å²)	Q<0.9
1	A	323/325 (99%)	3.18	241 (74%)	0	0	12, 26, 42, 56	1 (0%)
1	B	324/325 (99%)	2.38	185 (57%)	0	0	10, 21, 34, 53	4 (1%)
1	C	325/325 (100%)	2.56	210 (64%)	0	0	14, 24, 37, 68	1 (0%)
1	D	323/325 (99%)	3.68	297 (91%)	0	0	15, 32, 47, 59	1 (0%)
All	All	1295/1300 (99%)	2.95	933 (72%)	0	0	10, 26, 43, 68	7 (0%)

The worst 5 of 933 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	102	THR	11.2
1	A	30	GLY	10.8
1	D	326	GLY	10.5
1	D	260	GLY	8.8
1	A	13	SER	8.4

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
4	NAG	N	2	14/15	-0.00	0.45	74,77,79,81	0
4	NAG	R	2	14/15	0.08	0.47	73,76,77,78	0
4	NAG	I	2	14/15	0.17	0.49	75,78,81,81	0
3	MAN	F	5	11/12	0.18	0.42	88,90,90,91	0
4	NAG	R	1	14/15	0.38	0.35	55,60,64,69	0
3	MAN	F	4	11/12	0.40	0.35	79,81,84,88	0
3	MAN	J	5	11/12	0.40	0.32	78,80,81,81	0
4	NAG	S	2	14/15	0.41	0.36	60,62,65,66	0
6	BMA	T	3	11/12	0.41	0.35	58,60,62,62	0
4	NAG	I	1	14/15	0.44	0.30	56,64,68,70	0
2	MAN	E	4	11/12	0.49	0.35	51,54,58,63	0
4	NAG	L	2	14/15	0.50	0.33	57,59,63,64	0
5	MAN	H	8	11/12	0.50	0.34	60,61,63,64	0
4	NAG	G	2	14/15	0.50	0.36	57,61,65,66	0
5	MAN	M	8	11/12	0.53	0.30	47,50,52,52	0
3	BMA	J	3	11/12	0.54	0.27	59,62,64,66	0
2	MAN	E	6	11/12	0.56	0.31	64,65,66,67	0
4	NAG	K	2	14/15	0.57	0.29	43,49,52,53	0
6	BMA	O	3	11/12	0.57	0.22	75,78,79,79	0
4	NAG	Q	2	14/15	0.57	0.30	56,60,63,65	0
4	NAG	P	2	14/15	0.58	0.32	47,53,55,58	0
2	MAN	E	5	11/12	0.60	0.27	66,68,70,71	0
6	NAG	T	2	14/15	0.61	0.28	48,52,58,58	0
5	MAN	H	7	11/12	0.62	0.28	52,53,54,55	0
3	NAG	F	2	14/15	0.62	0.29	37,42,46,52	0
3	BMA	F	3	11/12	0.63	0.23	56,58,68,74	0
2	BMA	E	3	11/12	0.63	0.32	49,54,59,62	0
6	NAG	T	1	14/15	0.65	0.23	26,34,39,43	0
2	NAG	E	2	14/15	0.65	0.27	40,46,53,56	0
5	MAN	H	6	11/12	0.65	0.23	46,49,55,59	0
4	NAG	G	1	14/15	0.66	0.24	39,43,47,54	0
4	NAG	N	1	14/15	0.67	0.32	51,57,62,69	0
4	NAG	L	1	14/15	0.68	0.23	39,42,46,53	0
5	NAG	H	1	14/15	0.68	0.19	34,39,42,43	0
5	MAN	H	4	11/12	0.68	0.25	55,59,60,62	0
5	MAN	H	5	11/12	0.68	0.28	58,64,65,65	0
3	MAN	J	4	11/12	0.68	0.22	67,69,72,75	0
4	NAG	S	1	14/15	0.68	0.32	50,54,56,59	0
5	MAN	M	5	11/12	0.69	0.27	52,55,57,58	0
5	NAG	H	2	14/15	0.70	0.30	42,45,47,47	0
4	NAG	Q	1	14/15	0.71	0.18	31,42,48,51	0
6	NAG	O	2	14/15	0.71	0.28	58,61,65,70	0
5	MAN	M	6	11/12	0.71	0.21	26,30,36,45	0


Continued on next page...



*Continued from previous page...*




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
6	NAG	O	1	14/15	0.72	0.25	41,46,49,54	0
5	MAN	M	4	11/12	0.72	0.19	40,43,45,50	0
5	NAG	M	2	14/15	0.74	0.20	23,31,34,40	0
3	NAG	J	2	14/15	0.75	0.22	45,50,52,56	0
2	NAG	E	1	14/15	0.75	0.20	33,36,41,41	0
5	NAG	M	1	14/15	0.76	0.18	26,30,32,37	0
5	BMA	H	3	11/12	0.76	0.24	40,44,47,48	0
4	NAG	P	1	14/15	0.76	0.19	25,30,36,42	0
3	NAG	J	1	14/15	0.80	0.16	30,34,41,45	0
3	NAG	F	1	14/15	0.80	0.15	18,21,26,30	0
4	NAG	K	1	14/15	0.84	0.14	16,23,29,36	0
5	MAN	M	7	11/12	0.85	0.15	27,31,32,34	0
5	BMA	M	3	11/12	0.85	0.17	30,33,36,37	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.






**Electron density around Chain F:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around Chain J:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around Chain G:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around Chain I:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around Chain K:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around Chain L:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around Chain N:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around Chain P:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around Chain Q:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around Chain R:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around Chain S:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around Chain H:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around Chain M:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around Chain O:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around Chain T:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.4 Ligands ⓘ




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
11	NAG	D	411	14/15	0.50	0.30	53,56,58,59	0
10	SO4	B	1330	5/5	0.60	0.29	65,65,65,66	0
11	NAG	D	391	14/15	0.65	0.24	46,48,51,53	0
9	ACT	D	1327	4/4	0.65	0.31	48,49,49,50	0
11	NAG	C	381	14/15	0.68	0.25	50,54,57,58	0
10	SO4	C	1333	5/5	0.69	0.28	74,75,75,75	0
10	SO4	C	1332	5/5	0.71	0.28	62,62,63,63	0
10	SO4	C	1331	5/5	0.72	0.44	87,88,88,89	0
10	SO4	A	1330	5/5	0.76	0.25	59,62,63,63	0
10	SO4	A	1331	5/5	0.76	0.34	60,60,61,63	0
9	ACT	C	1329	4/4	0.76	0.25	31,34,37,38	0
10	SO4	A	1329	5/5	0.78	0.17	70,71,71,72	0
10	SO4	B	1331	5/5	0.78	0.39	68,69,69,71	0
9	ACT	A	1327	4/4	0.79	0.21	30,32,32,32	0
11	NAG	D	381	14/15	0.79	0.18	54,57,61,62	0
10	SO4	A	1328	5/5	0.80	0.18	56,56,58,59	0
8	MG	A	353	1/1	0.81	0.12	18,18,18,18	0
10	SO4	D	1329	5/5	0.82	0.45	55,56,58,58	0
8	MG	D	353	1/1	0.84	0.15	26,26,26,26	0
7	HEM	D	350	43/43	0.84	0.17	18,23,28,33	0
10	SO4	D	1328	5/5	0.85	0.20	60,60,61,62	0
9	ACT	C	1334	4/4	0.87	0.44	24,27,29,30	0
7	HEM	C	350	43/43	0.88	0.15	13,17,22,26	0
9	ACT	B	1328	4/4	0.88	0.15	25,25,30,32	0
7	HEM	A	350	43/43	0.89	0.15	12,19,21,27	0
10	SO4	C	1330	5/5	0.91	0.12	61,62,63,63	0
7	HEM	B	350	43/43	0.91	0.13	6,13,16,22	0
8	MG	B	353	1/1	0.92	0.07	12,12,12,12	0
10	SO4	B	1329	5/5	0.93	0.14	57,58,61,62	0
8	MG	C	353	1/1	0.95	0.05	19,19,19,19	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

**Electron density around HEM D 350:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)







**Electron density around HEM C 350:**


$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around HEM A 350:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.5 Other polymers [i](#)

There are no such residues in this entry.