



Full wwPDB EM Validation Report ⓘ

Apr 2, 2025 – 03:04 am BST

PDB ID : 6ZKQ / pdb_00006zkq
EMDB ID : EMD-11258
Title : Native complex I, open2
Authors : Kampjut, D.; Sazanov, L.A.
Deposited on : 2020-06-30
Resolution : 3.30 Å (reported)
Based on initial model : 5LNK

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev117
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : **FAILED**
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.42


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY



The reported resolution of this entry is 3.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Mol	Chain	Length	Quality of chain
1	1	464	 92% • 7%
2	2	246	 86% • 13%
3	3	727	 94% • 5%
4	4	463	 90% • 9%
5	5	266	 78% 22%
6	6	223	 69% • 30%
7	9	217	 81% 19%
8	A	115	 93% • •
9	H	318	 97% ••
10	J	175	 95% • 5%









Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
11	K	98	 99% .
12	L	606	 99% .
13	M	459	 99% .
14	N	347	 100%
15	V	141	 98% ..
16	W	189	 74% 26%
17	X	157	 55% 45%
17	j	157	 52% 48%
18	Y	172	 98% ..
19	Z	175	 98% .
20	a	109	 40% 60%
21	b	124	 77% 23%
22	c	170	 74% 26%
23	d	380	 78% . 22%
24	e	99	 87% 13%
25	f	116	 97% .
26	g	140	 81% . 19%
27	h	114	 83% . 16%
28	i	145	 100%
29	k	355	 89% . 10%
30	l	106	 99% .
31	m	84	 95% 5%
32	n	98	 81% 19%
33	o	122	 98% .
34	p	130	 98% .

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
35	q	144	 96%
36	r	128	 77% 23%
37	s	137	 88% 11%
38	t	179	 98%
39	u	108	 60% 40%
40	v	186	 83% 17%
41	w	154	 65% 34%
42	x	76	 64% 36%
43	y	58	 86% 14%
44	z	70	 100%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
51	CDL	L	1003	X	-	-	-
51	CDL	N	403	X	-	-	-
51	CDL	V	204	X	-	-	-
51	CDL	Y	201	X	-	-	-

2 Entry composition [i](#)

There are 56 unique types of molecules in this entry. The entry contains 67353 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called NADH dehydrogenase [ubiquinone] flavoprotein 1, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	1	430	Total	C	N	O	S	0	0
			3312	2086	593	613	20		

- Molecule 2 is a protein called Mitochondrial complex I, 24 kDa subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	2	213	Total	C	N	O	S	0	0
			1655	1058	278	309	10		

- Molecule 3 is a protein called NADH:ubiquinone oxidoreductase core subunit S1.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	3	688	Total	C	N	O	S	0	0
			5275	3301	922	1011	41		

- Molecule 4 is a protein called Mitochondrial complex I, 49 kDa subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	4	421	Total	C	N	O	S	0	0
			3390	2165	581	619	25		

- Molecule 5 is a protein called NADH:ubiquinone oxidoreductase core subunit S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	5	208	Total	C	N	O	S	0	0
			1726	1112	296	315	3		

- Molecule 6 is a protein called Mitochondrial complex I, PSST subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	6	156	Total	C	N	O	S	0	0
			1247	795	225	213	14		

- Molecule 7 is a protein called Mitochondrial complex I, TYKY subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	9	176	Total	C	N	O	S	0	0
			1414	889	243	270	12		

- Molecule 8 is a protein called NADH-ubiquinone oxidoreductase chain 3.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	A	110	Total	C	N	O	S	0	0
			880	593	128	153	6		

- Molecule 9 is a protein called NADH-ubiquinone oxidoreductase chain 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	H	313	Total	C	N	O	S	0	0
			2489	1680	379	411	19		

- Molecule 10 is a protein called NADH-ubiquinone oxidoreductase chain 6.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	J	167	Total	C	N	O	S	0	0
			1273	856	182	222	13		

- Molecule 11 is a protein called NADH-ubiquinone oxidoreductase chain 4L.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	K	98	Total	C	N	O	S	0	0
			749	490	112	132	15		

- Molecule 12 is a protein called NADH-ubiquinone oxidoreductase chain 5.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	L	606	Total	C	N	O	S	0	0
			4806	3187	746	829	44		

- Molecule 13 is a protein called NADH-ubiquinone oxidoreductase chain 4.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	M	459	Total	C	N	O	S	0	0
			3647	2429	571	607	40		

- Molecule 14 is a protein called NADH-ubiquinone oxidoreductase chain 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	N	347	Total	C	N	O	S	0	0
			2723	1808	416	459	40		

- Molecule 15 is a protein called Mitochondrial complex I, B14.7 subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	V	140	Total	C	N	O	S	0	0
			1028	656	175	191	6		

- Molecule 16 is a protein called NADH:ubiquinone oxidoreductase subunit B5.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	W	139	Total	C	N	O	S	0	0
			1155	761	194	198	2		

- Molecule 17 is a protein called Acyl carrier protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	X	87	Total	C	N	O	S	0	0
			701	451	103	142	5		
17	j	82	Total	C	N	O	S	0	0
			660	425	98	132	5		

- Molecule 18 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 8.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	Y	171	Total	C	N	O	S	0	0
			1403	889	253	251	10		

- Molecule 19 is a protein called Mitochondrial complex I, PDSW subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	Z	171	Total	C	N	O	S	0	0
			1441	905	266	262	8		

- Molecule 20 is a protein called Mitochondrial complex I, 10 kDa subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	a	44	Total	C	N	O	S	0	0
			371	233	66	71	1		

- Molecule 21 is a protein called Mitochondrial complex I, 13 kDa subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	b	95	Total	C	N	O	S	0	0
			737	451	139	144	3		

- Molecule 22 is a protein called NADH dehydrogenase [ubiquinone] iron-sulfur protein 4, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	c	126	Total	C	N	O	S	0	0
			1024	646	182	193	3		

- Molecule 23 is a protein called NADH:ubiquinone oxidoreductase subunit A9.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	d	297	Total	C	N	O	S	0	0
			2372	1516	432	419	5		

- Molecule 24 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	e	86	Total	C	N	O	S	0	0
			691	434	129	126	2		

- Molecule 25 is a protein called Mitochondrial complex I, B13 subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	f	113	Total	C	N	O	S	0	0
			917	595	153	167	2		

- Molecule 26 is a protein called NADH:ubiquinone oxidoreductase subunit A6.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	g	114	Total	C	N	O	S	0	0
			969	619	180	166	4		

- Molecule 27 is a protein called Mitochondrial complex I, B14.5a subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	h	96	Total	C	N	O	S	0	0
			769	480	146	140	3		

- Molecule 28 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 12.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	i	145	Total	C	N	O	S	0	0
			1209	778	216	210	5		

- Molecule 29 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 10, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	k	320	Total	C	N	O	P S	0	0
			2596	1659	432	494	1 10		

- Molecule 30 is a protein called NADH:ubiquinone oxidoreductase subunit S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	l	105	Total	C	N	O	S	0	0
			874	551	164	153	6		

- Molecule 31 is a protein called NADH:ubiquinone oxidoreductase subunit A3.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	m	80	Total	C	N	O	S	0	0
			626	411	103	110	2		

- Molecule 32 is a protein called NADH:ubiquinone oxidoreductase subunit B3.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	n	79	Total	C	N	O	S	0	0
			634	415	106	111	2		

- Molecule 33 is a protein called NADH dehydrogenase [ubiquinone] 1 subunit C2.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	o	120	Total	C	N	O	S	0	0
			1004	652	175	172	5		

- Molecule 34 is a protein called NADH:ubiquinone oxidoreductase subunit B4.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	p	128	Total	C	N	O	S	0	0
			1059	675	189	194	1		

- Molecule 35 is a protein called Mitochondrial complex I, B16.6 subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	q	139	Total	C	N	O	S	0	0
			1142	733	200	200	9		

- Molecule 36 is a protein called Mitochondrial complex I, B17 subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	r	99	Total	C	N	O	S	0	0
			846	554	149	142	1		

- Molecule 37 is a protein called NADH:ubiquinone oxidoreductase subunit B7.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	s	122	Total	C	N	O	S	0	0
			1047	653	199	186	9		

- Molecule 38 is a protein called NADH:ubiquinone oxidoreductase subunit B9.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	t	177	Total	C	N	O	S	0	0
			1520	973	279	262	6		

- Molecule 39 is a protein called NADH:ubiquinone oxidoreductase subunit B2.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	u	65	Total	C	N	O	S	0	0
			563	372	93	97	1		

- Molecule 40 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 8, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	v	155	Total	C	N	O	S	0	0
			1307	846	213	239	9		

- Molecule 41 is a protein called Mitochondrial complex I, ESSS subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	w	101	Total	C	N	O	S	0	0
			846	542	140	160	4		

- Molecule 42 is a protein called Mitochondrial complex I, KFYI subunit.

Mol	Chain	Residues	Atoms				AltConf	Trace
42	x	49	Total	C	N	O	0	0
			412	271	70	71		

- Molecule 43 is a protein called Mitochondrial complex I, MNLL subunit.

Mol	Chain	Residues	Atoms				AltConf	Trace
43	y	50	Total	C	N	O	0	0
			436	287	77	72		

- Molecule 44 is a protein called Mitochondrial complex I, MWFE subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	z	70	Total	C	N	O	S	0	0
			576	369	106	96	5		

- Molecule 45 is IRON/SULFUR CLUSTER (CCD ID: SF4) (formula: Fe₄S₄).



Mol	Chain	Residues	Atoms			AltConf
45	1	1	Total	Fe	S	0
			8	4	4	
45	3	1	Total	Fe	S	0
			8	4	4	
45	3	1	Total	Fe	S	0
			8	4	4	
45	6	1	Total	Fe	S	0
			8	4	4	

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			AltConf
45	9	1	Total	Fe	S	0
			8	4	4	
45	9	1	Total	Fe	S	0
			8	4	4	

- Molecule 46 is FLAVIN MONONUCLEOTIDE (CCD ID: FMN) (formula: $C_{17}H_{21}N_4O_9P$).



Mol	Chain	Residues	Atoms					AltConf
46	1	1	Total	C	N	O	P	0
			31	17	4	9	1	

- Molecule 47 is FE2/S2 (INORGANIC) CLUSTER (CCD ID: FES) (formula: Fe_2S_2).




Mol	Chain	Residues	Atoms			AltConf
47	2	1	Total	Fe	S	0
			4	2	2	
47	3	1	Total	Fe	S	0
			4	2	2	

- Molecule 48 is POTASSIUM ION (CCD ID: K) (formula: K).


Mol	Chain	Residues	Atoms		AltConf
48	3	1	Total	K	0
			1	1	

- Molecule 49 is 1,2-Distearoyl-sn-glycerophosphoethanolamine (CCD ID: 3PE) (formula: C₄₁H₈₂NO₈P).



Mol	Chain	Residues	Atoms					AltConf
49	4	1	Total	C	N	O	P	0
			40	30	1	8	1	
49	6	1	Total	C	N	O	P	0
			51	41	1	8	1	
49	A	1	Total	C	N	O	P	0
			51	41	1	8	1	
49	J	1	Total	C	N	O	P	0
			51	41	1	8	1	
49	K	1	Total	C	N	O	P	0
			40	30	1	8	1	
49	L	1	Total	C	N	O	P	0
			51	41	1	8	1	
49	M	1	Total	C	N	O	P	0
			44	34	1	8	1	
49	N	1	Total	C	N	O	P	0
			51	41	1	8	1	
49	N	1	Total	C	N	O	P	0
			31	21	1	8	1	
49	V	1	Total	C	N	O	P	0
			35	25	1	8	1	
49	V	1	Total	C	N	O	P	0
			37	27	1	8	1	
49	i	1	Total	C	N	O	P	0
			51	41	1	8	1	
49	n	1	Total	C	N	O	P	0
			31	21	1	8	1	
49	p	1	Total	C	O	P		0
			27	18	8	1		

- Molecule 50 is 1,2-DIACYL-SN-GLYCERO-3-PHOSPHOCHOLINE (CCD ID: PC1) (formula: $C_{44}H_{88}NO_8P$).




Mol	Chain	Residues	Atoms					AltConf
50	9	1	Total	C	N	O	P	0
			54	44	1	8	1	
50	A	1	Total	C	N	O	P	0
			46	36	1	8	1	
50	A	1	Total	C	N	O	P	0
			37	27	1	8	1	
50	L	1	Total	C	N	O	P	0
			54	44	1	8	1	
50	M	1	Total	C	N	O	P	0
			54	44	1	8	1	
50	M	1	Total	C	N	O	P	0
			54	44	1	8	1	

- Molecule 51 is CARDIOLIPIN (CCD ID: CDL) (formula: $C_{81}H_{156}O_{17}P_2$).



Mol	Chain	Residues	Atoms				AltConf
51	L	1	Total	C	O	P	0
			100	81	17	2	
51	N	1	Total	C	O	P	0
			75	56	17	2	
51	V	1	Total	C	O	P	0
			94	75	17	2	
51	V	1	Total	C	O	P	0
			85	66	17	2	
51	W	1	Total	C	O	P	0
			100	81	17	2	
51	Y	1	Total	C	O	P	0
			100	81	17	2	
51	o	1	Total	C	O	P	0
			90	71	17	2	
51	z	1	Total	C	O	P	0
			58	39	17	2	

- Molecule 52 is S-[2-({N-[(2S)-2-hydroxy-3,3-dimethyl-4-(phosphonooxy)butanoyl]-beta-alanyl}amino)ethyl] tetradecanethioate (CCD ID: ZMP) (formula: C₂₅H₄₉N₂O₈PS).




Mol	Chain	Residues	Atoms						AltConf
52	X	1	Total	C	N	O	P	S	0
			31	20	2	7	1	1	
52	g	1	Total	C	N	O	P	S	0
			34	23	2	7	1	1	

- Molecule 53 is ZINC ION (CCD ID: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		AltConf
53	b	1	Total	Zn	0
			1	1	

- Molecule 54 is NADPH DIHYDRO-NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (CCD ID: NDP) (formula: C₂₁H₃₀N₇O₁₇P₃).




Mol	Chain	Residues	Atoms					AltConf
54	d	1	Total	C	N	O	P	0
			48	21	7	17	3	

- Molecule 55 is ADENOSINE MONOPHOSPHATE (CCD ID: AMP) (formula: $C_{10}H_{14}N_5O_7P$).



Mol	Chain	Residues	Atoms					AltConf
55	k	1	Total	C	N	O	P	0
			23	10	5	7	1	

- Molecule 56 is MYRISTIC ACID (CCD ID: MYR) (formula: $C_{14}H_{28}O_2$).




Mol	Chain	Residues	Atoms			AltConf
56	s	1	Total	C	O	0
			15	14	1	

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: NADH dehydrogenase [ubiquinone] flavoprotein 1, mitochondrial

Chain 1:  92% 7%




- Molecule 2: Mitochondrial complex I, 24 kDa subunit

Chain 2:  86% 13%





- Molecule 3: NADH:ubiquinone oxidoreductase core subunit S1

Chain 3:  94% 5%





- Molecule 4: Mitochondrial complex I, 49 kDa subunit

Chain 4:  90% 9%



- Molecule 5: NADH:ubiquinone oxidoreductase core subunit S3


Chain 5:  78% 22%




LYS


- Molecule 6: Mitochondrial complex I, PSST subunit

Chain 6:  69% 30%




- Molecule 7: Mitochondrial complex I, TYKY subunit

Chain 9:  81% 19%




- Molecule 8: NADH-ubiquinone oxidoreductase chain 3

Chain A:  93%




- Molecule 9: NADH-ubiquinone oxidoreductase chain 1

Chain H:  97%




- Molecule 10: NADH-ubiquinone oxidoreductase chain 6

Chain J:  95% 5%



- Molecule 11: NADH-ubiquinone oxidoreductase chain 4L

Chain K:  99%



- Molecule 12: NADH-ubiquinone oxidoreductase chain 5

Chain L:  99%



- Molecule 13: NADH-ubiquinone oxidoreductase chain 4

Chain M:  99%



- Molecule 14: NADH-ubiquinone oxidoreductase chain 2

Chain N:  100%


There are no outlier residues recorded for this chain.


- Molecule 15: Mitochondrial complex I, B14.7 subunit

Chain V:  98%





- Molecule 16: NADH:ubiquinone oxidoreductase subunit B5

Chain W:  74%





- Molecule 17: Acyl carrier protein

Chain X:  55%



- Molecule 17: Acyl carrier protein

Chain j:  52%



- Molecule 18: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 8

Chain Y:  98%

- Molecule 19: Mitochondrial complex I, PDSW subunit

Chain Z: 98%

- Molecule 20: Mitochondrial complex I, 10 kDa subunit

Chain a: 40% 60%


- Molecule 21: Mitochondrial complex I, 13 kDa subunit

Chain b: 77% 23%


- Molecule 22: NADH dehydrogenase [ubiquinone] iron-sulfur protein 4, mitochondrial


Chain c:  74% 26%

- Molecule 23: NADH:ubiquinone oxidoreductase subunit A9

Chain d:  78% 22%

- Molecule 24: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 2

Chain e:  87% 13%





- Molecule 25: Mitochondrial complex I, B13 subunit

Chain f:  97%





- Molecule 26: NADH:ubiquinone oxidoreductase subunit A6

Chain g:  81% 19%



- Molecule 27: Mitochondrial complex I, B14.5a subunit

Chain h:  83% 16%





- Molecule 28: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 12

Chain i:  100%

There are no outlier residues recorded for this chain.

- Molecule 29: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 10, mitochondrial

Chain k:  89% 10%




- Molecule 30: NADH:ubiquinone oxidoreductase subunit S5

Chain l:  99%




- Molecule 31: NADH:ubiquinone oxidoreductase subunit A3

Chain m:  95% 5%



- Molecule 32: NADH:ubiquinone oxidoreductase subunit B3

Chain n:  81% 19%




- Molecule 33: NADH dehydrogenase [ubiquinone] 1 subunit C2

Chain o:  98% .




- Molecule 34: NADH:ubiquinone oxidoreductase subunit B4

Chain p:  98% .




- Molecule 35: Mitochondrial complex I, B16.6 subunit

Chain q:  96% ..





- Molecule 36: Mitochondrial complex I, B17 subunit

Chain r:  77% 23%



- Molecule 37: NADH:ubiquinone oxidoreductase subunit B7

Chain s:  88% . 11%




- Molecule 38: NADH:ubiquinone oxidoreductase subunit B9

Chain t:  98% ..





- Molecule 39: NADH:ubiquinone oxidoreductase subunit B2

Chain u:  60% 40%




- Molecule 40: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 8, mitochondrial

Chain v:  83% 17%




- Molecule 41: Mitochondrial complex I, ESSS subunit

Chain w:  65% 34%





- Molecule 42: Mitochondrial complex I, KFYI subunit

Chain x:  64% 36%



- Molecule 43: Mitochondrial complex I, MNLL subunit

Chain y:  86% 14%



- Molecule 44: Mitochondrial complex I, MWFE subunit

Chain z:  100%

There are no outlier residues recorded for this chain.

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	22086	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	100	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	FEI FALCON III (4k x 4k)	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SEP, ZMP, FMN, K, 3PE, PC1, MYR, SF4, 2MR, AMP, NDP, ZN, FME, AYA, FES, CDL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	1	0.46	0/3386	0.58	0/4575
2	2	0.43	0/1695	0.58	0/2306
3	3	0.47	1/5362 (0.0%)	0.58	0/7266
4	4	0.53	0/3463	0.59	0/4687
5	5	0.50	0/1776	0.55	0/2417
6	6	0.55	0/1278	0.57	0/1728
7	9	0.58	0/1445	0.62	0/1956
8	A	0.38	0/902	0.66	0/1234
9	H	0.47	0/2563	0.66	1/3505 (0.0%)
10	J	0.46	1/1302 (0.1%)	0.60	0/1760
11	K	0.40	0/749	0.69	0/1014
12	L	0.37	0/4924	0.58	0/6698
13	M	0.42	0/3731	0.63	2/5085 (0.0%)
14	N	0.42	0/2787	0.61	0/3795
15	V	0.29	0/1041	0.52	1/1412 (0.1%)
16	W	0.39	0/1188	0.51	0/1607
17	X	0.32	0/713	0.51	0/963
17	j	0.34	0/670	0.52	0/902
18	Y	0.41	0/1440	0.55	0/1942
19	Z	0.38	0/1475	0.50	0/1989
20	a	0.35	0/383	0.55	0/518
21	b	0.46	0/749	0.50	0/1009
22	c	0.43	0/1047	0.53	0/1415
23	d	0.41	0/2424	0.56	0/3276
24	e	0.35	0/702	0.53	0/945
25	f	0.40	0/937	0.54	0/1271
26	g	0.41	0/993	0.54	1/1336 (0.1%)
27	h	0.45	0/779	0.55	0/1053
28	i	0.47	0/1250	0.51	0/1698
29	k	0.37	0/2646	0.51	1/3579 (0.0%)
30	l	0.38	0/896	0.55	0/1200
31	m	0.35	0/647	0.54	0/890

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
32	n	0.32	0/653	0.47	0/882
33	o	0.42	0/1035	0.50	0/1398
34	p	0.34	0/1085	0.49	0/1467
35	q	0.41	0/1171	0.53	0/1579
36	r	0.37	0/874	0.53	0/1188
37	s	0.34	0/1072	0.48	0/1436
38	t	0.36	0/1573	0.52	0/2130
39	u	0.35	0/590	0.46	0/810
40	v	0.35	0/1361	0.54	1/1861 (0.1%)
41	w	0.42	0/872	0.55	0/1185
42	x	0.34	0/425	0.43	0/576
43	y	0.34	0/449	0.55	0/605
44	z	0.45	0/591	0.55	0/795
All	All	0.43	2/67094 (0.0%)	0.57	7/90943 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	2	0	1
3	3	0	1
4	4	0	1
8	A	0	2
All	All	0	5

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	3	159	CYS	CB-SG	-7.05	1.70	1.82
10	J	41	CYS	CB-SG	-5.29	1.73	1.81

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
40	v	93	PRO	C-N-CA	7.36	140.10	121.70
15	V	87	LEU	CA-CB-CG	5.70	128.41	115.30
13	M	458	LEU	CA-CB-CG	5.33	127.56	115.30
9	H	289	LEU	CA-CB-CG	-5.31	103.10	115.30
13	M	36	LEU	CA-CB-CG	5.27	127.41	115.30
29	k	96	LEU	CA-CB-CG	5.21	127.29	115.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	g	48	LEU	CA-CB-CG	5.14	127.12	115.30

There are no chirality outliers.

All (5) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	2	158	ASP	Peptide
3	3	259	ASN	Peptide
4	4	275	TYR	Peptide
8	A	113	TRP	Peptide
8	A	31	SER	Peptide

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	1	428/464 (92%)	405 (95%)	23 (5%)	0	100	100
2	2	211/246 (86%)	195 (92%)	16 (8%)	0	100	100
3	3	686/727 (94%)	654 (95%)	31 (4%)	1 (0%)	48	76
4	4	414/463 (89%)	399 (96%)	15 (4%)	0	100	100
5	5	206/266 (77%)	194 (94%)	12 (6%)	0	100	100
6	6	154/223 (69%)	147 (96%)	7 (4%)	0	100	100
7	9	174/217 (80%)	165 (95%)	9 (5%)	0	100	100
8	A	106/115 (92%)	93 (88%)	13 (12%)	0	100	100
9	H	309/318 (97%)	299 (97%)	10 (3%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
10	J	163/175 (93%)	156 (96%)	7 (4%)	0	100	100
11	K	96/98 (98%)	94 (98%)	2 (2%)	0	100	100
12	L	604/606 (100%)	571 (94%)	33 (6%)	0	100	100
13	M	457/459 (100%)	444 (97%)	13 (3%)	0	100	100
14	N	345/347 (99%)	336 (97%)	9 (3%)	0	100	100
15	V	138/141 (98%)	135 (98%)	3 (2%)	0	100	100
16	W	137/189 (72%)	135 (98%)	2 (2%)	0	100	100
17	X	85/157 (54%)	82 (96%)	3 (4%)	0	100	100
17	j	80/157 (51%)	75 (94%)	5 (6%)	0	100	100
18	Y	169/172 (98%)	163 (96%)	6 (4%)	0	100	100
19	Z	169/175 (97%)	166 (98%)	3 (2%)	0	100	100
20	a	42/109 (38%)	41 (98%)	1 (2%)	0	100	100
21	b	93/124 (75%)	92 (99%)	1 (1%)	0	100	100
22	c	124/170 (73%)	121 (98%)	3 (2%)	0	100	100
23	d	289/380 (76%)	281 (97%)	8 (3%)	0	100	100
24	e	84/99 (85%)	82 (98%)	2 (2%)	0	100	100
25	f	111/116 (96%)	109 (98%)	2 (2%)	0	100	100
26	g	112/140 (80%)	105 (94%)	7 (6%)	0	100	100
27	h	92/114 (81%)	87 (95%)	5 (5%)	0	100	100
28	i	143/145 (99%)	138 (96%)	5 (4%)	0	100	100
29	k	317/355 (89%)	300 (95%)	17 (5%)	0	100	100
30	l	103/106 (97%)	97 (94%)	6 (6%)	0	100	100
31	m	78/84 (93%)	72 (92%)	6 (8%)	0	100	100
32	n	77/98 (79%)	75 (97%)	2 (3%)	0	100	100
33	o	118/122 (97%)	116 (98%)	2 (2%)	0	100	100
34	p	126/130 (97%)	121 (96%)	5 (4%)	0	100	100
35	q	137/144 (95%)	134 (98%)	3 (2%)	0	100	100
36	r	95/128 (74%)	89 (94%)	6 (6%)	0	100	100
37	s	120/137 (88%)	114 (95%)	6 (5%)	0	100	100
38	t	175/179 (98%)	167 (95%)	8 (5%)	0	100	100
39	u	63/108 (58%)	59 (94%)	4 (6%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
40	v	153/186 (82%)	147 (96%)	6 (4%)	0	100	100
41	w	99/154 (64%)	90 (91%)	9 (9%)	0	100	100
42	x	47/76 (62%)	45 (96%)	2 (4%)	0	100	100
43	y	48/58 (83%)	46 (96%)	2 (4%)	0	100	100
44	z	68/70 (97%)	65 (96%)	3 (4%)	0	100	100
All	All	8045/9247 (87%)	7701 (96%)	343 (4%)	1 (0%)	100	100

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	3	260	GLU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	1	344/368 (94%)	341 (99%)	3 (1%)	75	85
2	2	183/210 (87%)	182 (100%)	1 (0%)	86	91
3	3	578/608 (95%)	576 (100%)	2 (0%)	91	94
4	4	363/391 (93%)	361 (99%)	2 (1%)	84	90
5	5	189/230 (82%)	189 (100%)	0	100	100
6	6	132/181 (73%)	130 (98%)	2 (2%)	60	77
7	9	151/179 (84%)	151 (100%)	0	100	100
8	A	99/103 (96%)	98 (99%)	1 (1%)	73	84
9	H	273/278 (98%)	271 (99%)	2 (1%)	81	88
10	J	136/144 (94%)	136 (100%)	0	100	100
11	K	86/86 (100%)	85 (99%)	1 (1%)	67	80
12	L	538/538 (100%)	533 (99%)	5 (1%)	75	85
13	M	411/411 (100%)	409 (100%)	2 (0%)	86	91

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
14	N	315/315 (100%)	315 (100%)	0	100	100
15	V	101/102 (99%)	101 (100%)	0	100	100
16	W	122/160 (76%)	122 (100%)	0	100	100
17	X	80/141 (57%)	80 (100%)	0	100	100
17	j	76/141 (54%)	76 (100%)	0	100	100
18	Y	154/155 (99%)	152 (99%)	2 (1%)	65	79
19	Z	155/157 (99%)	155 (100%)	0	100	100
20	a	43/93 (46%)	43 (100%)	0	100	100
21	b	79/97 (81%)	79 (100%)	0	100	100
22	c	113/150 (75%)	113 (100%)	0	100	100
23	d	255/326 (78%)	253 (99%)	2 (1%)	79	87
24	e	76/82 (93%)	76 (100%)	0	100	100
25	f	101/102 (99%)	101 (100%)	0	100	100
26	g	107/124 (86%)	107 (100%)	0	100	100
27	h	84/96 (88%)	84 (100%)	0	100	100
28	i	131/131 (100%)	131 (100%)	0	100	100
29	k	283/309 (92%)	282 (100%)	1 (0%)	89	93
30	l	94/95 (99%)	94 (100%)	0	100	100
31	m	69/72 (96%)	69 (100%)	0	100	100
32	n	61/76 (80%)	61 (100%)	0	100	100
33	o	107/109 (98%)	107 (100%)	0	100	100
34	p	114/116 (98%)	114 (100%)	0	100	100
35	q	119/122 (98%)	118 (99%)	1 (1%)	79	87
36	r	95/122 (78%)	95 (100%)	0	100	100
37	s	110/120 (92%)	109 (99%)	1 (1%)	75	85
38	t	159/161 (99%)	158 (99%)	1 (1%)	84	90
39	u	59/84 (70%)	59 (100%)	0	100	100
40	v	140/160 (88%)	140 (100%)	0	100	100
41	w	92/130 (71%)	91 (99%)	1 (1%)	70	82
42	x	44/67 (66%)	44 (100%)	0	100	100
43	y	46/54 (85%)	46 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
44	z	59/59 (100%)	59 (100%)	0	100	100
All	All	7126/7955 (90%)	7096 (100%)	30 (0%)	88	93

All (30) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	1	148	ASN
1	1	249	ARG
1	1	359	CYS
2	2	122	LYS
3	3	39	ARG
3	3	179	ASN
4	4	252	ASN
4	4	430	ARG
6	6	71	ARG
6	6	111	ARG
8	A	48	ARG
9	H	259	PHE
9	H	285	LEU
11	K	50	ASN
12	L	135	ASN
12	L	270	ASN
12	L	442	ASN
12	L	541	ASN
12	L	599	THR
13	M	138	ASN
13	M	144	ASN
18	Y	47	TRP
18	Y	63	ASN
23	d	36	ASN
23	d	320	ARG
29	k	206	TYR
35	q	67	ARG
37	s	103	ARG
38	t	128	ARG
41	w	57	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (27) such sidechains are listed below:

Mol	Chain	Res	Type
1	1	148	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	1	356	HIS
1	1	373	ASN
2	2	121	GLN
4	4	149	ASN
4	4	252	ASN
12	L	210	ASN
12	L	248	HIS
12	L	270	ASN
12	L	434	GLN
12	L	446	ASN
12	L	580	GLN
13	M	81	GLN
13	M	144	ASN
19	Z	114	GLN
20	a	40	ASN
22	c	44	ASN
23	d	87	HIS
25	f	49	GLN
26	g	125	HIS
29	k	180	GLN
30	l	97	HIS
33	o	59	HIS
33	o	61	GLN
38	t	25	HIS
38	t	138	GLN
42	x	46	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

7 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
11	FME	K	1	11	8,9,10	0.89	0	7,9,11	0.72	0
27	AYA	h	1	27	6,7,8	1.36	1 (16%)	5,8,10	1.59	1 (20%)
12	FME	L	1	12	8,9,10	0.89	0	7,9,11	1.11	1 (14%)
13	FME	M	1	13	8,9,10	1.02	1 (12%)	7,9,11	1.34	1 (14%)
15	AYA	V	1	15	6,7,8	1.18	1 (16%)	5,8,10	2.72	2 (40%)
4	2MR	4	85	4	10,12,13	2.34	3 (30%)	5,13,15	1.56	1 (20%)
29	SEP	k	36	29	8,9,10	1.56	1 (12%)	8,12,14	1.89	2 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
11	FME	K	1	11	-	4/7/9/11	-
27	AYA	h	1	27	-	0/4/6/8	-
12	FME	L	1	12	-	2/7/9/11	-
13	FME	M	1	13	-	5/7/9/11	-
15	AYA	V	1	15	-	2/4/6/8	-
4	2MR	4	85	4	-	0/10/13/15	-
29	SEP	k	36	29	-	4/5/8/10	-

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	4	85	2MR	CZ-NE	4.63	1.44	1.34
4	4	85	2MR	CZ-NH2	4.55	1.43	1.33
29	k	36	SEP	P-O1P	3.41	1.61	1.50
27	h	1	AYA	CA-N	-2.88	1.43	1.46
4	4	85	2MR	CQ1-NH1	-2.28	1.41	1.46
13	M	1	FME	CA-N	-2.25	1.43	1.46
15	V	1	AYA	CA-N	-2.14	1.44	1.46

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	V	1	AYA	CB-CA-N	4.46	114.57	109.61
29	k	36	SEP	OG-CB-CA	3.56	111.61	108.14
29	k	36	SEP	P-OG-CB	-3.50	108.64	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	V	1	AYA	CA-N-CT	3.37	126.42	121.52
27	h	1	AYA	CB-CA-N	3.20	113.17	109.61
4	4	85	2MR	NE-CZ-NH2	-2.32	117.36	119.48
12	L	1	FME	C-CA-N	2.24	113.77	109.73
13	M	1	FME	C-CA-N	2.18	113.66	109.73

There are no chirality outliers.

All (17) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
11	K	1	FME	O1-CN-N-CA
12	L	1	FME	CA-CB-CG-SD
13	M	1	FME	C-CA-CB-CG
29	k	36	SEP	CB-OG-P-O1P
29	k	36	SEP	CB-OG-P-O2P
29	k	36	SEP	CB-OG-P-O3P
15	V	1	AYA	OT-CT-N-CA
15	V	1	AYA	CM-CT-N-CA
12	L	1	FME	N-CA-CB-CG
13	M	1	FME	CB-CG-SD-CE
11	K	1	FME	CB-CG-SD-CE
29	k	36	SEP	CA-CB-OG-P
13	M	1	FME	CB-CA-N-CN
11	K	1	FME	CA-CB-CG-SD
13	M	1	FME	CA-CB-CG-SD
11	K	1	FME	CB-CA-N-CN
13	M	1	FME	N-CA-CB-CG

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 44 ligands modelled in this entry, 2 are monoatomic - leaving 42 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
51	CDL	W	201	-	99,99,99	0.28	0	105,111,111	0.29	0
49	3PE	V	201	-	34,34,50	0.36	0	37,39,55	0.35	0
49	3PE	n	101	-	30,30,50	0.40	0	33,35,55	0.84	3 (9%)
49	3PE	N	402	-	30,30,50	0.38	0	33,35,55	0.42	0
45	SF4	9	403	7	0,12,12	-	-	-		
51	CDL	Y	201	-	99,99,99	0.26	0	105,111,111	0.31	0
46	FMN	1	501	-	33,33,33	1.19	2 (6%)	48,50,50	1.32	6 (12%)
54	NDP	d	401	-	45,52,52	0.61	0	53,80,80	0.56	1 (1%)
51	CDL	o	201	-	89,89,99	0.30	0	95,101,111	0.39	0
47	FES	2	300	2	0,4,4	-	-	-		
45	SF4	1	500	1	0,12,12	-	-	-		
52	ZMP	X	101	17	24,30,36	0.79	1 (4%)	29,37,45	1.00	1 (3%)
45	SF4	3	801	3	0,12,12	-	-	-		
51	CDL	V	203	-	93,93,99	0.27	0	99,105,111	0.25	0
50	PC1	A	402	-	36,36,53	0.38	0	42,44,61	0.63	2 (4%)
49	3PE	p	201	-	26,26,50	0.48	0	30,31,55	0.55	1 (3%)
49	3PE	i	201	-	50,50,50	0.31	0	53,55,55	0.33	0
51	CDL	L	1003	-	99,99,99	0.27	0	105,111,111	0.35	0
49	3PE	L	1001	-	50,50,50	0.30	0	53,55,55	0.34	0
47	FES	3	803	3	0,4,4	-	-	-		
50	PC1	M	502	-	53,53,53	0.30	0	59,61,61	0.38	0
45	SF4	9	402	7	0,12,12	-	-	-		
56	MYR	s	201	37	14,14,15	0.22	0	13,13,15	0.23	0
50	PC1	L	1002	-	53,53,53	0.31	0	59,61,61	0.60	2 (3%)
50	PC1	9	401	-	53,53,53	0.31	0	59,61,61	0.48	1 (1%)
49	3PE	V	202	-	36,36,50	0.35	0	39,41,55	0.32	0
51	CDL	V	204	-	84,84,99	0.28	0	90,96,111	0.26	0
51	CDL	z	101	-	57,57,99	0.34	0	63,69,111	0.30	0
49	3PE	J	201	-	50,50,50	0.32	0	53,55,55	0.48	1 (1%)
55	AMP	k	501	-	22,25,25	0.88	1 (4%)	25,38,38	1.16	2 (8%)
49	3PE	A	403	-	50,50,50	0.31	0	53,55,55	0.32	0
45	SF4	3	802	3	0,12,12	-	-	-		
45	SF4	6	201	6	0,12,12	-	-	-		
49	3PE	M	501	-	43,43,50	0.31	0	46,48,55	0.30	0
49	3PE	N	401	-	50,50,50	0.32	0	53,55,55	0.53	1 (1%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
52	ZMP	g	201	-	27,33,36	0.57	0	32,40,45	1.28	4 (12%)
49	3PE	6	202	-	50,50,50	0.30	0	53,55,55	0.30	0
50	PC1	M	503	-	53,53,53	0.30	0	59,61,61	0.31	0
49	3PE	4	501	-	39,39,50	0.33	0	42,44,55	0.36	0
49	3PE	K	101	-	39,39,50	0.34	0	42,44,55	0.30	0
50	PC1	A	401	-	45,45,53	0.33	0	51,53,61	0.36	0
51	CDL	N	403	-	74,74,99	0.32	0	80,86,111	0.46	1 (1%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
51	CDL	W	201	-	-	32/110/110/110	-
49	3PE	V	201	-	-	5/38/38/54	-
49	3PE	n	101	-	-	9/34/34/54	-
49	3PE	N	402	-	-	5/34/34/54	-
45	SF4	9	403	7	-	-	0/6/5/5
51	CDL	Y	201	-	1/1/9/9	30/110/110/110	-
46	FMN	1	501	-	-	8/18/18/18	0/3/3/3
54	NDP	d	401	-	-	3/30/77/77	0/5/5/5
51	CDL	o	201	-	-	34/100/100/110	-
52	ZMP	X	101	17	-	10/35/37/43	-
45	SF4	1	500	1	-	-	0/6/5/5
47	FES	2	300	2	-	-	0/1/1/1
45	SF4	3	801	3	-	-	0/6/5/5
51	CDL	V	203	-	-	34/104/104/110	-
50	PC1	A	402	-	-	8/40/40/57	-
49	3PE	p	201	-	-	6/27/27/54	-
49	3PE	i	201	-	-	9/54/54/54	-
51	CDL	L	1003	-	1/1/9/9	31/110/110/110	-
49	3PE	L	1001	-	-	8/54/54/54	-
47	FES	3	803	3	-	-	0/1/1/1
50	PC1	M	502	-	-	8/57/57/57	-
45	SF4	9	402	7	-	-	0/6/5/5
56	MYR	s	201	37	-	1/11/12/13	-
50	PC1	L	1002	-	-	17/57/57/57	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
50	PC1	9	401	-	-	15/57/57/57	-
49	3PE	V	202	-	-	12/40/40/54	-
51	CDL	V	204	-	1/1/9/9	34/95/95/110	-
51	CDL	z	101	-	-	18/68/68/110	-
49	3PE	J	201	-	-	17/54/54/54	-
55	AMP	k	501	-	-	6/6/26/26	0/3/3/3
49	3PE	A	403	-	-	14/54/54/54	-
45	SF4	3	802	3	-	-	0/6/5/5
49	3PE	M	501	-	-	11/47/47/54	-
45	SF4	6	201	6	-	-	0/6/5/5
49	3PE	N	401	-	-	14/54/54/54	-
52	ZMP	g	201	-	-	5/38/40/43	-
49	3PE	6	202	-	-	14/54/54/54	-
50	PC1	M	503	-	-	18/57/57/57	-
49	3PE	4	501	-	-	13/43/43/54	-
49	3PE	K	101	-	-	7/43/43/54	-
50	PC1	A	401	-	-	9/49/49/57	-
51	CDL	N	403	-	2/2/9/9	20/85/85/110	-

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
46	1	501	FMN	C4A-N5	3.11	1.36	1.30
55	k	501	AMP	C5-C4	2.60	1.47	1.40
52	X	101	ZMP	C9-C10	2.50	1.53	1.50
46	1	501	FMN	C4A-C10	-2.25	1.37	1.44

All (26) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
46	1	501	FMN	C4-N3-C2	-3.71	118.79	125.64
46	1	501	FMN	O4-C4-C4A	-3.11	118.34	126.60
55	k	501	AMP	N3-C2-N1	-3.05	123.91	128.68
52	g	201	ZMP	C14-C15-N2	-3.03	105.78	111.90
46	1	501	FMN	C4A-C4-N3	2.99	120.78	113.19
52	g	201	ZMP	O1-C10-C9	-2.96	120.49	123.99
46	1	501	FMN	C4A-C10-N10	2.85	120.65	116.48
46	1	501	FMN	C4A-C10-N1	-2.59	118.71	124.73

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
50	L	1002	PC1	O21-C2-C1	2.56	117.68	108.40
55	k	501	AMP	C4-C5-N7	-2.41	106.89	109.40
49	n	101	3PE	O31-C3-C2	2.38	115.36	108.43
52	X	101	ZMP	O1-C10-C9	-2.36	121.20	123.99
49	N	401	3PE	C2-O21-C21	2.35	123.58	117.79
52	g	201	ZMP	C15-C14-C13	-2.32	108.49	112.36
52	g	201	ZMP	C20-C18-C17	2.28	112.77	108.82
49	J	201	3PE	O31-C3-C2	2.27	115.04	108.43
50	L	1002	PC1	C2-O21-C21	2.22	123.26	117.79
50	A	402	PC1	C2-O21-C21	2.20	123.20	117.79
50	A	402	PC1	O21-C2-C3	2.16	116.24	108.40
49	n	101	3PE	C2-O21-C21	2.16	123.10	117.79
49	p	201	3PE	O12-P-O14	2.13	119.04	110.68
46	1	501	FMN	C4-C4A-C10	2.11	120.33	116.79
50	9	401	PC1	O21-C2-C1	2.07	115.88	108.40
54	d	401	NDP	C5A-C6A-N6A	2.06	123.49	120.35
51	N	403	CDL	CB4-OB6-CB5	2.06	122.86	117.79
49	n	101	3PE	O21-C2-C3	2.02	115.71	108.40

All (5) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
51	L	1003	CDL	CB4
51	N	403	CDL	CA4
51	N	403	CDL	CB4
51	V	204	CDL	CB4
51	Y	201	CDL	CB4

All (485) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
46	1	501	FMN	N10-C1'-C2'-O2'
46	1	501	FMN	C5'-O5'-P-O1P
46	1	501	FMN	C5'-O5'-P-O2P
49	4	501	3PE	C11-O13-P-O12
49	4	501	3PE	C11-O13-P-O14
49	6	202	3PE	C11-O13-P-O14
49	A	403	3PE	C1-O11-P-O13
49	A	403	3PE	O13-C11-C12-N
49	J	201	3PE	C11-O13-P-O12
49	J	201	3PE	C11-O13-P-O14
49	J	201	3PE	O13-C11-C12-N

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
49	K	101	3PE	O13-C11-C12-N
49	L	1001	3PE	O13-C11-C12-N
49	M	501	3PE	O13-C11-C12-N
49	N	401	3PE	C12-C11-O13-P
49	N	402	3PE	C11-O13-P-O14
49	V	201	3PE	C11-O13-P-O11
49	V	201	3PE	C11-O13-P-O12
49	V	201	3PE	C11-O13-P-O14
49	V	201	3PE	O13-C11-C12-N
49	V	202	3PE	C1-O11-P-O14
49	V	202	3PE	C11-O13-P-O12
49	V	202	3PE	C11-O13-P-O14
49	V	202	3PE	O13-C11-C12-N
49	i	201	3PE	C1-O11-P-O12
49	i	201	3PE	C11-O13-P-O12
49	i	201	3PE	C11-O13-P-O14
49	n	101	3PE	O13-C11-C12-N
49	p	201	3PE	C1-O11-P-O12
49	p	201	3PE	C1-O11-P-O13
50	9	401	PC1	C11-O13-P-O12
50	A	402	PC1	C11-O13-P-O14
50	L	1002	PC1	C1-O11-P-O12
50	L	1002	PC1	C1-O11-P-O14
50	M	503	PC1	C11-O13-P-O12
50	M	503	PC1	C11-O13-P-O11
50	M	503	PC1	C1-O11-P-O12
51	L	1003	CDL	CA2-OA2-PA1-OA4
51	N	403	CDL	CA2-C1-CB2-OB2
51	N	403	CDL	CA2-OA2-PA1-OA3
51	N	403	CDL	CA2-OA2-PA1-OA4
51	V	203	CDL	CA2-OA2-PA1-OA3
51	V	203	CDL	CA2-OA2-PA1-OA4
51	V	203	CDL	CA3-OA5-PA1-OA3
51	V	203	CDL	CB2-OB2-PB2-OB4
51	V	203	CDL	CB3-OB5-PB2-OB2
51	V	203	CDL	CB3-OB5-PB2-OB3
51	V	203	CDL	CB3-OB5-PB2-OB4
51	V	204	CDL	CA2-OA2-PA1-OA4
51	V	204	CDL	CA2-OA2-PA1-OA5
51	V	204	CDL	CB2-OB2-PB2-OB3
51	V	204	CDL	CB3-OB5-PB2-OB3
51	W	201	CDL	CA3-OA5-PA1-OA3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
51	W	201	CDL	CA3-OA5-PA1-OA4
51	W	201	CDL	CB2-OB2-PB2-OB3
51	W	201	CDL	CB2-OB2-PB2-OB4
51	W	201	CDL	CB2-OB2-PB2-OB5
51	W	201	CDL	CB3-OB5-PB2-OB3
51	Y	201	CDL	CA2-C1-CB2-OB2
51	Y	201	CDL	CB2-OB2-PB2-OB3
51	o	201	CDL	CB2-OB2-PB2-OB3
51	z	101	CDL	CA2-OA2-PA1-OA4
51	z	101	CDL	CB2-OB2-PB2-OB3
51	z	101	CDL	CB2-OB2-PB2-OB4
51	z	101	CDL	CB2-OB2-PB2-OB5
52	X	101	ZMP	O4-C17-C18-C21
52	X	101	ZMP	C16-C17-C18-C21
52	X	101	ZMP	C16-C17-C18-C20
52	X	101	ZMP	O3-C16-C17-O4
52	X	101	ZMP	C17-C16-N2-C15
52	g	201	ZMP	S1-C11-C12-N1
55	k	501	AMP	C5'-O5'-P-O1P
55	k	501	AMP	C5'-O5'-P-O2P
55	k	501	AMP	C5'-O5'-P-O3P
51	N	403	CDL	O1-C1-CB2-OB2
51	V	204	CDL	O1-C1-CB2-OB2
51	Y	201	CDL	O1-C1-CB2-OB2
52	X	101	ZMP	O3-C16-N2-C15
51	o	201	CDL	C1-CA2-OA2-PA1
51	L	1003	CDL	CA2-C1-CB2-OB2
51	V	203	CDL	CA2-C1-CB2-OB2
50	A	402	PC1	C11-C12-N-C13
49	i	201	3PE	C36-C37-C38-C39
51	L	1003	CDL	O1-C1-CB2-OB2
51	o	201	CDL	O1-C1-CB2-OB2
49	V	201	3PE	C31-C32-C33-C34
50	A	401	PC1	C31-C32-C33-C34
51	L	1003	CDL	CB7-C71-C72-C73
50	A	402	PC1	C11-C12-N-C15
50	M	503	PC1	C11-C12-N-C14
49	N	401	3PE	C21-C22-C23-C24
51	V	203	CDL	O1-C1-CB2-OB2
49	4	501	3PE	C1-O11-P-O13
49	4	501	3PE	C11-O13-P-O11
49	6	202	3PE	C11-O13-P-O11

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
49	J	201	3PE	C11-O13-P-O11
49	K	101	3PE	C1-O11-P-O13
49	N	401	3PE	C11-O13-P-O11
49	V	202	3PE	C1-O11-P-O13
49	V	202	3PE	C11-O13-P-O11
49	i	201	3PE	C11-O13-P-O11
50	9	401	PC1	C11-O13-P-O11
50	L	1002	PC1	C1-O11-P-O13
51	L	1003	CDL	CA2-OA2-PA1-OA5
51	L	1003	CDL	CA3-OA5-PA1-OA2
51	N	403	CDL	CA2-OA2-PA1-OA5
51	N	403	CDL	CA3-OA5-PA1-OA2
51	V	203	CDL	CA2-OA2-PA1-OA5
51	V	203	CDL	CB2-OB2-PB2-OB5
51	V	204	CDL	CB2-OB2-PB2-OB5
51	V	204	CDL	CB3-OB5-PB2-OB2
51	W	201	CDL	CA3-OA5-PA1-OA2
51	Y	201	CDL	CB2-OB2-PB2-OB5
51	Y	201	CDL	CB3-OB5-PB2-OB2
51	o	201	CDL	CA2-OA2-PA1-OA5
51	o	201	CDL	CA3-OA5-PA1-OA2
51	o	201	CDL	CB2-OB2-PB2-OB5
51	o	201	CDL	CB3-OB5-PB2-OB2
51	z	101	CDL	CA2-OA2-PA1-OA5
49	n	101	3PE	C31-C32-C33-C34
51	W	201	CDL	CB5-C51-C52-C53
50	L	1002	PC1	C3A-C3B-C3C-C3D
51	V	203	CDL	C38-C39-C40-C41
49	A	403	3PE	C38-C39-C3A-C3B
49	N	401	3PE	C2C-C2D-C2E-C2F
51	L	1003	CDL	C56-C57-C58-C59
51	W	201	CDL	C82-C83-C84-C85
49	6	202	3PE	C3C-C3D-C3E-C3F
49	M	501	3PE	C32-C33-C34-C35
51	L	1003	CDL	C82-C83-C84-C85
50	9	401	PC1	C3C-C3D-C3E-C3F
51	L	1003	CDL	C21-C22-C23-C24
51	V	203	CDL	C40-C41-C42-C43
51	L	1003	CDL	C22-C23-C24-C25
51	L	1003	CDL	C77-C78-C79-C80
49	A	403	3PE	C2C-C2D-C2E-C2F
49	J	201	3PE	C28-C29-C2A-C2B

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
50	M	503	PC1	C3A-C3B-C3C-C3D
51	V	204	CDL	C34-C35-C36-C37
51	N	403	CDL	CA7-C31-C32-C33
51	L	1003	CDL	C41-C42-C43-C44
51	V	203	CDL	C31-C32-C33-C34
51	Y	201	CDL	C15-C16-C17-C18
49	L	1001	3PE	C35-C36-C37-C38
51	o	201	CDL	C78-C79-C80-C81
51	o	201	CDL	CB5-C51-C52-C53
50	A	401	PC1	C3B-C3C-C3D-C3E
51	o	201	CDL	C71-C72-C73-C74
50	M	503	PC1	C11-C12-N-C15
49	i	201	3PE	C29-C2A-C2B-C2C
51	V	204	CDL	C71-C72-C73-C74
51	Y	201	CDL	C63-C64-C65-C66
49	K	101	3PE	C34-C35-C36-C37
51	V	203	CDL	C11-C12-C13-C14
51	W	201	CDL	C35-C36-C37-C38
51	Y	201	CDL	C13-C14-C15-C16
49	6	202	3PE	C36-C37-C38-C39
50	M	502	PC1	C27-C28-C29-C2A
51	L	1003	CDL	C32-C33-C34-C35
49	V	202	3PE	C32-C33-C34-C35
51	o	201	CDL	C82-C83-C84-C85
51	Y	201	CDL	CA5-C11-C12-C13
50	L	1002	PC1	C38-C39-C3A-C3B
51	V	204	CDL	C14-C15-C16-C17
50	9	401	PC1	C3B-C3C-C3D-C3E
51	o	201	CDL	C76-C77-C78-C79
50	A	401	PC1	C11-C12-N-C14
50	M	503	PC1	C11-C12-N-C13
49	A	403	3PE	C3A-C3B-C3C-C3D
50	A	401	PC1	C23-C24-C25-C26
51	Y	201	CDL	C37-C38-C39-C40
51	Y	201	CDL	C14-C15-C16-C17
50	9	401	PC1	C2C-C2D-C2E-C2F
51	W	201	CDL	C31-C32-C33-C34
51	Y	201	CDL	CB7-C71-C72-C73
51	W	201	CDL	OB5-CB3-CB4-OB6
50	A	402	PC1	C11-C12-N-C14
51	L	1003	CDL	C17-C18-C19-C20
55	k	501	AMP	C3'-C4'-C5'-O5'

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
50	9	401	PC1	C22-C21-O21-C2
50	M	503	PC1	C1-O11-P-O13
51	N	403	CDL	CB2-OB2-PB2-OB5
51	V	203	CDL	CA3-OA5-PA1-OA2
51	W	201	CDL	CB3-OB5-PB2-OB2
50	M	503	PC1	C36-C37-C38-C39
49	J	201	3PE	O11-C1-C2-C3
50	L	1002	PC1	O11-C1-C2-C3
51	W	201	CDL	OA5-CA3-CA4-CA6
50	A	402	PC1	C22-C23-C24-C25
51	V	204	CDL	CA2-C1-CB2-OB2
51	V	203	CDL	CB3-CB4-CB6-OB8
51	Y	201	CDL	C57-C58-C59-C60
49	4	501	3PE	O31-C31-C32-C33
51	W	201	CDL	CA5-C11-C12-C13
51	W	201	CDL	CA7-C31-C32-C33
49	V	202	3PE	C2-C1-O11-P
49	N	401	3PE	O11-C1-C2-O21
51	N	403	CDL	OB5-CB3-CB4-OB6
50	A	401	PC1	C11-C12-N-C13
51	V	204	CDL	OA6-CA4-CA6-OA8
50	A	401	PC1	C11-C12-N-C15
49	M	501	3PE	O11-C1-C2-C3
50	M	503	PC1	O11-C1-C2-C3
51	L	1003	CDL	OB5-CB3-CB4-CB6
51	W	201	CDL	OB5-CB3-CB4-CB6
49	L	1001	3PE	C26-C27-C28-C29
49	4	501	3PE	O13-C11-C12-N
49	p	201	3PE	C21-C22-C23-C24
50	L	1002	PC1	C2-C1-O11-P
55	k	501	AMP	C4'-C5'-O5'-P
51	o	201	CDL	CA5-C11-C12-C13
51	Y	201	CDL	CA3-CA4-CA6-OA8
51	o	201	CDL	CA3-CA4-CA6-OA8
51	z	101	CDL	CB3-CB4-CB6-OB8
50	9	401	PC1	O22-C21-O21-C2
50	M	502	PC1	C3E-C3F-C3G-C3H
49	N	401	3PE	C32-C33-C34-C35
51	z	101	CDL	CB5-C51-C52-C53
49	M	501	3PE	O11-C1-C2-O21
49	n	101	3PE	O11-C1-C2-O21
51	L	1003	CDL	OB5-CB3-CB4-OB6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
51	V	203	CDL	OB5-CB3-CB4-OB6
51	Y	201	CDL	OB5-CB3-CB4-OB6
51	V	203	CDL	OB6-CB4-CB6-OB8
51	V	204	CDL	OB6-CB4-CB6-OB8
51	Y	201	CDL	OA6-CA4-CA6-OA8
50	M	503	PC1	C25-C26-C27-C28
51	z	101	CDL	CA2-C1-CB2-OB2
49	K	101	3PE	C23-C24-C25-C26
50	9	401	PC1	C3A-C3B-C3C-C3D
49	K	101	3PE	C2-C1-O11-P
49	n	101	3PE	C2-C1-O11-P
51	L	1003	CDL	CA4-CA3-OA5-PA1
51	V	204	CDL	C1-CA2-OA2-PA1
50	L	1002	PC1	C37-C38-C39-C3A
49	N	401	3PE	C2B-C2C-C2D-C2E
52	g	201	ZMP	O1-C10-S1-C11
51	Y	201	CDL	C59-C60-C61-C62
51	o	201	CDL	C84-C85-C86-C87
49	6	202	3PE	O11-C1-C2-C3
51	V	203	CDL	OB5-CB3-CB4-CB6
54	d	401	NDP	C2B-O2B-P2B-O1X
52	g	201	ZMP	C9-C10-S1-C11
51	V	203	CDL	CA7-C31-C32-C33
49	M	501	3PE	C2-C1-O11-P
51	V	203	CDL	CA4-CA3-OA5-PA1
51	V	204	CDL	C1-CB2-OB2-PB2
51	V	204	CDL	CB3-CB4-CB6-OB8
51	o	201	CDL	CA4-CA3-OA5-PA1
49	6	202	3PE	O11-C1-C2-O21
50	A	402	PC1	O11-C1-C2-O21
50	M	503	PC1	O11-C1-C2-O21
51	N	403	CDL	OA5-CA3-CA4-OA6
49	4	501	3PE	C24-C25-C26-C27
52	X	101	ZMP	C16-C17-C18-C19
51	Y	201	CDL	CB5-C51-C52-C53
51	o	201	CDL	OA6-CA4-CA6-OA8
49	J	201	3PE	C3C-C3D-C3E-C3F
49	N	401	3PE	C38-C39-C3A-C3B
50	L	1002	PC1	C23-C24-C25-C26
50	A	401	PC1	C24-C25-C26-C27
50	L	1002	PC1	C31-C32-C33-C34
51	L	1003	CDL	C58-C59-C60-C61

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
51	V	204	CDL	C31-C32-C33-C34
49	N	402	3PE	C11-O13-P-O11
50	9	401	PC1	C1-O11-P-O13
50	9	401	PC1	C22-C23-C24-C25
49	J	201	3PE	C2-C1-O11-P
51	z	101	CDL	C1-CB2-OB2-PB2
51	z	101	CDL	CB4-CB3-OB5-PB2
49	4	501	3PE	C1-O11-P-O14
49	6	202	3PE	C11-O13-P-O12
49	A	403	3PE	C1-O11-P-O12
49	K	101	3PE	C1-O11-P-O14
49	N	401	3PE	C11-O13-P-O14
49	V	202	3PE	C1-O11-P-O12
50	M	503	PC1	C11-O13-P-O14
50	M	503	PC1	C1-O11-P-O14
51	L	1003	CDL	CA2-OA2-PA1-OA3
51	L	1003	CDL	CA3-OA5-PA1-OA3
51	N	403	CDL	CA3-OA5-PA1-OA3
51	N	403	CDL	CA3-OA5-PA1-OA4
51	N	403	CDL	CB2-OB2-PB2-OB4
51	V	203	CDL	CA3-OA5-PA1-OA4
51	V	204	CDL	CA2-OA2-PA1-OA3
51	V	204	CDL	CB3-OB5-PB2-OB4
51	W	201	CDL	CA2-OA2-PA1-OA3
51	W	201	CDL	CB3-OB5-PB2-OB4
51	Y	201	CDL	CB2-OB2-PB2-OB4
51	Y	201	CDL	CB3-OB5-PB2-OB3
51	o	201	CDL	CA2-OA2-PA1-OA3
51	o	201	CDL	CA2-OA2-PA1-OA4
51	o	201	CDL	CA3-OA5-PA1-OA3
51	o	201	CDL	CA3-OA5-PA1-OA4
51	o	201	CDL	CB2-OB2-PB2-OB4
51	o	201	CDL	CB3-OB5-PB2-OB3
51	o	201	CDL	CB3-OB5-PB2-OB4
51	N	403	CDL	OA5-CA3-CA4-CA6
50	L	1002	PC1	C2A-C2B-C2C-C2D
49	J	201	3PE	C12-C11-O13-P
51	Y	201	CDL	C32-C33-C34-C35
49	K	101	3PE	C21-C22-C23-C24
51	W	201	CDL	CB2-C1-CA2-OA2
51	o	201	CDL	CA2-C1-CB2-OB2
46	1	501	FMN	N10-C1'-C2'-C3'

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
49	J	201	3PE	O11-C1-C2-O21
51	W	201	CDL	OA5-CA3-CA4-OA6
55	k	501	AMP	O4'-C4'-C5'-O5'
49	4	501	3PE	C37-C38-C39-C3A
51	N	403	CDL	C11-C12-C13-C14
49	n	101	3PE	C1-C2-C3-O31
50	9	401	PC1	O13-C11-C12-N
50	L	1002	PC1	O13-C11-C12-N
51	W	201	CDL	C54-C55-C56-C57
56	s	201	MYR	C1-C2-C3-C4
50	M	503	PC1	C2-C1-O11-P
51	L	1003	CDL	C80-C81-C82-C83
51	V	203	CDL	C79-C80-C81-C82
50	M	502	PC1	C28-C29-C2A-C2B
51	Y	201	CDL	C18-C19-C20-C21
50	L	1002	PC1	C34-C35-C36-C37
51	L	1003	CDL	C11-C12-C13-C14
49	n	101	3PE	C1-C2-O21-C21
51	Y	201	CDL	OB5-CB3-CB4-CB6
51	W	201	CDL	C72-C73-C74-C75
49	p	201	3PE	C22-C23-C24-C25
50	L	1002	PC1	O11-C1-C2-O21
49	4	501	3PE	C36-C37-C38-C39
49	6	202	3PE	C3D-C3E-C3F-C3G
51	L	1003	CDL	CA7-C31-C32-C33
49	L	1001	3PE	C11-O13-P-O11
50	A	402	PC1	C11-O13-P-O11
50	M	502	PC1	C11-O13-P-O11
51	L	1003	CDL	CB2-OB2-PB2-OB5
51	V	204	CDL	CA3-OA5-PA1-OA2
51	z	101	CDL	CB3-OB5-PB2-OB2
52	X	101	ZMP	O4-C17-C18-C19
51	L	1003	CDL	C55-C56-C57-C58
52	g	201	ZMP	C22-C1-C2-C3
54	d	401	NDP	O4D-C1D-N1N-C6N
49	N	402	3PE	C31-C32-C33-C34
49	L	1001	3PE	C36-C37-C38-C39
51	o	201	CDL	C53-C54-C55-C56
49	J	201	3PE	C32-C31-O31-C3
49	M	501	3PE	C3B-C3C-C3D-C3E
51	V	203	CDL	C37-C38-C39-C40
49	6	202	3PE	C21-C22-C23-C24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
49	V	202	3PE	C26-C27-C28-C29
49	6	202	3PE	C25-C26-C27-C28
49	V	202	3PE	C25-C26-C27-C28
51	Y	201	CDL	C83-C84-C85-C86
51	o	201	CDL	C83-C84-C85-C86
51	Y	201	CDL	C76-C77-C78-C79
51	W	201	CDL	C13-C14-C15-C16
51	o	201	CDL	C1-CB2-OB2-PB2
51	o	201	CDL	C56-C57-C58-C59
49	N	402	3PE	C25-C26-C27-C28
51	V	204	CDL	C52-C53-C54-C55
51	V	204	CDL	CA3-CA4-CA6-OA8
49	4	501	3PE	O32-C31-C32-C33
52	X	101	ZMP	C19-C18-C21-O5
51	z	101	CDL	O1-C1-CB2-OB2
51	V	204	CDL	CA5-C11-C12-C13
49	J	201	3PE	C3A-C3B-C3C-C3D
50	9	401	PC1	C3-C2-O21-C21
51	o	201	CDL	CB3-CB4-OB6-CB5
51	L	1003	CDL	CB3-OB5-PB2-OB2
49	p	201	3PE	C27-C28-C29-C2A
51	V	203	CDL	C73-C74-C75-C76
49	N	401	3PE	O11-C1-C2-C3
49	A	403	3PE	O21-C2-C3-O31
51	z	101	CDL	OB6-CB4-CB6-OB8
49	A	403	3PE	C22-C23-C24-C25
51	V	203	CDL	CA5-C11-C12-C13
51	V	204	CDL	C73-C74-C75-C76
49	6	202	3PE	C33-C34-C35-C36
51	z	101	CDL	C52-C53-C54-C55
50	M	503	PC1	O31-C31-C32-C33
51	W	201	CDL	CA3-CA4-CA6-OA8
51	z	101	CDL	CA3-CA4-CA6-OA8
50	M	502	PC1	O11-C1-C2-O21
49	J	201	3PE	C31-C32-C33-C34
51	L	1003	CDL	C38-C39-C40-C41
51	N	403	CDL	C52-C51-CB5-OB6
51	Y	201	CDL	C16-C17-C18-C19
49	n	101	3PE	O11-C1-C2-C3
50	A	402	PC1	O21-C21-C22-C23
46	1	501	FMN	C5'-O5'-P-O3P
52	X	101	ZMP	N2-C16-C17-O4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
49	n	101	3PE	O21-C21-C22-C23
51	V	204	CDL	C23-C24-C25-C26
49	M	501	3PE	C21-C22-C23-C24
51	L	1003	CDL	C40-C41-C42-C43
51	W	201	CDL	C64-C65-C66-C67
51	V	204	CDL	C32-C31-CA7-OA8
51	z	101	CDL	O1-C1-CA2-OA2
49	M	501	3PE	C36-C37-C38-C39
51	V	203	CDL	C41-C42-C43-C44
49	J	201	3PE	C3F-C3G-C3H-C3I
51	V	204	CDL	C12-C13-C14-C15
51	o	201	CDL	C54-C55-C56-C57
49	A	403	3PE	O21-C21-C22-C23
51	V	204	CDL	C35-C36-C37-C38
49	p	201	3PE	C1-O11-P-O14
51	N	403	CDL	C72-C71-CB7-OB8
51	V	203	CDL	C32-C31-CA7-OA8
49	J	201	3PE	O32-C31-O31-C3
50	9	401	PC1	C3D-C3E-C3F-C3G
54	d	401	NDP	O4B-C4B-C5B-O5B
51	L	1003	CDL	C37-C38-C39-C40
51	V	204	CDL	C12-C11-CA5-OA6
50	A	401	PC1	O11-C1-C2-C3
50	L	1002	PC1	C33-C34-C35-C36
49	L	1001	3PE	O21-C21-C22-C23
49	N	401	3PE	O31-C31-C32-C33
49	M	501	3PE	O31-C31-C32-C33
49	A	403	3PE	C35-C36-C37-C38
50	M	502	PC1	C31-C32-C33-C34
50	M	503	PC1	C2F-C2G-C2H-C2I
49	6	202	3PE	C32-C33-C34-C35
51	V	203	CDL	C32-C31-CA7-OA9
49	J	201	3PE	C2D-C2E-C2F-C2G
50	L	1002	PC1	C3E-C3F-C3G-C3H
49	N	401	3PE	C33-C34-C35-C36
51	Y	201	CDL	C56-C57-C58-C59
49	n	101	3PE	O22-C21-C22-C23
51	N	403	CDL	C72-C71-CB7-OB9
52	g	201	ZMP	C1-C2-C3-C4
49	M	501	3PE	C1-C2-C3-O31
46	1	501	FMN	O3'-C3'-C4'-O4'
51	V	204	CDL	C32-C31-CA7-OA9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
51	N	403	CDL	C14-C15-C16-C17
51	o	201	CDL	CB4-CB3-OB5-PB2
51	V	204	CDL	C12-C11-CA5-OA7
49	A	403	3PE	C11-O13-P-O14
49	i	201	3PE	C1-O11-P-O14
50	9	401	PC1	C1-O11-P-O12
50	M	502	PC1	C11-O13-P-O14
51	L	1003	CDL	CB2-OB2-PB2-OB3
51	V	204	CDL	CB2-OB2-PB2-OB4
51	W	201	CDL	CA2-OA2-PA1-OA4
51	Y	201	CDL	CA3-OA5-PA1-OA3
51	L	1003	CDL	C39-C40-C41-C42
49	L	1001	3PE	O22-C21-C22-C23
51	V	203	CDL	OA5-CA3-CA4-CA6
51	N	403	CDL	C12-C13-C14-C15
49	i	201	3PE	O21-C21-C22-C23
49	A	403	3PE	O22-C21-C22-C23
49	M	501	3PE	O32-C31-C32-C33
49	4	501	3PE	C12-C11-O13-P
49	A	403	3PE	C12-C11-O13-P
49	N	401	3PE	C3-C2-O21-C21
50	L	1002	PC1	C1-C2-O21-C21
50	M	502	PC1	C12-C11-O13-P
49	V	202	3PE	C23-C24-C25-C26
49	6	202	3PE	C23-C24-C25-C26
46	1	501	FMN	C2'-C3'-C4'-O4'
51	Y	201	CDL	C61-C62-C63-C64
49	L	1001	3PE	O31-C31-C32-C33
50	M	503	PC1	O21-C21-C22-C23
51	V	203	CDL	C72-C71-CB7-OB8
49	4	501	3PE	C34-C35-C36-C37
51	o	201	CDL	C72-C73-C74-C75
50	A	401	PC1	O11-C1-C2-O21
49	N	401	3PE	O32-C31-C32-C33
49	i	201	3PE	O22-C21-C22-C23
51	W	201	CDL	C39-C40-C41-C42
50	9	401	PC1	O31-C31-C32-C33
51	W	201	CDL	C12-C11-CA5-OA6
51	Y	201	CDL	C52-C51-CB5-OB6
51	z	101	CDL	C52-C51-CB5-OB6
49	N	402	3PE	C22-C23-C24-C25
51	V	204	CDL	C53-C54-C55-C56

Continued on next page...



Continued from previous page...


Mol	Chain	Res	Type	Atoms
51	W	201	CDL	C83-C84-C85-C86
51	o	201	CDL	C19-C20-C21-C22
51	V	203	CDL	C72-C71-CB7-OB9
51	W	201	CDL	C53-C54-C55-C56
49	A	403	3PE	C3D-C3E-C3F-C3G
46	1	501	FMN	O3'-C3'-C4'-C5'
51	W	201	CDL	C12-C11-CA5-OA7
51	z	101	CDL	C52-C51-CB5-OB7
49	6	202	3PE	C37-C38-C39-C3A
51	V	203	CDL	C53-C54-C55-C56
49	J	201	3PE	C33-C34-C35-C36
51	V	204	CDL	C52-C51-CB5-OB6


There are no ring outliers.


No monomer is involved in short contacts.



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


































































5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-11258. These allow visual inspection of the internal detail of the map and identification of artifacts.

No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)

This section was not generated.

6.2 Central slices [i](#)

This section was not generated.

6.3 Largest variance slices [i](#)

This section was not generated.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)

This section was not generated.

6.5 Orthogonal surface views [i](#)

This section was not generated.

6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis ⓘ

This section contains the results of statistical analysis of the map.

7.1 Map-value distribution ⓘ

This section was not generated.

7.2 Volume estimate versus contour level ⓘ

This section was not generated.

7.3 Rotationally averaged power spectrum ⓘ

This section was not generated. The rotationally averaged power spectrum had issues being displayed.

8 Fourier-Shell correlation ⓘ

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit

This section was not generated.