



wwPDB EM Validation Summary Report ⓘ

Sep 13, 2026 – 09:51 am BST

PDB ID : 31FX / pdb_000031fx
EMDB ID : EMD-58361
Title : Mouse 80S ribosome, sgRNA control
Authors : Rabl, J.; Valdivia Francia, F.; Sendoel, A.
Deposited on : 2026-06-02
Resolution : 2.54 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev133
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.50


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.54 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
RNA backbone	8273	3508	-
Q-score	-	25397	7403 (2.04 - 3.04)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	AA	69	
2	AB	56	
3	AC	1871	














Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	AE	243	
5	AH	135	
6	AJ	204	
7	AK	165	
8	AL	145	
9	AM	146	
10	AN	152	
11	AO	145	
12	AP	119	
13	AT	317	
14	AX	132	
15	Ac	125	
16	Af	156	
17	AD	264	
18	AF	263	
19	AG	158	
20	AI	295	
21	AQ	83	
22	AR	143	
23	AS	115	
24	AU	293	
25	AV	249	
26	AW	194	
27	AY	151	
28	AZ	151	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
29	Aa	130	
30	Ab	133	
31	Ad	84	
32	Ae	133	
33	Ag	194	
34	Ah	208	
35	BA	257	
36	BB	403	
37	BC	419	
38	BD	297	
39	BE	296	
40	BF	203	
41	BG	184	
42	BH	188	
43	BI	196	
44	BJ	176	
45	BK	160	
46	BL	128	
47	BM	140	
48	BN	157	
49	BO	156	
50	BP	145	
51	BQ	136	
52	BR	148	
53	BS	160	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
54	BT	115	
55	BU	125	
56	BV	135	
57	BW	110	
58	BX	117	
59	BY	123	
60	BZ	105	
61	Ba	97	
62	Bb	70	
63	Bc	51	
64	Bd	128	
65	Be	25	
66	Bf	106	
67	Bg	92	
68	Bh	137	
69	CA	270	
70	CB	266	
71	CC	192	
72	CD	214	
73	CE	178	
74	CF	211	
75	CG	217	
76	CH	204	
77	CI	4731	
78	CJ	121	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
79	CK	156	 A horizontal bar chart showing the quality of chain 79 (CK, length 156). The bar is divided into four segments: 12% (red), 69% (green), 25% (yellow), and 5% (red). The segments are labeled with their respective percentages: 12%, 69%, 25%, and 5%.

2 Entry composition

There are 81 unique types of molecules in this entry. The entry contains 363043 atoms, of which 154658 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Small ribosomal subunit protein eS28.

Mol	Chain	Residues	Atoms						AltConf	Trace
1	AA	64	Total	C	H	N	O	S	0	0
			1042	308	536	102	94	2		

- Molecule 2 is a protein called Small ribosomal subunit protein uS14.

Mol	Chain	Residues	Atoms						AltConf	Trace
2	AB	54	Total	C	H	N	O	S	0	0
			902	284	447	93	73	5		

- Molecule 3 is a RNA chain called 18S rRNA.

Mol	Chain	Residues	Atoms						AltConf	Trace
3	AC	1694	Total	C	H	N	O	P	0	0
			54441	16156	18258	6497	11837	1693		

- Molecule 4 is a protein called Small ribosomal subunit protein uS3.

Mol	Chain	Residues	Atoms						AltConf	Trace
4	AE	226	Total	C	H	N	O	S	0	0
			3607	1119	1851	316	314	7		

- Molecule 5 is a protein called Small ribosomal subunit protein eS17.

Mol	Chain	Residues	Atoms						AltConf	Trace
5	AH	134	Total	C	H	N	O	S	0	0
			2215	678	1135	201	197	4		

- Molecule 6 is a protein called Small ribosomal subunit protein uS7.

Mol	Chain	Residues	Atoms						AltConf	Trace
6	AJ	189	Total	C	H	N	O	S	0	0
			3043	934	1548	284	270	7		

- Molecule 7 is a protein called Small ribosomal subunit protein eS10.

Mol	Chain	Residues	Atoms						AltConf	Trace
7	AK	97	Total	C	H	N	O	S	0	0
			1661	534	842	147	133	5		

- Molecule 8 is a protein called Small ribosomal subunit protein uS19.

Mol	Chain	Residues	Atoms						AltConf	Trace
8	AL	123	Total	C	H	N	O	S	0	0
			2053	638	1047	189	172	7		

- Molecule 9 is a protein called Small ribosomal subunit protein uS9.

Mol	Chain	Residues	Atoms						AltConf	Trace
9	AM	144	Total	C	H	N	O	S	0	0
			2356	726	1213	216	198	3		

- Molecule 10 is a protein called Small ribosomal subunit protein uS13.

Mol	Chain	Residues	Atoms						AltConf	Trace
10	AN	144	Total	C	H	N	O	S	0	0
			2439	746	1249	241	202	1		

- Molecule 11 is a protein called Small ribosomal subunit protein eS19.

Mol	Chain	Residues	Atoms						AltConf	Trace
11	AO	141	Total	C	H	N	O	S	0	0
			2243	691	1139	215	196	2		

- Molecule 12 is a protein called Small ribosomal subunit protein uS10.

Mol	Chain	Residues	Atoms						AltConf	Trace
12	AP	102	Total	C	H	N	O	S	0	0
			1681	507	874	153	143	4		

- Molecule 13 is a protein called Small ribosomal subunit protein RACK1.

Mol	Chain	Residues	Atoms						AltConf	Trace
13	AT	313	Total	C	H	N	O	S	0	0
			4829	1535	2393	424	465	12		

- Molecule 14 is a protein called Small ribosomal subunit protein eS12.

Mol	Chain	Residues	Atoms						AltConf	Trace
14	AX	87	Total	C	H	N	O	S	0	0
			1358	418	690	118	125	7		

- Molecule 15 is a protein called Small ribosomal subunit protein eS25.

Mol	Chain	Residues	Atoms						AltConf	Trace
15	Ac	75	Total	C	H	N	O	S	0	0
			1254	382	656	111	104	1		

- Molecule 16 is a protein called Ubiquitin-ribosomal protein eS31 fusion protein.

Mol	Chain	Residues	Atoms						AltConf	Trace
16	Af	62	Total	C	H	N	O	S	0	0
			1011	317	506	96	85	7		

- Molecule 17 is a protein called 40S ribosomal protein S3a.

Mol	Chain	Residues	Atoms						AltConf	Trace
17	AD	214	Total	C	H	N	O	S	0	0
			3544	1103	1806	310	311	14		

- Molecule 18 is a protein called Small ribosomal subunit protein eS4.

Mol	Chain	Residues	Atoms						AltConf	Trace
18	AF	262	Total	C	H	N	O	S	0	0
			4253	1324	2177	386	358	8		

- Molecule 19 is a protein called Small ribosomal subunit protein uS17.

Mol	Chain	Residues	Atoms						AltConf	Trace
19	AG	146	Total	C	H	N	O	S	0	0
			2468	764	1269	224	205	6		

- Molecule 20 is a protein called Small ribosomal subunit protein uS2.

Mol	Chain	Residues	Atoms						AltConf	Trace
20	AI	214	Total	C	H	N	O	S	0	0
			3390	1077	1696	297	312	8		

- Molecule 21 is a protein called Small ribosomal subunit protein eS21.

Mol	Chain	Residues	Atoms						AltConf	Trace
21	AQ	83	Total	C	H	N	O	S	0	0
			1273	392	635	119	122	5		

- Molecule 22 is a protein called Small ribosomal subunit protein uS12.

Mol	Chain	Residues	Atoms						AltConf	Trace
22	AR	141	Total	C	H	N	O	S	0	0
			2266	693	1168	219	183	3		

- Molecule 23 is a protein called Small ribosomal subunit protein eS26.

Mol	Chain	Residues	Atoms						AltConf	Trace
23	AS	100	Total	C	H	N	O	S	1	0
			1675	506	864	169	131	5		

- Molecule 24 is a protein called Small ribosomal subunit protein uS5.

Mol	Chain	Residues	Atoms						AltConf	Trace
24	AU	222	Total	C	H	N	O	S	0	0
			3540	1116	1815	298	302	9		

- Molecule 25 is a protein called Small ribosomal subunit protein eS6.

Mol	Chain	Residues	Atoms						AltConf	Trace
25	AV	227	Total	C	H	N	O	S	0	0
			3829	1149	1989	367	317	7		

- Molecule 26 is a protein called Small ribosomal subunit protein uS4.

Mol	Chain	Residues	Atoms						AltConf	Trace
26	AW	147	Total	C	H	N	O	S	0	0
			2577	794	1339	243	199	2		

- Molecule 27 is a protein called Small ribosomal subunit protein uS15.

Mol	Chain	Residues	Atoms						AltConf	Trace
27	AY	150	Total	C	H	N	O	S	0	0
			2502	773	1294	229	205	1		

- Molecule 28 is a protein called Small ribosomal subunit protein uS11.

Mol	Chain	Residues	Atoms						AltConf	Trace
28	AZ	134	Total	C	H	N	O	S	0	0
			2023	612	1021	197	187	6		

- Molecule 29 is a protein called Small ribosomal subunit protein uS8.

Mol	Chain	Residues	Atoms						AltConf	Trace
29	Aa	129	Total	C	H	N	O	S	0	0
			2114	659	1080	193	176	6		

- Molecule 30 is a protein called Small ribosomal subunit protein eS24.

Mol	Chain	Residues	Atoms						AltConf	Trace
30	Ab	121	Total	C	H	N	O	S	0	0
			2058	631	1060	195	167	5		

- Molecule 31 is a protein called Small ribosomal subunit protein eS27-like.

Mol	Chain	Residues	Atoms						AltConf	Trace
31	Ad	83	Total	C	H	N	O	S	0	0
			1328	409	676	121	115	7		

- Molecule 32 is a protein called Ubiquitin-like FUBI-ribosomal protein eS30 fusion protein.

Mol	Chain	Residues	Atoms						AltConf	Trace
32	Ae	13	Total	C	H	N	O		0	0
			194	56	101	21	16			

- Molecule 33 is a protein called Small ribosomal subunit protein eS7.

Mol	Chain	Residues	Atoms						AltConf	Trace
33	Ag	183	Total	C	H	N	O	S	0	0
			3044	944	1567	270	262	1		

- Molecule 34 is a protein called Small ribosomal subunit protein eS8.

Mol	Chain	Residues	Atoms						AltConf	Trace
34	Ah	206	Total	C	H	N	O	S	0	0
			3458	1058	1772	332	291	5		

- Molecule 35 is a protein called Large ribosomal subunit protein uL2.

Mol	Chain	Residues	Atoms						AltConf	Trace
35	BA	251	Total	C	H	N	O	S	0	0
			3943	1204	2022	393	318	6		

- Molecule 36 is a protein called Large ribosomal subunit protein uL3.

Mol	Chain	Residues	Atoms						AltConf	Trace
36	BB	396	Total	C	H	N	O	S	0	0
			6540	2036	3343	602	545	14		

- Molecule 37 is a protein called Large ribosomal subunit protein uL4.

Mol	Chain	Residues	Atoms						AltConf	Trace
37	BC	367	Total	C	H	N	O	S	0	0
			6038	1842	3110	583	488	15		

- Molecule 38 is a protein called Large ribosomal subunit protein uL18.

Mol	Chain	Residues	Atoms						AltConf	Trace
38	BD	293	Total	C	H	N	O	S	0	0
			4794	1506	2409	440	425	14		

- Molecule 39 is a protein called Large ribosomal subunit protein eL6.

Mol	Chain	Residues	Atoms						AltConf	Trace
39	BE	218	Total	C	H	N	O	S	0	0
			3668	1130	1902	337	295	4		

- Molecule 40 is a protein called Large ribosomal subunit protein uL13.

Mol	Chain	Residues	Atoms						AltConf	Trace
40	BF	201	Total	C	H	N	O	S	0	0
			3430	1055	1790	320	259	6		

- Molecule 41 is a protein called Large ribosomal subunit protein uL22.

Mol	Chain	Residues	Atoms						AltConf	Trace
41	BG	153	Total	C	H	N	O	S	0	0
			2516	777	1274	241	215	9		

- Molecule 42 is a protein called Large ribosomal subunit protein eL18.

Mol	Chain	Residues	Atoms						AltConf	Trace
42	BH	186	Total	C	H	N	O	S	0	0
			3148	946	1637	313	248	4		

- Molecule 43 is a protein called Large ribosomal subunit protein eL19.

Mol	Chain	Residues	Atoms						AltConf	Trace
43	BI	184	Total	C	H	N	O	S	0	0
			3240	955	1698	332	246	9		

- Molecule 44 is a protein called Large ribosomal subunit protein eL20.

Mol	Chain	Residues	Atoms						AltConf	Trace
44	BJ	175	Total	C	H	N	O	S	0	0
			2938	924	1488	283	233	10		

- Molecule 45 is a protein called Large ribosomal subunit protein eL21.

Mol	Chain	Residues	Atoms						AltConf	Trace
45	BK	159	Total	C	H	N	O	S	0	0
			2669	824	1370	252	217	6		

- Molecule 46 is a protein called Large ribosomal subunit protein eL22.

Mol	Chain	Residues	Atoms						AltConf	Trace
46	BL	101	Total	C	H	N	O	S	0	0
			1675	529	850	144	150	2		

- Molecule 47 is a protein called Large ribosomal subunit protein uL14.

Mol	Chain	Residues	Atoms						AltConf	Trace
47	BM	129	Total	C	H	N	O	S	0	0
			2000	613	1031	182	169	5		

- Molecule 48 is a protein called Large ribosomal subunit protein eL24.

Mol	Chain	Residues	Atoms						AltConf	Trace
48	BN	61	Total	C	H	N	O	S	0	0
			1045	330	530	100	82	3		

- Molecule 49 is a protein called Large ribosomal subunit protein uL23.

Mol	Chain	Residues	Atoms						AltConf	Trace
49	BO	118	Total	C	H	N	O	S	0	0
			2007	618	1040	181	167	1		

- Molecule 50 is a protein called Large ribosomal subunit protein uL24.

Mol	Chain	Residues	Atoms						AltConf	Trace
50	BP	134	Total	C	H	N	O	S	0	0
			2320	700	1205	226	186	3		

- Molecule 51 is a protein called Large ribosomal subunit protein eL27.

Mol	Chain	Residues	Atoms						AltConf	Trace
51	BQ	135	Total	C	H	N	O	S	0	0
			2289	714	1182	208	182	3		

- Molecule 52 is a protein called Large ribosomal subunit protein uL15.

Mol	Chain	Residues	Atoms						AltConf	Trace
52	BR	147	Total	C	H	N	O	S	0	0
			2377	736	1213	239	185	4		

- Molecule 53 is a protein called Large ribosomal subunit protein eL29.

Mol	Chain	Residues	Atoms						AltConf	Trace
53	BS	99	Total	C	H	N	O	S	0	0
			1697	511	884	173	124	5		

- Molecule 54 is a protein called Large ribosomal subunit protein eL30.

Mol	Chain	Residues	Atoms						AltConf	Trace
54	BT	94	Total	C	H	N	O	S	0	0
			1501	465	769	130	131	6		

- Molecule 55 is a protein called Large ribosomal subunit protein eL31.

Mol	Chain	Residues	Atoms						AltConf	Trace
55	BU	107	Total	C	H	N	O	S	0	0
			1817	560	929	171	155	2		

- Molecule 56 is a protein called Large ribosomal subunit protein eL32.

Mol	Chain	Residues	Atoms						AltConf	Trace
56	BV	110	Total	C	H	N	O	S	0	0
			1866	571	971	176	143	5		

- Molecule 57 is a protein called Large ribosomal subunit protein eL33.

Mol	Chain	Residues	Atoms						AltConf	Trace
57	BW	109	Total	C	H	N	O	S	0	0
			1788	555	912	174	143	4		

- Molecule 58 is a protein called Large ribosomal subunit protein eL34.

Mol	Chain	Residues	Atoms						AltConf	Trace
58	BX	114	Total	C	H	N	O	S	0	0
			1903	565	997	187	148	6		

- Molecule 59 is a protein called Large ribosomal subunit protein uL29.

Mol	Chain	Residues	Atoms						AltConf	Trace
59	BY	120	Total	C	H	N	O	S	0	0
			2139	634	1138	201	165	1		

- Molecule 60 is a protein called Large ribosomal subunit protein eL36.

Mol	Chain	Residues	Atoms						AltConf	Trace
60	BZ	102	Total	C	H	N	O	S	0	0
			1749	521	917	177	129	5		

- Molecule 61 is a protein called Large ribosomal subunit protein eL37.

Mol	Chain	Residues	Atoms						AltConf	Trace
61	Ba	86	Total	C	H	N	O	S	0	0
			1442	434	737	155	111	5		

- Molecule 62 is a protein called Large ribosomal subunit protein eL38.

Mol	Chain	Residues	Atoms						AltConf	Trace
62	Bb	69	Total	C	H	N	O	S	0	0
			1203	365	635	103	99	1		

- Molecule 63 is a protein called Large ribosomal subunit protein eL39.

Mol	Chain	Residues	Atoms						AltConf	Trace
63	Bc	50	Total	C	H	N	O	S	0	0
			927	281	483	98	64	1		

- Molecule 64 is a protein called Ubiquitin-ribosomal protein eL40 fusion protein.

Mol	Chain	Residues	Atoms						AltConf	Trace
64	Bd	52	Total	C	H	N	O	S	0	0
			895	267	465	90	67	6		

- Molecule 65 is a protein called 60S ribosomal protein L41.

Mol	Chain	Residues	Atoms						AltConf	Trace
65	Be	25	Total	C	H	N	O	S	0	0
			528	145	289	64	27	3		

- Molecule 66 is a protein called Large ribosomal subunit protein eL42.

Mol	Chain	Residues	Atoms						AltConf	Trace
66	Bf	103	Total	C	H	N	O	S	0	0
			1753	528	911	172	136	6		

- Molecule 67 is a protein called Large ribosomal subunit protein eL43.

Mol	Chain	Residues	Atoms						AltConf	Trace
67	Bg	89	Total	C	H	N	O	S	0	0
			1432	436	738	133	118	7		

- Molecule 68 is a protein called Large ribosomal subunit protein eL28.

Mol	Chain	Residues	Atoms						AltConf	Trace
68	Bh	125	Total	C	H	N	O	S	0	0
			2068	621	1067	207	168	5		

- Molecule 69 is a protein called Large ribosomal subunit protein uL30.

Mol	Chain	Residues	Atoms						AltConf	Trace
69	CA	222	Total	C	H	N	O	S	1	0
			3839	1190	1988	356	297	8		

- Molecule 70 is a protein called Large ribosomal subunit protein eL8.

Mol	Chain	Residues	Atoms						AltConf	Trace
70	CB	230	Total	C	H	N	O	S	1	0
			3866	1188	2003	359	312	4		

- Molecule 71 is a protein called Large ribosomal subunit protein uL6.

Mol	Chain	Residues	Atoms						AltConf	Trace
71	CC	190	Total	C	H	N	O	S	0	0
			3122	956	1603	284	273	6		

- Molecule 72 is a protein called Large ribosomal subunit protein uL16-like.

Mol	Chain	Residues	Atoms						AltConf	Trace
72	CD	208	Total	C	H	N	O	S	0	0
			3435	1073	1745	327	278	12		

- Molecule 73 is a protein called Large ribosomal subunit protein uL5.

Mol	Chain	Residues	Atoms						AltConf	Trace
73	CE	168	Total	C	H	N	O	S	0	0
			2732	853	1383	251	239	6		

- Molecule 74 is a protein called Large ribosomal subunit protein eL13.

Mol	Chain	Residues	Atoms						AltConf	Trace
74	CF	207	Total	C	H	N	O	S	0	0
			3453	1048	1777	344	280	4		

- Molecule 75 is a protein called Large ribosomal subunit protein eL14.

Mol	Chain	Residues	Atoms						AltConf	Trace
75	CG	139	Total	C	H	N	O	S	0	0
			2360	732	1217	221	183	7		

- Molecule 76 is a protein called Large ribosomal subunit protein eL15.

Mol	Chain	Residues	Atoms						AltConf	Trace
76	CH	203	Total	C	H	N	O	S	0	0
			3450	1072	1749	359	266	4		

- Molecule 77 is a RNA chain called 28S rRNA.

Mol	Chain	Residues	Atoms						AltConf	Trace
77	CI	3558	Total	C	H	N	O	P	0	0
			114909	34045	38567	13907	24833	3557		

There are 11 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
CI	248	C	-	insertion	GB 120444900
CI	?	-	C	deletion	GB 120444900
CI	?	-	C	deletion	GB 120444900
CI	831	U	-	insertion	GB 120444900
CI	1887	G	-	insertion	GB 120444900
CI	2324	C	-	insertion	GB 120444900
CI	2325	G	-	insertion	GB 120444900
CI	2326	U	-	insertion	GB 120444900
CI	?	-	G	deletion	GB 120444900
CI	?	-	A	deletion	GB 120444900
CI	?	-	A	deletion	GB 120444900

- Molecule 78 is a RNA chain called 5S rRNA.

Mol	Chain	Residues	Atoms						AltConf	Trace
78	CJ	120	Total	C	H	N	O	P	0	0
			3853	1141	1295	456	842	119		

- Molecule 79 is a RNA chain called 5.8S rRNA.

Mol	Chain	Residues	Atoms						AltConf	Trace
79	CK	156	Total	C	H	N	O	P	0	0
			4997	1481	1682	585	1094	155		

- Molecule 80 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
80	AB	1	Total	Zn	0
			1	1	
80	Af	1	Total	Zn	0
			1	1	
80	AS	1	Total	Zn	0
			1	1	
80	Ba	1	Total	Zn	0
			1	1	
80	Bd	1	Total	Zn	0
			1	1	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
80	Bf	1	Total 1	Zn 1	0
80	Bg	1	Total 1	Zn 1	0


- Molecule 81 is water.

Mol	Chain	Residues	Atoms		AltConf
81	AC	2	Total 2	O 2	0
81	CB	1	Total 1	O 1	0
81	CI	1	Total 1	O 1	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Small ribosomal subunit protein eS28





- Molecule 2: Small ribosomal subunit protein uS14





- Molecule 3: 18S rRNA











• Molecule 4: Small ribosomal subunit protein uS3




• Molecule 5: Small ribosomal subunit protein eS17




• Molecule 6: Small ribosomal subunit protein uS7




- Molecule 11: Small ribosomal subunit protein eS19



- Molecule 12: Small ribosomal subunit protein uS10



- Molecule 13: Small ribosomal subunit protein RACK1



- Molecule 14: Small ribosomal subunit protein eS12


LYS	LYS	V61	LYS	ASP	VAL	ILE	GLU	GLY	TYR	PHE	LYS	LYS	CYS	LYS	V11	M12	D13	V14	M15	T16	A17	L18	Q19	E20	V21	L22	K23	A25	L26	T27	H28	D29	G30	L31	A32	R33	G34	I35	R36	E37	A38	A39	K40	A41	L42	D43	K44	R45	Q46	A47	H48	L49	C50	V51	L52	A53	S54	N55	C56	D57	E58	P59	M60
LYS	ASP	V62	ILE	GLU	GLY	V65	E66	A67	L68	C69	A70	E71	H72	Q73	I74	M75	L76	I77	K78	V79	D80	D81	N82	K83	K84	L85	G86	E87	H88	V89	GLY	LEU	CYS	LYS	ILE	ASP	ARG	GLU	GLY	LYS	PRO	ARG	LYS	VAL	VAL	GLY	C106	I107	C108	V109	L110	V111	K112	D113	TYR	GLY	LYS	GLU	SER	GLN	ALA		

Met	Met
P63	R41
N64	D42
P65	K43
K66	L44
L67	N45
I68	L49
T69	F50
P70	D51
A71	K52
V72	A53
S74	T54
E75	Y55
R76	D56
I79	K57
L83	L58
A84	C59
A87	K60
L88	F61
K89	V62
E90	
L91	
L92	
S93	
K94	
G95	
L96	
I97	
K98	
L99	
V100	
S101	
K102	
Y109	
T110	
R111	
N112	
T113	
K114	
G115	
GLY	
ASP	
ALA	
PRO	
ALA	
ALA	
GLY	
ASP	
ALA	


[illegible]


Protein	Position	Residue	Frequency	Conservation	Phylogenetic	Evolutionary	Structural	Functional	Biological	Genetic	Protein	Position	Residue	Frequency	Conservation	Phylogenetic	Evolutionary	Structural	Functional	Biological	Genetic											
Protein A	1	GLY	0.05	0.1	0.2	0.3	0.4	0.5	0.6	0.7	Protein B	1	GLY	0.05	0.1	0.2	0.3	0.4	0.5	0.6	0.7	Protein C	1	GLY	0.05	0.1	0.2	0.3	0.4	0.5	0.6	0.7
	2	SER	0.05	0.1	0.2	0.3	0.4	0.5	0.6	0.7		2	SER	0.05	0.1	0.2	0.3	0.4	0.5	0.6	0.7		2	SER	0.05	0.1	0.2	0.3	0.4	0.5	0.6	0.7
	3	ALA	0.05	0.1	0.2	0.3	0.4	0.5	0.6	0.7		3	ALA	0.05	0.1	0.2	0.3	0.4	0.5	0.6	0.7		3	ALA	0.05	0.1	0.2	0.3	0.4	0.5	0.6	0.7
	4	GLY	0.05	0.1	0.2	0.3	0.4	0.5	0.6	0.7		4	GLY	0.05	0.1	0.2	0.3	0.4	0.5	0.6	0.7		4	GLY	0.05	0.1	0.2	0.3	0.4	0.5	0.6	0.7
	5	LYS	0.05	0.1	0.2	0.3	0.4	0.5	0.6	0.7		5	LYS	0.05	0.1	0.2	0.3	0.4	0.5	0.6	0.7		5	LYS	0.05	0.1	0.2	0.3	0.4	0.5	0.6	0.7
	6	ALA	0.05	0.1	0.2	0.3	0.4	0.5	0.6	0.7		6	ALA	0.05	0.1	0.2	0.3	0.4	0.5	0.6	0.7		6	ALA	0.05	0.1	0.2	0.3	0.4	0.5	0.6	0.7
	7	GLY	0.05	0.1	0.2	0.3	0.4	0.5	0.6	0.7		7	GLY	0.05	0.1	0.2	0.3	0.4	0.5	0.6	0.7		7	GLY	0.05	0.1	0.2	0.3	0.4	0.5	0.6	0.7
	8	ASP	0.05	0.1	0.2	0.3	0.4	0.5	0.6	0.7		8	ASP	0.05	0.1	0.2	0.3	0.4	0.5	0.6	0.7		8	ASP	0.05	0.1	0.2	0.3	0.4	0.5	0.6	0.7
	9	THR	0.05	0.1	0.2	0.3	0.4	0.5	0.6	0.7		9	THR	0.05	0.1	0.2	0.3	0.4	0.5	0.6	0.7		9	THR	0.05	0.1	0.2	0.3	0.4	0.5	0.6	0.7
	10	GLY	0.05	0.1	0.2	0.3	0.4	0.5	0.6	0.7		10	GLY	0.05	0.1	0.2	0.3	0.4	0.5	0.6	0.7		10	GLY	0.05	0.1	0.2	0.3	0.4	0.5	0.6	0.7
Protein D	11	GLY	0.05	0.1	0.2	0.3	0.4	0.5	0.6	0.7	Protein E	11	GLY	0.05	0.1	0.2	0.3	0.4	0.5	0.6	0.7	Protein F	11	GLY	0.05	0.1	0.2	0.3	0.4	0.5	0.6	0.7
	12	ALA	0.05	0.1	0.2	0.3	0.4	0.5	0.6	0.7		12	ALA	0.05	0.1	0.2	0.3	0.4	0.5	0.6	0.7		12	ALA	0.05	0.1	0.2	0.3	0.4	0.5	0.6	0.7
	13	VAL	0.05	0.1	0.2	0.3	0.4	0.5	0.6	0.7		13	VAL	0.05	0.1	0.2	0.3	0.4	0.5	0.6	0.7		13	VAL	0.05	0.1	0.2	0.3	0.4	0.5	0.6	0.7
	14	GLU	0.05	0.1	0.2	0.3	0.4	0.5	0.6	0.7		14	GLU	0.05	0.1	0.2	0.3	0.4	0.5	0.6	0.7		14	GLU	0.05	0.1	0.2	0.3	0.4	0.5	0.6	0.7
	15	ARG	0.05	0																												

- Molecule 18: Small ribosomal subunit protein eS4





- Molecule 19: Small ribosomal subunit protein uS17









- Molecule 23: Small ribosomal subunit protein eS26




- Molecule 24: Small ribosomal subunit protein uS5




- Molecule 25: Small ribosomal subunit protein eS6





- Molecule 26: Small ribosomal subunit protein uS4








- Molecule 27: Small ribosomal subunit protein uS15





- Molecule 28: Small ribosomal subunit protein uS11




- Molecule 29: Small ribosomal subunit protein uS8




- Molecule 30: Small ribosomal subunit protein eS24




- Molecule 31: Small ribosomal subunit protein eS27-like








- Molecule 32: Ubiquitin-like FUBI-ribosomal protein eS30 fusion protein



- Molecule 33: Small ribosomal subunit protein eS7




- Molecule 34: Small ribosomal subunit protein eS8




- Molecule 35: Large ribosomal subunit protein uL2

Chain BA:  85% 12%




- Molecule 36: Large ribosomal subunit protein uL3

Chain BB:  7% 85% 13%




- Molecule 37: Large ribosomal subunit protein uL4

Chain BC:  6% 79% 9% 12%




- Molecule 38: Large ribosomal subunit protein uL18


Chain BD:  13% 88% 11%




- Molecule 39: Large ribosomal subunit protein eL6




- Molecule 40: Large ribosomal subunit protein uL13




- Molecule 41: Large ribosomal subunit protein uL22




- Molecule 42: Large ribosomal subunit protein eL18




- Molecule 43: Large ribosomal subunit protein eL19







- Molecule 44: Large ribosomal subunit protein eL20





- Molecule 45: Large ribosomal subunit protein eL21




- Molecule 46: Large ribosomal subunit protein eL22



- Molecule 47: Large ribosomal subunit protein uL14




- Molecule 48: Large ribosomal subunit protein eL24



- Molecule 49: Large ribosomal subunit protein uL23

Chain BO: 





- Molecule 50: Large ribosomal subunit protein uL24

Chain BP: 





- Molecule 51: Large ribosomal subunit protein eL27

Chain BQ: 




- Molecule 52: Large ribosomal subunit protein uL15

Chain BR: 




- Molecule 53: Large ribosomal subunit protein eL29

Chain BS: 




- Molecule 54: Large ribosomal subunit protein eL30


Chain BT: 




- Molecule 55: Large ribosomal subunit protein eL31




- Molecule 56: Large ribosomal subunit protein eL32




- Molecule 57: Large ribosomal subunit protein eL33




- Molecule 58: Large ribosomal subunit protein eL34




- Molecule 59: Large ribosomal subunit protein uL29




- Molecule 60: Large ribosomal subunit protein eL36





- Molecule 61: Large ribosomal subunit protein eL37








- Molecule 62: Large ribosomal subunit protein eL38




- Molecule 63: Large ribosomal subunit protein eL39




- Molecule 64: Ubiquitin-ribosomal protein eL40 fusion protein




- Molecule 65: 60S ribosomal protein L41




- Molecule 66: Large ribosomal subunit protein eL42



- Molecule 67: Large ribosomal subunit protein eL43














4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	96948	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	60.3	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	4.696	Depositor
Minimum map value	-2.470	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.118	Depositor
Recommended contour level	0.5	Depositor
Map size (Å)	589.824, 589.824, 589.824	wwPDB
Map dimensions	512, 512, 512	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.152, 1.152, 1.152	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 4AC, UR3, MHG, E7G, B8T, B8N, 2MG, MLZ, B9H, E6G, B8W, 5MC, ZN, A2M, OMG, 6MZ, OMU, B8Q, 1MA, PSU, B9B, OMC, P7G, G7M, I4U

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	AA	0.25	0/508	0.51	0/680
2	AB	0.22	0/466	0.47	0/618
3	AC	0.16	2/40063 (0.0%)	0.30	0/62440
4	AE	0.17	0/1784	0.43	0/2402
5	AH	0.18	0/1094	0.50	0/1469
6	AJ	0.18	0/1516	0.40	0/2037
7	AK	0.18	0/843	0.45	0/1137
8	AL	0.19	0/1026	0.44	0/1373
9	AM	0.20	0/1161	0.47	0/1553
10	AN	0.17	0/1208	0.43	0/1618
11	AO	0.15	0/1122	0.35	0/1503
12	AP	0.16	0/817	0.42	0/1097
13	AT	0.20	1/2493 (0.0%)	0.44	0/3394
14	AX	0.17	0/673	0.35	0/907
15	Ac	0.25	0/604	0.51	0/810
16	Af	0.12	0/515	0.37	0/682
17	AD	0.17	0/1765	0.38	0/2362
18	AF	0.14	0/2118	0.36	0/2849
19	AG	0.14	0/1220	0.33	0/1633
20	AI	0.19	0/1731	0.37	0/2352
21	AQ	0.18	0/645	0.34	0/863
22	AR	0.16	0/1116	0.43	0/1490
23	AS	0.18	0/828	0.43	0/1109
24	AU	0.19	0/1762	0.40	0/2382
25	AV	0.19	0/1863	0.43	0/2481
26	AW	0.18	0/1258	0.42	0/1683
27	AY	0.18	0/1232	0.36	0/1656
28	AZ	0.19	0/1015	0.44	0/1361
29	Aa	0.19	0/1051	0.39	0/1406
30	Ab	0.30	0/1015	0.52	0/1348
31	Ad	0.16	0/665	0.43	0/890

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
32	Ae	0.24	0/93	0.61	0/123
33	Ag	0.15	0/1499	0.38	0/2007
34	Ah	0.16	0/1715	0.40	0/2287
35	BA	0.18	0/1959	0.40	0/2627
36	BB	0.16	0/3264	0.38	0/4368
37	BC	0.18	0/2971	0.38	0/3987
38	BD	0.15	0/2431	0.37	0/3256
39	BE	0.18	0/1799	0.40	0/2413
40	BF	0.18	0/1670	0.39	0/2232
41	BG	0.17	0/1268	0.40	0/1700
42	BH	0.17	0/1535	0.38	0/2048
43	BI	0.19	0/1558	0.39	0/2059
44	BJ	0.18	0/1490	0.43	0/2000
45	BK	0.15	0/1327	0.34	0/1771
46	BL	0.16	0/839	0.40	0/1126
47	BM	0.16	0/983	0.36	0/1319
48	BN	0.14	0/528	0.31	0/703
49	BO	0.15	0/984	0.35	0/1323
50	BP	0.16	0/1132	0.35	0/1504
51	BQ	0.17	0/1130	0.42	0/1507
52	BR	0.18	0/1193	0.35	0/1593
53	BS	0.19	0/828	0.38	0/1091
54	BT	0.16	0/742	0.36	0/996
55	BU	0.16	0/903	0.41	0/1216
56	BV	0.15	0/910	0.29	0/1216
57	BW	0.16	0/895	0.37	0/1198
58	BX	0.18	0/916	0.38	0/1221
59	BY	0.17	0/1009	0.37	0/1332
60	BZ	0.17	0/843	0.43	0/1115
61	Ba	0.17	0/720	0.37	0/952
62	Bb	0.24	0/574	0.44	0/760
63	Bc	0.16	0/454	0.32	0/599
64	Bd	0.15	0/425	0.37	0/561
65	Be	0.19	0/240	0.46	0/305
66	Bf	0.16	0/855	0.37	0/1128
67	Bg	0.18	0/704	0.35	0/935
68	Bh	0.17	0/1016	0.39	0/1363
69	CA	0.19	0/1888	0.40	0/2516
70	CB	0.20	0/1898	0.43	0/2553
71	CC	0.16	0/1537	0.39	0/2065
72	CD	0.15	0/1728	0.36	0/2306
73	CE	0.19	0/1372	0.46	0/1836
74	CF	0.16	0/1707	0.39	0/2286

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
75	CG	0.21	0/1165	0.44	0/1558
76	CH	0.16	0/1746	0.37	0/2338
77	CI	0.16	2/83322 (0.0%)	0.28	0/129924
78	CJ	0.14	0/2858	0.27	0/4455
79	CK	0.17	0/3679	0.29	0/5732
All	All	0.17	5/221479 (0.0%)	0.33	0/325095

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
8	AL	0	1
10	AN	0	1
28	AZ	0	1
35	BA	0	1
62	Bb	0	1
65	Be	0	1
All	All	0	6

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
77	CI	1140	A2M	O3'-P	5.19	1.61	1.56
77	CI	3444	A2M	O3'-P	5.11	1.61	1.56
3	AC	669	A2M	O3'-P	5.10	1.61	1.56
13	AT	283	PRO	CA-C	-5.07	1.49	1.51
3	AC	27	A2M	O3'-P	5.06	1.61	1.56

There are no bond angle outliers.

There are no chirality outliers.

5 of 6 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
8	AL	18	ARG	Sidechain
10	AN	99	LEU	Peptide
28	AZ	66	ARG	Sidechain
35	BA	163	ARG	Sidechain
62	Bb	17	ARG	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	AA	506	536	536	18	0
2	AB	455	447	446	13	0
3	AC	36183	18258	18278	265	0
4	AE	1756	1851	1851	28	0
5	AH	1080	1135	1135	25	0
6	AJ	1495	1548	1549	34	0
7	AK	819	842	842	15	0
8	AL	1006	1047	1047	15	0
9	AM	1143	1213	1213	20	0
10	AN	1190	1249	1249	26	0
11	AO	1104	1139	1139	13	0
12	AP	807	874	874	12	0
13	AT	2436	2393	2393	53	0
14	AX	668	690	690	4	0
15	Ac	598	656	656	15	0
16	Af	505	506	505	6	0
17	AD	1738	1806	1809	31	0
18	AF	2076	2177	2177	23	0
19	AG	1199	1269	1269	8	0
20	AI	1694	1696	1696	18	0
21	AQ	638	635	635	8	0
22	AR	1098	1168	1167	9	0
23	AS	811	864	863	12	0
24	AU	1725	1815	1815	33	0
25	AV	1840	1989	1989	30	0
26	AW	1238	1339	1339	25	0
27	AY	1208	1294	1294	8	0
28	AZ	1002	1021	1021	22	0
29	Aa	1034	1080	1080	20	0
30	Ab	998	1060	1065	38	0
31	Ad	652	676	676	11	0
32	Ae	93	101	101	2	0
33	Ag	1477	1567	1567	25	0
34	Ah	1686	1772	1772	26	0
35	BA	1921	2022	2022	23	0
36	BB	3197	3343	3342	39	0
37	BC	2928	3110	3110	27	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
38	BD	2385	2409	2409	22	0
39	BE	1766	1902	1902	21	0
40	BF	1640	1790	1790	20	0
41	BG	1242	1274	1274	13	0
42	BH	1511	1637	1636	17	0
43	BI	1542	1698	1698	10	0
44	BJ	1450	1488	1488	18	0
45	BK	1299	1370	1368	10	0
46	BL	825	850	850	21	0
47	BM	969	1031	1031	8	0
48	BN	515	530	530	4	0
49	BO	967	1040	1040	8	0
50	BP	1115	1205	1205	12	0
51	BQ	1107	1182	1182	10	0
52	BR	1164	1213	1213	10	0
53	BS	813	884	884	7	0
54	BT	732	769	769	6	0
55	BU	888	929	929	9	0
56	BV	895	971	971	7	0
57	BW	876	912	912	10	0
58	BX	906	997	997	10	0
59	BY	1001	1138	1138	4	0
60	BZ	832	917	917	8	0
61	Ba	705	737	737	4	0
62	Bb	568	635	635	7	0
63	Bc	444	483	483	1	0
64	Bd	430	465	465	1	0
65	Be	239	289	289	3	0
66	Bf	842	911	912	3	0
67	Bg	694	738	738	12	0
68	Bh	1001	1067	1066	4	0
69	CA	1851	1988	1988	23	0
70	CB	1863	2003	2003	23	0
71	CC	1519	1603	1603	20	0
72	CD	1690	1745	1745	11	0
73	CE	1349	1383	1383	32	0
74	CF	1676	1777	1777	16	0
75	CG	1143	1217	1217	12	0
76	CH	1701	1749	1749	10	0
77	CI	76342	38567	38467	506	0
78	CJ	2558	1295	1296	9	0
79	CK	3315	1682	1685	28	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
80	AB	1	0	0	0	0
80	AS	1	0	0	0	0
80	Af	1	0	0	0	0
80	Ba	1	0	0	0	0
80	Bd	1	0	0	0	0
80	Bf	1	0	0	0	0
80	Bg	1	0	0	0	0
81	AC	2	0	0	0	0
81	CB	1	0	0	0	0
81	CI	1	0	0	0	0
All	All	208385	154658	154583	1812	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

The worst 5 of 1812 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
77:CI:2542:B9H:N3	77:CI:2542:B9H:C4	1.70	1.52
5:AH:17:ILE:HD12	5:AH:58:MET:HE3	1.33	1.10
33:Ag:60:ILE:HD11	33:Ag:92:VAL:HG12	1.32	1.04
10:AN:118:ARG:HE	10:AN:123:LEU:HD21	1.28	0.96
77:CI:4274:U:O2'	77:CI:4275:OMU:H6	1.71	0.91

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	AA	62/69 (90%)	59 (95%)	3 (5%)	0	100	100
2	AB	52/56 (93%)	51 (98%)	1 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
4	AE	224/243 (92%)	218 (97%)	6 (3%)	0	100	100
5	AH	132/135 (98%)	129 (98%)	2 (2%)	1 (1%)	16	22
6	AJ	187/204 (92%)	180 (96%)	6 (3%)	1 (0%)	24	34
7	AK	95/165 (58%)	94 (99%)	1 (1%)	0	100	100
8	AL	121/145 (83%)	118 (98%)	3 (2%)	0	100	100
9	AM	142/146 (97%)	137 (96%)	5 (4%)	0	100	100
10	AN	142/152 (93%)	139 (98%)	3 (2%)	0	100	100
11	AO	139/145 (96%)	139 (100%)	0	0	100	100
12	AP	100/119 (84%)	97 (97%)	3 (3%)	0	100	100
13	AT	311/317 (98%)	298 (96%)	13 (4%)	0	100	100
14	AX	83/132 (63%)	78 (94%)	5 (6%)	0	100	100
15	Ac	73/125 (58%)	72 (99%)	1 (1%)	0	100	100
16	Af	60/156 (38%)	57 (95%)	3 (5%)	0	100	100
17	AD	212/264 (80%)	207 (98%)	5 (2%)	0	100	100
18	AF	260/263 (99%)	259 (100%)	1 (0%)	0	100	100
19	AG	144/158 (91%)	139 (96%)	5 (4%)	0	100	100
20	AI	212/295 (72%)	209 (99%)	3 (1%)	0	100	100
21	AQ	81/83 (98%)	80 (99%)	1 (1%)	0	100	100
22	AR	139/143 (97%)	134 (96%)	5 (4%)	0	100	100
23	AS	99/115 (86%)	98 (99%)	1 (1%)	0	100	100
24	AU	220/293 (75%)	215 (98%)	5 (2%)	0	100	100
25	AV	225/249 (90%)	216 (96%)	9 (4%)	0	100	100
26	AW	145/194 (75%)	143 (99%)	2 (1%)	0	100	100
27	AY	148/151 (98%)	147 (99%)	1 (1%)	0	100	100
28	AZ	132/151 (87%)	130 (98%)	2 (2%)	0	100	100
29	Aa	127/130 (98%)	125 (98%)	2 (2%)	0	100	100
30	Ab	119/133 (90%)	114 (96%)	4 (3%)	1 (1%)	16	22
31	Ad	81/84 (96%)	77 (95%)	4 (5%)	0	100	100
32	Ae	11/133 (8%)	10 (91%)	1 (9%)	0	100	100
33	Ag	179/194 (92%)	170 (95%)	9 (5%)	0	100	100
34	Ah	204/208 (98%)	198 (97%)	6 (3%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
35	BA	249/257 (97%)	241 (97%)	8 (3%)	0	100	100
36	BB	394/403 (98%)	388 (98%)	6 (2%)	0	100	100
37	BC	364/419 (87%)	357 (98%)	7 (2%)	0	100	100
38	BD	291/297 (98%)	287 (99%)	4 (1%)	0	100	100
39	BE	212/296 (72%)	205 (97%)	6 (3%)	1 (0%)	24	34
40	BF	199/203 (98%)	196 (98%)	3 (2%)	0	100	100
41	BG	151/184 (82%)	147 (97%)	3 (2%)	1 (1%)	18	25
42	BH	184/188 (98%)	180 (98%)	4 (2%)	0	100	100
43	BI	182/196 (93%)	182 (100%)	0	0	100	100
44	BJ	173/176 (98%)	170 (98%)	3 (2%)	0	100	100
45	BK	157/160 (98%)	157 (100%)	0	0	100	100
46	BL	99/128 (77%)	94 (95%)	5 (5%)	0	100	100
47	BM	127/140 (91%)	126 (99%)	1 (1%)	0	100	100
48	BN	59/157 (38%)	58 (98%)	1 (2%)	0	100	100
49	BO	116/156 (74%)	113 (97%)	3 (3%)	0	100	100
50	BP	132/145 (91%)	130 (98%)	2 (2%)	0	100	100
51	BQ	133/136 (98%)	129 (97%)	4 (3%)	0	100	100
52	BR	145/148 (98%)	138 (95%)	7 (5%)	0	100	100
53	BS	95/160 (59%)	93 (98%)	2 (2%)	0	100	100
54	BT	92/115 (80%)	90 (98%)	2 (2%)	0	100	100
55	BU	105/125 (84%)	104 (99%)	1 (1%)	0	100	100
56	BV	106/135 (78%)	106 (100%)	0	0	100	100
57	BW	107/110 (97%)	106 (99%)	1 (1%)	0	100	100
58	BX	112/117 (96%)	112 (100%)	0	0	100	100
59	BY	118/123 (96%)	117 (99%)	1 (1%)	0	100	100
60	BZ	100/105 (95%)	96 (96%)	4 (4%)	0	100	100
61	Ba	84/97 (87%)	84 (100%)	0	0	100	100
62	Bb	67/70 (96%)	67 (100%)	0	0	100	100
63	Bc	48/51 (94%)	48 (100%)	0	0	100	100
64	Bd	49/128 (38%)	49 (100%)	0	0	100	100
65	Be	23/25 (92%)	23 (100%)	0	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
66	Bf	101/106 (95%)	96 (95%)	5 (5%)	0	100	100
67	Bg	87/92 (95%)	85 (98%)	2 (2%)	0	100	100
68	Bh	123/137 (90%)	120 (98%)	3 (2%)	0	100	100
69	CA	221/270 (82%)	214 (97%)	7 (3%)	0	100	100
70	CB	227/266 (85%)	221 (97%)	6 (3%)	0	100	100
71	CC	188/192 (98%)	186 (99%)	2 (1%)	0	100	100
72	CD	204/214 (95%)	198 (97%)	6 (3%)	0	100	100
73	CE	166/178 (93%)	160 (96%)	6 (4%)	0	100	100
74	CF	205/211 (97%)	195 (95%)	10 (5%)	0	100	100
75	CG	137/217 (63%)	136 (99%)	1 (1%)	0	100	100
76	CH	201/204 (98%)	196 (98%)	5 (2%)	0	100	100
All	All	10994/12787 (86%)	10737 (98%)	252 (2%)	5 (0%)	100	100

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
5	AH	67	ARG
41	BG	132	ALA
30	Ab	80	ASP
39	BE	110	GLY
6	AJ	79	HIS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	AA	57/62 (92%)	57 (100%)	0	100	100
2	AB	48/49 (98%)	48 (100%)	0	100	100
4	AE	189/202 (94%)	189 (100%)	0	100	100
5	AH	120/121 (99%)	120 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
6	AJ	159/170 (94%)	159 (100%)	0	100	100
7	AK	88/136 (65%)	88 (100%)	0	100	100
8	AL	109/130 (84%)	109 (100%)	0	100	100
9	AM	119/121 (98%)	119 (100%)	0	100	100
10	AN	125/132 (95%)	125 (100%)	0	100	100
11	AO	112/115 (97%)	112 (100%)	0	100	100
12	AP	93/107 (87%)	93 (100%)	0	100	100
13	AT	272/275 (99%)	272 (100%)	0	100	100
14	AX	74/108 (68%)	74 (100%)	0	100	100
15	Ac	66/103 (64%)	66 (100%)	0	100	100
16	Af	55/140 (39%)	55 (100%)	0	100	100
17	AD	195/229 (85%)	195 (100%)	0	100	100
18	AF	224/225 (100%)	224 (100%)	0	100	100
19	AG	133/142 (94%)	133 (100%)	0	100	100
20	AI	179/242 (74%)	179 (100%)	0	100	100
21	AQ	67/67 (100%)	67 (100%)	0	100	100
22	AR	113/115 (98%)	113 (100%)	0	100	100
23	AS	88/98 (90%)	88 (100%)	0	100	100
24	AU	188/224 (84%)	188 (100%)	0	100	100
25	AV	198/218 (91%)	198 (100%)	0	100	100
26	AW	133/168 (79%)	133 (100%)	0	100	100
27	AY	130/131 (99%)	130 (100%)	0	100	100
28	AZ	104/119 (87%)	104 (100%)	0	100	100
29	Aa	112/113 (99%)	112 (100%)	0	100	100
30	Ab	107/115 (93%)	107 (100%)	0	100	100
31	Ad	75/76 (99%)	75 (100%)	0	100	100
32	Ae	9/106 (8%)	9 (100%)	0	100	100
33	Ag	164/174 (94%)	164 (100%)	0	100	100
34	Ah	178/180 (99%)	178 (100%)	0	100	100
35	BA	193/199 (97%)	193 (100%)	0	100	100
36	BB	344/348 (99%)	344 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
37	BC	307/347 (88%)	307 (100%)	0	100	100
38	BD	245/249 (98%)	245 (100%)	0	100	100
39	BE	196/256 (77%)	196 (100%)	0	100	100
40	BF	172/173 (99%)	172 (100%)	0	100	100
41	BG	134/163 (82%)	134 (100%)	0	100	100
42	BH	164/165 (99%)	164 (100%)	0	100	100
43	BI	163/175 (93%)	163 (100%)	0	100	100
44	BJ	155/156 (99%)	155 (100%)	0	100	100
45	BK	139/140 (99%)	139 (100%)	0	100	100
46	BL	91/114 (80%)	91 (100%)	0	100	100
47	BM	100/107 (94%)	100 (100%)	0	100	100
48	BN	54/126 (43%)	54 (100%)	0	100	100
49	BO	106/133 (80%)	106 (100%)	0	100	100
50	BP	124/135 (92%)	124 (100%)	0	100	100
51	BQ	117/118 (99%)	117 (100%)	0	100	100
52	BR	120/121 (99%)	120 (100%)	0	100	100
53	BS	85/124 (68%)	85 (100%)	0	100	100
54	BT	79/97 (81%)	79 (100%)	0	100	100
55	BU	98/110 (89%)	98 (100%)	0	100	100
56	BV	98/121 (81%)	98 (100%)	0	100	100
57	BW	88/89 (99%)	88 (100%)	0	100	100
58	BX	98/100 (98%)	98 (100%)	0	100	100
59	BY	108/110 (98%)	108 (100%)	0	100	100
60	BZ	86/89 (97%)	86 (100%)	0	100	100
61	Ba	73/80 (91%)	73 (100%)	0	100	100
62	Bb	64/65 (98%)	64 (100%)	0	100	100
63	Bc	47/48 (98%)	47 (100%)	0	100	100
64	Bd	47/115 (41%)	47 (100%)	0	100	100
65	Be	24/24 (100%)	24 (100%)	0	100	100
66	Bf	91/94 (97%)	91 (100%)	0	100	100
67	Bg	73/75 (97%)	73 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
68	Bh	109/121 (90%)	109 (100%)	0	100	100
69	CA	194/234 (83%)	194 (100%)	0	100	100
70	CB	198/223 (89%)	198 (100%)	0	100	100
71	CC	169/171 (99%)	169 (100%)	0	100	100
72	CD	177/180 (98%)	177 (100%)	0	100	100
73	CE	142/149 (95%)	142 (100%)	0	100	100
74	CF	174/178 (98%)	174 (100%)	0	100	100
75	CG	118/157 (75%)	118 (100%)	0	100	100
76	CH	171/172 (99%)	171 (100%)	0	100	100
All	All	9618/10864 (88%)	9618 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 94 such sidechains are listed below:

Mol	Chain	Res	Type
52	BR	17	HIS
58	BX	100	GLN
52	BR	60	HIS
53	BS	114	GLN
63	Bc	17	GLN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
3	AC	1686/1871 (90%)	318 (18%)	3 (0%)
77	CI	3541/4731 (74%)	660 (18%)	17 (0%)
78	CJ	119/121 (98%)	9 (7%)	0
79	CK	155/156 (99%)	27 (17%)	2 (1%)
All	All	5501/6879 (79%)	1014 (18%)	22 (0%)

5 of 1014 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
3	AC	17	C
3	AC	33	G
3	AC	46	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	AC	56	G
3	AC	58	C

5 of 22 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
77	CI	2612	C
77	CI	4056	G
77	CI	3775	G
77	CI	4074	U
77	CI	1465	U

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

100 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
77	2MG	CI	877	77	23,26,27	0.49	0	32,38,41	0.51	0
77	5MC	CI	3441	77	18,22,23	0.61	0	26,32,35	0.49	0
77	OMC	CI	3360	77	19,22,23	0.55	0	26,31,34	0.60	0
77	B9B	CI	1387	77	25,28,29	1.76	7 (28%)	35,40,43	3.01	11 (31%)
77	A2M	CI	3444	77	22,25,26	3.33	10 (45%)	31,36,39	2.64	13 (41%)
77	OMC	CI	2121	77	19,22,23	0.60	0	26,31,34	1.35	4 (15%)
79	OMU	CK	14	79	19,22,23	3.58	8 (42%)	26,31,34	1.70	5 (19%)
77	OMG	CI	373	77	23,26,27	0.53	0	33,38,41	0.56	0
77	A2M	CI	1673	77	22,25,26	3.44	10 (45%)	31,36,39	2.65	12 (38%)
77	B9H	CI	2542	77	20,25,26	4.78	4 (20%)	22,35,38	1.55	4 (18%)
77	B8T	CI	4138	77	19,22,23	3.24	8 (42%)	26,31,34	0.80	1 (3%)
77	B8Q	CI	1269	77	17,22,23	4.66	5 (29%)	22,32,35	2.05	6 (27%)
3	4AC	AC	1843	3	21,24,25	3.74	10 (47%)	29,34,37	0.94	3 (10%)
3	PSU	AC	823	3	18,21,22	1.02	1 (5%)	22,30,33	1.84	5 (22%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
77	PSU	CI	4283	77	18,21,22	0.98	1 (5%)	22,30,33	1.74	4 (18%)
77	OMU	CI	3961	77	19,22,23	3.53	8 (42%)	26,31,34	1.68	5 (19%)
77	OMG	CI	4278	77	23,26,27	0.49	0	33,38,41	0.51	0
77	PSU	CI	2264	77	18,21,22	1.04	1 (5%)	22,30,33	1.91	5 (22%)
77	PSU	CI	4105	77	18,21,22	1.08	1 (5%)	22,30,33	1.79	4 (18%)
77	1MA	CI	4070	77	21,25,26	0.49	0	31,37,40	0.78	1 (3%)
77	OMG	CI	1852	77	23,26,27	0.54	0	33,38,41	0.45	0
3	A2M	AC	166	3	22,25,26	3.42	9 (40%)	31,36,39	2.64	12 (38%)
77	P7G	CI	3539	77	24,28,29	5.20	9 (37%)	27,41,44	1.75	3 (11%)
77	OMG	CI	1685	77	23,26,27	0.56	0	33,38,41	0.56	0
77	A2M	CI	2119	77	22,25,26	3.43	10 (45%)	31,36,39	2.57	11 (35%)
77	A2M	CI	1337	77	22,25,26	3.41	10 (45%)	31,36,39	2.70	11 (35%)
77	A2M	CI	4226	77	22,25,26	3.42	9 (40%)	31,36,39	2.57	10 (32%)
77	2MG	CI	4519	77	23,26,27	0.49	0	32,38,41	0.56	0
77	5MC	CI	3990	77	18,22,23	0.56	0	26,32,35	0.55	0
3	PSU	AC	1244	3	18,21,22	1.08	1 (5%)	22,30,33	1.80	4 (18%)
3	OMG	AC	645	3	23,26,27	0.50	0	33,38,41	0.46	0
77	A2M	CI	2157	77	22,25,26	3.38	9 (40%)	31,36,39	2.62	11 (35%)
77	6MZ	CI	3875	77	22,25,26	3.79	9 (40%)	30,36,39	2.36	11 (36%)
64	MLZ	Bd	98	64	8,9,10	0.79	0	4,9,11	0.65	0
77	A2M	CI	3526	77	22,25,26	3.41	10 (45%)	31,36,39	2.66	12 (38%)
77	MHG	CI	4026	77	29,32,33	5.62	11 (37%)	34,46,49	2.49	12 (35%)
77	G7M	CI	2278	77	23,26,27	2.94	9 (39%)	35,39,42	2.55	10 (28%)
77	A2M	CI	398	77	22,25,26	3.41	10 (45%)	31,36,39	2.64	12 (38%)
77	E7G	CI	1599	77	24,27,28	5.58	10 (41%)	30,40,43	2.25	9 (30%)
77	A2M	CI	1140	77	22,25,26	3.38	9 (40%)	31,36,39	2.63	10 (32%)
3	B8N	AC	1249	3	24,29,30	3.29	6 (25%)	29,42,45	1.86	5 (17%)
77	PSU	CI	1490	77	18,21,22	1.09	1 (5%)	22,30,33	1.81	4 (18%)
3	OMC	AC	518	3	19,22,23	0.53	0	26,31,34	0.59	0
3	PSU	AC	824	3	18,21,22	1.13	1 (5%)	22,30,33	1.78	4 (18%)
77	OMG	CI	2529	77	23,26,27	0.54	0	33,38,41	0.49	0
77	OMC	CI	2178	77	19,22,23	0.55	0	26,31,34	0.54	0
3	A2M	AC	27	3	22,25,26	3.39	9 (40%)	31,36,39	2.66	13 (41%)
77	I4U	CI	1472	77	21,24,25	3.53	9 (42%)	27,34,37	1.05	1 (3%)
77	PSU	CI	1496	77	18,21,22	1.08	1 (5%)	22,30,33	1.81	4 (18%)
77	PSU	CI	4155	77	18,21,22	1.07	1 (5%)	22,30,33	1.85	4 (18%)
77	OMU	CI	4275	77	19,22,23	3.47	8 (42%)	26,31,34	1.60	5 (19%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
77	OMG	CI	2120	77	23,26,27	0.51	0	33,38,41	0.47	0
77	OMC	CI	3528	77	19,22,23	0.54	0	26,31,34	0.65	0
77	PSU	CI	3374	77	18,21,22	1.08	1 (5%)	22,30,33	1.89	4 (18%)
77	OMC	CI	3568	77	19,22,23	0.55	0	26,31,34	0.89	2 (7%)
77	B9B	CI	237	77	25,28,29	1.75	6 (24%)	35,40,43	2.84	11 (31%)
3	A2M	AC	669	3	22,25,26	3.36	9 (40%)	31,36,39	2.54	10 (32%)
77	A2M	CI	3377	77	22,25,26	3.41	9 (40%)	31,36,39	2.60	13 (41%)
77	PSU	CI	4291	77	18,21,22	1.06	1 (5%)	22,30,33	1.84	6 (27%)
77	PSU	CI	1395	77	18,21,22	1.12	1 (5%)	22,30,33	1.70	4 (18%)
3	A2M	AC	1032	3	22,25,26	3.43	9 (40%)	31,36,39	2.64	12 (38%)
77	OMG	CI	4149	77	23,26,27	0.51	0	33,38,41	0.49	0
77	OMC	CI	2560	77	19,22,23	0.53	0	26,31,34	0.60	0
77	P7G	CI	1711	77,78	24,28,29	5.01	9 (37%)	27,41,44	1.05	1 (3%)
77	PSU	CI	4097	77	18,21,22	1.06	1 (5%)	22,30,33	1.77	5 (22%)
77	E7G	CI	2053	77	24,27,28	5.61	11 (45%)	30,40,43	2.20	9 (30%)
77	A2M	CI	3382	77	22,25,26	3.41	9 (40%)	31,36,39	2.59	11 (35%)
77	I4U	CI	3849	77	21,24,25	3.54	9 (42%)	27,34,37	0.97	1 (3%)
77	PSU	CI	4058	77	18,21,22	1.04	1 (5%)	22,30,33	1.88	4 (18%)
77	PSU	CI	3948	77	18,21,22	1.07	1 (5%)	22,30,33	1.83	5 (22%)
77	UR3	CI	1668	77	19,22,23	2.99	8 (42%)	26,32,35	1.32	2 (7%)
77	PSU	CI	4186	77	18,21,22	1.08	1 (5%)	22,30,33	1.82	5 (22%)
77	OMG	CI	4292	77	23,26,27	0.51	0	33,38,41	0.43	0
77	PSU	CI	3388	77	18,21,22	1.13	1 (5%)	22,30,33	1.86	5 (22%)
77	G7M	CI	4205	77	23,26,27	2.96	9 (39%)	35,39,42	2.47	10 (28%)
37	MLZ	BC	333	37	8,9,10	0.81	0	4,9,11	0.69	0
77	UR3	CI	4252	77	19,22,23	3.04	8 (42%)	26,32,35	1.36	3 (11%)
77	OMG	CI	1335	77	23,26,27	0.53	0	33,38,41	0.52	0
3	OMU	AC	116	3	19,22,23	3.55	8 (42%)	26,31,34	1.62	5 (19%)
77	A2M	CI	1347	77	22,25,26	3.43	9 (40%)	31,36,39	2.59	10 (32%)
77	5MC	CI	4102	77	18,22,23	0.55	0	26,32,35	0.68	0
3	UR3	AC	1831	3	19,22,23	3.03	8 (42%)	26,32,35	1.37	3 (11%)
77	OMG	CI	1438	77	23,26,27	0.50	0	33,38,41	0.50	0
3	OMG	AC	684	3	23,26,27	0.50	0	33,38,41	0.55	0
3	PSU	AC	1082	3	18,21,22	1.05	1 (5%)	22,30,33	1.87	5 (22%)
77	A2M	CI	3484	77	22,25,26	3.40	9 (40%)	31,36,39	2.65	12 (38%)
77	OMG	CI	4517	77	23,26,27	0.47	0	33,38,41	0.94	1 (3%)
77	2MG	CI	1330	77	23,26,27	0.47	0	32,38,41	0.56	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
77	OMG	CI	3451	77	23,26,27	0.51	0	33,38,41	0.43	0
77	OMG	CI	2180	77	23,26,27	0.51	0	33,38,41	0.43	0
77	G7M	CI	1418	77	23,26,27	2.95	9 (39%)	35,39,42	2.48	10 (28%)
77	OMC	CI	2617	77	19,22,23	0.52	0	26,31,34	0.73	1 (3%)
77	OMC	CI	3546	77	19,22,23	0.62	0	26,31,34	0.80	1 (3%)
77	OMG	CI	4025	77	23,26,27	0.52	0	33,38,41	0.56	0
77	OMC	CI	4191	77	19,22,23	0.56	0	26,31,34	0.67	0
77	OMG	CI	3851	77	23,26,27	0.51	0	33,38,41	0.44	0
77	B8W	CI	3840	77	23,26,27	1.87	4 (17%)	33,38,41	2.53	14 (42%)
77	PSU	CI	3423	77	18,21,22	1.04	1 (5%)	22,30,33	1.71	4 (18%)
3	PSU	AC	613	3	18,21,22	1.01	1 (5%)	22,30,33	1.93	5 (22%)
77	E6G	CI	4010	77	24,27,28	2.12	5 (20%)	34,39,42	5.87	16 (47%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
77	2MG	CI	877	77	-	2/9/27/28	0/3/3/3
77	5MC	CI	3441	77	-	0/7/25/26	0/2/2/2
77	OMC	CI	3360	77	-	4/9/27/28	0/2/2/2
77	B9B	CI	1387	77	-	2/11/29/30	0/3/3/3
77	A2M	CI	3444	77	-	1/9/27/28	0/3/3/3
77	OMC	CI	2121	77	-	2/9/27/28	0/2/2/2
79	OMU	CK	14	79	-	4/9/27/28	0/2/2/2
77	OMG	CI	373	77	-	0/9/27/28	0/3/3/3
77	A2M	CI	1673	77	-	2/9/27/28	0/3/3/3
77	B9H	CI	2542	77	-	2/12/47/48	0/2/2/2
77	B8T	CI	4138	77	-	0/7/27/28	0/2/2/2
77	B8Q	CI	1269	77	-	0/7/42/43	0/2/2/2
3	4AC	AC	1843	3	-	0/11/29/30	0/2/2/2
3	PSU	AC	823	3	-	3/7/25/26	0/2/2/2
77	PSU	CI	4283	77	-	0/7/25/26	0/2/2/2
77	OMU	CI	3961	77	-	3/9/27/28	0/2/2/2
77	OMG	CI	4278	77	-	0/9/27/28	0/3/3/3
77	PSU	CI	2264	77	-	0/7/25/26	0/2/2/2
77	PSU	CI	4105	77	-	5/7/25/26	0/2/2/2
77	1MA	CI	4070	77	-	0/7/25/26	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
77	OMG	CI	1852	77	-	0/9/27/28	0/3/3/3
3	A2M	AC	166	3	-	0/9/27/28	0/3/3/3
77	P7G	CI	3539	77	-	1/10/40/41	0/3/3/3
77	OMG	CI	1685	77	-	2/9/27/28	0/3/3/3
77	A2M	CI	2119	77	-	0/9/27/28	0/3/3/3
77	A2M	CI	1337	77	-	1/9/27/28	0/3/3/3
77	A2M	CI	4226	77	-	0/9/27/28	0/3/3/3
77	2MG	CI	4519	77	-	2/9/27/28	0/3/3/3
77	5MC	CI	3990	77	-	0/7/25/26	0/2/2/2
3	PSU	AC	1244	3	-	3/7/25/26	0/2/2/2
3	OMG	AC	645	3	-	1/9/27/28	0/3/3/3
77	A2M	CI	2157	77	-	0/9/27/28	0/3/3/3
77	6MZ	CI	3875	77	-	0/9/27/28	0/3/3/3
64	MLZ	Bd	98	64	-	1/7/8/10	-
77	A2M	CI	3526	77	-	3/9/27/28	0/3/3/3
77	MHG	CI	4026	77	-	5/16/46/47	0/3/3/3
77	G7M	CI	2278	77	-	2/7/25/26	0/3/3/3
77	A2M	CI	398	77	-	1/9/27/28	0/3/3/3
77	E7G	CI	1599	77	-	2/9/39/40	0/3/3/3
77	A2M	CI	1140	77	-	3/9/27/28	0/3/3/3
3	B8N	AC	1249	3	-	6/16/34/35	0/2/2/2
77	PSU	CI	1490	77	-	1/7/25/26	0/2/2/2
3	OMC	AC	518	3	-	0/9/27/28	0/2/2/2
3	PSU	AC	824	3	-	0/7/25/26	0/2/2/2
77	OMG	CI	2529	77	-	2/9/27/28	0/3/3/3
77	OMC	CI	2178	77	-	1/9/27/28	0/2/2/2
3	A2M	AC	27	3	-	1/9/27/28	0/3/3/3
77	I4U	CI	1472	77	-	0/9/29/30	0/2/2/2
77	PSU	CI	1496	77	-	0/7/25/26	0/2/2/2
77	PSU	CI	4155	77	-	1/7/25/26	0/2/2/2
77	OMU	CI	4275	77	-	0/9/27/28	0/2/2/2
77	OMG	CI	2120	77	-	2/9/27/28	0/3/3/3
77	OMC	CI	3528	77	-	2/9/27/28	0/2/2/2
77	PSU	CI	3374	77	-	2/7/25/26	0/2/2/2
77	OMC	CI	3568	77	-	0/9/27/28	0/2/2/2
77	B9B	CI	237	77	-	6/11/29/30	0/3/3/3
3	A2M	AC	669	3	-	4/9/27/28	0/3/3/3
77	A2M	CI	3377	77	-	2/9/27/28	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
77	PSU	CI	4291	77	-	5/7/25/26	0/2/2/2
77	PSU	CI	1395	77	-	0/7/25/26	0/2/2/2
3	A2M	AC	1032	3	-	0/9/27/28	0/3/3/3
77	OMG	CI	4149	77	-	2/9/27/28	0/3/3/3
77	OMC	CI	2560	77	-	1/9/27/28	0/2/2/2
77	P7G	CI	1711	77,78	-	0/10/40/41	0/3/3/3
77	PSU	CI	4097	77	-	1/7/25/26	0/2/2/2
77	E7G	CI	2053	77	-	0/9/39/40	0/3/3/3
77	A2M	CI	3382	77	-	0/9/27/28	0/3/3/3
77	I4U	CI	3849	77	-	2/9/29/30	0/2/2/2
77	PSU	CI	4058	77	-	0/7/25/26	0/2/2/2
77	PSU	CI	3948	77	-	2/7/25/26	0/2/2/2
77	UR3	CI	1668	77	-	0/7/25/26	0/2/2/2
77	PSU	CI	4186	77	-	2/7/25/26	0/2/2/2
77	OMG	CI	4292	77	-	1/9/27/28	0/3/3/3
77	PSU	CI	3388	77	-	2/7/25/26	0/2/2/2
77	G7M	CI	4205	77	-	2/7/25/26	0/3/3/3
37	MLZ	BC	333	37	-	1/7/8/10	-
77	UR3	CI	4252	77	-	0/7/25/26	0/2/2/2
77	OMG	CI	1335	77	-	0/9/27/28	0/3/3/3
3	OMU	AC	116	3	-	0/9/27/28	0/2/2/2
77	A2M	CI	1347	77	-	2/9/27/28	0/3/3/3
77	5MC	CI	4102	77	-	6/7/25/26	0/2/2/2
3	UR3	AC	1831	3	-	0/7/25/26	0/2/2/2
77	OMG	CI	1438	77	-	2/9/27/28	0/3/3/3
3	OMG	AC	684	3	-	1/9/27/28	0/3/3/3
3	PSU	AC	1082	3	-	0/7/25/26	0/2/2/2
77	A2M	CI	3484	77	-	1/9/27/28	0/3/3/3
77	OMG	CI	4517	77	-	4/9/27/28	0/3/3/3
77	2MG	CI	1330	77	-	0/9/27/28	0/3/3/3
77	OMG	CI	3451	77	-	0/9/27/28	0/3/3/3
77	OMG	CI	2180	77	-	0/9/27/28	0/3/3/3
77	G7M	CI	1418	77	-	2/7/25/26	0/3/3/3
77	OMC	CI	2617	77	-	0/9/27/28	0/2/2/2
77	OMC	CI	3546	77	-	3/9/27/28	0/2/2/2
77	OMG	CI	4025	77	-	2/9/27/28	0/3/3/3
77	OMC	CI	4191	77	-	0/9/27/28	0/2/2/2
77	OMG	CI	3851	77	-	0/9/27/28	0/3/3/3
77	B8W	CI	3840	77	-	2/9/27/28	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
77	PSU	CI	3423	77	-	1/7/25/26	0/2/2/2
3	PSU	AC	613	3	-	2/7/25/26	0/2/2/2
77	E6G	CI	4010	77	-	3/10/28/29	0/3/3/3

The worst 5 of 394 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
77	CI	2053	E7G	C8-N9	22.79	1.58	1.46
77	CI	1599	E7G	C8-N9	22.67	1.58	1.46
77	CI	4026	MHG	C8-N9	19.84	1.57	1.46
77	CI	3539	P7G	C8-N9	18.27	1.56	1.46
77	CI	1711	P7G	C8-N9	17.30	1.55	1.46

The worst 5 of 471 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
77	CI	4010	E6G	O6-C6-C5	21.32	143.56	116.57
77	CI	4010	E6G	O6-C6-N1	-17.99	94.94	120.00
77	CI	4010	E6G	C1'-N9-C8	-9.88	104.83	127.14
77	CI	4010	E6G	C4-N9-C1'	8.61	147.11	126.59
77	CI	4010	E6G	N2-C2-N3	8.41	130.33	117.25

There are no chirality outliers.

5 of 139 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
77	CI	237	B9B	C5-C6-O6-C61
77	CI	237	B9B	N1-C6-O6-C61
77	CI	1438	OMG	O4'-C4'-C5'-O5'
77	CI	1438	OMG	C3'-C4'-C5'-O5'
77	CI	2120	OMG	O4'-C4'-C5'-O5'

There are no ring outliers.

32 monomers are involved in 62 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
77	CI	3441	5MC	1	0
77	CI	1387	B9B	1	0
77	CI	3444	A2M	1	0
79	CK	14	OMU	4	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
77	CI	373	OMG	1	0
77	CI	1673	A2M	1	0
77	CI	2542	B9H	5	0
77	CI	1269	B8Q	1	0
3	AC	1843	4AC	2	0
3	AC	823	PSU	1	0
77	CI	4283	PSU	1	0
77	CI	3961	OMU	1	0
77	CI	4070	1MA	2	0
77	CI	1685	OMG	3	0
77	CI	2119	A2M	1	0
77	CI	4226	A2M	1	0
77	CI	3526	A2M	2	0
77	CI	2278	G7M	1	0
77	CI	1140	A2M	2	0
77	CI	4275	OMU	2	0
77	CI	3568	OMC	3	0
77	CI	237	B9B	1	0
77	CI	3377	A2M	4	0
77	CI	4291	PSU	1	0
77	CI	2560	OMC	1	0
77	CI	3382	A2M	2	0
77	CI	4058	PSU	1	0
77	CI	3948	PSU	2	0
3	AC	116	OMU	3	0
77	CI	4102	5MC	1	0
77	CI	4517	OMG	7	0
77	CI	4191	OMC	2	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 7 ligands modelled in this entry, 7 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-58361. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 256




Y Index: 256




Z Index: 256


6.2.2 Raw map



X Index: 256



Y Index: 256




Z Index: 256


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 272




Y Index: 243




Z Index: 289


6.3.2 Raw map



X Index: 273



Y Index: 242




Z Index: 289


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.5. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 811 nm^3 ; this corresponds to an approximate mass of 732 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.394 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.394 $\text{\AA}^{-1}$

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.54	-	-
Author-provided FSC curve	2.43	2.84	2.48
Unmasked-calculated*	3.29	4.55	3.41

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.29 differs from the reported value 2.54 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-58361 and PDB model 31FX. Per-residue inclusion information can be found in section [3](#) on page [20](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.5 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.5).

9.4 Atom inclusion [i](#)



At the recommended contour level, 71% of all backbone atoms, 70% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.5) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.6980	 0.5550
AA	 0.3720	 0.4070
AB	 0.7330	 0.5800
AC	 0.7150	 0.5400
AD	 0.6620	 0.5810
AE	 0.4730	 0.4960
AF	 0.4780	 0.4640
AG	 0.5890	 0.5280
AH	 0.3690	 0.4350
AI	 0.6360	 0.5630
AJ	 0.5640	 0.5270
AK	 0.4380	 0.5070
AL	 0.5520	 0.5140
AM	 0.5720	 0.5370
AN	 0.5600	 0.5130
AO	 0.6170	 0.5720
AP	 0.4150	 0.4770
AQ	 0.6010	 0.5560
AR	 0.6980	 0.5620
AS	 0.7270	 0.5900
AT	 0.1950	 0.3650
AU	 0.7040	 0.5960
AV	 0.3410	 0.4210
AW	 0.2660	 0.2320
AX	 0.0530	 0.2260
AY	 0.6550	 0.5860
AZ	 0.6950	 0.5620
Aa	 0.7650	 0.6040
Ab	 0.4200	 0.4550
Ac	 0.4360	 0.4580
Ad	 0.4630	 0.4740
Ae	 0.3710	 0.2570
Af	 0.0510	 0.1790
Ag	 0.3200	 0.4100
Ah	 0.4470	 0.4420



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
BA	 0.8630	 0.6350
BB	 0.8060	 0.6110
BC	 0.8110	 0.6060
BD	 0.7060	 0.5850
BE	 0.6640	 0.5660
BF	 0.8160	 0.6230
BG	 0.8290	 0.6260
BH	 0.8650	 0.6440
BI	 0.6690	 0.5390
BJ	 0.8350	 0.6220
BK	 0.7440	 0.5930
BL	 0.4490	 0.4780
BM	 0.8300	 0.6350
BN	 0.7980	 0.6430
BO	 0.7570	 0.6040
BP	 0.7830	 0.6180
BQ	 0.7100	 0.5950
BR	 0.8770	 0.6390
BS	 0.6340	 0.5580
BT	 0.7120	 0.5780
BU	 0.7340	 0.5890
BV	 0.8300	 0.6340
BW	 0.8620	 0.6320
BX	 0.7650	 0.6010
BY	 0.7560	 0.6090
BZ	 0.6880	 0.5910
Ba	 0.8560	 0.6330
Bb	 0.5410	 0.5360
Bc	 0.8010	 0.6300
Bd	 0.7700	 0.6240
Be	 0.7060	 0.6190
Bf	 0.7610	 0.6040
Bg	 0.8160	 0.6260
Bh	 0.8370	 0.6220
CA	 0.8200	 0.6160
CB	 0.6700	 0.5640
CC	 0.7210	 0.6020
CD	 0.7510	 0.5980
CE	 0.6300	 0.5360
CF	 0.7190	 0.5710
CG	 0.7320	 0.5840
CH	 0.9020	 0.6570

Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
CI	 0.7580	 0.5600
CJ	 0.9120	 0.6340
CK	 0.8250	 0.5880