



wwPDB EM Validation Summary Report ⓘ

Aug 6, 2026 – 03:37 PM EDT

PDB ID : 9NZ0 / pdb_00009nz0
EMDB ID : EMD-48715
Title : Cryo-EM structure of vaccine elicited antibody 22F5 bound to the post-fusion conformation of the LayV-F glycoprotein
Authors : Kumar, U.; May, A.; Acharya, P.
Deposited on : 2025-03-31
Resolution : 3.31 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at
<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at
<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev133
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDb archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.50



1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.31 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.





Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	14550 (2.81 - 3.81)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	563	 65% 6% 29%
1	B	563	 66% . 29%
1	C	563	 66% 5% 29%
2	D	216	 53% . 45%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	F	216	
2	I	216	
3	E	219	
3	G	219	
3	H	219	

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 29337 atoms, of which 14649 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Fusion glycoprotein F0.

Mol	Chain	Residues	Atoms						AltConf	Trace
1	A	397	Total	C	H	N	O	S	0	0
			6152	1936	3094	501	605	16		
1	B	397	Total	C	H	N	O	S	0	0
			6152	1936	3094	501	605	16		
1	C	397	Total	C	H	N	O	S	0	0
			6152	1936	3094	501	605	16		

There are 240 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	484	GLY	-	expression tag	UNP A0AAX3C923
A	485	SER	-	expression tag	UNP A0AAX3C923
A	486	GLY	-	expression tag	UNP A0AAX3C923
A	487	TYR	-	expression tag	UNP A0AAX3C923
A	488	ILE	-	expression tag	UNP A0AAX3C923
A	489	PRO	-	expression tag	UNP A0AAX3C923
A	490	GLU	-	expression tag	UNP A0AAX3C923
A	491	ALA	-	expression tag	UNP A0AAX3C923
A	492	PRO	-	expression tag	UNP A0AAX3C923
A	493	ARG	-	expression tag	UNP A0AAX3C923
A	494	ASP	-	expression tag	UNP A0AAX3C923
A	495	GLY	-	expression tag	UNP A0AAX3C923
A	496	GLN	-	expression tag	UNP A0AAX3C923
A	497	ALA	-	expression tag	UNP A0AAX3C923
A	498	TYR	-	expression tag	UNP A0AAX3C923
A	499	VAL	-	expression tag	UNP A0AAX3C923
A	500	ARG	-	expression tag	UNP A0AAX3C923
A	501	LYS	-	expression tag	UNP A0AAX3C923
A	502	ASP	-	expression tag	UNP A0AAX3C923
A	503	GLY	-	expression tag	UNP A0AAX3C923
A	504	GLU	-	expression tag	UNP A0AAX3C923
A	505	TRP	-	expression tag	UNP A0AAX3C923
A	506	VAL	-	expression tag	UNP A0AAX3C923
A	507	LEU	-	expression tag	UNP A0AAX3C923

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	508	LEU	-	expression tag	UNP A0AAX3C923
A	509	SER	-	expression tag	UNP A0AAX3C923
A	510	THR	-	expression tag	UNP A0AAX3C923
A	511	PHE	-	expression tag	UNP A0AAX3C923
A	512	LEU	-	expression tag	UNP A0AAX3C923
A	513	GLY	-	expression tag	UNP A0AAX3C923
A	514	ARG	-	expression tag	UNP A0AAX3C923
A	515	SER	-	expression tag	UNP A0AAX3C923
A	516	LEU	-	expression tag	UNP A0AAX3C923
A	517	GLU	-	expression tag	UNP A0AAX3C923
A	518	VAL	-	expression tag	UNP A0AAX3C923
A	519	LEU	-	expression tag	UNP A0AAX3C923
A	520	PHE	-	expression tag	UNP A0AAX3C923
A	521	GLN	-	expression tag	UNP A0AAX3C923
A	522	GLY	-	expression tag	UNP A0AAX3C923
A	523	PRO	-	expression tag	UNP A0AAX3C923
A	524	GLY	-	expression tag	UNP A0AAX3C923
A	525	HIS	-	expression tag	UNP A0AAX3C923
A	526	HIS	-	expression tag	UNP A0AAX3C923
A	527	HIS	-	expression tag	UNP A0AAX3C923
A	528	HIS	-	expression tag	UNP A0AAX3C923
A	529	HIS	-	expression tag	UNP A0AAX3C923
A	530	HIS	-	expression tag	UNP A0AAX3C923
A	531	HIS	-	expression tag	UNP A0AAX3C923
A	532	HIS	-	expression tag	UNP A0AAX3C923
A	533	SER	-	expression tag	UNP A0AAX3C923
A	534	ALA	-	expression tag	UNP A0AAX3C923
A	535	TRP	-	expression tag	UNP A0AAX3C923
A	536	SER	-	expression tag	UNP A0AAX3C923
A	537	HIS	-	expression tag	UNP A0AAX3C923
A	538	PRO	-	expression tag	UNP A0AAX3C923
A	539	GLN	-	expression tag	UNP A0AAX3C923
A	540	PHE	-	expression tag	UNP A0AAX3C923
A	541	GLU	-	expression tag	UNP A0AAX3C923
A	542	LYS	-	expression tag	UNP A0AAX3C923
A	543	GLY	-	expression tag	UNP A0AAX3C923
A	544	GLY	-	expression tag	UNP A0AAX3C923
A	545	GLY	-	expression tag	UNP A0AAX3C923
A	546	SER	-	expression tag	UNP A0AAX3C923
A	547	GLY	-	expression tag	UNP A0AAX3C923
A	548	GLY	-	expression tag	UNP A0AAX3C923
A	549	GLY	-	expression tag	UNP A0AAX3C923

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	550	GLY	-	expression tag	UNP A0AAX3C923
A	551	SER	-	expression tag	UNP A0AAX3C923
A	552	GLY	-	expression tag	UNP A0AAX3C923
A	553	GLY	-	expression tag	UNP A0AAX3C923
A	554	SER	-	expression tag	UNP A0AAX3C923
A	555	ALA	-	expression tag	UNP A0AAX3C923
A	556	TRP	-	expression tag	UNP A0AAX3C923
A	557	SER	-	expression tag	UNP A0AAX3C923
A	558	HIS	-	expression tag	UNP A0AAX3C923
A	559	PRO	-	expression tag	UNP A0AAX3C923
A	560	GLN	-	expression tag	UNP A0AAX3C923
A	561	PHE	-	expression tag	UNP A0AAX3C923
A	562	GLU	-	expression tag	UNP A0AAX3C923
A	563	LYS	-	expression tag	UNP A0AAX3C923
B	484	GLY	-	expression tag	UNP A0AAX3C923
B	485	SER	-	expression tag	UNP A0AAX3C923
B	486	GLY	-	expression tag	UNP A0AAX3C923
B	487	TYR	-	expression tag	UNP A0AAX3C923
B	488	ILE	-	expression tag	UNP A0AAX3C923
B	489	PRO	-	expression tag	UNP A0AAX3C923
B	490	GLU	-	expression tag	UNP A0AAX3C923
B	491	ALA	-	expression tag	UNP A0AAX3C923
B	492	PRO	-	expression tag	UNP A0AAX3C923
B	493	ARG	-	expression tag	UNP A0AAX3C923
B	494	ASP	-	expression tag	UNP A0AAX3C923
B	495	GLY	-	expression tag	UNP A0AAX3C923
B	496	GLN	-	expression tag	UNP A0AAX3C923
B	497	ALA	-	expression tag	UNP A0AAX3C923
B	498	TYR	-	expression tag	UNP A0AAX3C923
B	499	VAL	-	expression tag	UNP A0AAX3C923
B	500	ARG	-	expression tag	UNP A0AAX3C923
B	501	LYS	-	expression tag	UNP A0AAX3C923
B	502	ASP	-	expression tag	UNP A0AAX3C923
B	503	GLY	-	expression tag	UNP A0AAX3C923
B	504	GLU	-	expression tag	UNP A0AAX3C923
B	505	TRP	-	expression tag	UNP A0AAX3C923
B	506	VAL	-	expression tag	UNP A0AAX3C923
B	507	LEU	-	expression tag	UNP A0AAX3C923
B	508	LEU	-	expression tag	UNP A0AAX3C923
B	509	SER	-	expression tag	UNP A0AAX3C923
B	510	THR	-	expression tag	UNP A0AAX3C923
B	511	PHE	-	expression tag	UNP A0AAX3C923

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	512	LEU	-	expression tag	UNP A0AAX3C923
B	513	GLY	-	expression tag	UNP A0AAX3C923
B	514	ARG	-	expression tag	UNP A0AAX3C923
B	515	SER	-	expression tag	UNP A0AAX3C923
B	516	LEU	-	expression tag	UNP A0AAX3C923
B	517	GLU	-	expression tag	UNP A0AAX3C923
B	518	VAL	-	expression tag	UNP A0AAX3C923
B	519	LEU	-	expression tag	UNP A0AAX3C923
B	520	PHE	-	expression tag	UNP A0AAX3C923
B	521	GLN	-	expression tag	UNP A0AAX3C923
B	522	GLY	-	expression tag	UNP A0AAX3C923
B	523	PRO	-	expression tag	UNP A0AAX3C923
B	524	GLY	-	expression tag	UNP A0AAX3C923
B	525	HIS	-	expression tag	UNP A0AAX3C923
B	526	HIS	-	expression tag	UNP A0AAX3C923
B	527	HIS	-	expression tag	UNP A0AAX3C923
B	528	HIS	-	expression tag	UNP A0AAX3C923
B	529	HIS	-	expression tag	UNP A0AAX3C923
B	530	HIS	-	expression tag	UNP A0AAX3C923
B	531	HIS	-	expression tag	UNP A0AAX3C923
B	532	HIS	-	expression tag	UNP A0AAX3C923
B	533	SER	-	expression tag	UNP A0AAX3C923
B	534	ALA	-	expression tag	UNP A0AAX3C923
B	535	TRP	-	expression tag	UNP A0AAX3C923
B	536	SER	-	expression tag	UNP A0AAX3C923
B	537	HIS	-	expression tag	UNP A0AAX3C923
B	538	PRO	-	expression tag	UNP A0AAX3C923
B	539	GLN	-	expression tag	UNP A0AAX3C923
B	540	PHE	-	expression tag	UNP A0AAX3C923
B	541	GLU	-	expression tag	UNP A0AAX3C923
B	542	LYS	-	expression tag	UNP A0AAX3C923
B	543	GLY	-	expression tag	UNP A0AAX3C923
B	544	GLY	-	expression tag	UNP A0AAX3C923
B	545	GLY	-	expression tag	UNP A0AAX3C923
B	546	SER	-	expression tag	UNP A0AAX3C923
B	547	GLY	-	expression tag	UNP A0AAX3C923
B	548	GLY	-	expression tag	UNP A0AAX3C923
B	549	GLY	-	expression tag	UNP A0AAX3C923
B	550	GLY	-	expression tag	UNP A0AAX3C923
B	551	SER	-	expression tag	UNP A0AAX3C923
B	552	GLY	-	expression tag	UNP A0AAX3C923
B	553	GLY	-	expression tag	UNP A0AAX3C923

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	554	SER	-	expression tag	UNP A0AAX3C923
B	555	ALA	-	expression tag	UNP A0AAX3C923
B	556	TRP	-	expression tag	UNP A0AAX3C923
B	557	SER	-	expression tag	UNP A0AAX3C923
B	558	HIS	-	expression tag	UNP A0AAX3C923
B	559	PRO	-	expression tag	UNP A0AAX3C923
B	560	GLN	-	expression tag	UNP A0AAX3C923
B	561	PHE	-	expression tag	UNP A0AAX3C923
B	562	GLU	-	expression tag	UNP A0AAX3C923
B	563	LYS	-	expression tag	UNP A0AAX3C923
C	484	GLY	-	expression tag	UNP A0AAX3C923
C	485	SER	-	expression tag	UNP A0AAX3C923
C	486	GLY	-	expression tag	UNP A0AAX3C923
C	487	TYR	-	expression tag	UNP A0AAX3C923
C	488	ILE	-	expression tag	UNP A0AAX3C923
C	489	PRO	-	expression tag	UNP A0AAX3C923
C	490	GLU	-	expression tag	UNP A0AAX3C923
C	491	ALA	-	expression tag	UNP A0AAX3C923
C	492	PRO	-	expression tag	UNP A0AAX3C923
C	493	ARG	-	expression tag	UNP A0AAX3C923
C	494	ASP	-	expression tag	UNP A0AAX3C923
C	495	GLY	-	expression tag	UNP A0AAX3C923
C	496	GLN	-	expression tag	UNP A0AAX3C923
C	497	ALA	-	expression tag	UNP A0AAX3C923
C	498	TYR	-	expression tag	UNP A0AAX3C923
C	499	VAL	-	expression tag	UNP A0AAX3C923
C	500	ARG	-	expression tag	UNP A0AAX3C923
C	501	LYS	-	expression tag	UNP A0AAX3C923
C	502	ASP	-	expression tag	UNP A0AAX3C923
C	503	GLY	-	expression tag	UNP A0AAX3C923
C	504	GLU	-	expression tag	UNP A0AAX3C923
C	505	TRP	-	expression tag	UNP A0AAX3C923
C	506	VAL	-	expression tag	UNP A0AAX3C923
C	507	LEU	-	expression tag	UNP A0AAX3C923
C	508	LEU	-	expression tag	UNP A0AAX3C923
C	509	SER	-	expression tag	UNP A0AAX3C923
C	510	THR	-	expression tag	UNP A0AAX3C923
C	511	PHE	-	expression tag	UNP A0AAX3C923
C	512	LEU	-	expression tag	UNP A0AAX3C923
C	513	GLY	-	expression tag	UNP A0AAX3C923
C	514	ARG	-	expression tag	UNP A0AAX3C923
C	515	SER	-	expression tag	UNP A0AAX3C923

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	516	LEU	-	expression tag	UNP A0AAX3C923
C	517	GLU	-	expression tag	UNP A0AAX3C923
C	518	VAL	-	expression tag	UNP A0AAX3C923
C	519	LEU	-	expression tag	UNP A0AAX3C923
C	520	PHE	-	expression tag	UNP A0AAX3C923
C	521	GLN	-	expression tag	UNP A0AAX3C923
C	522	GLY	-	expression tag	UNP A0AAX3C923
C	523	PRO	-	expression tag	UNP A0AAX3C923
C	524	GLY	-	expression tag	UNP A0AAX3C923
C	525	HIS	-	expression tag	UNP A0AAX3C923
C	526	HIS	-	expression tag	UNP A0AAX3C923
C	527	HIS	-	expression tag	UNP A0AAX3C923
C	528	HIS	-	expression tag	UNP A0AAX3C923
C	529	HIS	-	expression tag	UNP A0AAX3C923
C	530	HIS	-	expression tag	UNP A0AAX3C923
C	531	HIS	-	expression tag	UNP A0AAX3C923
C	532	HIS	-	expression tag	UNP A0AAX3C923
C	533	SER	-	expression tag	UNP A0AAX3C923
C	534	ALA	-	expression tag	UNP A0AAX3C923
C	535	TRP	-	expression tag	UNP A0AAX3C923
C	536	SER	-	expression tag	UNP A0AAX3C923
C	537	HIS	-	expression tag	UNP A0AAX3C923
C	538	PRO	-	expression tag	UNP A0AAX3C923
C	539	GLN	-	expression tag	UNP A0AAX3C923
C	540	PHE	-	expression tag	UNP A0AAX3C923
C	541	GLU	-	expression tag	UNP A0AAX3C923
C	542	LYS	-	expression tag	UNP A0AAX3C923
C	543	GLY	-	expression tag	UNP A0AAX3C923
C	544	GLY	-	expression tag	UNP A0AAX3C923
C	545	GLY	-	expression tag	UNP A0AAX3C923
C	546	SER	-	expression tag	UNP A0AAX3C923
C	547	GLY	-	expression tag	UNP A0AAX3C923
C	548	GLY	-	expression tag	UNP A0AAX3C923
C	549	GLY	-	expression tag	UNP A0AAX3C923
C	550	GLY	-	expression tag	UNP A0AAX3C923
C	551	SER	-	expression tag	UNP A0AAX3C923
C	552	GLY	-	expression tag	UNP A0AAX3C923
C	553	GLY	-	expression tag	UNP A0AAX3C923
C	554	SER	-	expression tag	UNP A0AAX3C923
C	555	ALA	-	expression tag	UNP A0AAX3C923
C	556	TRP	-	expression tag	UNP A0AAX3C923
C	557	SER	-	expression tag	UNP A0AAX3C923

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	558	HIS	-	expression tag	UNP A0AAX3C923
C	559	PRO	-	expression tag	UNP A0AAX3C923
C	560	GLN	-	expression tag	UNP A0AAX3C923
C	561	PHE	-	expression tag	UNP A0AAX3C923
C	562	GLU	-	expression tag	UNP A0AAX3C923
C	563	LYS	-	expression tag	UNP A0AAX3C923


- Molecule 2 is a protein called 22F5 Heavy Chain.

Mol	Chain	Residues	Atoms						AltConf	Trace
2	D	119	Total	C	H	N	O	S	0	0
			1803	581	880	159	177	6		
2	F	119	Total	C	H	N	O	S	0	0
			1803	581	880	159	177	6		
2	I	119	Total	C	H	N	O	S	0	0
			1803	581	880	159	177	6		

- Molecule 3 is a protein called 22F5 Kappa Light Chain.

Mol	Chain	Residues	Atoms						AltConf	Trace
3	E	114	Total	C	H	N	O	S	0	0
			1768	558	881	152	174	3		
3	G	114	Total	C	H	N	O	S	0	0
			1768	558	881	152	174	3		
3	H	114	Total	C	H	N	O	S	0	0
			1768	558	881	152	174	3		

- Molecule 4 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms					AltConf
4	A	1	Total	C	H	N	O	0
			28	8	14	1	5	
4	A	1	Total	C	H	N	O	0
			28	8	14	1	5	
4	B	1	Total	C	H	N	O	0
			28	8	14	1	5	
4	B	1	Total	C	H	N	O	0
			28	8	14	1	5	
4	C	1	Total	C	H	N	O	0
			28	8	14	1	5	
4	C	1	Total	C	H	N	O	0
			28	8	14	1	5	

GLY VAL HIS THR PHE PRO ALA VAL LEU GLN SER ASP LEU TYR THR THR SER SER SER VAL THR VAL PRO PRO SER SER THR TRP THR GLN THR VAL THR THR CYS ASN VAL ALA HIS PRO SER SER THR LYS VAL ASP LYS LYS ILE VAL PRO

● Molecule 3: 22F5 Kappa Light Chain



D1 I48 Y49 W50 T53 A80 R108 T109 ASP ALA ALA THR THR MET THR VAL SER SER THR THR PHE LEU PRO PRO SER SER SER GLU GLN TYR THR THR ARG HIS ASN GLY GLY ALA SER TYR THR VAL VAL CYS PHE LEU THR ASN LYS ASN PHE TYR PRO LYS ASP PRO ILE ILE VAL LYS TRP LYS ASP SER GLU ARG GLN ASN

GLY VAL LEU ASN TRP THR ASP GLN ASP SER LYS ASP SER THR TYR ALA PRO MET THR VAL SER SER THR THR PHE LEU PRO PRO SER SER SER LYS ASP GLN TYR THR THR ARG HIS ASN GLY GLY ALA SER TYR THR VAL VAL CYS GLU ALA THR THR LYS ASN PHE TYR PRO LYS ASP PRO ILE ILE VAL LYS TRP PHE ASN ARG GLN CYS

● Molecule 3: 22F5 Kappa Light Chain



D1 I48 Y49 W50 T53 A80 R108 T109 ASP ALA ALA THR THR MET THR VAL SER SER THR THR PHE LEU PRO PRO SER SER SER LYS ASP GLN TYR THR THR ARG HIS ASN GLY GLY ALA SER TYR THR VAL VAL CYS PHE LEU THR ASN LYS ASN PHE TYR PRO LYS ASP PRO ILE ILE VAL LYS TRP LYS ASP SER GLU ARG GLN ASN

GLY VAL LEU ASN TRP THR ASP GLN ASP SER LYS ASP SER THR TYR ALA PRO MET THR VAL SER SER THR THR PHE LEU PRO PRO SER SER SER LYS ASP GLN TYR THR THR ARG HIS ASN GLY GLY ALA SER TYR THR VAL VAL CYS GLU ALA THR THR LYS ASN PHE TYR PRO LYS ASP PRO ILE ILE VAL LYS TRP PHE ASN ARG GLN CYS

● Molecule 3: 22F5 Kappa Light Chain



D1 I48 Y49 W50 T53 A80 R108 T109 ASP ALA ALA THR THR MET THR VAL SER SER THR THR PHE LEU PRO PRO SER SER SER LYS ASP GLN TYR THR THR ARG HIS ASN GLY GLY ALA SER TYR THR VAL VAL CYS PHE LEU THR ASN LYS ASN PHE TYR PRO LYS ASP PRO ILE ILE VAL LYS TRP LYS ASP SER GLU ARG GLN ASN

GLY VAL LEU ASN TRP THR ASP GLN ASP SER LYS ASP SER THR TYR ALA PRO MET THR VAL SER SER THR THR PHE LEU PRO PRO SER SER SER LYS ASP GLN TYR THR THR ARG HIS ASN GLY GLY ALA SER TYR THR VAL VAL CYS GLU ALA THR THR LYS ASN PHE TYR PRO LYS ASP PRO ILE ILE VAL LYS TRP PHE ASN ARG GLN CYS

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	271130	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	59.6	Depositor
Minimum defocus (nm)	1200	Depositor
Maximum defocus (nm)	2800	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	2.359	Depositor
Minimum map value	-1.801	Depositor
Average map value	-0.001	Depositor
Map value standard deviation	0.040	Depositor
Recommended contour level	0.186	Depositor
Map size (Å)	352.0, 352.0, 352.0	wwPDB
Map dimensions	320, 320, 320	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.1, 1.1, 1.1	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.10	0/3100	0.27	0/4220
1	B	0.09	0/3100	0.27	0/4220
1	C	0.10	0/3100	0.27	0/4220
2	D	0.09	0/947	0.26	0/1285
2	F	0.09	0/947	0.26	0/1285
2	I	0.09	0/947	0.26	0/1285
3	E	0.10	0/906	0.27	0/1228
3	G	0.10	0/906	0.27	0/1228
3	H	0.10	0/906	0.28	0/1228
All	All	0.09	0/14859	0.27	0/20199

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3058	3094	3093	24	0
1	B	3058	3094	3093	19	0
1	C	3058	3094	3093	20	0
2	D	923	880	877	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	F	923	880	877	2	0
2	I	923	880	877	2	0
3	E	887	881	881	2	0
3	G	887	881	881	2	0
3	H	887	881	881	2	0
4	A	28	28	26	0	0
4	B	28	28	26	0	0
4	C	28	28	26	0	0
All	All	14688	14649	14631	69	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

The worst 5 of 69 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:174:ILE:HG23	1:B:178:ILE:HD12	1.70	0.73
1:A:174:ILE:HG23	1:A:178:ILE:HD12	1.70	0.72
1:C:174:ILE:HG23	1:C:178:ILE:HD12	1.70	0.72
1:B:175:ASN:OD1	1:B:179:ILE:HD12	1.95	0.67
1:A:175:ASN:OD1	1:A:179:ILE:HD12	1.95	0.66

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	393/563 (70%)	382 (97%)	11 (3%)	0	100	100
1	B	393/563 (70%)	382 (97%)	11 (3%)	0	100	100
1	C	393/563 (70%)	382 (97%)	11 (3%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	D	117/216 (54%)	113 (97%)	4 (3%)	0	100	100
2	F	117/216 (54%)	113 (97%)	4 (3%)	0	100	100
2	I	117/216 (54%)	113 (97%)	4 (3%)	0	100	100
3	E	112/219 (51%)	110 (98%)	2 (2%)	0	100	100
3	G	112/219 (51%)	110 (98%)	2 (2%)	0	100	100
3	H	112/219 (51%)	110 (98%)	2 (2%)	0	100	100
All	All	1866/2994 (62%)	1815 (97%)	51 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	354/479 (74%)	354 (100%)	0	100	100
1	B	354/479 (74%)	354 (100%)	0	100	100
1	C	354/479 (74%)	354 (100%)	0	100	100
2	D	97/183 (53%)	97 (100%)	0	100	100
2	F	97/183 (53%)	97 (100%)	0	100	100
2	I	97/183 (53%)	97 (100%)	0	100	100
3	E	100/197 (51%)	100 (100%)	0	100	100
3	G	100/197 (51%)	100 (100%)	0	100	100
3	H	100/197 (51%)	100 (100%)	0	100	100
All	All	1653/2577 (64%)	1653 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 11 such sidechains are listed below:

Mol	Chain	Res	Type
1	C	24	HIS
1	C	160	ASN
3	E	42	GLN
1	C	184	GLN
1	B	24	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	NAG	A	602	1	14,14,15	0.71	0	17,19,21	0.81	0
4	NAG	C	602	1	14,14,15	0.70	0	17,19,21	0.81	0
4	NAG	B	601	1	14,14,15	0.73	0	17,19,21	0.85	0
4	NAG	B	602	1	14,14,15	0.70	0	17,19,21	0.81	0
4	NAG	C	601	1	14,14,15	0.72	0	17,19,21	0.86	0
4	NAG	A	601	1	14,14,15	0.72	0	17,19,21	0.86	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	A	602	1	-	1/6/23/26	0/1/1/1
4	NAG	C	602	1	-	1/6/23/26	0/1/1/1
4	NAG	B	601	1	-	0/6/23/26	0/1/1/1
4	NAG	B	602	1	-	1/6/23/26	0/1/1/1
4	NAG	C	601	1	-	0/6/23/26	0/1/1/1
4	NAG	A	601	1	-	0/6/23/26	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	602	NAG	O5-C5-C6-O6
4	B	602	NAG	O5-C5-C6-O6
4	C	602	NAG	O5-C5-C6-O6

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-48715. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 160




Y Index: 160




Z Index: 160


6.2.2 Raw map



X Index: 160



Y Index: 160




Z Index: 160


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 151




Y Index: 164




Z Index: 151


6.3.2 Raw map



X Index: 150



Y Index: 164




Z Index: 151


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.186. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 132 nm³; this corresponds to an approximate mass of 119 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.302 $\text{\AA}^{-1}$

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of $0.302 \text{ \AA}^{-1}$

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.31	-	-
Author-provided FSC curve	3.53	3.92	3.56
Unmasked-calculated*	3.88	4.31	3.92

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.88 differs from the reported value 3.31 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-48715 and PDB model 9NZ0. Per-residue inclusion information can be found in section [3](#) on page [12](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.186 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.186).

9.4 Atom inclusion [i](#)



At the recommended contour level, 82% of all backbone atoms, 82% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.186) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.8200	0.4440
A	0.8150	0.4350
B	0.8130	0.4350
C	0.8150	0.4370
D	0.8300	0.4660
E	0.8230	0.4550
F	0.8290	0.4660
G	0.8250	0.4530
H	0.8230	0.4540
I	0.8260	0.4650

1.0

0.0

<0.0